
Julie Refardt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3851523/publications.pdf Version: 2024-02-01



IIIIIE PEENDOT

#	Article	IF	CITATIONS
1	Adjunct prednisone therapy for patients with community-acquired pneumonia: a multicentre, double-blind, randomised, placebo-controlled trial. Lancet, The, 2015, 385, 1511-1518.	13.7	326
2	A Copeptin-Based Approach in the Diagnosis of Diabetes Insipidus. New England Journal of Medicine, 2018, 379, 428-439.	27.0	180
3	Arginine-stimulated copeptin measurements in the differential diagnosis of diabetes insipidus: a prospective diagnostic study. Lancet, The, 2019, 394, 587-595.	13.7	97
4	Copeptin and its role in the diagnosis of diabetes insipidus and the syndrome of inappropriate antidiuresis. Clinical Endocrinology, 2019, 91, 22-32.	2.4	66
5	A Randomized Trial of Empagliflozin to Increase Plasma Sodium Levels in Patients with the Syndrome of Inappropriate Antidiuresis. Journal of the American Society of Nephrology: JASN, 2020, 31, 615-624.	6.1	51
6	Diagnosis and management of diabetes insipidus for the internist: an update. Journal of Internal Medicine, 2021, 290, 73-87.	6.0	43
7	Diabetes Insipidus. Endocrinology and Metabolism Clinics of North America, 2020, 49, 517-531.	3.2	42
8	Diagnosis and differential diagnosis of diabetes insipidus: Update. Best Practice and Research in Clinical Endocrinology and Metabolism, 2020, 34, 101398.	4.7	31
9	Theranostics in neuroendocrine tumors: an overview of current approaches and future challenges. Reviews in Endocrine and Metabolic Disorders, 2021, 22, 581-594.	5.7	29
10	Impact of chronic hyponatremia on neurocognitive and neuromuscular function. European Journal of Clinical Investigation, 2018, 48, e13022.	3.4	27
11	Empagliflozin Increases Short-Term Urinary Volume Output in Artificially Induced Syndrome of Inappropriate Antidiuresis. International Journal of Endocrinology, 2017, 2017, 1-8.	1.5	22
12	Approach to the Patient: "Utility of the Copeptin Assay― Journal of Clinical Endocrinology and Metabolism, 2022, 107, 1727-1738.	3.6	22
13	Copeptin levels and commonly used laboratory parameters in hospitalised patients with severe hypernatraemia - the "Co-MED study― Critical Care, 2018, 22, 33.	5.8	19
14	Validity of different copeptin assays in the differential diagnosis of the polyuria-polydipsia syndrome. Scientific Reports, 2021, 11, 10104.	3.3	19
15	Inferior outcome of neuroendocrine tumor patients negative on somatostatin receptor imaging. Endocrine-Related Cancer, 2020, 27, 615-624.	3.1	15
16	Effects of Inadequate Amino Acid Mixture Intake on Nutrient Supply of Adult Patients with Phenylketonuria. Annals of Nutrition and Metabolism, 2017, 71, 129-135.	1.9	14
17	The challenges of sodium measurements: indirect versus direct ion-selective method. European Journal of Endocrinology, 2019, 181, 193-199.	3.7	13
18	Effect of hyponatremia normalization on osteoblast function in patients with SIAD. European Journal of Endocrinology, 2022, 186, 1-8.	3.7	10

Julie Refardt

#	Article	IF	CITATIONS
19	Effects of glucagon-like peptide-1 receptor agonists on fluid intake in healthy volunteers. Endocrine, 2020, 70, 292-298.	2.3	9
20	Molecular Imaging of Neuroendocrine Neoplasms. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e2662-e2670.	3.6	9
21	Hypercalcemic crisis in third trimenon: evaluating the optimal treatment strategy. Gynecological Endocrinology, 2018, 34, 833-836.	1.7	7
22	Copeptin in the Diagnosis of Diabetes Insipidus. New England Journal of Medicine, 2018, 379, 1784-1786.	27.0	7
23	Effects of alcohol consumption on copeptin levels and sodium-water homeostasis. American Journal of Physiology - Renal Physiology, 2020, 318, F702-F709.	2.7	7
24	A randomized controlled trial of the GLP-1 receptor agonist dulaglutide in primary polydipsia. Journal of Clinical Investigation, 2021, 131, .	8.2	7
25	Diabetes insipidus in pregnancy: how to advice the patient?. Minerva Endocrinology, 2018, 43, 458-464.	1.1	7
26	Copeptin-based diagnosis of diabetes insipidus. Swiss Medical Weekly, 2020, 150, w20237.	1.6	7
27	Hyponatremia Intervention Trial (HIT): Study Protocol of a Randomized, Controlled, Parallel-Group Trial With Blinded Outcome Assessment. Frontiers in Medicine, 2021, 8, 729545.	2.6	6
28	Copeptin is not useful as a marker of malignant disease in the syndrome of inappropriate antidiuresis. Endocrine Connections, 2020, 9, 20-27.	1.9	6
29	Effects of Glucagon-Like Peptide-1 Receptor Agonists on Hypothalamic-Pituitary-Adrenal Axis in Healthy Volunteers. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 202-208.	3.6	5
30	Oxytocin levels in response to pituitary provocation tests in healthy volunteers. European Journal of Endocrinology, 2021, 185, 355-364.	3.7	5
31	New Directions in Imaging Neuroendocrine Neoplasms. Current Oncology Reports, 2021, 23, 143.	4.0	5
32	Cosyntropin testing does not predict response to glucocorticoids in communityâ€acquired pneumonia in a randomized controlled trial. Clinical Endocrinology, 2019, 91, 374-382.	2.4	4
33	Low arginine vasopressin levels in patients with diabetes insipidus are not associated with anaemia. Clinical Endocrinology, 2020, 93, 456-465.	2.4	4
34	Effect of Arginine on the Hypothalamic–Pituitary–Adrenal Axis in Individuals With and Without Vasopressin Deficiency. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e2327-e2336.	3.6	4
35	Impact of Sodium Levels on Functional Outcomes in Patients With Stroke – A Swiss Stroke Registry Analysis. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e672-e680.	3.6	4
36	The effect of glucose dynamics on plasma copeptin levels upon glucagon, arginine, and macimorelin stimulation in healthy adults. Pituitary, 2022, 25, 636-644.	2.9	4

Julie Refardt

#	Article	IF	CITATIONS
37	Can treatment response to SGLT2-inhibitors in syndrome of inappropriate antidiuresis be predicted by copeptin, natriuretic peptides and inflammatory markers?. Biomarkers, 2021, 26, 647-655.	1.9	3
38	Prognostic significance of hyperammonemia in neuroendocrine neoplasm patients with liver metastases. Endocrine-Related Cancer, 2022, 29, 241-250.	3.1	3
39	Artificial Syndrome of Inappropriate Antidiuresis Model as Potential Use for Diagnostic and Therapeutic Strategies. Hormone and Metabolic Research, 2017, 49, 673-679.	1.5	2
40	Incidence of hyperkalemia during hypertonic saline test for the diagnosis of diabetes insipidus. Endocrine Connections, 2021, 10, 401-409.	1.9	2
41	Molecular Imaging in neuroendocrine neoplasias. Presse Medicale, 2022, 51, 104115.	1.9	2
42	Prognostic value of dysnatremia for survival in neuroendocrine neoplasm patients. European Journal of Endocrinology, 2022, , .	3.7	1
43	Oxytocin Levels in Response to Pituitary Provocation Tests in Healthy Volunteers. Journal of the Endocrine Society, 2021, 5, A631-A631.	0.2	0
44	Validity of Different Copeptin Assays in the Differential Diagnosis of the Polyuria-Polydipsia Syndrome. Journal of the Endocrine Society, 2021, 5, A637-A637.	0.2	0
45	FGF-21 levels in polyuria-polydipsia syndrome. Endocrine Connections, 2018, 7, 1501-1506.	1.9	0