
Rodney Taylor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3853027/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Exercise-based rehabilitation for patients with coronary heart disease: systematic review and meta-analysis of randomized controlled trials. American Journal of Medicine, 2004, 116, 682-692. | 0.6 | 1,853 |
| 2 | Exercise-Based Cardiac Rehabilitation forÂCoronary Heart Disease. Journal of the American College of Cardiology, 2016, 67, 1-12. | 1.2 | 1,254 |
| 3 | Spinal cord stimulation versus conventional medical management for neuropathic pain: A multicentre randomised controlled trial in patients with failed back surgery syndrome. Pain, 2007, 132, 179-188. | 2.0 | 944 |
| 4 | Exercise-based cardiac rehabilitation for coronary heart disease. , 2011, , CD001800. | | 867 |
| 5 | 2020 ESC Guidelines on sports cardiology and exercise in patients with cardiovascular disease. European Heart Journal, 2021, 42, 17-96. | 1.0 | 830 |
| 6 | The effectiveness of exercise interventions for people with Parkinson's disease: A systematic review and metaâ€analysis. Movement Disorders, 2008, 23, 631-640. | 2.2 | 735 |
| 7 | Mindfulness-based cognitive therapy to prevent relapse in recurrent depression Journal of Consulting and Clinical Psychology, 2008, 76, 966-978. | 1.6 | 635 |
| 8 | How does mindfulness-based cognitive therapy work?. Behaviour Research and Therapy, 2010, 48, 1105-1112. | 1.6 | 633 |
| 9 | THE EFFECTS OF SPINAL CORD STIMULATION IN NEUROPATHIC PAIN ARE SUSTAINED. Neurosurgery, 2008, 63, 762-770. | 0.6 | 584 |
| 10 | Association Between Fibrosis Stage and Outcomes of Patients With Nonalcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. Gastroenterology, 2020, 158, 1611-1625.e12. | 0.6 | 575 |
| 11 | Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. JAMA Psychiatry, 2016, 73, 565. | 6.0 | 558 |
| 12 | Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. Lancet, The, 2016, 388, 871-880. | 6.3 | 427 |
| 13 | Exercise-based cardiac rehabilitation for coronary heart disease. The Cochrane Library, 2016, , CD001800. | 1.5 | 396 |
| 14 | Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. Lancet, The, 2015, 386, 63-73. | 6.3 | 390 |
| 15 | Home based versus centre based cardiac rehabilitation: Cochrane systematic review and meta-analysis. BMJ: British Medical Journal, 2010, 340, b5631-b5631. | 2.4 | 354 |
| 16 | Is volunteering a public health intervention? A systematic review and meta-analysis of the health and survival of volunteers. BMC Public Health, 2013, 13, 773. | 1.2 | 354 |
| 17 | Home-based versus centre-based cardiac rehabilitation. , 2010, , CD007130. | | 330 |
| 18 | Association of a difference in systolic blood pressure between arms with vascular disease and mortality: a systematic review and meta-analysis. Lancet, The, 2012, 379, 905-914. | 6.3 | 326 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Exercise-based rehabilitation for heart failure. The Cochrane Library, 2014, , CD003331. | 1.5 | 320 |
| 20 | Cardiac rehabilitation. BMJ, The, 2015, 351, h5000. | 3.0 | 306 |
| 21 | Balloon kyphoplasty in the management of vertebral compression fractures: an updated systematic review and meta-analysis. European Spine Journal, 2007, 16, 1085-1100. | 1.0 | 292 |
| 22 | The Costs and Consequences of Adequately Managed Chronic Nonâ€Cancer Pain and Chronic Neuropathic Pain. Pain Practice, 2014, 14, 79-94. | 0.9 | 292 |
| 23 | Balloon Kyphoplasty and Vertebroplasty for Vertebral Compression Fractures. Spine, 2006, 31, 2747-2755. | 1.0 | 290 |
| 24 | Predictors of health-related quality of life and costs in adults with epilepsy: A systematic review. Epilepsia, 2011, 52, 2168-2180. | 2.6 | 283 |
| 25 | Spinal Cord Stimulation versus Reoperation for Failed Back Surgery Syndrome: A Cost Effectiveness and Cost Utility Analysis Based on a Randomized, Controlled Trial. Neurosurgery, 2007, 61, 361-369. | 0.6 | 279 |
| 26 | The burden of neuropathic pain: A systematic review and meta-analysis of health utilities. Pain, 2010, 149, 338-344. | 2.0 | 278 |
| 27 | Exercise training for systolic heart failure: Cochrane systematic review and metaâ€analysis. European Journal of Heart Failure, 2010, 12, 706-715. | 2.9 | 261 |
| 28 | Reduced Dietary Salt for the Prevention of Cardiovascular Disease: A Meta-Analysis of Randomized Controlled Trials (Cochrane Review). American Journal of Hypertension, 2011, 24, 843-853. | 1.0 | 254 |
| 29 | Exercise-based cardiac rehabilitation for adults with heart failure. The Cochrane Library, 2019, 2019, CD003331. | 1.5 | 247 |
| 30 | Spinal Cord Stimulation for Chronic Back and Leg Pain and Failed Back Surgery Syndrome: A Systematic Review and Analysis of Prognostic Factors. Spine, 2005, 30, 152-160. | 1.0 | 243 |
| 31 | Spinal cord stimulation for complex regional pain syndrome: A systematic review of the clinical and cost-effectiveness literature and assessment of prognostic factors. European Journal of Pain, 2006, 10, 91-91. | 1.4 | 237 |
| 32 | Physical activity and health related quality of life. BMC Public Health, 2012, 12, 624. | 1.2 | 236 |
| 33 | Home-based versus centre-based cardiac rehabilitation. The Cochrane Library, 2017, 2017, CD007130. | 1.5 | 234 |
| 34 | Psychological interventions for coronary heart disease. The Cochrane Library, 2021, 2021, CD002902. | 1.5 | 212 |
| 35 | Corneal Neovascularization as a Risk Factor for Graft Failure and Rejection after Keratoplasty. Ophthalmology, 2010, 117, 1300-1305.e7. | 2.5 | 210 |
| 36 | Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. BMJ: British Medical Journal, 2011, 343, d6462-d6462. | 2.4 | 204 |

| # | Article | IF | CITATIONS |
|----|---|--------------------|---------------------|
| 37 | Exercise-based rehabilitation for heart failure: systematic review and meta-analysis. Open Heart, 2015, 2, e000163. | 0.9 | 200 |
| 38 | Spinal Cord Stimulation in Complex Regional Pain Syndrome and Refractory Neuropathic Back and Leg Pain/Failed Back Surgery Syndrome: Results of a Systematic Review and Meta-Analysis. Journal of Pain and Symptom Management, 2006, 31, S13-S19. | 0.6 | 193 |
| 39 | Quality of life, resource consumption and costs of spinal cord stimulation versus conventional medical management in neuropathic pain patients with failed back surgery syndrome (PROCESS trial). European Journal of Pain, 2008, 12, 1047-1058. | 1.4 | 185 |
| 40 | Predictors of Pain Relief Following Spinal Cord Stimulation in Chronic Back and Leg Pain and Failed Back Surgery Syndrome: A Systematic Review and Metaâ€Regression Analysis. Pain Practice, 2014, 14, 489-505. | 0.9 | 182 |
| 41 | Impact of Exercise Rehabilitation on Exercise Capacity and Quality-of-Life in Heart Failure. Journal of the American College of Cardiology, 2019, 73, 1430-1443. | 1.2 | 172 |
| 42 | Guided self-help concreteness training as an intervention for major depression in primary care: a Phase II randomized controlled trial. Psychological Medicine, 2012, 42, 1359-1371. | 2.7 | 165 |
| 43 | Netmums: a phase II randomized controlled trial of a guided Internet behavioural activation treatment for postpartum depression. Psychological Medicine, 2014, 44, 1675-1689. | 2.7 | 165 |
| 44 | Nurse led interventions to improve control of blood pressure in people with hypertension: systematic review and meta-analysis. BMJ: British Medical Journal, 2010, 341, c3995-c3995. | 2.4 | 164 |
| 45 | Psychological interventions for coronary heart disease: Cochrane systematic review and meta-analysis. European Journal of Preventive Cardiology, 2018, 25, 247-259. | 0.8 | 162 |
| 46 | Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQ 1859-1868. | q0 0 0 rgBT 6.3 | Overlock 10/ 156 |
| 47 | Cardiac rehabilitation for people with heart disease: an overview of Cochrane systematic reviews. The Cochrane Library, 2021, 2021, CD011273. | 1.5 | 155 |
| 48 | The role of cardiac rehabilitation in improving cardiovascular outcomes. Nature Reviews Cardiology, 2022, 19, 180-194. | 6.1 | 150 |
| 49 | Improving uptake and adherence in cardiac rehabilitation: literature review. Journal of Advanced Nursing, 2005, 49, 538-555. | 1.5 | 149 |
| 50 | The Cost-effectiveness of Spinal Cord Stimulation in the Treatment of Failed Back Surgery Syndrome. Clinical Journal of Pain, 2010, 26, 463-469. | 0.8 | 147 |
| 51 | Exercise-Based Rehabilitation for HeartÂFailure. JACC: Heart Failure, 2019, 7, 691-705. | 1.9 | 141 |
| 52 | Home-based cardiac rehabilitation compared with centre-based rehabilitation and usual care: A systematic review and meta-analysis. International Journal of Cardiology, 2006, 111, 343-351. | 0.8 | 140 |
| 53 | Clinical service organisation for heart failure. The Cochrane Library, 2012, , CD002752. | 1.5 | 139 |
| 54 | Internet-based behavioral activation—Treatment for postnatal depression (Netmums): A randomized controlled trial. Journal of Affective Disorders, 2013, 150, 814-822. | 2.0 | 134 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Psychological Interventions for Coronary Heart Disease: Cochrane Systematic Review and Meta-analysis. International Journal of Behavioral Medicine, 2014, 21, 109-121. | 0.8 | 128 |
| 56 | Epidemiology of Refractory Neuropathic Pain. Pain Practice, 2006, 6, 22-26. | 0.9 | 125 |
| 57 | Impact of exerciseâ€based cardiac rehabilitation in patients with heart failure (ExTraMATCH II) on mortality and hospitalisation: an individual patient data metaâ€analysis of randomised trials. European Journal of Heart Failure, 2018, 20, 1735-1743. | 2.9 | 125 |
| 58 | Patients' Perception of Postoperative Pain Management: Validation of the International Pain Outcomes (IPO) Questionnaire. Journal of Pain, 2013, 14, 1361-1370. | 0.7 | 124 |
| 59 | The Impact and Burden of Chronic Pain in the Workplace: A Qualitative Systematic Review. Pain Practice, 2012, 12, 578-589. | 0.9 | 123 |
| 60 | Effect of High-frequency (10-kHz) Spinal Cord Stimulation in Patients With Painful Diabetic Neuropathy. JAMA Neurology, 2021, 78, 687. | 4.5 | 122 |
| 61 | Patient education in the management of coronary heart disease. The Cochrane Library, 2021, 2021, CD008895. | 1.5 | 121 |
| 62 | Levels and predictors of exercise referral scheme uptake and adherence: a systematic review. Journal of Epidemiology and Community Health, 2012, 66, 737-744. | 2.0 | 120 |
| 63 | The cost effectiveness of spinal cord stimulation in the treatment of pain: a systematic review of the literature. Journal of Pain and Symptom Management, 2004, 27, 370-378. | 0.6 | 119 |
| 64 | Psychological interventions for coronary heart disease. , 2011, , CD002902. | | 119 |
| 65 | Comparison of treatment effect sizes associated with surrogate and final patient relevant outcomes in randomised controlled trials: meta-epidemiological study. BMJ, The, 2013, 346, f457-f457. | 3.0 | 119 |
| 66 | The difference in blood pressure readings between arms and survival: primary care cohort study. BMJ: British Medical Journal, 2012, 344, e1327-e1327. | 2.4 | 118 |
| 67 | Cardiac rehabilitation and physical activity: systematic review and meta-analysis. Heart, 2018, 104, 1394-1402. | 1.2 | 114 |
| 68 | Spinal cord stimulation in the treatment of refractory angina: systematic review and meta-analysis of randomised controlled trials. BMC Cardiovascular Disorders, 2009, 9, 13. | 0.7 | 112 |
| 69 | Exercise based rehabilitation for heart failure. , 2010, , CD003331. | | 108 |
| 70 | Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. Trials, 2015, 16, 1. | 0.7 | 108 |
| 71 | Comparison of a structured home-based rehabilitation programme with conventional supervised pulmonary rehabilitation: a randomised non-inferiority trial. Thorax, 2018, 73, 29-36. | 2.7 | 105 |
| | | | |

Reduced dietary salt for the prevention of cardiovascular disease. , 2011, , CD009217.

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Exercise-based cardiac rehabilitation for coronary heart disease. The Cochrane Library, 2021, 2021, CD001800. | 1.5 | 103 |
| 74 | Home-based versus centre-based cardiac rehabilitation: abridged Cochrane systematic review and meta-analysis. Open Heart, 2016, 3, e000463. | 0.9 | 101 |
| 75 | Time to Review the Role of Surrogate End Points in Health Policy: State of the Art and the Way Forward. Value in Health, 2017, 20, 487-495. | 0.1 | 101 |
| 76 | Correlates of satisfaction with pain treatment in the acute postoperative period: Results from the international PAIN OUT registry. Pain, 2014, 155, 1401-1411. | 2.0 | 100 |
| 77 | Multicolumn spinal cord stimulation for predominant back pain in failed back surgery syndrome patients: a multicenter randomized controlled trial. Pain, 2019, 160, 1410-1420. | 2.0 | 100 |
| 78 | Spinal cord stimulation for chronic pain. , 2004, , CD003783. | | 99 |
| 79 | The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. European Journal of Preventive Cardiology, 2019, 26, 262-272. | 0.8 | 96 |
| 80 | A randomized trial of the addition of homeâ€based exercise to specialist heart failure nurse care: the Birmingham Rehabilitation Uptake Maximisation study for patients with Congestive Heart Failure (BRUM HF) study. European Journal of Heart Failure, 2009, 11, 205-213. | 2.9 | 93 |
| 81 | Cardiac rehabilitation for people with heart disease: An overview of Cochrane systematic reviews. International Journal of Cardiology, 2014, 177, 348-361. | 0.8 | 93 |
| 82 | Home-based cardiac rehabilitation for people with heart failure: A systematic review and meta-analysis. International Journal of Cardiology, 2016, 221, 963-969. | 0.8 | 92 |
| 83 | The work and social adjustment scale: Reliability, sensitivity and value. International Journal of Psychiatry in Clinical Practice, 2014, 18, 131-138. | 1.2 | 89 |
| 84 | Effects of exercise training for heart failure with preserved ejection fraction: A systematic review and meta-analysis of comparative studies. International Journal of Cardiology, 2012, 162, 6-13. | 0.8 | 88 |
| 85 | Home-based versus centre-based cardiac rehabilitation. , 2015, , CD007130. | | 87 |
| 86 | Mortality reductions in patients receiving exercise-based cardiac rehabilitation: how much can be attributed to cardiovascular risk factor improvements?. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 369-374. | 3.1 | 87 |
| 87 | Reduced dietary salt for the prevention of cardiovascular disease. The Cochrane Library, 2017, 2017, CD009217. | 1.5 | 86 |
| 88 | Critical appraisal skills training for health care professionals: a randomized controlled trial [ISRCTN46272378]. BMC Medical Education, 2004, 4, 30. | 1.0 | 84 |
| 89 | Predictors of exercise capacity following exercise-based rehabilitation in patients with coronary heart disease and heart failure: A meta-regression analysis. European Journal of Preventive Cardiology, 2016, 23, 683-693. | 0.8 | 81 |
| 90 | Development and validation of a questionnaire to evaluate the effectiveness of evidence-based practice teaching. Medical Education, 2001, 35, 544-547. | 1.1 | 79 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Mortality reductions in patients receiving exercise-based cardiac rehabilitation: how much can be attributed to cardiovascular risk factor improvements?. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 369-374. | 3.1 | 72 |
| 92 | The incidence and healthcare costs of persistent postoperative pain following lumbar spine surgery in the UK: a cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). BMJ Open, 2017, 7, e017585. | 0.8 | 71 |
| 93 | VALIDATION OF SURROGATE ENDPOINTS IN ADVANCED SOLID TUMORS: SYSTEMATIC REVIEW OF STATISTICAL METHODS, RESULTS, AND IMPLICATIONS FOR POLICY MAKERS. International Journal of Technology Assessment in Health Care, 2014, 30, 312-324. | 0.2 | 69 |
| 94 | Assessing the Clinical and Cost-Effectiveness of Medical Devices and Drugs: Are They That Different?. Value in Health, 2009, 12, 404-406. | 0.1 | 66 |
| 95 | Exercise-based cardiac rehabilitation in heart transplant recipients. The Cochrane Library, 2017, 2017, CD012264. | 1.5 | 66 |
| 96 | COVID-19 and its cardiovascular effects: a systematic review of prevalence studies. The Cochrane Library, 2022, 2022, CD013879. | 1.5 | 66 |
| 97 | A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. BMJ Open, 2018, 8, e019649. | 0.8 | 66 |
| 98 | Patient education in the management of coronary heart disease. , 2011, , CD008895. | | 64 |
| 99 | Exercise-based cardiac rehabilitation for adults after heart valve surgery. The Cochrane Library, 2016, 3, CD010876. | 1.5 | 64 |
| 100 | Effectiveness of the Healthy Lifestyles Programme (HeLP) to prevent obesity in UK primary-school children: a cluster randomised controlled trial. The Lancet Child and Adolescent Health, 2018, 2, 35-45. | 2.7 | 64 |
| 101 | An Analysis of the Components of Pain, Function, and Health-Related Quality of Life in Patients with Failed Back Surgery Syndrome Treated with Spinal Cord Stimulation or Conventional Medical Management. Neuromodulation, 2010, 13, 201-209. | 0.4 | 63 |
| 102 | Exercise-based cardiac rehabilitation for adults with atrial fibrillation. The Cochrane Library, 2017, 2, CD011197. | 1.5 | 60 |
| 103 | Interventions to promote patient utilisation of cardiac rehabilitation. The Cochrane Library, 2019, 2019, CD007131. | 1.5 | 60 |
| 104 | The economic impact of failed back surgery syndrome. British Journal of Pain, 2012, 6, 174-181. | 0.7 | 59 |
| 105 | Interarm Blood Pressure Difference in People With Diabetes: Measurement and Vascular and Mortality Implications. Diabetes Care, 2014, 37, 1613-1620. | 4.3 | 59 |
| 106 | Virtual and in-person cardiac rehabilitation. BMJ, The, 2021, 373, n1270. | 3.0 | 58 |
| 107 | Why do so few patients with heart failure participate in cardiac rehabilitation? A cross-sectional survey from England, Wales and Northern Ireland. BMJ Open, 2012, 2, e000787. | 0.8 | 57 |
| 108 | The Surgical Approach to the Anterior Nucleus of Thalamus in Patients With Refractory Epilepsy: Experience from the International Multicenter Registry (MORE). Neurosurgery, 2019, 84, 141-150. | 0.6 | 57 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Prevalence of systolic inter-arm differences in blood pressure for different primary care populations: systematic review and meta-analysis. British Journal of General Practice, 2016, 66, e838-e847. | 0.7 | 55 |
| 110 | Singing for people with aphasia (SPA): a protocol for a pilot randomised controlled trial of a group singing intervention to improve well-being. BMJ Open, 2018, 8, e025167. | 0.8 | 54 |
| 111 | Short―and longâ€ŧerm cost and utilization of health care resources in Parkinson's disease in the UK. Movement Disorders, 2018, 33, 974-981. | 2.2 | 53 |
| 112 | Disease management interventions for heart failure. The Cochrane Library, 2019, 2019, CD002752. | 1.5 | 53 |
| 113 | The patient education — Learning and Coping Strategies — improves adherence in cardiac rehabilitation (LC-REHAB): A randomised controlled trial. International Journal of Cardiology, 2017, 236, 65-70. | 0.8 | 52 |
| 114 | Does a screening trial for spinal cord stimulation in patients with chronic pain of neuropathic origin have clinical utility and cost-effectiveness (TRIAL-STIM)? A randomised controlled trial. Pain, 2020, 161, 2820-2829. | 2.0 | 52 |
| 115 | Optimising self-care support for people with heart failure and their caregivers: development of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) intervention using intervention mapping. Pilot and Feasibility Studies, 2016, 2, 37. | 0.5 | 51 |
| 116 | The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). Health Technology Assessment, 2015, 19, 1-212. | 1.3 | 50 |
| 117 | HEALTH TECHNOLOGY ASSESSMENT OF MEDICAL DEVICES: A SURVEY OF NON-EUROPEAN UNION AGENCIES. International Journal of Technology Assessment in Health Care, 2015, 31, 154-165. | 0.2 | 49 |
| 118 | The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). Health Technology Assessment, 2015, 19, 1-124. | 1.3 | 49 |
| 119 | Doctors record higher blood pressures than nurses: systematic review and meta-analysis. British Journal of General Practice, 2014, 64, e223-e232. | 0.7 | 48 |
| 120 | Meta-analyses of randomized controlled trials show suboptimal validity of surrogate outcomes for overall survival in advanced colorectal cancer. Journal of Clinical Epidemiology, 2015, 68, 833-842. | 2.4 | 48 |
| 121 | Inter-arm blood pressure difference and mortality: a cohort study in an asymptomatic primary care population at elevated cardiovascular risk. British Journal of General Practice, 2016, 66, e297-e308. | 0.7 | 48 |
| 122 | Validation of Exercise Capacity as a Surrogate Endpoint in Exercise-Based Rehabilitation for Heart Failure. JACC: Heart Failure, 2018, 6, 596-604. | 1.9 | 47 |
| 123 | Home-based versus hospital-based cardiac rehabilitation after myocardial infarction or revascularisation: design and rationale of the Birmingham Rehabilitation Uptake Maximisation Study (BRUM): a randomised controlled trial [ISRCTN72884263]. BMC Cardiovascular Disorders, 2003, 3, 10. | 0.7 | 46 |
| 124 | Reducing intrusive memories after trauma via a brief cognitive task intervention in the hospital emergency department: an exploratory pilot randomised controlled trial. Translational Psychiatry, 2021, 11, 30. | 2.4 | 46 |
| 125 | Dual chamber versus single chamber ventricular pacemakers for sick sinus syndrome and atrioventricular block. The Cochrane Library, 2004, , CD003710. | 1.5 | 45 |
| 126 | Factors influencing clinical trial site selection in Europe: the Survey of Attitudes towards Trial sites in Europe (the SAT-EU Study). BMJ Open, 2013, 3, e002957. | 0.8 | 45 |

| # | Article | IF | CITATIONS |
|-----|---|-------------------|-----------------------|
| 127 | Exercise to preserve βâ€cell function in recentâ€onset Type 1 diabetes mellitus (<scp>EXTOD</scp>) – a randomized controlled pilot trial. Diabetic Medicine, 2017, 34, 1521-1531. | 1.2 | 45 |
| 128 | The Impact of Early PostOperative Pain on Health-Related Quality of Life. Pain Practice, 2013, 13, 515-523. | 0.9 | 43 |
| 129 | Dose-response relation between dietary sodium and blood pressure: a meta-regression analysis of 133 randomized controlled trials. American Journal of Clinical Nutrition, 2019, 109, 1273-1278. | 2.2 | 43 |
| 130 | Randomized Placebo-/Sham-Controlled Trials of Spinal Cord Stimulation: A Systematic Review and Methodological Appraisal. Neuromodulation, 2020, 23, 10-18. | 0.4 | 42 |
| 131 | The Effectiveness and Micro-costing Analysis of a Universal, School-Based, Social–Emotional Learning Programme in the UK: A Cluster-Randomised Controlled Trial. School Mental Health, 2016, 8, 238-256. | 1.1 | 41 |
| 132 | Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. Trials, 2010, 11, 99. | 0.7 | 40 |
| 133 | The cost-effectiveness of exercise referral schemes. BMC Public Health, 2011, 11, 954. | 1.2 | 40 |
| 134 | The Effectiveness and Cost-Effectiveness of Spinal Cord Stimulation for Refractory Angina (RASCAL) Tj ETQq0 0 | 0 rgBT /Oʻ 0.4 | verlock 10 Tf : 40 |
| 135 | Relationship between Health-Related Quality of Life, Pain, and Functional Disability in Neuropathic Pain Patients with Failed Back Surgery Syndrome. Value in Health, 2010, 13, 95-102. | 0.1 | 39 |
| 136 | Cost-effectiveness of exercise therapy in patients with coronary heart disease, chronic heart failure and associated risk factors: A systematic review of economic evaluations of randomized clinical trials. European Journal of Preventive Cardiology, 2020, 27, 1045-1055. | 0.8 | 39 |
| 137 | Patients' preference for exercise setting and its influence on the health benefits gained from exercise-based cardiac rehabilitation. International Journal of Cardiology, 2017, 232, 33-39. | 0.8 | 38 |
| 138 | Research design considerations for randomized controlled trials of spinal cord stimulation for pain: Initiative on Methods, Measurement, and Pain Assessment in Clinical Trials/Institute of Neuromodulation/International Neuromodulation Society recommendations. Pain, 2021, 162, 1935-1956. | 2.0 | 38 |
| 139 | Use of surrogate outcomes in cost-effectiveness models: A review of United Kingdom health technology assessment reports. International Journal of Technology Assessment in Health Care, 2009, 25, 6-13. | 0.2 | 37 |
| 140 | Effective behavior change techniques in asthma self-care interventions: Systematic review and meta-regression Health Psychology, 2014, 33, 577-587. | 1.3 | 37 |
| 141 | Linking the Regulatory and Reimbursement Processes for Medical Devices: The Need for Integrated Assessments. Health Economics (United Kingdom), 2017, 26, 13-29. | 0.8 | 37 |
| 142 | Cardiac rehabilitation increases physical capacity but not mental health after heart valve surgery: a randomised clinical trial. Heart, 2016, 102, 1995-2003. | 1.2 | 36 |
| 143 | Building consensus for provision of breathlessness rehabilitation for patients with chronic obstructive pulmonary disease and chronic heart failure. Chronic Respiratory Disease, 2016, 13, 229-239. | 1.0 | 36 |
| 144 | Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. British Journal of General Practice, 2016, 66, e214-e218. | 0.7 | 36 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Exercise-based cardiac rehabilitation improves exercise capacity and health-related quality of life in people with atrial fibrillation: a systematic review and meta-analysis of randomised and non-randomised trials. Open Heart, 2018, 5, e000880. | 0.9 | 36 |
| 146 | The cost effectiveness of REACH-HF and home-based cardiac rehabilitation compared with the usual medical care for heart failure with reduced ejection fraction: A decision model-based analysis. European Journal of Preventive Cardiology, 2019, 26, 1252-1261. | 0.8 | 36 |
| 147 | Interventions to Promote Patient Utilization of Cardiac Rehabilitation: Cochrane Systematic Review and Meta-Analysis. Journal of Clinical Medicine, 2019, 8, 189. | 1.0 | 36 |
| 148 | A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. Health Technology Assessment, 2014, 18, 1-324. | 1.3 | 36 |
| 149 | Effect of patient education in the management of coronary heart disease: a systematic review and meta-analysis of randomized controlled trials. European Journal of Preventive Cardiology, 2013, 20, 701-714. | 0.8 | 35 |
| 150 | Caregiver outcomes of the REACH-HF multicentre randomized controlled trial of home-based rehabilitation for heart failure with reduced ejection fraction. European Journal of Cardiovascular Nursing, 2019, 18, 611-620. | 0.4 | 35 |
| 151 | 'Who Cares?' The experiences of caregivers of adults living with heart failure, chronic obstructive pulmonary disease and coronary artery disease: a mixed methods systematic review. BMJ Open, 2018, 8, e020927. | 0.8 | 34 |
| 152 | Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality. Hypertension, 2021, 77, 650-661. | 1.3 | 34 |
| 153 | A programme of studies including assessment of diagnostic accuracy of school hearing screening tests and a cost-effectiveness model of school entry hearing screening programmes. Health Technology Assessment, 2016, 20, 1-178. | 1.3 | 34 |
| 154 | Exercise-based cardiac rehabilitation for chronic heart failure: the EXTRAMATCH II individual participant data meta-analysis. Health Technology Assessment, 2019, 23, 1-98. | 1.3 | 34 |
| 155 | Spinal cord stimulation for predominant low back pain in failed back surgery syndrome: study protocol for an international multicenter randomized controlled trial (PROMISE study). Trials, 2013, 14, 376. | 0.7 | 33 |
| 156 | Surrogate Endpoints in Health Technology Assessment: An International Review of Methodological Guidelines. Pharmacoeconomics, 2020, 38, 1055-1070. | 1.7 | 33 |
| 157 | Recruitment of ethnic minority patients to a cardiac rehabilitation trial: The Birmingham Rehabilitation Uptake Maximisation (BRUM) study [ISRCTN72884263]. BMC Medical Research Methodology, 2005, 5, 18. | 1.4 | 32 |
| 158 | The association between corneal neovascularization and visual acuity: a systematic review. Acta Ophthalmologica, 2013, 91, 12-19. | 0.6 | 32 |
| 159 | Use of surrogate end points in healthcare policy: a proposal for adoption of a validation framework. Nature Reviews Drug Discovery, 2016, 15, 516-516. | 21.5 | 32 |
| 160 | Exercise-based cardiac rehabilitation for adults with stable angina. The Cochrane Library, 2018, 2, CD012786. | 1.5 | 32 |
| 161 | Community-based rehabilitation training after stroke: results of a pilot randomised controlled trial (ReTrain) investigating acceptability and feasibility. BMJ Open, 2018, 8, e018409. | 0.8 | 31 |
| 162 | A Randomized Controlled Trial of Subcutaneous Nerve Stimulation for Back Pain Due to Failed Back Surgery Syndrome: The SubQStim Study. Neuromodulation, 2019, 22, 519-528. | 0.4 | 31 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | A Systematic Review of Economic Evaluations Reporting the Cost-Effectiveness of Spinal Cord Stimulation. Value in Health, 2020, 23, 656-665. | 0.1 | 31 |
| 164 | A systematic review of the effectiveness and costâ€effectiveness of bilateral multichannel cochlear implants in adults with severeâ€toâ€profound hearing loss. Clinical Otolaryngology, 2012, 37, 342-354. | 0.6 | 30 |
| 165 | Assessment of Physical Activity of Patients With Chronic Pain. Neuromodulation, 2014, 17, 42-47. | 0.4 | 30 |
| 166 | <scp>PAIN OUT</scp> : an international acute pain registry supporting clinicians in decision making and in quality improvement activities. Journal of Evaluation in Clinical Practice, 2014, 20, 1090-1098. | 0.9 | 30 |
| 167 | Combining behavioural activation with physical activity promotion for adults with depression: findings of a parallel-group pilot randomised controlled trial (BAcPAc). Trials, 2015, 16, 367. | 0.7 | 30 |
| 168 | An exercise intervention to prevent falls in Parkinson's: an economic evaluation. BMC Health Services Research, 2012, 12, 426. | 0.9 | 29 |
| 169 | Clinical effectiveness and cost-effectiveness of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) facilitated self-care rehabilitation intervention in heart failure patients and caregivers: rationale and protocol for a multicentre randomised controlled trial. BMJ Open, 2015, 5, e009994. | 0.8 | 29 |
| 170 | The Assessment of Recovery in Patients After Myocardial Infarction Using Three Generic Quality-of-Life Measures. Journal of Cardiopulmonary Rehabilitation and Prevention, 1998, 18, 139-144. | 0.5 | 29 |
| 171 | Feasibility study to assess the impact of a lifestyle intervention (â€ [~] LivingWELL') in people having an assessment of their family history of colorectal or breast cancer. BMJ Open, 2018, 8, e019410. | 0.8 | 27 |
| 172 | Failed back surgery syndrome: What's in a name? A proposal to replace "FBSS―by "POPSâ€â€¦. Neurochirurgie, 2015, 61, S16-S21. | 0.6 | 26 |
| 173 | The effectiveness of the Incredible Years pre-school parenting programme in the United Kingdom: a pragmatic randomised controlled trial. Child Care in Practice, 2017, 23, 141-161. | 0.5 | 26 |
| 174 | Effects of Cardiac Rehabilitation in Low- and Middle-Income Countries: A systematic Review and Meta-Analysis of Randomised Controlled Trials. Progress in Cardiovascular Diseases, 2022, 70, 119-174. | 1.6 | 26 |
| 175 | Cost and outcome of behavioural activation versus cognitive behaviour therapy for depression (COBRA): study protocol for a randomised controlled trial. Trials, 2014, 15, 29. | 0.7 | 25 |
| 176 | Deep Brain Stimulation for Parkinson's Disease with Early Motor Complications: A UK Cost-Effectiveness Analysis. PLoS ONE, 2016, 11, e0159340. | 1.1 | 24 |
| 177 | Home-based rehabilitation for heart failure with reduced ejection fraction: mixed methods process evaluation of the REACH-HF multicentre randomised controlled trial. BMJ Open, 2019, 9, e026039. | 0.8 | 24 |
| 178 | Cost and Outcome of BehaviouRal Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive–behavioural therapy for depression. Health Technology Assessment, 2017, 21, 1-366. | 1.3 | 24 |
| 179 | The Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children: study protocol for a randomised controlled trial. Trials, 2013, 14, 95. | 0.7 | 23 |
| 180 | Exercise training for chronic heart failure (ExTraMATCH II): Protocol for an individual participant data meta-analysis. International Journal of Cardiology, 2014, 174, 683-687. | 0.8 | 23 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Can municipality-based post-discharge follow-up visits including a general practitioner reduce early readmission among the fragile elderly (65+ years old)? A randomized controlled trial. Scandinavian Journal of Primary Health Care, 2015, 33, 65-73. | 0.6 | 23 |
| 182 | Optimal medical, rehabilitation and behavioral management in the setting of failed back surgery syndrome. Neurochirurgie, 2015, 61, S66-S76. | 0.6 | 22 |
| 183 | Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. The Cochrane Library, 2019, 2, CD011828. | 1.5 | 22 |
| 184 | A written self-help intervention for depressed adults comparing behavioural activation combined with physical activity promotion with a self-help intervention based upon behavioural activation alone: study protocol for a parallel group pilot randomised controlled trial (BAcPAc). Trials, 2014, 15, 196. | 0.7 | 21 |
| 185 | A biasâ€adjusted evidence synthesis of RCT and observational data: the case of total hip replacement. Health Economics (United Kingdom), 2017, 26, 46-69. | 0.8 | 21 |
| 186 | Does a Screening Trial for Spinal Cord Stimulation in Patients with Chronic Pain of Neuropathic Origin have Clinical Utility and Cost-Effectiveness? (TRIAL-STIM Study): study protocol for a randomised controlled trial. Trials, 2018, 19, 633. | 0.7 | 21 |
| 187 | Physical activity, sleep, and fatigue in community dwelling Stroke Survivors. Scientific Reports, 2018, 8, 7900. | 1.6 | 21 |
| 188 | To Trial or Not to Trial Before Spinal Cord Stimulation for Chronic Neuropathic Pain: The Patients' View From the TRIAL-STIM Randomized Controlled Trial. Neuromodulation, 2021, 24, 459-470. | 0.4 | 21 |
| 189 | Validity of Surrogate Endpoints and Their Impact on Coverage Recommendations: A Retrospective Analysis across International Health Technology Assessment Agencies. Medical Decision Making, 2021, 41, 439-452. | 1.2 | 21 |
| 190 | Using Health Outcomes Data to Inform Decision-Making*. Pharmacoeconomics, 2001, 19, 33-38. | 1.7 | 20 |
| 191 | Implementing telephone triage in general practice: a process evaluation of a cluster randomised controlled trial. BMC Family Practice, 2015, 16, 47. | 2.9 | 20 |
| 192 | An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. Nicotine and Tobacco Research, 2016, 18, 289-297. | 1.4 | 20 |
| 193 | Five year trends (2008–2012) in cardiac implantable electrical device utilization in five European nations: a case study in cross-country comparisons using administrative databases. Europace, 2018, 20, 643-653. | 0.7 | 20 |
| 194 | Failed back surgery syndrome: Who has failed?. Neurochirurgie, 2015, 61, S6-S14. | 0.6 | 19 |
| 195 | Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. Trials, 2016, 17, 59. | 0.7 | 19 |
| 196 | The cost-effectiveness of the Argus II retinal prosthesis in Retinitis Pigmentosa patients. BMC Ophthalmology, 2014, 14, 49. | 0.6 | 18 |
| 197 | Evaluation of different recruitment and randomisation methods in a trial of general practitioner-led interventions to increase physical activity: a randomised controlled feasibility study with factorial design. Trials, 2014, 15, 134. | 0.7 | 18 |
| 198 | Pilot randomised controlled trial of the ENGAGER collaborative care intervention for prisoners with common mental health problems, near to and after release. Pilot and Feasibility Studies, 2018, 4, 15. | 0.5 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 199 | Evaluating Augmented Depression Therapy (ADepT): study protocol for a pilot randomised controlled trial. Pilot and Feasibility Studies, 2019, 5, 63. | 0.5 | 18 |
| 200 | The effectiveness and cost-effectiveness of telephone triage of patients requesting same day consultations in general practice: study protocol for a cluster randomised controlled trial comparing nurse-led and GP-led management systems (ESTEEM). Trials, 2013, 14, 4. | 0.7 | 17 |
| 201 | Prognosis. Heart Failure Clinics, 2015, 11, 59-72. | 1.0 | 17 |
| 202 | Cardiac rehabilitation to improve health-related quality of life following trans-catheter aortic valve implantation: a randomised controlled feasibility study. Pilot and Feasibility Studies, 2018, 4, 185. | 0.5 | 17 |
| 203 | Exercise-based cardiac rehabilitation for stable angina: systematic review and meta-analysis. Open Heart, 2019, 6, e000989. | 0.9 | 17 |
| 204 | An overview of statistical methods for handling nonadherence toÂintervention protocol in randomized control trials: a methodological review. Journal of Clinical Epidemiology, 2019, 108, 121-131. | 2.4 | 17 |
| 205 | Physical activity interventions for people with congenital heart disease. The Cochrane Library, 2021, 2021, CD013400. | 1.5 | 17 |
| 206 | Facet-joint injections for non-specific low back pain: a feasibility RCT. Health Technology Assessment, 2017, 21, 1-130. | 1.3 | 17 |
| 207 | Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. The Cochrane Library, 0, , . | 1.5 | 16 |
| 208 | Community-based Rehabilitation Training after stroke: protocol of a pilot randomised controlled trial (ReTrain). BMJ Open, 2016, 6, e012375. | 0.8 | 16 |
| 209 | Individualising use of aspirin to prevent pre-eclampsia: a framework for clinical decision making. BJOG: an International Journal of Obstetrics and Gynaecology, 2003, 110, 882-888. | 1.1 | 15 |
| 210 | Impact of the National Institute for Health and Care Excellence (NICE) guidance on medical technology uptake: analysis of the uptake of spinal cord stimulation in England 2008–2012. BMJ Open, 2014, 4, e004182. | 0.8 | 15 |
| 211 | Rehabilitation Enablement in Chronic Heart Failure—a facilitated self-care rehabilitation intervention in patients with heart failure with preserved ejection fraction (REACH-HFpEF) and their caregivers: rationale and protocol for a single-centre pilot randomised controlled trial. BMJ Open, 2016, 6, e012853. | 0.8 | 15 |
| 212 | Telehealth technologies could improve suboptimal rates of participation in cardiac rehabilitation. Heart, 2016, 102, 1155-1156. | 1.2 | 15 |
| 213 | Lifecycle evidence requirements for high-risk implantable medical devices: a European perspective. Expert Review of Medical Devices, 2020, 17, 993-1006. | 1.4 | 15 |
| 214 | Physical activity assessment by accelerometry in people with heart failure. BMC Sports Science, Medicine and Rehabilitation, 2020, 12, 47. | 0.7 | 15 |
| 215 | Exercise-based cardiac rehabilitation for patients following open surgical aortic valve replacement and transcatheter aortic valve implant: a systematic review and meta-analysis. Open Heart, 2019, 6, e000922. | 0.9 | 15 |
| 216 | Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). Health Technology Assessment, 2017, 21, 1-164. | 1.3 | 15 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Factors associated with study attrition in a pilot randomised controlled trial to explore the role of exercise-assisted reduction to stop (EARS) smoking in disadvantaged groups. Trials, 2016, 17, 524. | 0.7 | 14 |
| 218 | Evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: study protocol for a randomised controlled trial. BMJ Open, 2018, 8, e017931. | 0.8 | 14 |
| 219 | Bayesian hierarchical metaâ€analytic methods for modeling surrogate relationships that vary across treatment classes using aggregate data. Statistics in Medicine, 2020, 39, 1103-1124. | 0.8 | 14 |
| 220 | Singing for people with aphasia (SPA): results of a pilot feasibility randomised controlled trial of a group singing intervention investigating acceptability and feasibility. BMJ Open, 2021, 11, e040544. | 0.8 | 14 |
| 221 | Exercise-based cardiac rehabilitation for adults after heart valve surgery. The Cochrane Library, 2021, 2021, CD010876. | 1.5 | 14 |
| 222 | The role of cardiopulmonary exercise testing in predicting mortality and morbidity in people with congenital heart disease: a systematic review and meta-analysis. European Journal of Preventive Cardiology, 2022, 29, 513-533. | 0.8 | 14 |
| 223 | Cardiac rehabilitation for patients with heart failure: association with readmission and mortality risk. European Heart Journal Quality of Care & Clinical Outcomes, 2022, 8, 830-839. | 1.8 | 14 |
| 224 | Cross-cultural adaptation into Punjabi of the English version of the Hospital Anxiety and Depression Scale. BMC Psychiatry, 2007, 7, 5. | 1.1 | 13 |
| 225 | Patient education in the contemporary management of coronary heart disease. , 2010, 2010, . | | 13 |
| 226 | The RAMIT trial: its results in the context of 2012 Cochrane review: Figure 1. Heart, 2012, 98, 672.2-673. | 1.2 | 13 |
| 227 | Cooled radiofrequency ablation of the genicular nerves for chronic pain due to osteoarthritis of the knee: a cost-effectiveness analysis based on trial data. BMC Musculoskeletal Disorders, 2019, 20, 302. | 0.8 | 13 |
| 228 | Reoperation following lumbar spinal surgery: costs and outcomes in a UK population cohort study using the Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES). European Spine Journal, 2019, 28, 863-871. | 1.0 | 13 |
| 229 | Effect of Home-Based Cardiac Rehabilitation in a Lower-Middle Income Country. Journal of Cardiopulmonary Rehabilitation and Prevention, 2020, 40, 29-34. | 1.2 | 13 |
| 230 | Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. Trials, 2014, 15, 217. | 0.7 | 12 |
| 231 | Physical activity increases survival after heart valve surgery. Heart, 2016, 102, 1388-1395. | 1.2 | 12 |
| 232 | Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. Trials, 2018, 19, 211. | 0.7 | 12 |
| 233 | Per-Protocol analyses produced larger treatment effect sizes than intention to treat: a meta-epidemiological study. Journal of Clinical Epidemiology, 2021, 138, 12-21. | 2.4 | 12 |
| 234 | Effectiveness of rehabilitation interventions on the secondary consequences of surviving a cardiac arrest: a systematic review and meta-analysis. BMJ Open, 2021, 11, e047251. | 0.8 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|-------------|---------------|
| 235 | The effectiveness and cost-effectiveness of spinal cord stimulation for refractory angina (RASCAL) Tj ETQq1 1 (| 0.784314 rg | gBT_/Overlock |
| 236 | Synthesising practice guidelines for the development of community-based exercise programmes after stroke. Implementation Science, 2013, 8, 115. | 2.5 | 11 |
| 237 | Self-rating level of perceived exertion for guiding exercise intensity during a 12-week cardiac rehabilitation programme and the influence of heart rate reducing medication. Journal of Science and Medicine in Sport, 2016, 19, 611-615. | 0.6 | 11 |
| 238 | Involving caregivers in selfâ€management interventions for patients with heart failure and chronic obstructive pulmonary disease. A systematic review and metaâ€analysis. Journal of Advanced Nursing, 2019, 75, 3331-3345. | 1.5 | 11 |
| 239 | Personalised rehabilitation for cardiac and pulmonary patients with multimorbidity: Time for implementation?. European Journal of Preventive Cardiology, 2022, 28, e19-e23. | 0.8 | 11 |
| 240 | Is the Cardiovascular Response Equivalent Between a Supervised Center-Based Setting and a Self-care Home-Based Setting When Rating of Perceived Exertion Is Used to Guide Aerobic Exercise Intensity During a Cardiac Rehabilitation Program?. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 381-387. | 0.7 | 11 |
| 241 | Republished research: Effect of exercise referral schemes in primary care on physical activity and improving health outcomes: systematic review and meta-analysis. British Journal of Sports Medicine, 2013, 47, 526-526. | 3.1 | 10 |
| 242 | Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. BMJ Quality and Safety, 2015, 24, 572-582. | 1.8 | 10 |
| 243 | Western medical acupuncture in a group setting for knee osteoarthritis: results of a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 10. | 0.5 | 10 |
| 244 | The Efficacy of Exercise-Based Cardiac Rehabilitation. Journal of the American College of Cardiology, 2017, 69, 1207-1208. | 1.2 | 10 |
| 245 | Comparison of treatment effect sizes from pivotal and postapproval trials of novel therapeutics approved by the FDA based on surrogate markers of disease: a meta-epidemiological study. BMC Medicine, 2018, 16, 45. | 2.3 | 10 |
| 246 | The community-based prevention of diabetes (ComPoD) study: a randomised, waiting list controlled trial of a voluntary sector-led diabetes prevention programme. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 112. | 2.0 | 10 |
| 247 | Global health-care systems must prioritise rehabilitation. Lancet, The, 2020, 396, 1946-1947. | 6.3 | 10 |
| 248 | Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. British Journal of Sports Medicine, 2021, 55, 444-450. | 3.1 | 10 |
| 249 | Protocol for an implementation study of an evidence-based home cardiac rehabilitation programme for people with heart failure and their caregivers in Scotland (SCOT:REACH-HF). BMJ Open, 2020, 10, e040771. | 0.8 | 10 |
| 250 | Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. Health Technology Assessment, 2018, 22, 1-220. | 1.3 | 10 |
| 251 | Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. Health Technology Assessment, 2020, 24, 1-106. | 1.3 | 10 |
| 252 | Interarm blood pressure difference and vascular disease – Authors' reply. Lancet, The, 2012, 380, 24-25. | 6.3 | 9 |

| # | Article | IF | CITATIONS |
|-----|--|---------------------|----------------------|
| 253 | Assessing the effectiveness and cost effectiveness of subcutaneous nerve stimulation in patients with predominant back pain due to failed back surgery syndrome (SubQStim study): study protocol for a multicenter randomized controlled trial. Trials, 2013, 14, 189. | 0.7 | 9 |
| 254 | Reduced dietary salt for the prevention of cardiovascular disease. Sao Paulo Medical Journal, 2015, 133, 280-281. | 0.4 | 9 |
| 255 | CardioPulse Articles. European Heart Journal, 2015, 36, 950-955. | 1.0 | 9 |
| 256 | The feasibility of following up prisoners, with mental health problems, after release: a pilot trial employing an innovative system, for engagement and retention in research, with a harder-to-engage population. Trials, 2018, 19, 530. | 0.7 | 9 |
| 257 | The value of social practice theory for implementation science: learning from a theory-based mixed methods process evaluation of a randomised controlled trial. BMC Medical Research Methodology, 2020, 20, 181. | 1.4 | 9 |
| 258 | Systematic Review of Research Methods and Reporting Quality of Randomized Clinical Trials of Spinal Cord Stimulation for Pain. Journal of Pain, 2021, 22, 127-142. | 0.7 | 9 |
| 259 | Process evaluation of a randomised pilot trial of home-based rehabilitation compared to usual care in patients with heart failure with preserved ejection fraction and their caregiver's. Pilot and Feasibility Studies, 2021, 7, 11. | 0.5 | 9 |
| 260 | Quo Vadis HTA for Medical Devices in Central and Eastern Europe? Recommendations to Address Methodological Challenges. Frontiers in Public Health, 2020, 8, 612410. | 1.3 | 9 |
| 261 | Development of a framework and decision tool for the evaluation of health technologies based on surrogate endpoint evidence. Health Economics (United Kingdom), 2022, 31, 44-72. | 0.8 | 9 |
| 262 | A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. Programme Grants for Applied Research, 2021, 9, 1-100. | 0.4 | 8 |
| 263 | Long-term physical and psychological outcomes after out-of-hospital cardiac arrest—protocol for a national cross-sectional survey of survivors and their relatives (the DANCAS survey). BMJ Open, 2021, 11, e045668. | 0.8 | 8 |
| 264 | Psychological therapy for mood instability within bipolar spectrum disorder: a randomised, controlled feasibility trial of a dialectical behaviour therapy-informed approach (the ThrIVe-B) Tj ETQq0 0 0 rgBT / | Ov ers ock i | 10 8 f 50 297 |
| 265 | Detailed statistical analysis plan for a cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children. Trials, 2016, 17, 599. | 0.7 | 7 |
| 266 | Correspondence to the <i>EJPC</i> in response to position paper by Ambrosetti M et al. 2020: Cardiovascular rehabilitation and COVID-19: The need to maintain access to evidence-based services from the safety of home. European Journal of Preventive Cardiology, 2021, 28, e23-e24. | 0.8 | 7 |
| 267 | Informed decisionâ€making: Statistical methodology for surrogacy evaluation and its role in licensing and reimbursement assessments. Pharmaceutical Statistics, 2022, 21, 740-756. | 0.7 | 7 |
| 268 | Exploration of the Evidence. Pain Practice, 2006, 6, 10-21. | 0.9 | 6 |
| 269 | Cochrane corner: cardiac rehabilitation for people with heart disease. Heart, 2015, 101, 1256-1260. | 1.2 | 6 |
| 270 | Distance from practice moderates the relationship between patient management involving nurse telephone triage consulting and patient satisfaction with care. Health and Place, 2015, 34, 92-96. | 1.5 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | A directly comparative two-gate case–control diagnostic accuracy study of the pure tone screen and HearCheck screener tests for identifying hearing impairment in school children. BMJ Open, 2017, 7, e017258. | 0.8 | 6 |
| 272 | Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. BMJ Open, 2018, 8, e022382. | 0.8 | 6 |
| 273 | Outcome measures in a combined exercise rehabilitation programme for adults with COPD and chronic heart failure: A preliminary stakeholder consensus event. Chronic Respiratory Disease, 2019, 16, 147997311986795. | 1.0 | 6 |
| 274 | Characterizing the Somatosensory Profile of Patients With Failed Back Surgery Syndrome With Unilateral Lumbar Radiculopathy Undergoing Spinal Cord Stimulation: A Single Center Prospective Pilot Study. Neuromodulation, 2019, 22, 333-340. | 0.4 | 6 |
| 275 | Getting evidence into clinical practice: protocol for evaluation of the implementation of a home-based cardiac rehabilitation programme for patients with heart failure. BMJ Open, 2020, 10, e036137. | 0.8 | 6 |
| 276 | Cluster randomised controlled trial and economic and process evaluation to determine the effectiveness and cost-effectiveness of a novel intervention [Healthy Lifestyles Programme (HeLP)] to prevent obesity in school children. Public Health Research, 2018, 6, 1-204. | 0.5 | 6 |
| 277 | A SYSTEMATIC REVIEW AND META-ANALYSIS COMPARING CARDIOPULMONARY EXERCISE TEST VALUES OBTAINED FROM THE ARM CYCLE AND THE LEG CYCLE RESPECTIVELY IN HEALTHY ADULTS. International Journal of Sports Physical Therapy, 2016, 11, 1006-1039. | 0.5 | 6 |
| 278 | Developing the Revised NICE Appraisal Technical Guidance to Manufacturers and Sponsors. Pharmacoeconomics, 2002, 20, 1031-1038. | 1.7 | 5 |
| 279 | SURROGATE, FRIEND OR FOE? THE NEED FOR CASE STUDIES OF THE USE OF SURROGATE OUTCOMES IN COSTâ€EFFECTIVENESS ANALYSES. Health Economics (United Kingdom), 2013, 22, 251-252. | 0.8 | 5 |
| 280 | Informing the design of a randomised controlled trial of an exercise-based programme for long term stroke survivors: lessons from a before-and-after case series study. BMC Research Notes, 2013, 6, 324. | 0.6 | 5 |
| 281 | Refractory Chronic Pain Screening Tool (RCPST): A Feasibility Study to Assess Practicality and Validity of Identifying Potential Neurostimulation Candidates. Pain Medicine, 2014, 15, 281-291. | 0.9 | 5 |
| 282 | Patient perspectives on telephone triage in general practice – Authors' reply. Lancet, The, 2015, 385, 688. | 6.3 | 5 |
| 283 | Associations between interarm differences in blood pressure and cardiovascular disease outcomes: protocol for an individual patient data meta-analysis and development of a prognostic algorithm. BMJ Open, 2017, 7, e016844. | 0.8 | 5 |
| 284 | Trial baseline characteristics of a cluster randomised controlled trial of a school-located obesity prevention programme; the Healthy Lifestyles Programme (HeLP) trial. BMC Public Health, 2017, 17, 291. | 1.2 | 5 |
| 285 | One size does not fit all— application of accelerometer thresholds in chronic disease. International Journal of Epidemiology, 2019, 48, 1380-1380. | 0.9 | 5 |
| 286 | Persistent postoperative pain and healthcare costs associated with instrumented and non-instrumented spinal surgery: a case-control study. Journal of Orthopaedic Surgery and Research, 2020, 15, 127. | 0.9 | 5 |
| 287 | Allied health professional-led interventions for improving control of blood pressure in patients with hypertension. The Cochrane Library, 0, , . | 1.5 | 4 |
| 288 | Acceptability and experience of a functional training programme (ReTrain) in community-dwelling stroke survivors in South West England: a qualitative study. BMJ Open, 2018, 8, e022175. | 0.8 | 4 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Physical activity interventions for people with congenital heart disease. The Cochrane Library, 0, , . | 1.5 | 4 |
| 290 | Cochrane corner: Physical activity interventions for people with congenital heart disease. Heart, 2021, 107, 447-449. | 1.2 | 4 |
| 291 | The promise and challenge of telerehabilitation in cardiac rehabilitation. European Journal of Preventive Cardiology, 2022, 29, 1015-1016. | 0.8 | 4 |
| 292 | Are patient characteristics and modes of delivery associated with completion of cardiac rehabilitation? A national registry analysis. International Journal of Cardiology, 2022, 361, 7-13. | 0.8 | 4 |
| 293 | Barriers and facilitators to implementation of a home-based cardiac rehabilitation programme for patients with heart failure in the NHS: a mixed-methods study. BMJ Open, 2022, 12, e060221. | 0.8 | 4 |
| 294 | Dietary salt and cardiovascular disease. Lancet, The, 2011, 378, 1993. | 6.3 | 3 |
| 295 | A more evidence based approach to the use of surrogate end points in policy making. BMJ: British Medical Journal, 2011, 343, d6498-d6498. | 2.4 | 3 |
| 296 | Involving primary care and cardiac rehabilitation in a reorganised service could improve outcomes. Heart, 2011, 97, 1191-1191. | 1.2 | 3 |
| 297 | Spinal cord stimulation for chronic pain. The Cochrane Library, 2013, 2013, CD003783. | 1.5 | 3 |
| 298 | Update to the study protocol, including statistical analysis plan for a randomized clinical trial comparing comprehensive cardiac rehabilitation after heart valve surgery with control: the CopenHeartVR trial. Trials, 2015, 16, 38. | 0.7 | 3 |
| 299 | Decision uncertainty and value of further research: a case-study in fenestrated endovascular aneurysm repair for complex abdominal aortic aneurysms. Cost Effectiveness and Resource Allocation, 2018, 16, 15. | 0.6 | 3 |
| 300 | Home-based rehabilitation for heart failure: we need to act now. European Journal of Preventive Cardiology, 2019, 26, 1343-1344. | 0.8 | 3 |
| 301 | Exercise training for chronic heart failure (ExTraMATCH II): Why all data are not equal. European Journal of Preventive Cardiology, 2019, 26, 1229-1231. | 0.8 | 3 |
| 302 | The Effectiveness of a Community-Based Mentoring Program for Children Aged 5–11ÂYears: Results from a Randomized Controlled Trial. Prevention Science, 2021, 22, 100-112. | 1.5 | 3 |
| 303 | More Evidence of Cardiac Rehabilitation: Need to Consider Patient Quality of Life. Canadian Journal of Cardiology, 2021, 37, 1681-1682. | 0.8 | 3 |
| 304 | A simple cognitive task intervention to prevent intrusive memories after trauma in patients in the Emergency Department: A randomized controlled trial terminated due to COVID-19. BMC Research Notes, 2021, 14, 176. | 0.6 | 3 |
| 305 | Reporting Guidelines for Clinical Trial Protocols and Reports of Implantable Neurostimulation Devices: Protocol for the SPIRIT-iNeurostim and CONSORT-iNeurostim Extensions. Neuromodulation, 2022, 25, 1045-1049. | 0.4 | 3 |
| 306 | Long-term effects of cardiac rehabilitation after heart valve surgery - results from the randomised CopenHeart _{VR} trial. Scandinavian Cardiovascular Journal, 2022, 56, 247-255. | 0.4 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Clinical Research in Interventional Pain Management Techniques: An Epidemiologist/Trialist's View. Pain Practice, 2008, 8, 439-445. | 0.9 | 2 |
| 308 | Validation of surrogate end points for overall survival in advanced colorectal cancer: A harmonized approach is needed. Journal of Clinical Epidemiology, 2016, 70, 277-278. | 2.4 | 2 |
| 309 | The clinical and cost effectiveness of adapted dialectical behaviour therapy (DBT) for bipolar mood instability in primary care (ThrIVe-B programme): a feasibility study. Trials, 2018, 19, 560. | 0.7 | 2 |
| 310 | The effectiveness of Chance UK's mentoring programme in improving behavioural and emotional outcomes in primary school children with behavioural difficulties: study protocol for a randomised controlled trial. BMC Psychology, 2018, 6, 9. | 0.9 | 2 |
| 311 | Independently getting off the floor: a feasibility study of teaching people with stroke to get up after a fall. International Journal of Therapy and Rehabilitation, 2019, 26, 1-17. | 0.1 | 2 |
| 312 | The role of cardiopulmonary exercise testing (CPET) in predicting mortality and morbidity in people with congenital heart disease: a systematic review and meta-analysis (Protocol). Journal of Congenital Cardiology, 2020, 4, . | 0.5 | 2 |
| 313 | Cochrane corner: increasing patient utilisation of cardiac rehabilitation. Heart, 2020, 106, 248-250. | 1.2 | 2 |
| 314 | Economic evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: a cost-utility and cost-consequences analysis. European Journal of Health Economics, 2021, , 1. | 1.4 | 2 |
| 315 | Attainment of Complete Remission Is Significantly Associated with Longer Survival Outcomes in Relapsed/Refractory (R/R) CLL: A Meta-Analysis. Blood, 2016, 128, 2045-2045. | 0.6 | 2 |
| 316 | Cochrane corner: Exercise-based cardiac rehabilitation for adults after heart valve surgery. Heart, 2021, 107, 1935-1937. | 1.2 | 2 |
| 317 | Spinal Cord Stimulation for Neuropathic Pain in England From 2010 to 2020: A Hospital Episode Statistics Analysis. Neuromodulation, 2023, 26, 109-114. | 0.4 | 2 |
| 318 | Need for better reporting of trials with surrogate endpoints: SPIRIT CONSORT-SURROGATE extensions. Journal of Epidemiology and Community Health, 0, , jech-2022-219294. | 2.0 | 2 |
| 319 | Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. The Cochrane Library, 0, , . | 1.5 | 1 |
| 320 | Acute coronary syndromes: key role of rehabilitation and primary care in long term secondary prevention. BMJ, The, 2015, 351, h6350. | 3.0 | 1 |
| 321 | Comparing Drug and Nondrug Technologies in Comparative Effectiveness Research. , 2016, , 275-290. | | 1 |
| 322 | Cardiac rehabilitation in heart failure with reduced ejection fraction: A "should take it and not leave it―intervention. American Heart Journal, 2017, 192, e1-e2. | 1.2 | 1 |
| 323 | Exercise-based cardiac rehabilitation for patients with stable angina. The Cochrane Library, 2017, , . | 1.5 | 1 |
| 324 | Impact of cardiac rehabilitation on cardiac mortality. European Heart Journal Quality of Care & Clinical Outcomes, 2018, 4, 148-149. | 1.8 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | The Back Pain and Movement (B-PAM) registry; a study protocol. BMC Musculoskeletal Disorders, 2019, 20, 249. | 0.8 | 1 |
| 326 | Psychological interventions for depression and anxiety in patients with coronary heart disease, heart failure or atrial fibrillation. The Cochrane Library, 0, , . | 1.5 | 1 |
| 327 | Heart failure rehabilitation improves quality of life but we need to offer alternative modes of delivery to increase uptake. European Journal of Preventive Cardiology, 2020, 27, 2047-2048. | 0.8 | 1 |
| 328 | lt's not the years in your life that matter, it's the life in your years. Heart, 2020, 106, 1707-1707. | 1.2 | 1 |
| 329 | Effectiveness of social network interventions to support cardiac rehabilitation and secondary prevention in the management of people with heart disease. The Cochrane Library, 0, , . | 1.5 | 1 |
| 330 | Secondary Preventive Care for Cardiovascular Diseases in Bangladesh: A National Survey. Global Heart, 2021, 16, 31. | 0.9 | 1 |
| 331 | Postmyocardial infarction education is effective but not enough on its own. Heart, 2021, 107, 1026-1027. | 1.2 | 1 |
| 332 | Are behaviour change techniques and intervention features associated with effectiveness of digital cardiac rehabilitation programmes? A systematic review protocol. HRB Open Research, 2021, 4, 88. | 0.3 | 1 |
| 333 | Reply. JACC: Heart Failure, 2020, 8, 343-344. | 1.9 | 1 |
| 334 | ESC Nursing and Allied Professional Training grants: 10 top tips for enhancing funding success!. European Journal of Cardiovascular Nursing, 2022, 21, 92-92. | 0.4 | 1 |
| 335 | A pragmatic effectiveness-implementation study comparing trial evidence with routinely collected outcome data for patients receiving the REACH-HF home-based cardiac rehabilitation programme. BMC Cardiovascular Disorders, 2022, 22, . | 0.7 | 1 |
| 336 | Charlotte Paterson and colleagues respond to Margaret McCartney. BMJ: British Medical Journal, 2011, 343, d5052-d5052. | 2.4 | 0 |
| 337 | Dietary Salt and Cardiovascular Outcomes. American Journal of Hypertension, 2012, 25, 20-20. | 1.0 | 0 |
| 338 | Response to Carey and Courtenay. Nurseâ€led interventions used to improve control of high blood pressure in people with diabetes: a systematic review and metaâ€analysis. Diabetic Medicine, 2012, 29, 155-156. | 1.2 | 0 |
| 339 | Comparing Drug and Non-drug Technologies in Comparative Effectiveness Research. , 2015, , 1-17. | | 0 |
| 340 | Beta-blockers for heart failure. The Cochrane Library, 0, , . | 1.5 | 0 |
| 341 | Behavioural activation training for depression – Authors' reply. Lancet, The, 2017, 389, 367-368. | 6.3 | 0 |
| 342 | Reply. Journal of the American College of Cardiology, 2019, 74, 590-591. | 1.2 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Reply to Tapia et al Pain, 2019, 160, 1904-1904. | 2.0 | 0 |
| 344 | Cardiac rehabilitation meta-analysis of trials in patients with coronary heart disease using individual participant data (CaReMATCH): Project protocol. IJC Heart and Vasculature, 2020, 31, 100616. | 0.6 | 0 |
| 345 | Psychological interventions for depression and anxiety in patients with coronary heart disease, heart failure or atrial fibrillation. The Cochrane Library, 2020, , . | 1.5 | Ο |
| 346 | Exercise Training for Heart Failure With Preserved Ejection Fraction (ExTraMATCH III): Protocol for an Individual Patient Data Meta-Analysis. Bioengineered, 2021, 10, 3-11. | 1.4 | 0 |
| 347 | Resource Use and Cost of Subcutaneous Nerve Stimulation Versus Optimized Medical Management in Patients With Failed Back Surgery Syndrome: An Analysis of the SubQStim Study. Neuromodulation, 2021, 24, 1033-1041. | 0.4 | Ο |
| 348 | Effectiveness of rehabilitation interventions on the secondary consequences of surviving a cardiac arrest: a systematic review and meta-analysis. BMJ Open, 2021, 11, e047251. | 0.8 | 0 |
| 349 | Cost-effectiveness of 4 mg dibotermin alfa/absorbable collagen sponge versus iliac crest bone graft for lumbar degenerative disc disease in the United Kingdom. Journal of Medical Economics, 2022, 25, 59-65. | 1.0 | 0 |