Capucine Dupont

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3854077/publications.pdf

Version: 2024-02-01

218677 223800 2,162 49 26 citations h-index papers

g-index 50 50 50 2269 docs citations times ranked citing authors all docs

46

#	Article	IF	CITATIONS
1	Biomass steam gasification kinetics: relative impact of char physical properties vs. inorganic composition. Biomass Conversion and Biorefinery, 2022, 12, 3475-3490.	4.6	6
2	Will mixing rule or chemical reactions dominate the ash behavior of biomass mixtures in combustion processes on laboratory and pilot scales? Fuel, 2022, 308, 122050.	6.4	4
3	Torrefaction of cellulose, hemicelluloses and lignin extracted from woody and agricultural biomass in TGA-GC/MS: Linking production profiles of volatile species to biomass type and macromolecular composition. Industrial Crops and Products, 2022, 176, 114350.	5 . 2	26
4	Impact of the biomass precursor composition in the hard carbon properties and performance for application in a Na-ion battery. Fuel Processing Technology, 2022, 231, 107223.	7.2	13
5	Thermodynamic equilibrium approach to predict the inorganic interactions of ash from biomass and their mixtures: A critical assessment. Fuel Processing Technology, 2022, 235, 107369.	7.2	7
6	Impact of cellulose properties on its behavior in torrefaction: commercial microcrystalline cellulose versus cotton linters and celluloses extracted from woody and agricultural biomass. Cellulose, 2021, 28, 4761-4779.	4.9	6
7	Beneficial role of biochar addition on the anaerobic digestion of food waste: A systematic and critical review of the operational parameters and mechanisms. Journal of Environmental Management, 2021, 290, 112537.	7.8	47
8	Evaluating river driftwood as a feedstock for biochar production. Waste Management, 2021, 134, 197-205.	7.4	4
9	Effect of process parameters and biomass composition on flat-die pellet production from underexploited forest and agricultural biomass. Fuel, 2021, 302, 121076.	6.4	13
10	Pelleting torrefied biomass at pilot-scale – Quality and implications for co-firing. Renewable Energy, 2021, 178, 766-774.	8.9	10
11	River driftwood pretreated via hydrothermal carbonization as a sustainable source of hard carbon for Na-ion battery anodes. Journal of Environmental Chemical Engineering, 2021, 9, 106604.	6.7	15
12	Unraveling the Properties of Biomass-Derived Hard Carbons upon Thermal Treatment for a Practical Application in Na-Ion Batteries. Energies, 2020, 13, 3513.	3.1	30
13	Understanding the torrefaction of woody and agricultural biomasses through their extracted macromolecular components. Part 1: Experimental thermogravimetric solid mass loss. Energy, 2020, 205, 118067.	8.8	10
14	Towards understanding the role of K during biomass steam gasification. Fuel, 2020, 282, 118806.	6.4	32
15	Understanding the torrefaction of woody and agricultural biomasses through their extracted macromolecular components. Part 2: Torrefaction model. Energy, 2020, 210, 118451.	8.8	5
16	Assessing the impact of woody and agricultural biomass variability on its behaviour in torrefaction through Principal Component Analysis. Biomass and Bioenergy, 2020, 134, 105474.	5.7	14
17	Condensable and Liquid Compounds from Biomass and Waste Thermal Degradation. , 2020, , 1173-1210.		О
18	Wide-angle X-ray scattering combined with pair distribution function analysis of pyrolyzed wood. Journal of Applied Crystallography, 2019, 52, 60-71.	4.5	8

#	Article	IF	Citations
19	Fluorination/Torrefaction Combination to Further Improve the Hydrophobicity of Wood. Macromolecular Chemistry and Physics, 2019, 220, 1900041.	2.2	9
20	Physicochemical Approach To Blend Biomass. Energy & Energy & 2019, 33, 5820-5828.	5.1	11
21	Possibilities to improve soil aggregate stability using biochars derived from various biomasses through slow pyrolysis, hydrothermal carbonization, or torrefaction. Geoderma, 2019, 344, 40-49.	5.1	57
22	Assessing the suitability of recovering shrub biowaste involved in wildland fires in the South of Europe through torrefaction mobile units. Journal of Environmental Management, 2019, 236, 551-560.	7.8	10
23	Performance of a compost and biochar packed biofilter for gas-phase hydrogen sulfide removal. Bioresource Technology, 2019, 273, 581-591.	9.6	52
24	The Influence of Char Preparation and Biomass Type on Char Steam Gasification Kinetics. Energies, 2018, 11, 2126.	3.1	10
25	Impact of biomass diversity on torrefaction: Study of solid conversion and volatile species formation through an innovative TGA-GC/MS apparatus. Biomass and Bioenergy, 2018, 119, 43-53.	5.7	36
26	Biochars from various biomass types as precursors for hard carbon anodes in sodium-ion batteries. Biomass and Bioenergy, 2018, 117, 32-37.	5.7	64
27	An extensive characterization of various treated waste wood for assessment of suitability with combustion process. Fuel, 2017, 202, 118-128.	6.4	29
28	Utilization of Torrefied Coffee Grounds as Reinforcing Agent To Produce High-Quality Biodegradable PBAT Composites for Food Packaging Applications. ACS Sustainable Chemistry and Engineering, 2017, 5, 1906-1916.	6.7	132
29	How inorganic elements of biomass influence char steam gasification kinetics. Energy, 2016, 109, 430-435.	8.8	103
30	CO2 gasification of woody biomass chars: The influence of KÂand Si on char reactivity. Comptes Rendus Chimie, 2016, 19, 457-465.	0.5	81
31	Study of solid chemical evolution in torrefaction of different biomasses through solid-state 13C cross-polarization/magic angle spinning NMR (nuclear magnetic resonance) and TGA (thermogravimetric analysis). Energy, 2016, 97, 381-390.	8.8	44
32	Thermodynamic Study of the Alkali Release Behavior during Steam Gasification of Several Biomasses. Energy & Ene	5.1	13
33	Thermogravimetric study on the influence of structural, textural and chemical properties of biomass chars on CO2 gasification reactivity. Energy, 2015, 88, 703-710.	8.8	119
34	Characterisation of the Most Representative Agricultural and Forestry Biomasses in France for Gasification. Waste and Biomass Valorization, 2015, 6, 515-526.	3.4	30
35	Heat capacity measurements of various biomass types and pyrolysis residues. Fuel, 2014, 115, 644-651.	6.4	151
36	Characterization of char and soot from millimetric wood particles pyrolysis in a drop tube reactor between 800°C and 1400°C. Fuel, 2014, 121, 216-224.	6.4	36

#	Article	IF	Citations
37	Comparison of steam gasification reactivity of algal and lignocellulosic biomass: Influence of inorganic elements. Bioresource Technology, 2014, 164, 347-353.	9.6	85
38	Torrefaction modelling for lignocellulosic biomass conversion processes. Energy, 2014, 70, 58-67.	8.8	60
39	Volatile species release during torrefaction of wood and its macromolecular constituents: Part 1 \hat{a} e" Experimental study. Energy, 2014, 72, 180-187.	8.8	70
40	Volatile species release during torrefaction of biomass and its macromolecular constituents: Part 2 – Modeling study. Energy, 2014, 72, 188-194.	8.8	43
41	Experimental study on fast pyrolysis of free-falling millimetric biomass particles between 800 °C and 1000 °C. Fuel, 2013, 106, 61-66.	6.4	30
42	Short rotation forestry feedstock: Influence of particle size segregation on biomass properties. Fuel, 2013, 111, 820-828.	6.4	30
43	Effect of particle size and temperature on woody biomass fast pyrolysis at high temperature (1000‰1400°C). Fuel, 2012, 97, 202-210.	6.4	110
44	Kinetic modelling of steam gasification of various woody biomass chars: Influence of inorganic elements. Bioresource Technology, 2011, 102, 9743-9748.	9.6	162
45	Influence of Particle Size, Reactor Temperature and Gas Phase Reactions on Fast Pyrolysis of Beech Wood. International Journal of Chemical Reactor Engineering, 2010, 8, .	1.1	7
46	Bioenergy II: Suitability of Wood Chips and Various Biomass Types for Use in Plant of BtL Production by Gasification. International Journal of Chemical Reactor Engineering, 2010, 8, .	1.1	8
47	Biomass pyrolysis: Kinetic modelling and experimental validation under high temperature and flash heating rate conditions. Journal of Analytical and Applied Pyrolysis, 2009, 85, 260-267.	5.5	90
48	Biomass pyrolysis experiments in an analytical entrained flow reactor between 1073K and 1273K. Fuel, 2008, 87, 1155-1164.	6.4	91
49	Study about the kinetic processes of biomass steam gasification. Fuel, 2007, 86, 32-40.	6.4	139