

# Daoshan Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3854894/publications.pdf>

Version: 2024-02-01

108  
papers

5,751  
citations

53794

45  
h-index

82547

72  
g-index

139  
all docs

139  
docs citations

139  
times ranked

3716  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Rapid formation of Csp <sup>3</sup> -Csp <sup>3</sup> bonds through copper-catalyzed decarboxylative Csp <sup>3</sup> -H functionalization. <i>Chinese Chemical Letters</i> , 2023, 34, 107477.   | 9.0 | 12        |
| 2  | Carbon-sulfur bond formation via photochemical strategies: An efficient method for the synthesis of sulfur-containing compounds. <i>Chinese Chemical Letters</i> , 2022, 33, 1798-1816.   | 9.0 | 84        |
| 3  | A desulphurization strategy for Sonogashira couplings by visible light/copper catalysis. <i>Organic Chemistry Frontiers</i> , 2022, 9, 386-393.   | 4.5 | 26        |
| 4  | Construction of Axially Chiral Styrenes Linking an Indole Moiety by Chiral Phosphoric Acid. <i>Journal of Organic Chemistry</i> , 2022, 87, 2853-2863.  | 3.2 | 17        |
| 5  | Alkylsulfonium salts for the photochemical desulphurizative functionalization of heteroarenes. <i>Organic Chemistry Frontiers</i> , 2022, 9, 347-355.   | 4.5 | 19        |
| 6  | Three-component reaction access to <i>S</i> -alkyl dithiocarbamates under visible-light irradiation conditions in water. <i>Green Chemistry</i> , 2022, 24, 1302-1307.  | 9.0 | 31        |
| 7  | Photocatalytic redox-neutral reaction of $\beta$ -indolyl $\alpha$ -keto esters. <i>Organic Chemistry Frontiers</i> , 2022, 9, 1875-1883.   | 4.5 | 2         |
| 8  | C-H benzylation of quinoxalin-2(1 <i>H</i> )-ones <i>via</i> visible-light riboflavin photocatalysis. <i>Organic Chemistry Frontiers</i> , 2022, 9, 2653-2658.  | 4.5 | 17        |
| 9  | HfCl <sub>4</sub> -Catalyzed [4 + 2] Cycloaddition of $\beta$ , $\beta$ -Unsaturated $\alpha$ -Keto Esters with Alkynes. <i>Journal of Organic Chemistry</i> , 2022, , .  | 3.2 | 3         |
| 10 | Efficient radical C(sp <sup>3</sup> )-H $\alpha$ -oxyamination of carbonyls adjacent to the carbon chalcogen bond. <i>Organic Chemistry Frontiers</i> , 2022, 9, 3473-3479.   | 4.5 | 1         |
| 11 | Palladium-catalyzed decarboxylative <i>O</i> -allylation of phenols with $\beta$ -methylidene- $\gamma$ -valerolactones. <i>Organic Chemistry Frontiers</i> , 2022, 9, 4365-4371.   | 4.5 | 2         |
| 12 | Radial Type Ring Opening of Sulfonium Salts with Dichalcogenides by Visible Light and Copper Catalysis. <i>Organic Letters</i> , 2022, 24, 5391-5396.   | 4.6 | 11        |
| 13 | Decarboxylative C-H alkylation of heteroarenes by copper catalysis. <i>Organic Chemistry Frontiers</i> , 2021, 8, 3128-3136.  | 4.5 | 18        |
| 14 | Silver( <i>scp</i> )-catalyzed novel <i>ipso</i> -cycloaddition and retro-Friedel-Crafts reaction of <i>ortho</i> -hydroxyphenyl-substituted <i>para</i> -quinone methides. <i>Organic Chemistry Frontiers</i> , 2021, 8, 6400-6404.  | 4.5 | 4         |
| 15 | Bioinspired cyclization of <i>in situ</i> generated $\beta$ -indolyl $\beta$ , $\beta$ -unsaturated $\alpha$ -keto esters <i>via</i> an oxidative enamine process: facile approaches to pyrano[2,3- <i>b</i> ]indoles. <i>Organic Chemistry Frontiers</i> , 2021, 8, 6337-6343. | 4.5 | 4         |
| 16 | Sulfonylation of Aryl Halides by Visible Light/Copper Catalysis. <i>Organic Letters</i> , 2021, 23, 3663-3668.  | 4.6 | 47        |
| 17 | Oxidative dual C-H sulfenylation: A strategy for the synthesis of bis(imidazo[1,2- <i>a</i> ]pyridin-3-yl)sulfanes under metal-free conditions using sulfur powder. <i>Chinese Chemical Letters</i> , 2021, 32, 1705-1708.  | 9.0 | 25        |
| 18 | Binary-Acid Catalysis with Sc(OTf) <sub>3</sub> /TfOH in the Alkenylation of Arenes with Alkynes. <i>Organic Letters</i> , 2021, 23, 5998-6003.   | 4.6 | 12        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Degradation of polycarbonate to produce bisphenol A catalyzed by imidazolium-based DESs under metal- and solvent-free conditions. <i>RSC Advances</i> , 2021, 11, 1595-1604.                                   | 3.6  | 18        |
| 20 | Visible-light-induced regioselective cross-dehydrogenative coupling of 2-isothiocyanatonaphthalenes with amines using molecular oxygen. <i>Science China Chemistry</i> , 2020, 63, 1652-1658.                  | 8.2  | 72        |
| 21 | Visible-light-promoted oxidative desulphurisation: a strategy for the preparation of unsymmetrical ureas from isothiocyanates and amines using molecular oxygen. <i>Green Chemistry</i> , 2020, 22, 2956-2962. | 9.0  | 37        |
| 22 | Photocatalyst-Free Regioselective C-H Thiocyanation of 4-Anilinocoumarins under Visible Light. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 14009-14015.  | 6.7  | 82        |
| 23 | Copper-Catalyzed Domino Synthesis of Sulfur-Containing Heterocycles Using Carbon Disulfide as a Building Block. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 4558-4567.                                | 4.3  | 33        |
| 24 | Photocatalyst-Free Visible-Light-Promoted C(sp <sup>2</sup> )-S Coupling: A Strategy for the Preparation of <i>S</i> -Aryl Dithiocarbamates. <i>Organic Letters</i> , 2019, 21, 7938-7942.                     | 4.6  | 110       |
| 25 | Sulfonylacetonitriles as Building Blocks in Copper-Catalyzed Domino Reactions: An Efficient Approach to Sulfonated Isoquinolin-1(2H)-ones. <i>Asian Journal of Organic Chemistry</i> , 2019, 8, 1472-1478.     | 2.7  | 20        |
| 26 | Metal-Free Synthesis of Thiosulfonates via Insertion of Sulfur Dioxide. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 1808-1814.  | 4.3  | 67        |
| 27 | Metal-Free Catalytic Synthesis of Thiocarbamates Using Sodium Sulfinates as the Sulfur Source. <i>Journal of Organic Chemistry</i> , 2019, 84, 2976-2983.  | 3.2  | 41        |
| 28 | Mechanism of Cu-Catalyzed Aerobic C(CO)-CH <sub>3</sub> Bond Cleavage: A Combined Computational and Experimental Study. <i>ACS Catalysis</i> , 2019, 9, 1066-1080.   | 11.2 | 28        |
| 29 | Intermolecular Regio- and Stereoselective Hetero[5+2] Cycloaddition of Oxidopyrylium Ylides and Cyclic Imines. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 887-891.                           | 13.8 | 25        |
| 30 | Direct coupling of haloquinolines and sulfonyl chlorides leading to sulfonylated quinolines in water. <i>Tetrahedron Letters</i> , 2019, 60, 214-218.  | 1.4  | 41        |
| 31 | Catalytic Asymmetric Synthesis of All Possible Stereoisomers of 2,3,4,6-tetraoxy-4-aminohexopyranosides. <i>Advanced Synthesis and Catalysis</i> , 2018, 360, 2211-2215.                                       | 4.3  | 6         |
| 32 | Direct Iodosulfonylation of Alkyl enones with Sulfonylhydrazides and Iodine Pentoxide Leading to Multisubstituted 1,2-Enones. <i>Synlett</i> , 2018, 29, 830-834.  | 1.8  | 14        |
| 33 | Copper-Catalyzed Regioselective Cleavage of C-X and C-H Bonds: A Strategy for Sulfur Dioxide Fixation. <i>Chemistry - A European Journal</i> , 2018, 24, 4423-4427.  | 3.3  | 60        |
| 34 | Transition-metal-free KI-catalyzed regioselective sulfenylation of 4-anilinocoumarins using Bunte salts. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8015-8019.                                      | 2.8  | 14        |
| 35 | Metal-Free Visible-Light-Induced C-H/C-H Cross-Dehydrogenative-Coupling of Quinoxalin-2(H)-ones with Simple Ethers. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 17252-17257.                   | 6.7  | 147       |
| 36 | Metal-Free C(sp <sup>2</sup> )-H/N-H Cross-Dehydrogenative Coupling of Quinoxalinones with Aliphatic Amines under Visible-Light Photoredox Catalysis. <i>Organic Letters</i> , 2018, 20, 7125-7130.            | 4.6  | 213       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Metal- and photocatalyst-free visible-light-promoted regioselective selenylation of coumarin derivatives via oxidation-induced C-H functionalization. <i>Organic Chemistry Frontiers</i> , 2018, 5, 2974-2979.                            | 4.5 | 85        |
| 38 | Catalyst-free synthesis of $\alpha$ -thioacrylic acids via cascade thiolation and 1,4-aryl migration of aryl alkynoates at room temperature. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8379-8383.                             | 2.8 | 14        |
| 39 | Visible-Light-Enabled Construction of Thiocarbamates from Isocyanides, Thiols, and Water at Room Temperature. <i>Organic Letters</i> , 2018, 20, 5291-5295.   | 4.6 | 80        |
| 40 | Visible-light-enabled oxyazidation of alkenes leading to $\alpha$ -azidoketones in air. <i>Green Chemistry</i> , 2018, 20, 3197-3202.   | 9.0 | 83        |
| 41 | Copper-Catalyzed Selenylation of Imidazo[1,2-a]pyridines with Selenium Powder via a Radical Pathway. <i>Journal of Organic Chemistry</i> , 2017, 82, 2906-2913.   | 3.2 | 69        |
| 42 | Metal- and solvent-free, iodine-catalyzed cyclocondensation and C-H bond sulphenylation: A facile access to C-4 sulfenylated pyrazoles via a domino multicomponent reaction. <i>Tetrahedron</i> , 2017, 73, 2022-2029.                    | 1.9 | 23        |
| 43 | DMSO-promoted regioselective synthesis of sulfenylated pyrazoles via a radical pathway. <i>Organic Chemistry Frontiers</i> , 2017, 4, 1367-1371.  | 4.5 | 47        |
| 44 | Metal-free $I_2/O_5$ -mediated direct construction of sulfonamides from thiols and amines. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 4789-4793.   | 2.8 | 34        |
| 45 | Visible-light-induced selective synthesis of sulfoxides from alkenes and thiols using air as the oxidant. <i>Green Chemistry</i> , 2017, 19, 3520-3524.   | 9.0 | 116       |
| 46 | Metal-free Oxidative Coupling of Aromatic Alkenes with Thiols Leading to $\alpha$ -Vinyl Sulfones. <i>Journal of Organic Chemistry</i> , 2017, 82, 6857-6864.   | 3.2 | 79        |
| 47 | Visible-light-enabled spirocyclization of alkynes leading to 3-sulfonyl and 3-sulfenyl azaspiro[4,5]trienones. <i>Green Chemistry</i> , 2017, 19, 5608-5613.  | 9.0 | 145       |
| 48 | Visible light-induced C-H sulfenylation using sulfinic acids. <i>Green Chemistry</i> , 2017, 19, 4785-4791.   | 9.0 | 112       |
| 49 | Label-free fluorescence turn-on aptasensor for prostate-specific antigen sensing based on aggregation-induced emission-silica nanospheres. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 5757-5765.                          | 3.7 | 46        |
| 50 | Direct cross-coupling of aryl alkynyl iodides with arylsulfinic acids leading to alkynyl sulfones under catalyst-free conditions. <i>Tetrahedron Letters</i> , 2017, 58, 4799-4802.   | 1.4 | 15        |
| 51 | A highly water-soluble, sensitive, coumarin-based fluorescent probe for detecting thiols, and its application in bioimaging. <i>New Journal of Chemistry</i> , 2017, 41, 15277-15282.   | 2.8 | 16        |
| 52 | Simultaneous absorbance-ratiometric, fluorimetric, and colorimetric analysis and biological imaging of $\alpha$ -ketoglutaric acid based on a special sensing mechanism. <i>Sensors and Actuators B: Chemical</i> , 2017, 241, 1035-1042. | 7.8 | 9         |
| 53 | Metal-free molecular iodine-catalyzed direct sulfonylation of pyrazolones with sodium sulfinates leading to sulfonated pyrazoles at room temperature. <i>Organic Chemistry Frontiers</i> , 2017, 4, 26-30.                                | 4.5 | 69        |
| 54 | Iodine-catalyzed Direct Thiolation of Indoles with Thiols Leading to 3-Thioindoles Using Air as the Oxidant. <i>Catalysis Letters</i> , 2016, 146, 1743-1748.   | 2.6 | 42        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Metal-free direct construction of sulfenylated pyrazoles via the NaOH promoted sulfenylation of pyrazolones with aryl thiols. <i>RSC Advances</i> , 2016, 6, 51830-51833.  | 3.6 | 37        |
| 56 | Metal-free iodine-catalyzed direct cross-dehydrogenative coupling (CDC) between pyrazoles and thiols. <i>Organic Chemistry Frontiers</i> , 2016, 3, 1457-1461.   | 4.5 | 54        |
| 57 | Visible-light initiated direct oxysulfenylation of alkenes with sulfinic acids leading to $\alpha$ -ketosulfones. <i>Green Chemistry</i> , 2016, 18, 5630-5634.  | 9.0 | 125       |
| 58 | Copper-catalyzed decarboxylative stereospecific amidation of cinnamic acids with N-fluorobenzenesulfonimide. <i>RSC Advances</i> , 2016, 6, 72361-72365.   | 3.6 | 13        |
| 59 | NBS/DBU mediated one-pot synthesis of $\alpha$ -acyloxyketones from benzylic secondary alcohols and carboxylic acids. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 10998-11001.   | 2.8 | 11        |
| 60 | Copper-catalyzed domino synthesis of benzo[b]thiophene/imidazo[1,2-a]pyridines by sequential Ullmann-type coupling and intramolecular C(sp <sup>2</sup> )–H thiolation. <i>Organic Chemistry Frontiers</i> , 2016, 3, 66-70.                           | 4.5 | 37        |
| 61 | Molecular Iodine-Mediated Difunctionalization of Alkenes with Nitriles and Thiols Leading to $\alpha$ -Acetamido Sulfides. <i>Journal of Organic Chemistry</i> , 2016, 81, 2252-2260.  | 3.2 | 85        |
| 62 | A copper-catalyzed cascade reaction of o-bromoarylisothiocyanates with isocyanides leading to benzo[d]imidazo[5,1-b]thiazoles under ligand-free conditions. <i>Organic Chemistry Frontiers</i> , 2016, 3, 556-560.                                     | 4.5 | 26        |
| 63 | An efficient route to regioselective functionalization of benzo[b]thiophenes via palladium-catalyzed decarboxylative Heck coupling reactions: insights from experiment and computation. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 895-904. | 2.8 | 17        |
| 64 | Metal-Free Direct Hydrosulfenylation of Azodicarboxylates with Sulfinic Acids Leading to Sulfonylhydrazine Derivatives. <i>Synthetic Communications</i> , 2015, 45, 1574-1584.   | 2.1 | 14        |
| 65 | Catalyst-free direct decarboxylative coupling of $\alpha$ -keto acids with thiols: a facile access to thioesters. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 7323-7330.   | 2.8 | 64        |
| 66 | "One-drop-of-blood" electroanalysis of lead levels in blood using a foam-like mesoporous polymer of melamine-formaldehyde and disposable screen-printed electrodes. <i>Analyst</i> , 2015, 140, 1832-1836.   | 3.5 | 26        |
| 67 | Metal-Free Iodine-Catalyzed Direct Arylthiation of Substituted Anilines with Thiols. <i>Journal of Organic Chemistry</i> , 2015, 80, 6083-6092.  | 3.2 | 76        |
| 68 | Metal-free TBHP-mediated oxidative ring openings of 2-arylimidazopyridines via regioselective cleavage of C–C and C–N bonds. <i>RSC Advances</i> , 2015, 5, 100102-100105.   | 3.6 | 22        |
| 69 | Catalyst-Free Regioselective C-3 Nitrosation of Imidazopyridines with tert-Butyl Nitrite under Neutral Conditions. <i>Synthesis</i> , 2015, 48, 122-130.   | 2.3 | 4         |
| 70 | Copper-Catalyzed Domino Synthesis of Nitrogen Heterocycle-Fused Benzoimidazole and 1,2,4-Benzothiadiazine 1,1-Dioxide Derivatives. <i>ACS Combinatorial Science</i> , 2015, 17, 113-119.   | 3.8 | 48        |
| 71 | Silver-Mediated Radical Cyclization of Alkynoates and $\alpha$ -Keto Acids Leading to Coumarins via Cascade Double C–C Bond Formation. <i>Journal of Organic Chemistry</i> , 2015, 80, 1550-1556.  | 3.2 | 134       |
| 72 | Silver-Catalyzed Double-Decarboxylative Cross-Coupling of $\alpha$ -Keto Acids with Cinnamic Acids in Water: A Strategy for the Preparation of Chalcones. <i>Journal of Organic Chemistry</i> , 2015, 80, 3258-3263.                                   | 3.2 | 57        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Direct difunctionalization of alkenes with sulfinic acids and NBS leading to $\beta$ -bromo sulfones. <i>Tetrahedron Letters</i> , 2015, 56, 1808-1811.  | 1.4 | 45        |
| 74 | I <sub>2</sub> O <sub>5</sub> /DBU mediated direct $\beta$ -phosphoryloxylation of ketones with H-phosphonates leading to $\beta$ -hydroxyketone phosphates. <i>Tetrahedron</i> , 2015, 71, 6901-6906.   | 1.9 | 16        |
| 75 | Direct thiolation of methoxybenzenes with thiols under metal-free conditions by iodine catalysis. <i>Tetrahedron Letters</i> , 2015, 56, 4792-4795.  | 1.4 | 34        |
| 76 | Metal-free iodine-mediated synthesis of vinyl sulfones at room temperature using water as solvent. <i>RSC Advances</i> , 2015, 5, 37013-37017.   | 3.6 | 58        |
| 77 | Metal-Free Oxidative Spirocyclization of Alkynes with Sulfonylhydrazides Leading to 3-Sulfonated Azaspiro[4,5]trienones. <i>Journal of Organic Chemistry</i> , 2015, 80, 4966-4972.  | 3.2 | 125       |
| 78 | Metal-Free Direct Construction of Sulfonamides via Iodine-Mediated Coupling Reaction of Sodium Sulfinates and Amines at Room Temperature. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 987-992.  | 4.3 | 85        |
| 79 | Facile Access to Benzothiophenes through Metal-Free Iodine-Catalyzed Intermolecular Cyclization of Thiophenols and Alkynes. <i>Synlett</i> , 2015, 26, 1890-1894.  | 1.8 | 20        |
| 80 | Silver-catalyzed direct spirocyclization of alkynes with thiophenols: a simple and facile approach to 3-thioazaspiro[4,5]trienones. <i>RSC Advances</i> , 2015, 5, 84657-84661.  | 3.6 | 57        |
| 81 | Catalyst-Free Regioselective C-3 Thiocyanation of Imidazopyridines. <i>Journal of Organic Chemistry</i> , 2015, 80, 11073-11079.   | 3.2 | 150       |
| 82 | Accurate Analysis and Evaluation of Acidic Plant Growth Regulators in Transgenic and Nontransgenic Edible Oils with Facile Microwave-Assisted Extraction- <i>Derivatization</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8058-8067. | 5.2 | 6         |
| 83 | Metal-free direct difunctionalization of alkenes with I <sub>2</sub> O <sub>5</sub> and P(O)H compounds leading to $\beta$ -iodophosphates. <i>Organic Chemistry Frontiers</i> , 2015, 2, 1356-1360.   | 4.5 | 34        |
| 84 | Direct difunctionalization of alkynes with sulfinic acids and molecular iodine: a simple and convenient approach to (E)- $\beta$ -iodovinyl sulfones. <i>RSC Advances</i> , 2015, 5, 4416-4419.  | 3.6 | 82        |
| 85 | Direct and metal-free arylsulfonylation of alkynes with sulfonylhydrazides for the construction of 3-sulfonated coumarins. <i>Chemical Communications</i> , 2015, 51, 768-771.   | 4.1 | 181       |
| 86 | Mesoporous Poly(melamine-formaldehyde): A Green and Recyclable Heterogeneous Organocatalyst for the Synthesis of Benzoxazoles and Benzothiazoles Using Dioxygen as Oxidant. <i>ChemCatChem</i> , 2014, 6, 3434-3439.                                       | 3.7 | 40        |
| 87 | Magnetic Copper Ferrite Nanoparticles: An Inexpensive, Efficient, Recyclable Catalyst for the Synthesis of Substituted Benzoxazoles via Ullmann-Type Coupling under Ligand-Free Conditions. <i>Synlett</i> , 2014, 25, 729-735.                            | 1.8 | 29        |
| 88 | A novel sustainable strategy for the synthesis of phenols by magnetic CuFe <sub>2</sub> O <sub>4</sub> -catalyzed oxidative hydroxylation of arylboronic acids under mild conditions in water. <i>Tetrahedron</i> , 2014, 70, 3630-3634.                   | 1.9 | 60        |
| 89 | Copper-catalyzed highly selective direct hydrosulfonylation of alkynes with arylsulfinic acids leading to vinyl sulfones. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 1861-1864.   | 2.8 | 97        |
| 90 | Magnetically recoverable and reusable CuFe <sub>2</sub> O <sub>4</sub> nanoparticle-catalyzed synthesis of benzoxazoles, benzothiazoles and benzimidazoles using dioxygen as oxidant. <i>RSC Advances</i> , 2014, 4, 17832-17839.                          | 3.6 | 68        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Magnetic copper ferrite nanoparticles/TEMPO catalyzed selective oxidation of activated alcohols to aldehydes under ligand- and base-free conditions in water. <i>RSC Advances</i> , 2014, 4, 64930-64935.  | 3.6 | 21        |
| 92  | Catalyst-free direct arylsulfonylation of N-arylacrylamides with sulfinic acids: a convenient and efficient route to sulfonated oxindoles. <i>Green Chemistry</i> , 2014, 16, 2988-2991.   | 9.0 | 153       |
| 93  | Metal-free n-Et <sub>4</sub> NBr-catalyzed radical cyclization of disulfides and alkynes leading to benzothiophenes under mild conditions. <i>RSC Advances</i> , 2014, 4, 48547-48553.   | 3.6 | 35        |
| 94  | Iron-catalyzed direct difunctionalization of alkenes with dioxygen and sulfinic acids: a highly efficient and green approach to $\beta$ -ketosulfones. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 7678-7681.                            | 2.8 | 77        |
| 95  | Copper-catalyzed cyanoalkylation of activated alkenes with AIBN: a convenient and efficient approach to cyano-containing oxindoles. <i>RSC Advances</i> , 2014, 4, 48535-48538.  | 3.6 | 36        |
| 96  | One-Pot Copper-Catalyzed Aerobic Decarboxylative Coupling of Phenylacetic Acids with <i>o</i> -Aminobenzenes and Dioxygen as the Oxidant Leading to Benzoxazoles and Benzothiazoles. <i>Asian Journal of Organic Chemistry</i> , 2014, 3, 969-973. | 2.7 | 19        |
| 97  | Metal-Free Direct Trifluoromethylation of Activated Alkenes with Langlois <sup>TM</sup> Reagent Leading to CF <sub>3</sub> -Containing Oxindoles. <i>Journal of Organic Chemistry</i> , 2014, 79, 4225-4230.                                       | 3.2 | 123       |
| 98  | Copper-catalyzed direct oxysulfonylation of alkenes with dioxygen and sulfonylhydrazides leading to $\beta$ -ketosulfones. <i>Chemical Communications</i> , 2013, 49, 10239.   | 4.1 | 252       |
| 99  | Functionalizations of Aryl C-H Bonds in <i>o</i> -Arylpyridines via Sequential Borylation and Copper Catalysis. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 2211-2217.  | 4.3 | 41        |
| 100 | Copper-Catalyzed Domino Synthesis of Benzimidazo[2,1- <i>b</i> ]quinazolin-12(6 <i>H</i> )-ones Using Cyanamide as a Building Block. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 477-482.   | 4.3 | 52        |
| 101 | Copper-catalyzed aerobic oxidative synthesis of aromatic carboxylic acids. <i>Chemical Communications</i> , 2011, 47, 2348-2350.   | 4.1 | 35        |
| 102 | A Simple and Practical Copper-Catalyzed Approach to Substituted Phenols from Aryl Halides by Using Water as the Solvent. <i>Chemistry - A European Journal</i> , 2010, 16, 2366-2370.  | 3.3 | 100       |
| 103 | Efficient copper-catalyzed N-arylations of nitrogen-containing heterocycles and aliphatic amines in water. <i>Green Chemistry</i> , 2010, 12, 1097.  | 9.0 | 74        |
| 104 | Copper-Catalyzed Synthesis of 1,2,4-Benzothiadiazine 1,1-Dioxide Derivatives by Coupling of <i>o</i> -Halobenzenesulfonamides with Amidines. <i>Advanced Synthesis and Catalysis</i> , 2009, 351, 1999-2004.                                       | 4.3 | 54        |
| 105 | Electrospray Ionization Mass Spectra of Dipeptide Derivatives. <i>Chinese Journal of Chemistry</i> , 2009, 27, 1333-1338.  | 4.9 | 1         |
| 106 | Environmentally Friendly Iron-Catalyzed Cascade Synthesis of 1,2,4-Benzothiadiazine 1,1-Dioxide and Quinazolinone Derivatives. <i>ACS Combinatorial Science</i> , 2009, 11, 653-657.   | 3.3 | 47        |
| 107 | Copper-Catalyzed Synthesis of Benzimidazoles via Cascade Reactions of <i>o</i> -Haloacetanilide Derivatives with Amidine Hydrochlorides. <i>Journal of Organic Chemistry</i> , 2008, 73, 7841-7844.  | 3.2 | 141       |
| 108 | Enantioselective Friedel-Crafts Reaction of 2-Alkynylphenols with Aromatic Ethers by Chiral Brønsted Acid Catalysis. <i>Journal of Organic Chemistry</i> , 0, , .  | 3.2 | 2         |