

# Fang-Yang Huang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3855730/publications.pdf>

Version: 2024-02-01

53  
papers

745  
citations

567281

15  
h-index

580821

25  
g-index

56  
all docs

56  
docs citations

56  
times ranked

1789  
citing authors

#	ARTICLE	IF	CITATIONS
1	Patients With Bicuspid Aortic Stenosis Undergoing Transcatheter Aortic Valve Replacement: A Systematic Review and Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 794850.	2.4	2
2	Relationship of body fat and left ventricular hypertrophy with the risk of all-cause death in patients with coronary artery disease.. <i>Journal of Geriatric Cardiology</i> , 2022, 19, 218-226.	0.2	2
3	MARCH5 restores endothelial cell function against ischaemic/hypoxia injury via Akt/eNOS pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 3182-3193.	3.6	6
4	Activating transcription factor 4 regulates angiogenesis under lipid overload via methionine adenosyltransferase 2A-mediated endothelial epigenetic alteration. <i>FASEB Journal</i> , 2021, 35, e21612.	0.5	3
5	Variation of computed tomographic angiography-based fractional flow reserve after transcatheter aortic valve implantation. <i>European Radiology</i> , 2021, 31, 6220-6229.	4.5	1
6	Sodium Lactate Accelerates M2 Macrophage Polarization and Improves Cardiac Function after Myocardial Infarction in Mice. <i>Cardiovascular Therapeutics</i> , 2021, 2021, 1-10.	2.5	20
7	Renal function as a predictor of outcomes in patients with hypertrophic cardiomyopathy: A cohort study of a hospitalized population. <i>Clinica Chimica Acta</i> , 2021, 512, 92-99.	1.1	5
8	Clinical characteristics and in-hospital outcomes of patients receiving contemporary intensive cardiac care: retrospective study from a large centre in China. <i>Journal of Geriatric Cardiology</i> , 2021, 18, 94-103.	0.2	2
9	Hypertension is a risk factor for adverse outcomes in patients with coronavirus disease 2019: a cohort study. <i>Annals of Medicine</i> , 2020, 52, 361-366.	3.8	19
10	Association of fine particulate matter exposure with acute noncardiovascular critical illnesses and in-hospital outcomes in patients receiving intensive cardiac care. <i>BMC Public Health</i> , 2020, 20, 610.	2.9	2
11	Acute myocardial injury is common in patients with COVID-19 and impairs their prognosis. <i>Heart</i> , 2020, 106, 1154-1159.	2.9	162
12	Influence of Gender on Clinical Characteristics and Outcomes in Chinese Patients With Hypertrophic Cardiomyopathy. <i>American Journal of the Medical Sciences</i> , 2020, 360, 517-524.	1.1	8
13	Virtual fractional flow reserve and virtual coronary stent guided percutaneous coronary intervention. <i>Cardiology Journal</i> , 2020, 27, 318-319.	1.2	2
14	The impact of renal function on the prognostic value of N-terminal pro-B-type natriuretic peptide in patients with coronary artery disease. <i>Cardiology Journal</i> , 2020, 26, 696-703.	1.2	1
15	The bifunctional SDF1- $\alpha$ -Anx5 fusion protein protects cardiac function after myocardial infarction. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 7673-7684.	3.6	22
16	The triglyceride paradox in the mortality of coronary artery disease. <i>Lipids in Health and Disease</i> , 2019, 18, 21.	3.0	17
17	Influence of age on the effect of reduced renal function on outcomes in patients with coronary artery disease. <i>BMC Public Health</i> , 2019, 19, 205.	2.9	2
18	No modifying effect of nutritional status on statins therapy in relation to all-cause death in older patients with coronary artery disease. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 1071-1077.	2.9	1

#	ARTICLE	IF	CITATIONS
19	Efficacy of Different Types of Exercise-Based Cardiac Rehabilitation on Coronary Heart Disease: a Network Meta-analysis. <i>Journal of General Internal Medicine</i> , 2018, 33, 2201-2209.	2.6	36
20	The impact of age on the implementation of evidence-based medications in patients with coronary artery disease and its prognostic significance: a retrospective cohort study. <i>BMC Public Health</i> , 2018, 18, 150.	2.9	11
21	Characterization of Recombinant Adeno-Associated Viral Transduction and Safety Profiles in Cardiomyocytes. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 1894-1900.	1.6	11
22	CHADS2, CHA2DS2-VASc and R2CHADS2 scores predict mortality in patients with coronary artery disease. <i>Internal and Emergency Medicine</i> , 2017, 12, 479-486.	2.0	25
23	Trends in prescribing rate of statins at discharge and modifiable factors in patients with atherosclerotic cardiovascular disease. <i>Internal and Emergency Medicine</i> , 2017, 12, 1121-1129.	2.0	9
24	Body Composition and Mortality in Coronary Artery Disease With Mild Renal Insufficiency in Chinese Patients. , 2017, 27, 187-193.		5
25	The correlation between serum total bilirubin and outcomes in patients with different subtypes of coronary artery disease. <i>Clinica Chimica Acta</i> , 2017, 465, 101-105.	1.1	29
26	Relation of premature atrial complexes with stroke and death: Systematic review and meta-analysis. <i>Clinical Cardiology</i> , 2017, 40, 962-969.	1.8	30
27	The influence of metabolic syndrome and diabetes mellitus on the N-terminal pro-B-type natriuretic peptide level and its prognostic performance in patients with coronary artery disease. <i>Coronary Artery Disease</i> , 2017, 28, 159-165.	0.7	1
28	Fibrinogen is related to long-term mortality in Chinese patients with acute coronary syndrome but failed to enhance the prognostic value of the GRACE score. <i>Oncotarget</i> , 2017, 8, 20622-20629.	1.8	7
29	The influence of body composition on renal function in patients with coronary artery disease and its prognostic significance: a retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2016, 15, 106.	6.8	9
30	The Prognosis of Patients With Nonobstructive Coronary Artery Disease Versus Normal Arteries Determined by Invasive Coronary Angiography or Computed Tomography Coronary Angiography. <i>Medicine (United States)</i> , 2016, 95, e3117.	1.0	28
31	The influence of age on the clinical implications of N-terminal pro-B-type natriuretic peptide in acute coronary syndrome. <i>Internal and Emergency Medicine</i> , 2016, 11, 1077-1086.	2.0	4
32	Relation between serum calcium levels and mortality in patients with coronary artery disease. <i>European Heart Journal Supplements</i> , 2016, 18, F39-F39.	0.1	1
33	Influence of Renal Insufficiency on the Prescription of Evidence-Based Medicines in Patients With Coronary Artery Disease and Its Prognostic Significance. <i>Medicine (United States)</i> , 2016, 95, e2740.	1.0	3
34	Admission Serum Calcium Levels Improve the GRACE Risk Score Prediction of Hospital Mortality in Patients With Acute Coronary Syndrome. <i>Clinical Cardiology</i> , 2016, 39, 516-523.	1.8	27
35	Understanding the controversy surrounding the correlation between fibrinogen level and prognosis of coronary artery disease—The role of the subtypes of coronary artery disease. <i>International Journal of Cardiology</i> , 2016, 222, 968-972.	1.7	3
36	Relation between admission plasma fibrinogen levels and mortality in Chinese patients with coronary artery disease. <i>Scientific Reports</i> , 2016, 6, 30506.	3.3	17

#	ARTICLE	IF	CITATIONS
37	The additional prognostic performance of natriuretic peptides, nitrite/nitrate and superoxide dismutase on top of the GRACE score in STEMI patients. <i>International Journal of Cardiology</i> , 2016, 215, 37.	1.7	0
38	The effect of activated clotting time values for patients undergoing percutaneous coronary intervention: A systematic review and meta-analysis. <i>Thrombosis Research</i> , 2016, 144, 202-209.	1.7	5
39	Gender Disparity in the Safety and Efficacy of Radial and Femoral Access for Coronary Intervention. <i>Angiology</i> , 2016, 67, 810-819.	1.8	16
40	The influence of body composition on the N-terminal pro-B-type natriuretic peptide level and its prognostic performance in patients with acute coronary syndrome: a cohort study. <i>Cardiovascular Diabetology</i> , 2016, 15, 58.	6.8	9
41	Renal insufficiency and mortality in coronary artery disease with reduced ejection fraction. <i>European Journal of Internal Medicine</i> , 2016, 29, 78-87.	2.2	1
42	Comments on Li et al. HbA1c and all-cause mortality risk among patients with type 2 diabetes. <i>International Journal of Cardiology</i> . 2015; 202:490-496. <i>International Journal of Cardiology</i> , 2016, 203, 445-446.	1.7	1
43	Nutritional state predicts all-cause death independent of comorbidities in geriatric patients with coronary artery disease. <i>Journal of Nutrition, Health and Aging</i> , 2016, 20, 199-204.	3.3	11
44	Increased interventricular septum wall thickness predicts all-cause death in patients with coronary artery disease. <i>Internal Medicine Journal</i> , 2015, 45, 275-283.	0.8	12
45	Association Between Bisphosphonates Therapy and Incident Myocardial Infarction. <i>Journal of Cardiovascular Pharmacology</i> , 2015, 66, 468-477.	1.9	4
46	Meta-Analysis of Relation Between Oral $\beta$ -Blocker Therapy and Outcomes in Patients With Acute Myocardial Infarction Who Underwent Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2015, 115, 1529-1538.	1.6	68
47	Relation between admission serum potassium levels and long-term mortality in acute coronary syndrome. <i>Internal and Emergency Medicine</i> , 2015, 10, 927-935.	2.0	19
48	Lean mass index, body fat and survival in Chinese patients with coronary artery disease. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2015, 108, 641-647.	0.5	13
49	Heparin is Not Inferior to Bivalirudin in Percutaneous Coronary Intervention—Focusing on the Effect of Glycoprotein IIb/IIIa Inhibitor Use. <i>Angiology</i> , 2015, 66, 845-855.	1.8	8
50	Inappropriate left ventricular mass and poor outcomes in patients with angina pectoris and normal ejection fraction. <i>Coronary Artery Disease</i> , 2015, 26, 163-169.	0.7	3
51	Target lesion calcification and risk of adverse outcomes in patients with drug-eluting stents. <i>Herz</i> , 2015, 40, 1097-1106.	1.1	6
52	The efficacy and safety of prehospital therapeutic hypothermia in patients with out-of-hospital cardiac arrest: A systematic review and meta-analysis. <i>Resuscitation</i> , 2015, 96, 170-179.	3.0	22
53	Subclassification of left ventricular hypertrophy based on dilation stratifies coronary artery disease patients with distinct risk. <i>European Journal of Clinical Investigation</i> , 2014, 44, 893-901.	3.4	14