

# Manabu Fujimoto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3861978/publications.pdf>

Version: 2024-02-01

430  
papers

17,275  
citations

13865

67  
h-index

21540

114  
g-index

460  
all docs

460  
docs citations

460  
times ranked

16161  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Regulatory B Cell Subset with a Unique CD1dhiCD5+ Phenotype Controls T Cell-Dependent Inflammatory Responses. <i>Immunity</i> , 2008, 28, 639-650.	14.3	1,127
2	Regulatory B cells inhibit EAE initiation in mice while other B cells promote disease progression. <i>Journal of Clinical Investigation</i> , 2008, 118, 3420-30.	8.2	762
3	Connective Tissue Growth Factor Gene Expression in Tissue Sections From Localized Scleroderma, Keloid, and Other Fibrotic Skin Disorders. <i>Journal of Investigative Dermatology</i> , 1996, 106, 729-733.	0.7	402
4	Common and Distinct Clinical Features in Adult Patients with Anti-Aminoacyl-tRNA Synthetase Antibodies: Heterogeneity within the Syndrome. <i>PLoS ONE</i> , 2013, 8, e60442.	2.5	306
5	Altered blood B lymphocyte homeostasis in systemic sclerosis: Expanded naive B cells and diminished but activated memory B cells. <i>Arthritis and Rheumatism</i> , 2004, 50, 1918-1927.	6.7	298
6	Clinical Correlations With Dermatomyositis-Specific Autoantibodies in Adult Japanese Patients With Dermatomyositis. <i>Archives of Dermatology</i> , 2011, 147, 391.	1.4	293
7	Quantitative Genetic Variation in CD19 Expression Correlates with Autoimmunity. <i>Journal of Immunology</i> , 2000, 165, 6635-6643.	0.8	292
8	Regulatory B Cells (B10 Cells) Have a Suppressive Role in Murine Lupus: CD19 and B10 Cell Deficiency Exacerbates Systemic Autoimmunity. <i>Journal of Immunology</i> , 2010, 184, 4801-4809.	0.8	274
9	The diagnostic utility of anti-melanoma differentiation-associated gene 5 antibody testing for predicting the prognosis of Japanese patients with DM. <i>Rheumatology</i> , 2012, 51, 1278-1284.	1.9	252
10	Myositis-specific anti-155/140 autoantibodies target transcription intermediary factor 1 family proteins. <i>Arthritis and Rheumatism</i> , 2012, 64, 513-522.	6.7	245
11	Anti-NXP2 autoantibodies in adult patients with idiopathic inflammatory myopathies: possible association with malignancy. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 710-713.	0.9	220
12	Idiopathic inflammatory myopathies. <i>Nature Reviews Disease Primers</i> , 2021, 7, 86.	30.5	212
13	B-Lymphocyte Depletion Reduces Skin Fibrosis and Autoimmunity in the Tight-Skin Mouse Model for Systemic Sclerosis. <i>American Journal of Pathology</i> , 2006, 169, 954-966.	3.8	195
14	CD19 Regulates Skin and Lung Fibrosis via Toll-Like Receptor Signaling in a Model of Bleomycin-Induced Scleroderma. <i>American Journal of Pathology</i> , 2008, 172, 1650-1663.	3.8	192
15	CD19 Regulates Src Family Protein Tyrosine Kinase Activation in B Lymphocytes through Processive Amplification. <i>Immunity</i> , 2000, 13, 47-57.	14.3	189
16	CD83 Expression Influences CD4+ T Cell Development in the Thymus. <i>Cell</i> , 2002, 108, 755-767.	28.9	188
17	Impaired IL-17 Signaling Pathway Contributes to the Increased Collagen Expression in Scleroderma Fibroblasts. <i>Journal of Immunology</i> , 2012, 188, 3573-3583.	0.8	188
18	CD19-dependent B lymphocyte signaling thresholds influence skin fibrosis and autoimmunity in the tight-skin mouse. <i>Journal of Clinical Investigation</i> , 2002, 109, 1453-1462.	8.2	188

#	ARTICLE	IF	CITATIONS
19	Correlation between vitiligo occurrence and clinical benefit in advanced melanoma patients treated with nivolumab: A multi-institutional retrospective study. <i>Journal of Dermatology</i> , 2017, 44, 117-122.	1.2	170
20	CD22 regulates B lymphocyte function in vivo through both ligand-dependent and ligand-independent mechanisms. <i>Nature Immunology</i> , 2004, 5, 1078-1087.	14.5	166
21	239th ENMC International Workshop: Classification of dermatomyositis, Amsterdam, the Netherlands, 14-16 December 2018. <i>Neuromuscular Disorders</i> , 2020, 30, 70-92.	0.6	148
22	Modulation of B Lymphocyte Antigen Receptor Signal Transduction by a CD19/CD22 Regulatory Loop. <i>Immunity</i> , 1999, 11, 191-200.	14.3	144
23	Mechanical Stretching In Vitro Regulates Signal Transduction Pathways and Cellular Proliferation in Human Epidermal Keratinocytes. <i>Journal of Investigative Dermatology</i> , 2004, 122, 783-790.	0.7	143
24	TGF- $\beta$ -Mediated Downregulation of MicroRNA-196a Contributes to the Constitutive Upregulated Type I Collagen Expression in Scleroderma Dermal Fibroblasts. <i>Journal of Immunology</i> , 2012, 188, 3323-3331.	0.8	138
25	Protective and Pathogenic Roles for B Cells during Systemic Autoimmunity in NZB/W F1 Mice. <i>Journal of Immunology</i> , 2010, 184, 4789-4800.	0.8	136
26	Cell Adhesion Molecules Regulate Fibrotic Process via Th1/Th2/Th17 Cell Balance in a Bleomycin-Induced Scleroderma Model. <i>Journal of Immunology</i> , 2010, 185, 2502-2515.	0.8	126
27	Recent advances in dermatomyositis-specific autoantibodies. <i>Current Opinion in Rheumatology</i> , 2016, 28, 636-644.	4.3	125
28	miR-150 Down-Regulation Contributes to the Constitutive Type I Collagen Overexpression in Scleroderma Dermal Fibroblasts via the Induction of $\beta$ 1 Integrin $\beta$ 23. <i>American Journal of Pathology</i> , 2013, 182, 206-216.	3.8	124
29	Altered B lymphocyte function induces systemic autoimmunity in systemic sclerosis. <i>Molecular Immunology</i> , 2004, 41, 1123-1133.	2.2	123
30	Clinical and Pathological Findings of Interstitial Lung Disease Patients with Anti-Aminoacyl-tRNA Synthetase Autoantibodies. <i>Internal Medicine</i> , 2010, 49, 361-369.	0.7	121
31	Treatment with rapamycin prevents fibrosis in tight-skin and bleomycin-induced mouse models of systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2010, 62, 2476-2487.	6.7	118
32	Potential roles of interleukin-17A in the development of skin fibrosis in mice. <i>Arthritis and Rheumatism</i> , 2012, 64, 3726-3735.	6.7	118
33	CD19 regulates innate immunity by the toll-like receptor RP105 signaling in B lymphocytes. <i>Blood</i> , 2003, 102, 1374-1380.	1.4	117
34	CD22 Forms a Quaternary Complex with SHIP, Grb2, and Shc. <i>Journal of Biological Chemistry</i> , 2000, 275, 17420-17427.	3.4	115
35	Association of a functional polymorphism in the <i>IRF5</i> region with systemic sclerosis in a Japanese population. <i>Arthritis and Rheumatism</i> , 2009, 60, 1845-1850.	6.7	115
36	A proposal for a TNM staging system for extramammary Paget disease: Retrospective analysis of 301 patients with invasive primary tumors. <i>Journal of Dermatological Science</i> , 2016, 83, 234-239.	1.9	112

#	ARTICLE	IF	CITATIONS
37	Clinical association of serum interleukin-17 levels in systemic sclerosis: Is systemic sclerosis a Th17 disease?. <i>Journal of Dermatological Science</i> , 2008, 50, 240-242.	1.9	110
38	Inhibitory Role of CD19 in the Progression of Experimental Autoimmune Encephalomyelitis by Regulating Cytokine Response. <i>American Journal of Pathology</i> , 2006, 168, 812-821.	3.8	109
39	CD19 Expression in B Cells Is Important for Suppression of Contact Hypersensitivity. <i>American Journal of Pathology</i> , 2007, 171, 560-570.	3.8	107
40	Serum level of interleukin-6 is increased in nivolumab-associated psoriasiform dermatitis and tumor necrosis factor- $\alpha$ is a biomarker of nivolumab reactivity. <i>Journal of Dermatological Science</i> , 2017, 86, 71-73.	1.9	105
41	Clinical Utility of an Enzyme-Linked Immunosorbent Assay for Detecting Anti-Melanoma Differentiation-Associated Gene 5 Autoantibodies. <i>PLoS ONE</i> , 2016, 11, e0154285.	2.5	102
42	BAFF inhibition attenuates fibrosis in scleroderma by modulating the regulatory and effector B cell balance. <i>Science Advances</i> , 2018, 4, eaas9944.	10.3	98
43	Clinical Significance of Serum HMGB-1 and sRAGE Levels in Systemic Sclerosis: Association with Disease Severity. <i>Journal of Clinical Immunology</i> , 2009, 29, 180-189.	3.8	96
44	CD19-dependent B lymphocyte signaling thresholds influence skin fibrosis and autoimmunity in the tight-skin mouse. <i>Journal of Clinical Investigation</i> , 2002, 109, 1453-1462.	8.2	93
45	Clinical significance of surfactant protein D as a serum marker for evaluating pulmonary fibrosis in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1363-1369.	6.7	92
46	Donor-derived regulatory B cells are important for suppression of murine sclerodermatous chronic graft-versus-host disease. <i>Blood</i> , 2013, 121, 3274-3283.	1.4	92
47	Characterization and Localization of Side Population Cells in Mouse Skin. <i>Stem Cells</i> , 2005, 23, 834-841.	3.2	90
48	CD19 regulates B lymphocyte responses to transmembrane signals. <i>Seminars in Immunology</i> , 1998, 10, 267-277.	5.6	89
49	Regulatory B cells in human inflammatory and autoimmune diseases: from mouse models to clinical research. <i>International Immunology</i> , 2015, 27, 495-504.	4.0	88
50	Function Blocking Autoantibodies Against Matrix Metalloproteinase-1 in Patients with Systemic Sclerosis. <i>Journal of Investigative Dermatology</i> , 2003, 120, 542-547.	0.7	86
51	Autoantibodies to RuvBL1 and RuvBL2: A Novel Systemic Sclerosis-Related Antibody Associated With Diffuse Cutaneous and Skeletal Muscle Involvement. <i>Arthritis Care and Research</i> , 2014, 66, 575-584.	3.4	86
52	Serum levels of IgE anti-BP180 and anti-BP230 autoantibodies in patients with bullous pemphigoid. <i>Journal of Dermatological Science</i> , 2008, 49, 153-161.	1.9	85
53	B Lymphocyte Signaling Established by the CD19/CD22 Loop Regulates Autoimmunity in the Tight-Skin Mouse. <i>American Journal of Pathology</i> , 2004, 165, 641-650.	3.8	84
54	Pathogenesis of systemic sclerosis: Altered B cell function is the key linking systemic autoimmunity and tissue fibrosis. <i>Journal of Dermatological Science</i> , 2005, 39, 1-7.	1.9	84

#	ARTICLE	IF	CITATIONS
55	CD19, a Response Regulator of B Lymphocytes, Regulates Wound Healing through Hyaluronan-Induced TLR4 Signaling. <i>American Journal of Pathology</i> , 2009, 175, 649-660.	3.8	84
56	Decreased levels of regulatory B cells in patients with systemic sclerosis: association with autoantibody production and disease activity. <i>Rheumatology</i> , 2016, 55, 263-267.	1.9	84
57	Association of a functional CD19 polymorphism with susceptibility to systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2004, 50, 4002-4007.	6.7	82
58	CD83 Expression Is a Sensitive Marker of Activation Required for B Cell and CD4+ T Cell Longevity In Vivo. <i>Journal of Immunology</i> , 2007, 179, 4550-4562.	0.8	79
59	Serum chemokine and cytokine levels as indicators of disease activity in patients with systemic sclerosis. <i>Clinical Rheumatology</i> , 2011, 30, 231-237.	2.2	78
60	Oropharyngeal Dysphagia in Dermatomyositis: Associations with Clinical and Laboratory Features Including Autoantibodies. <i>PLoS ONE</i> , 2016, 11, e0154746.	2.5	78
61	Autoantibodies to small ubiquitin-like modifier activating enzymes in Japanese patients with dermatomyositis: comparison with a UK Caucasian cohort. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 151-153.	0.9	77
62	Transethnic meta-analysis identifies <i>GSDMA</i> and <i>PRDM1</i> as susceptibility genes to systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1150-1158.	0.9	77
63	Association of the <i>FAM167A</i> region with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2010, 62, 890-895.	6.7	76
64	B-cell linker protein expression contributes to controlling allergic and autoimmune diseases by mediating IL-10 production in regulatory B cells. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1674-1682.e9.	2.9	76
65	Phase 1b study of pembrolizumab (MK-3475; anti-PD-1 monoclonal antibody) in Japanese patients with advanced melanoma (KEYNOTE-041). <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 651-660.	2.3	76
66	Correlation between blood cell count and outcome of melanoma patients treated with anti-PD-1 antibodies. <i>Japanese Journal of Clinical Oncology</i> , 2019, 49, 431-437.	1.3	75
67	Clinical and histopathological characteristics and survival analysis of 4594 Japanese patients with melanoma. <i>Cancer Medicine</i> , 2019, 8, 2146-2156.	2.8	74
68	CD19 regulates the development of bleomycin-induced pulmonary fibrosis in a mouse model. <i>Arthritis and Rheumatism</i> , 2008, 58, 3574-3584.	6.7	73
69	Serum Levels of Tumor Necrosis Factor and Interleukin-13 Are Elevated in Patients with Localized Scleroderma. <i>Dermatology</i> , 2003, 207, 141-147.	2.1	72
70	Dermatitis due to epiregulin deficiency and a critical role of epiregulin in immune-related responses of keratinocyte and macrophage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13921-13926.	7.1	71
71	Clinical and Immunologic Predictors of Scleroderma Renal Crisis in Japanese Systemic Sclerosis Patients With Anti-RNA Polymerase III Autoantibodies. <i>Arthritis and Rheumatism</i> , 2015, 67, 1045-1052.	5.6	70
72	Nivolumab-induced chronic inflammatory demyelinating polyradiculoneuropathy mimicking rapid-onset Guillain-Barré syndrome: a case report. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 875-878.	1.3	70

#	ARTICLE	IF	CITATIONS
73	BAFF Antagonist Attenuates the Development of Skin Fibrosis in Tight-Skin Mice. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2772-2780.	0.7	69
74	Enzyme-linked immunosorbent assays for detection of anti-transcriptional intermediary factor-1 gamma and anti-Mi-2 autoantibodies in dermatomyositis. <i>Journal of Dermatological Science</i> , 2016, 84, 272-281.	1.9	69
75	Clinical characteristics associated with antihistone antibodies in patients with localized scleroderma. <i>Journal of the American Academy of Dermatology</i> , 1994, 31, 567-571.	1.2	68
76	Increased Serum Soluble OX40 in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2008, 35, 2359-2362.	2.0	68
77	Cutaneous Angiosarcoma: The Possibility of New Treatment Options Especially for Patients with Large Primary Tumor. <i>Frontiers in Oncology</i> , 2018, 8, 46.	2.8	68
78	The role of sentinel lymph node biopsy in the management of invasive extramammary Paget's disease: Multi-center, retrospective study of 151 patients. <i>Journal of Dermatological Science</i> , 2015, 79, 38-42.	1.9	67
79	CD19 Regulates Intrinsic B Lymphocyte Signal Transduction and Activation Through a Novel Mechanism of Processive Amplification. <i>Immunologic Research</i> , 2000, 22, 281-298.	2.9	66
80	Neutralizing monoclonal antibody to human connective tissue growth factor ameliorates transforming growth factor- $\beta$ -induced mouse fibrosis. <i>Journal of Cellular Physiology</i> , 2008, 216, 680-687.	4.1	66
81	Serum interferon- $\gamma$ is a useful biomarker in patients with anti-melanoma differentiation-associated gene 5 (MDA5) antibody-positive dermatomyositis. <i>Modern Rheumatology</i> , 2015, 25, 85-89.	1.8	66
82	Efficacy and safety of nivolumab in Japanese patients with previously untreated advanced melanoma: A phase III study. <i>Cancer Science</i> , 2017, 108, 1223-1230.	3.9	66
83	Serum tissue inhibitor of metalloproteinases in patients with systemic sclerosis. <i>Journal of the American Academy of Dermatology</i> , 1995, 33, 973-978.	1.2	65
84	The c-Abl Tyrosine Kinase Is Regulated Downstream of the B Cell Antigen Receptor and Interacts with CD19. <i>Journal of Immunology</i> , 2000, 165, 6872-6879.	0.8	64
85	The Loss of MCP-1 Attenuates Cutaneous Ischemia-Reperfusion Injury in a Mouse Model of Pressure Ulcer. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1838-1851.	0.7	64
86	Association between nail-fold capillary findings and disease activity in dermatomyositis. <i>Rheumatology</i> , 2011, 50, 1091-1098.	1.9	63
87	Characterization of multipotent adult stem cells from the skin: transforming growth factor- $\beta$ (TGF- $\beta$ ) facilitates cell growth. <i>Experimental Cell Research</i> , 2004, 295, 194-203.	2.6	62
88	Clinical evaluation of anti-aminoacyl tRNA synthetase antibodies in Japanese patients with dermatomyositis. <i>Journal of Rheumatology</i> , 2007, 34, 1012-8.	2.0	62
89	CD19 Can Regulate B Lymphocyte Signal Transduction Independent of Complement Activation. <i>Journal of Immunology</i> , 2001, 167, 3190-3200.	0.8	61
90	Elevated Serum Insulin-like Growth Factor (IGF-1) and IGF Binding Protein-3 Levels in Patients with Systemic Sclerosis: Possible Role in Development of Fibrosis. <i>Journal of Rheumatology</i> , 2008, 35, 2363-2371.	2.0	60

#	ARTICLE	IF	CITATIONS
91	LEUKEMIA INHIBITORY FACTOR AS AN ANTI-APOPTOTIC MITOGEN FOR PLURIPOTENT MOUSE EMBRYONIC STEM CELLS IN A SERUM-FREE MEDIUM WITHOUT FEEDER CELLS. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2005, 41, 19.	1.5	59
92	Serum concentrations of the CXC chemokines interleukin 8 and growth-regulated oncogene-alpha are elevated in patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2003, 30, 1524-8.	2.0	59
93	Platelets Control Leukocyte Recruitment in a Murine Model of Cutaneous Arthus Reaction. <i>American Journal of Pathology</i> , 2010, 176, 259-269.	3.8	57
94	A CD19-Dependent Signaling Pathway Regulates Autoimmunity in Lyn-Deficient Mice. <i>Journal of Immunology</i> , 2001, 167, 2469-2478.	0.8	56
95	IL-6 Blockade Attenuates the Development of Murine Sclerodermatous Chronic Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2012, 132, 2752-2761.	0.7	55
96	Elevated serum interleukin-27 levels in patients with systemic sclerosis: association with T cell, B cell and fibroblast activation. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 194-200.	0.9	54
97	A novel splenic B1 regulatory cell subset suppresses allergic disease through phosphatidylinositol 3-kinase- $\beta$ /Akt pathway activation. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1170-1182.e9.	2.9	54
98	B lymphocytes and systemic sclerosis. <i>Current Opinion in Rheumatology</i> , 2005, 17, 746-751.	4.3	53
99	Increased Accumulation of Extracellular Thrombospondin-2 Due to Low Degradation Activity Stimulates Type I Collagen Expression in Scleroderma Fibroblasts. <i>American Journal of Pathology</i> , 2012, 180, 703-714.	3.8	53
100	CD22 Expression Mediates the Regulatory Functions of Peritoneal B-1a Cells during the Remission Phase of Contact Hypersensitivity Reactions. <i>Journal of Immunology</i> , 2010, 184, 4637-4645.	0.8	52
101	Severe hepatitis arising from ipilimumab administration, following melanoma treatment with nivolumab. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 175-178.	1.3	52
102	Prevalence and clinical characteristics of anti-Mi-2 antibodies in Japanese patients with dermatomyositis. <i>Journal of Dermatological Science</i> , 2005, 40, 215-217.	1.9	51
103	Diagnostic criteria, severity classification and guidelines of localized scleroderma. <i>Journal of Dermatology</i> , 2018, 45, 755-780.	1.2	51
104	Splicing variant of <i>WDFY4</i> augments MDA5 signalling and the risk of clinically amyopathic dermatomyositis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 602-611.	0.9	51
105	The CD19-CD21 Signal Transduction Complex of B Lymphocytes Regulates the Balance between Health and Autoimmune Disease: Systemic Sclerosis as a Model System. , 2004, 8, 55-90.		50
106	CD83 influences cell-surface MHC class II expression on B cells and other antigen-presenting cells. <i>International Immunology</i> , 2007, 19, 977-992.	4.0	50
107	Diagnostic criteria, severity classification and guidelines of eosinophilic fasciitis. <i>Journal of Dermatology</i> , 2018, 45, 881-890.	1.2	50
108	A novel inhibitor of Smad-dependent transcriptional activation suppresses tissue fibrosis in mouse models of systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2009, 60, 3465-3475.	6.7	49

#	ARTICLE	IF	CITATIONS
109	Marginal zone B cells exacerbate endotoxic shock via interleukin-6 secretion induced by FcγR-coupled TLR4 signalling. <i>Nature Communications</i> , 2016, 7, 11498.	12.8	49
110	Interleukin 15 induces the signals of epidermal proliferation through ERK and PI 3-kinase in a human epidermal keratinocyte cell line, HaCaT. <i>Biochemical and Biophysical Research Communications</i> , 2003, 301, 841-847.	2.1	48
111	The wound/burn guidelines "6: Guidelines for the management of burns. <i>Journal of Dermatology</i> , 2016, 43, 989-1010.	1.2	48
112	CD19 and CD22 Regulate a B Lymphocyte Signal Transduction Pathway That Contributes to Autoimmunity.. <i>Keio Journal of Medicine</i> , 2000, 49, 1-13.	1.1	47
113	Reduced red blood cell velocity in nail-fold capillaries as a sensitive and specific indicator of microcirculation injury in systemic sclerosis. <i>Rheumatology</i> , 2009, 48, 696-703.	1.9	47
114	Use of Serum Clara Cell 16-kDa (CC16) Levels as a Potential Indicator of Active Pulmonary Fibrosis in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2011, 38, 877-884.	2.0	47
115	Host-Derived MCP-1 and MIP-1α Regulate Protective Anti-Tumor Immunity to Localized and Metastatic B16 Melanoma. <i>American Journal of Pathology</i> , 2012, 180, 365-374.	3.8	47
116	Inducible costimulator ligand regulates bleomycin-induced lung and skin fibrosis in a mouse model independently of the inducible costimulator/inducible costimulator ligand pathway. <i>Arthritis and Rheumatism</i> , 2010, 62, 1723-1732.	6.7	45
117	Chemokine receptors CCR2 and CX3CR1 regulate skin fibrosis in the mouse model of cytokine-induced systemic sclerosis. <i>Journal of Dermatological Science</i> , 2013, 69, 250-258.	1.9	45
118	Nivolumab-induced thyroid dysfunction. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 575-579.	1.3	44
119	CD19 Amplification of B Lymphocyte Ca <sup>2+</sup> Responses. <i>Journal of Biological Chemistry</i> , 2001, 276, 44820-44827.	3.4	43
120	B cell signaling and autoimmune diseases: CD19/CD22 loop as a B cell signaling device to regulate the balance of autoimmunity. <i>Journal of Dermatological Science</i> , 2007, 46, 1-9.	1.9	43
121	The efficacy of self-administered stretching for finger joint motion in Japanese patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2006, 33, 1586-92.	2.0	43
122	Evidence-based clinical practice guideline for adult Still's disease. <i>Modern Rheumatology</i> , 2018, 28, 736-757.	1.8	42
123	Increased Serum Pentraxin 3 in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2009, 36, 976-983.	2.0	41
124	Increased levels of circulating intercellular adhesion molecule-1 in patients with localized scleroderma. <i>Journal of the American Academy of Dermatology</i> , 1994, 31, 591-595.	1.2	40
125	Complementary Roles for CD19 and Bruton's Tyrosine Kinase in B Lymphocyte Signal Transduction. <i>Journal of Immunology</i> , 2002, 168, 5465-5476.	0.8	40
126	FTY720 Ameliorates Murine Sclerodermatous Chronic Graft-versus-Host Disease by Promoting Expansion of Splenic Regulatory Cells and Inhibiting Immune Cell Infiltration Into Skin. <i>Arthritis and Rheumatism</i> , 2013, 65, 1624-1635.	6.7	40



#	ARTICLE	IF	CITATIONS
127	Endothelial selectins regulate skin wound healing in cooperation with L-selectin and ICAM-1. <i>Journal of Leukocyte Biology</i> , 2007, 82, 519-531.	3.3	39
128	IgG4-Related Skin Disease, a Mimic of Angiolymphoid Hyperplasia with Eosinophilia. <i>Dermatology</i> , 2011, 223, 301-305.	2.1	39
129	Association of Dermatomyositis Sine Dermatitis With Anti-“Nuclear Matrix Protein 2 Autoantibodies. <i>JAMA Neurology</i> , 2020, 77, 872.	9.0	39
130	Serum levels of tissue inhibitor of metalloproteinases 2 in patients with systemic sclerosis. <i>Journal of the American Academy of Dermatology</i> , 2000, 42, 70-75.	1.2	38
131	Autoantibodies against matrix metalloproteinase-1 in patients with localized scleroderma. <i>Journal of Dermatological Science</i> , 2008, 52, 47-54.	1.9	38
132	CD22 serves as a receptor for soluble IgM. <i>European Journal of Immunology</i> , 2012, 42, 241-247.	2.9	38
133	Serum Adhesion Molecule Levels as Prognostic Markers in Patients with Early Systemic Sclerosis: A Multicentre, Prospective, Observational Study. <i>PLoS ONE</i> , 2014, 9, e88150.	2.5	38
134	Blockade of Syk ameliorates the development of murine sclerodermatous chronic graft-versus-host disease. <i>Journal of Dermatological Science</i> , 2014, 74, 214-221.	1.9	37
135	Effects of non-amputative wide local excision on the local control and prognosis of <i>in situ</i> and invasive subungual melanoma. <i>Journal of Dermatology</i> , 2015, 42, 861-866.	1.2	37
136	Elevated circulating CD40L concentrations in patients with systemic sclerosis. <i>Journal of Rheumatology</i> , 2004, 31, 514-9.	2.0	37
137	Soluble CD4 and CD8 in serum from patients with localized scleroderma. <i>Archives of Dermatological Research</i> , 1996, 288, 358-362.	1.9	36
138	Inducible Costimulator (ICOS) and ICOS Ligand Signaling Has Pivotal Roles in Skin Wound Healing via Cytokine Production. <i>American Journal of Pathology</i> , 2011, 179, 2360-2369.	3.8	36
139	Intercellular Adhesion Molecule-1 Deficiency Attenuates the Development of Skin Fibrosis in Tight-Skin Mice. <i>Journal of Immunology</i> , 2007, 179, 698-707.	0.8	35
140	Association of IL-10 receptor 2 (IL10RB) SNP with systemic sclerosis. <i>Biochemical and Biophysical Research Communications</i> , 2008, 373, 403-407.	2.1	35
141	Diagnostic criteria, severity classification and guidelines of systemic sclerosis. <i>Journal of Dermatology</i> , 2018, 45, 633-691.	1.2	35
142	Severely Impaired B Lymphocyte Proliferation, Survival, and Induction of the c-Myc:Cullin 1 Ubiquitin Ligase Pathway Resulting from CD22 Deficiency on the C57BL/6 Genetic Background. <i>Journal of Immunology</i> , 2004, 172, 2100-2110.	0.8	34
143	A Conserved Salt Bridge in the G Loop of Multiple Protein Kinases Is Important for Catalysis and for In Vivo Lyn Function. <i>Molecular Cell</i> , 2009, 33, 43-52.	9.7	34
144	Dermatomyositis. <i>Neurology</i> , 2022, 98, .	1.1	34

#	ARTICLE	IF	CITATIONS
145	Activation of Akt by mechanical stretching in human epidermal keratinocytes. <i>Experimental Dermatology</i> , 2006, 15, 356-361.	2.9	33
146	Autoantibody against one of the antioxidant repair enzymes, methionine sulfoxide reductase A, in systemic sclerosis: association with pulmonary fibrosis and vascular damage. <i>Archives of Dermatological Research</i> , 2010, 302, 27-35.	1.9	33
147	Usefulness of anti-cyclic citrullinated peptide antibody and rheumatoid factor to detect rheumatoid arthritis in patients with systemic sclerosis. <i>Rheumatology</i> , 2010, 49, 2135-2139.	1.9	32
148	Anti-nuclear matrix protein 2 antibody-positive inflammatory myopathies represent extensive myositis without dermatomyositis-specific rash. <i>Rheumatology</i> , 2022, 61, 1222-1227.	1.9	32
149	Risk Factors for Developing Skeletal-Related Events in Breast Cancer Patients With Bone Metastases Undergoing Treatment With Bone-Modifying Agents. <i>Oncologist</i> , 2016, 21, 508-513.	3.7	31
150	Activation of CD8 T cells accelerates anti-PD-1 antibody-induced psoriasis-like dermatitis through IL-6. <i>Communications Biology</i> , 2020, 3, 571.	4.4	31
151	B Cell Antigen Receptor and CD40 Differentially Regulate CD22 Tyrosine Phosphorylation. <i>Journal of Immunology</i> , 2006, 176, 873-879.	0.8	30
152	TIF1 $\beta$ -overexpressing, Highly Progressive Endometrial Carcinoma in a Patient with Dermato-myositis Positive for Malignancy-associated Anti-p155/140 Autoantibody. <i>Acta Dermato-Venereologica</i> , 2013, 93, 715-716.	1.3	30
153	Regulatory B cells in skin and connective tissue diseases. <i>Journal of Dermatological Science</i> , 2010, 60, 1-7.	1.9	29
154	High prevalence of primary biliary cirrhosis and disease-associated autoantibodies in Japanese patients with systemic sclerosis. <i>Modern Rheumatology</i> , 2012, 22, 892-898.	1.8	29
155	Dermokine inhibits ELR+CXC chemokine expression and delays early skin wound healing. <i>Journal of Dermatological Science</i> , 2013, 70, 34-41.	1.9	28
156	Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study. <i>Modern Rheumatology</i> , 2013, 23, 1076-1084.	1.8	28
157	B Cells Promote Tumor Immunity against B16F10 Melanoma. <i>American Journal of Pathology</i> , 2014, 184, 3120-3129.	3.8	28
158	Distinct Histopathologic Patterns of Finger Eruptions in Dermatomyositis Based on Myositis-Specific Autoantibody Profiles. <i>JAMA Dermatology</i> , 2019, 155, 1080.	4.1	28
159	Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists. <i>Modern Rheumatology</i> , 2019, 29, 1-19.	1.8	28
160	A Case of Acute Cutaneous Graft-versus-Host Disease Mimicking Psoriasis Vulgaris. <i>Dermatology</i> , 2008, 216, 64-67.	2.1	26
161	Tumor-to-bone distance of invasive subungual melanoma: An analysis of 30 cases. <i>Journal of Dermatology</i> , 2014, 41, 872-877.	1.2	26
162	Regulatory B1a Cells Suppress Melanoma Tumor Immunity via IL-10 Production and Inhibiting T Helper Type 1 Cytokine Production in Tumor-Infiltrating CD8+ T Cells. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1535-1544.e1.	0.7	26

#	ARTICLE	IF	CITATIONS
163	Nuclear Factor Erythroid 2-Related Factor 2 (Nrf2) Regulates Epidermal Keratinization under Psoriatic Skin Inflammation. <i>American Journal of Pathology</i> , 2020, 190, 577-585.	3.8	26
164	Elevated Circulating TWEAK Levels in Systemic Sclerosis: Association with Lower Frequency of Pulmonary Fibrosis. <i>Journal of Rheumatology</i> , 2009, 36, 1657-1662.	2.0	25
165	Human Leukocyte Antigen and Systemic Sclerosis in Japanese: The Sign of the Four Independent Protective Alleles, DRB1*13:02, DRB1*14:06, DQB1*03:01, and DPB1*02:01. <i>PLoS ONE</i> , 2016, 11, e0154255.	2.5	25
166	Clinical significance of serum hyaluronan levels in systemic sclerosis: association with disease severity. <i>Journal of Rheumatology</i> , 2008, 35, 1825-9.	2.0	25
167	Bullous pemphigoid positive for anti-BP180 and anti-laminin 5 antibodies in a patient with graft-vs-host disease. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, S94-S97.	1.2	24
168	The Differential Role of L-Selectin and ICAM-1 in Th1-Type and Th2-Type Contact Hypersensitivity. <i>Journal of Investigative Dermatology</i> , 2010, 130, 1558-1570.	0.7	24
169	Pathologic Features of Anti-Mi-2 Dermatomyositis. <i>Neurology</i> , 2021, 96, e448-e459.	1.1	24
170	Autoantibodies to pyruvate dehydrogenase complex in patients with systemic sclerosis. <i>Arthritis and Rheumatism</i> , 1995, 38, 985-989.	6.7	23
171	Clinical perspectives and murine models of lichenoid tissue reaction/interface dermatitis. <i>Journal of Dermatological Science</i> , 2015, 78, 167-172.	1.9	22
172	Elevated serum levels of APRIL, but not BAFF, in patients with atopic dermatitis. <i>Experimental Dermatology</i> , 2008, 17, 197-202.	2.9	21
173	Augmented ICOS expression in patients with early diffuse cutaneous systemic sclerosis. <i>Rheumatology</i> , 2013, 52, 242-251.	1.9	21
174	Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. <i>Modern Rheumatology</i> , 2013, 23, 190-194.	1.8	21
175	Azathioprine combination therapy for steroid-refractory hepatic immune system-related adverse events. <i>European Journal of Dermatology</i> , 2017, 27, 301-303.	0.6	21
176	Dihydroartemisinin inhibits melanoma by regulating CTL/Treg anti-tumor immunity and STAT3-mediated apoptosis via IL-10 dependent manner. <i>Journal of Dermatological Science</i> , 2020, 99, 193-202.	1.9	21
177	Myocardial Damages in Systemic Sclerosis Detected by Gated Myocardial Perfusion SPECT and Sympathetic Imaging. <i>Circulation Journal</i> , 2006, 70, 1481-1487.	1.6	20
178	L-selectin and intercellular adhesion molecule-1 regulate the development of Concanavalin A-induced liver injury. <i>Journal of Leukocyte Biology</i> , 2006, 79, 696-705.	3.3	20
179	Immune response to dermatomyositis-specific autoantigen, transcriptional intermediary factor 1 $\beta$ can result in experimental myositis. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1201-1208.	0.9	20
180	Dihydroartemisinin: A Potential Drug for the Treatment of Malignancies and Inflammatory Diseases. <i>Frontiers in Oncology</i> , 2021, 11, 722331.	2.8	20

#	ARTICLE	IF	CITATIONS
181	Elevated soluble CD23 levels in the sera from patients with localized scleroderma. Archives of Dermatological Research, 1996, 288, 74-78.	1.9	19
182	Cutaneous Squamous Cell Carcinoma in the Age of Immunotherapy. Cancers, 2021, 13, 1148.	3.7	19
183	Differential phosphorylation of functional tyrosines in CD19 modulates B $\alpha$ lymphocyte activation. European Journal of Immunology, 2010, 40, 1192-1204.	2.9	18
184	Blockade of p38 Mitogen-Activated Protein Kinase Inhibits Murine Sclerodermatous Chronic Graft-versus-Host Disease. American Journal of Pathology, 2017, 187, 841-850.	3.8	18
185	Advances in Cutaneous Lupus Erythematosus and Dermatomyositis: A Report from the 4th International Conference on Cutaneous Lupus Erythematosus "An Ongoing Need for International Consensus and Collaborations. Journal of Investigative Dermatology, 2019, 139, 270-276.	0.7	18
186	Effects of Endoscopic Transthoracic Sympathectomy on Hemodynamic and Neurohumoral Responses to Exercise in Humans.. Circulation Journal, 2002, 66, 357-361.	1.6	17
187	Recent Advances on Pathogenesis and Therapies in Systemic Sclerosis. Clinical Reviews in Allergy and Immunology, 2007, 33, 107-112.	6.5	17
188	Serum CXCL16 Concentrations Correlate with the Extent of Skin Sclerosis in Patients with Systemic Sclerosis. Journal of Rheumatology, 2009, 36, 1917-1923.	2.0	17
189	The wound/burn guidelines " 4: Guidelines for the management of skin ulcers associated with connective tissue disease/vasculitis. Journal of Dermatology, 2016, 43, 729-757.	1.2	17
190	Diagnostic criteria, severity classification and guidelines of lichen sclerosus et atrophicus. Journal of Dermatology, 2018, 45, 891-897.	1.2	17
191	First external validation of sensitivity and specificity of the European League Against Rheumatism (EULAR)/American College of Rheumatology (ACR) classification criteria for idiopathic inflammatory myopathies with a Japanese cohort. Annals of the Rheumatic Diseases, 2020, 79, 387-392.	0.9	17
192	NRF2 Augments Epidermal Antioxidant Defenses and Promotes Atopy. Journal of Immunology, 2020, 205, 907-914.	0.8	17
193	Necrolytic migratory erythema without glucagonoma in a patient with short bowel syndrome. Journal of Dermatology, 2006, 33, 557-562.	1.2	16
194	Intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 cooperatively contribute to the cutaneous Arthus reaction. Journal of Leukocyte Biology, 2007, 81, 1197-1204.	3.3	16
195	Intractable genital ulcers from herpes simplex virus reactivation in drug-induced hypersensitivity syndrome caused by allopurinol. International Journal of Dermatology, 2010, 49, 700-704.	1.0	16
196	Circulating $\beta$ 2-microglobulin T cells in systemic sclerosis exhibit activated phenotype and enhance gene expression of proalpha2(I) collagen of fibroblasts. Journal of Dermatological Science, 2013, 69, 54-60.	1.9	16
197	A Crucial Role of L-selectin in C Protein-induced Experimental Polymyositis in Mice. Arthritis and Rheumatology, 2014, 66, 1864-1871.	5.6	16
198	Use of immune checkpoint inhibitors prolonged overall survival in a Japanese population of advanced malignant melanoma patients: Retrospective single institutional study. Journal of Dermatology, 2018, 45, 1337-1339.	1.2	16

#	ARTICLE	IF	CITATIONS
199	Vitiligo expansion and extent correlate with durable response in anti-programmed death 1 antibody treatment for advanced melanoma: A multi-institutional retrospective study. <i>Journal of Dermatology</i> , 2020, 47, 629-635.	1.2	16
200	High prevalence of primary biliary cirrhosis and disease-associated autoantibodies in Japanese patients with systemic sclerosis. <i>Modern Rheumatology</i> , 2012, 22, 892-898.	1.8	16
201	Autoantibodies to the heat-shock protein hsp73 in localized scleroderma. <i>Archives of Dermatological Research</i> , 1995, 287, 581-585.	1.9	15
202	Establishment of Experimental Eosinophilic Vasculitis by IgE-Mediated Cutaneous Reverse Passive Arthus Reaction. <i>American Journal of Pathology</i> , 2009, 174, 2225-2233.	3.8	15
203	Elevated Serum Concentrations of Polymorphonuclear Neutrophilic Leukocyte Elastase in Systemic Sclerosis: Association with Pulmonary Fibrosis. <i>Journal of Rheumatology</i> , 2009, 36, 99-105.	2.0	15
204	Concordance of the HER2 protein and gene status between primary and corresponding lymph node metastatic sites of extramammary Paget disease. <i>Clinical and Experimental Metastasis</i> , 2016, 33, 687-697.	3.3	15
205	Polymyalgia rheumatica in a melanoma patient due to nivolumab treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1357-1358.	2.5	15
206	Large-scale plasma-metabolome analysis identifies potential biomarkers of psoriasis and its clinical subtypes. <i>Journal of Dermatological Science</i> , 2021, 102, 78-84.	1.9	15
207	E- and P-Selectins Synergistically Inhibit Bleomycin-Induced Pulmonary Fibrosis. <i>American Journal of Pathology</i> , 2006, 169, 740-749.	3.8	14
208	Serum BAFF and APRIL levels in patients with alopecia areata. <i>Journal of Dermatological Science</i> , 2008, 50, 236-239.	1.9	14
209	Decreased levels of autoantibody against histone deacetylase 3 in patients with systemic sclerosis. <i>Autoimmunity</i> , 2009, 42, 120-125.	2.6	14
210	Case report of anti-transcription intermediary factor-1 antibody-positive dermatomyositis associated with gastric cancer and immunoglobulin G4-positive pulmonary inflammatory pseudotumor. <i>Journal of Dermatology</i> , 2013, 40, 567-569.	1.2	14
211	Proteomic identification of heterogeneous nuclear ribonucleoprotein K as a novel cold-associated autoantigen in patients with secondary Raynaud's phenomenon. <i>Rheumatology</i> , 2015, 54, 349-358.	1.9	14
212	The wound/burn guidelines 3: Guidelines for the diagnosis and treatment for diabetic ulcer/gangrene. <i>Journal of Dermatology</i> , 2016, 43, 591-619.	1.2	14
213	Transcriptional intermediary factor 1 (TIF1) and anti-TIF1 antibody-positive dermatomyositis. <i>Immunological Medicine</i> , 2021, 44, 23-29.	2.6	14
214	Imbalance toward TFH 1 cells playing a role in aberrant B cell differentiation in systemic sclerosis. <i>Rheumatology</i> , 2021, 60, 1553-1562.	1.9	14
215	Skin T cells maintain their diversity and functionality in the elderly. <i>Communications Biology</i> , 2021, 4, 13.	4.4	14
216	Treatment of HIV-associated eosinophilic pustular folliculitis with narrow-band UVB. <i>International Journal of Dermatology</i> , 2006, 45, 1265-1267.	1.0	13

#	ARTICLE	IF	CITATIONS
217	Heliotrope-like eruption mimicking dermatomyositis in a patient treated with imatinib mesylate for chronic myeloid leukemia. <i>International Journal of Dermatology</i> , 2006, 45, 1249-1251.	1.0	13
218	Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study. <i>Modern Rheumatology</i> , 2013, 23, 1076-84.	1.8	13
219	Pyoderma gangrenosum and underlying diseases in Japanese patients: A regional long-term study. <i>Journal of Dermatology</i> , 2017, 44, 1281-1284.	1.2	13
220	Negative-pressure closure was superior to tie-over technique for stabilization of split-thickness skin graft in large or muscle-exposing defects: A retrospective study. <i>Journal of Dermatology</i> , 2018, 45, 1207-1210.	1.2	13
221	Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. <i>Journal of Dermatological Science</i> , 2019, 94, 284-289.	1.9	13
222	Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists. <i>Journal of Dermatology</i> , 2019, 46, e1-e18.	1.2	13
223	Pregnancy triggers the onset of anti-transcriptional intermediary factor 1 $\beta$ antibody-positive dermatomyositis: a case series. <i>Rheumatology</i> , 2020, 59, 1450-1451.	1.9	13
224	Phase-Dependent Roles of E-Selectin during Chronic Contact Hypersensitivity Responses. <i>American Journal of Pathology</i> , 2007, 170, 1649-1658.	3.8	12
225	Novel Binding Site for Src Homology 2-containing Protein-tyrosine Phosphatase-1 in CD22 Activated by B Lymphocyte Stimulation with Antigen. <i>Journal of Biological Chemistry</i> , 2008, 283, 1653-1659.	3.4	12
226	Investigation of prognostic factors for skin sclerosis and lung function in Japanese patients with early systemic sclerosis: a multicentre prospective observational study. <i>Rheumatology</i> , 2012, 51, 129-133.	1.9	12
227	Differential Involvement of Programmed Cell Death Ligands in Skin Immune Responses. <i>Journal of Investigative Dermatology</i> , 2022, 142, 145-154.e8.	0.7	12
228	P-Selectin Glycoprotein Ligand-1 Contributes to Wound Healing Predominantly as a P-Selectin Ligand and Partly as an E-Selectin Ligand. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2059-2067.	0.7	11
229	Anti-MDA5 antibody-positive dermatomyositis with lethal progressive interstitial lung disease and advanced gastric cancer. <i>European Journal of Dermatology</i> , 2014, 24, 490-491.	0.6	11
230	High incidence of pulmonary arterial hypertension in systemic sclerosis patients with anti-centriole autoantibodies. <i>Modern Rheumatology</i> , 2015, 25, 798-801.	1.8	11
231	The wound/burn guidelines "2: Guidelines for the diagnosis and treatment for pressure ulcers. <i>Journal of Dermatology</i> , 2016, 43, 469-506.	1.2	11
232	Blockade of Granzyme B Remarkably Improves Mucocutaneous Diseases with Keratinocyte Death in Interface Dermatitis. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2079-2083.	0.7	11
233	Nation-wide survey of advanced non-melanoma skin cancers treated at dermatology departments in Japan. <i>Journal of Dermatological Science</i> , 2018, 92, 230-236.	1.9	11
234	Serum concentrations of carboxyterminal propeptide of type 1 procollagen and tissue inhibitor of metalloproteinase 1 in patients with dermatomyositis. <i>Archives of Dermatological Research</i> , 1998, 290, 253-257.	1.9	10

#	ARTICLE	IF	CITATIONS
235	Autoantibody against caspase-3, an executioner of apoptosis, in patients with systemic sclerosis. <i>Rheumatology International</i> , 2010, 30, 871-878.	3.0	10
236	Basophils and mast cells play critical roles for leukocyte recruitment in IgE-mediated cutaneous reverse passive Arthus reaction. <i>Journal of Dermatological Science</i> , 2012, 67, 181-189.	1.9	10
237	Experimental myositis inducible with transfer of dendritic cells presenting a skeletal muscle C protein-derived CD8 epitope peptide. <i>International Immunology</i> , 2015, 27, 327-332.	4.0	10
238	Availability of sentinel lymph node biopsy for cutaneous squamous cell carcinoma. <i>Journal of Dermatology</i> , 2017, 44, 431-437.	1.2	10
239	Juvenile case of multiple morphea profunda resulting in joint contracture that was successfully treated with cyclosporin A: A case report and review of the published works. <i>Journal of Dermatology</i> , 2019, 46, 354-357.	1.2	10
240	Increased serum concentration of hyaluronate in dermatomyositis patients. <i>Archives of Dermatological Research</i> , 1998, 290, 579-581.	1.9	9
241	Altered B lymphocyte function induces systemic autoimmunity in systemic sclerosis. <i>Molecular Immunology</i> , 2005, 42, 821-831.	2.2	9
242	The roles of P- and E-selectins and P-selectin glycoprotein ligand-1 in primary and metastatic mouse melanomas. <i>Journal of Dermatological Science</i> , 2011, 64, 99-107.	1.9	9
243	Adult-onset Still's disease with dermatomyositis-like eruption. <i>Journal of Dermatology</i> , 2012, 39, 958-960.	1.2	9
244	Anti-topoisomerase I antibody levels as serum markers of skin sclerosis in systemic sclerosis. <i>Journal of Dermatology</i> , 2013, 40, 89-93.	1.2	9
245	Axillary giant lipoma: A report of two cases and published work review. <i>Journal of Dermatology</i> , 2014, 41, 841-844.	1.2	9
246	Metastatic cutaneous apocrine carcinoma of the axilla successfully treated using systemic chemotherapy with i.v. epirubicin and cyclophosphamide followed by oral fluorinated pyrimidine. <i>Journal of Dermatology</i> , 2014, 41, 280-282.	1.2	9
247	Cutaneous surgery under local anesthesia in very elderly patients 90 years of age and older is as safe as in elderly patients ranging in age from 75 to 80 years old. <i>International Journal of Dermatology</i> , 2017, 56, 681-685.	1.0	9
248	Surgical damage to the lymphatic system promotes tumor growth via impaired adaptive immune response. <i>Journal of Dermatological Science</i> , 2018, 90, 46-51.	1.9	9
249	Genotype and phenotype analysis of patients with pediatric cutaneous mastocytosis, especially wild-type KIT patients. <i>Journal of Dermatology</i> , 2020, 47, 426-429.	1.2	9
250	IFN- $\gamma$ -Stimulated Apoptotic Keratinocytes Promote Sclerodermatous Changes in Chronic Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1473-1481.e4.	0.7	9
251	Combination Treatment of Topical Imiquimod Plus Anti-PD-1 Antibody Exerts Significantly Potent Antitumor Effect. <i>Cancers</i> , 2021, 13, 3948.	3.7	9
252	Statistics for malignant melanoma in Japan : A nation wide survey from 2005 to 2013. <i>Skin Cancer</i> , 2015, 29, 189-194.	0.0	9

#	ARTICLE	IF	CITATIONS
253	Serum anti-Fc $\gamma$ 3 receptor autoantibodies in patients with alopecia areata. Archives of Dermatological Research, 2007, 298, 493-498.	1.9	8
254	Bosentan increases serum IL-12 levels in systemic sclerosis patients with pulmonary arterial hypertension. Journal of Dermatological Science, 2009, 55, 66-67.	1.9	8
255	Herpetiform pemphigus without anti-desmoglein 1/3 autoantibodies. Journal of Dermatology, 2010, 37, 264-268.	1.2	8
256	Surgical management of umbilical basal cell carcinoma: Published work review and the optimal depth of surgical excision. Journal of Dermatology, 2014, 41, 992-995.	1.2	8
257	Anti-MDA-5 antibody-positive bullous dermatomyositis with palmar papules complicating rapidly progressive interstitial lung disease. Modern Rheumatology, 2016, 26, 614-616.	1.8	8
258	The rate of facial nerve dysfunction and time to recovery after intraparotid and extraparotid facial nerve exposure and protection in head and neck cutaneous tumor surgery. International Journal of Clinical Oncology, 2017, 22, 843-848.	2.2	8
259	CD22 and CD72 contribute to the development of scleroderma in a murine model. Journal of Dermatological Science, 2020, 97, 66-76.	1.9	8
260	The Possible Linkage of Granzyme B-Producing Skin T Cells with the Disease Prognosis of Alopecia Areata. Journal of Investigative Dermatology, 2021, 141, 427-429.e10.	0.7	8
261	Cutaneous manifestations of dermatomyositis characterized by myositis-specific autoantibodies. F1000Research, 2019, 8, 1951.	1.6	8
262	Anti-p155/140 Antibody-positive Dermatomyositis with Metastasis Originating from an Unknown Site. Acta Dermato-Venereologica, 2011, 91, 84-85.	1.3	7
263	Association of UBE2L3 polymorphisms with diffuse cutaneous systemic sclerosis in a Japanese population: Table 1. Annals of the Rheumatic Diseases, 2012, 71, 1259-1260.	0.9	7
264	Skin sclerosis as a manifestation of POEMS syndrome. Journal of Dermatology, 2012, 39, 922-926.	1.2	7
265	Pemphigus Foliaceus Associated with Anti-NXP2 Autoantibody-positive Dermatomyositis. Acta Dermato-Venereologica, 2014, 94, 478-479.	1.3	7
266	Scleroderma-like skin changes occurring after the use of paclitaxel without any chemical solvents: a first case report. European Journal of Dermatology, 2016, 26, 317-318.	0.6	7
267	The wound/burn guidelines "1: Wounds in general. Journal of Dermatology, 2016, 43, 357-375.	1.2	7
268	Clinical and histological characteristics of livedo racemosa in essential thrombocythemia: A report of two cases and review of the published works. Journal of Dermatology, 2017, 44, 84-87.	1.2	7
269	Blastic plasmacytoid dendritic cell neoplasm arising from clonal hematopoiesis. International Journal of Hematology, 2018, 108, 447-451.	1.6	7
270	Wound, pressure ulcer and burn guidelines "2: Guidelines for the diagnosis and treatment of pressure ulcers, second edition. Journal of Dermatology, 2020, 47, 929-978.	1.2	7



#	ARTICLE	IF	CITATIONS
271	<p>Honey and Chamomile Activate Keratinocyte Antioxidative Responses via the KEAP1/NRF2 System</p>. Clinical, Cosmetic and Investigational Dermatology, 2020, Volume 13, 657-660.	1.8	7
272	Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. Modern Rheumatology, 2013, 23, 913-919.	1.8	7
273	The involvement of Gab1 and PI 3-kinase in $\beta$ 21 integrin signaling in keratinocytes. Biochemical and Biophysical Research Communications, 2007, 361, 224-229.	2.1	6
274	Esophageal transit scintigraphy and structured questionnaire in patients with systemic sclerosis with endoscopically proven reflux esophagitis. Annals of Nuclear Medicine, 2009, 23, 771-776.	2.2	6
275	Elevated Serum Concentrations of Triggering Receptor Expressed on Myeloid Cells-1 in Diffuse Cutaneous Systemic Sclerosis: Association with Severity of Pulmonary Fibrosis. Journal of Rheumatology, 2010, 37, 787-791.	2.0	6
276	Elevated serum placenta growth factor (PlGF) levels in patients with systemic sclerosis: A possible role in the development of skin but not lung fibrosis. Journal of Dermatological Science, 2010, 58, 229-231.	1.9	6
277	Dermatomyositis with anti-OJ antibody. Rheumatology International, 2011, 31, 1673-1675.	3.0	6
278	Dermatomyositis: Myositis-specific autoantibodies and skin manifestations. Clinical and Experimental Neuroimmunology, 2012, 3, 74-84.	1.0	6
279	Detection of anti-CADM-140/MDA5 antibodies in a patient with classic dermatomyositis developing rapidly progressive interstitial lung disease. Journal of Dermatology, 2014, 41, 664-665.	1.2	6
280	The wound/burn guidelines "5: Guidelines for the management of lower leg ulcers/varicose veins. Journal of Dermatology, 2016, 43, 853-868.	1.2	6
281	Taxane-induced scleroderma-like skin changes resulting in gangrene: A case report. Journal of Dermatology, 2017, 44, e54-e55.	1.2	6
282	Treatment consensus for management of polymyositis and dermatomyositis among rheumatologists, neurologists and dermatologists. Neurology and Clinical Neuroscience, 2019, 7, 3-21.	0.4	6
283	Ganglioside GD3 May Suppress the Functional Activities of Benign Skin T Cells in Cutaneous T-Cell Lymphoma. Frontiers in Immunology, 2021, 12, 651048.	4.8	6
284	Early diagnosis and treatment for remission of clinically amyopathic dermatomyositis complicated by rapid progress interstitial lung disease: a report of two cases. Modern Rheumatology, 2013, 23, 190-194.	1.8	6
285	Nodulocystic basal cell carcinoma arising directly from a seborrheic keratosis: A rare case report. Indian Journal of Dermatology, 2016, 61, 443.	0.3	6
286	Clinical and laboratory parameters predicting cancer in dermatomyositis patients with anti-TIF1 antibodies. Journal of Dermatological Science, 2021, 104, 177-184.	1.9	6
287	Expression of cytokines and chemokines in bullous pemphigoid. Expert Review of Dermatology, 2009, 4, 321-327.	0.3	5
288	Re-emergence of anti-topoisomerase I antibody with exacerbated development of skin sclerosis in a patient with systemic sclerosis. Journal of the American Academy of Dermatology, 2010, 62, 142-144.	1.2	5

#	ARTICLE	IF	CITATIONS
289	Clinical, serologic and magnetic resonance imaging of 3 cases of inflammatory myopathy with abundant macrophages in the Japanese population. <i>Rheumatology International</i> , 2013, 33, 1059-1064.	3.0	5
290	The clinical characteristics of juvenile-onset systemic sclerosis in Japanese patients. <i>Modern Rheumatology</i> , 2014, 24, 377-379.	1.8	5
291	Angiosarcoma of the scalp in a patient with systemic sclerosis. <i>Journal of Dermatology</i> , 2015, 42, 102-104.	1.2	5
292	Angioimmunoblastic T-cell lymphoma mimicking dermatomyositis. <i>Journal of Dermatology</i> , 2016, 43, 837-839.	1.2	5
293	Three cases of interstitial pneumonia with anti-signal recognition particle antibody. <i>Allergology International</i> , 2017, 66, 485-487.	3.3	5
294	Congenital peristernal dermal sinus: A case report and published work review. <i>Journal of Dermatology</i> , 2018, 45, e242-e243.	1.2	5
295	A case of cutaneous angiosarcoma successfully treated with eribulin. <i>European Journal of Dermatology</i> , 2018, 28, 410-412.	0.6	5
296	Immune microenvironment controls the outcome of PD-1 blockade in cutaneous immune response. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 2257-2261.	5.7	5
297	Long-term follow-up of finger passive range of motion in Japanese systemic sclerosis patients treated with self-administered stretching. <i>Modern Rheumatology</i> , 2019, 29, 484-490.	1.8	5
298	Wound, pressure ulcer and burn guidelines "1: Guidelines for wounds in general, second edition. <i>Journal of Dermatology</i> , 2020, 47, 807-833.	1.2	5
299	Wound, pressure ulcer and burn guidelines "4: Guidelines for the management of connective tissue disease/vasculitis-associated skin ulcers. <i>Journal of Dermatology</i> , 2020, 47, 1071-1109.	1.2	5
300	Wound, pressure ulcer and burn guidelines "6: Guidelines for the management of burns, second edition. <i>Journal of Dermatology</i> , 2020, 47, 1207-1235.	1.2	5
301	Generalized pustular psoriasis associated with systemic lupus erythematosus successfully treated with secukinumab. <i>Journal of Dermatology</i> , 2021, 48, e43-e44.	1.2	5
302	Keratinocyte IL-36 Receptor/MyD88 Signaling Mediates <i>Malassezia</i> -Induced IL-17-Dependent Skin Inflammation. <i>Journal of Infectious Diseases</i> , 2021, 223, 1753-1765.	4.0	5
303	A prospective, phase II study on the safety and efficacy of negative pressure closure for the stabilization of split-thickness skin graft in large or muscle-exposing defects: The NPSG study. <i>Journal of Dermatology</i> , 2021, 48, 1350-1356.	1.2	5
304	Serum lactate dehydrogenase level as a possible predictor of treatment preference in psoriasis. <i>Journal of Dermatological Science</i> , 2021, 103, 109-115.	1.9	5
305	Dihydroartemisinin Alleviates Imiquimod-Induced Psoriasis-like Skin Lesion in Mice Involving Modulation of IL-23/Th17 Axis. <i>Frontiers in Pharmacology</i> , 2021, 12, 704481.	3.5	5
306	Loricrin and NRF2 Coordinate Cornification. <i>JID Innovations</i> , 2021, 2, 100065.	2.4	5

#	ARTICLE	IF	CITATIONS
307	Development of alopecia areata-like reactions in a patient treated with dupilumab. <i>Allergology International</i> , 2022, 71, 420-422.	3.3	5
308	Antigen specificity of antihistone antibodies in connective tissue disease patients with anti-U1RNP antibodies. <i>Rheumatology International</i> , 2007, 28, 113-119.	3.0	4
309	Two young-adult female cases of dermatomyositis with antibodies for transcriptional intermediary factor 1- $\beta$ . <i>European Journal of Dermatology</i> , 2012, 22, 668-671.	0.6	4
310	Scleroderma: recent lessons from murine models and implications for future therapeutics. <i>Expert Review of Dermatology</i> , 2013, 8, 527-539.	0.3	4
311	Case of pigmented epithelioid melanocytoma with lymph node metastases. <i>Journal of Dermatology</i> , 2014, 41, 452-453.	1.2	4
312	Childhood-onset Anti-Ku Antibody-positive Generalized Morphea with Polymyositis: A Japanese Case Study. <i>Pediatric Dermatology</i> , 2015, 32, e224-5.	0.9	4
313	Immunoglobulin A vasculitis associated with HIV infection. <i>Journal of Dermatology</i> , 2016, 43, 444-445.	1.2	4
314	Polymyositis induced by PD-1 blockade in a patient in hepatitis B remission. <i>Journal of the Neurological Sciences</i> , 2017, 381, 22-24.	0.6	4
315	Autoantibody to scaffold attachment factor B (SAFB): A novel connective tissue disease-related autoantibody associated with interstitial lung disease. <i>Journal of Autoimmunity</i> , 2017, 76, 101-107.	6.5	4
316	Successful treatment of cutaneous phaeohyphomycosis caused by <i>Exophiala lecanii</i> with voriconazole. <i>Journal of Dermatology</i> , 2018, 45, e271-e272.	1.2	4
317	Bullous pemphigoid accompanied by IgA nephropathy and atypical haemolytic uraemic syndrome. <i>European Journal of Dermatology</i> , 2018, 28, 421-422.	0.6	4
318	Depigmented extramammary Paget's disease without histological dermal invasion identified by multiple inguinal and pelvic lymph node metastases. <i>European Journal of Dermatology</i> , 2018, 28, 387-388.	0.6	4
319	Subungual exostosis with postoperative recurrence followed by spontaneous regression. <i>Journal of Dermatology</i> , 2019, 46, e86-e87.	1.2	4
320	Autoantibodies detected in patients with vitiligo vulgaris but not in those with rhododendrol-induced leukoderma. <i>Journal of Dermatological Science</i> , 2019, 95, 80-83.	1.9	4
321	Langerhans Cells Suppress CD8+ T Cells In Situ during Mucocutaneous Acute Graft-Versus-Host Disease. <i>Journal of Investigative Dermatology</i> , 2021, 141, 1177-1187.e3.	0.7	4
322	Myxovirus resistance protein 1-expressing fatal myocarditis in a patient with anti-MDA5 antibody-positive dermatomyositis. <i>Rheumatology</i> , 2021, 60, e450-e452.	1.9	4
323	Clear Cell Carcinoma in the Oral Cavity with Three Novel Types of EWSR1-ATF1 Translocation: A Case Report. <i>Head and Neck Pathology</i> , 2022, 16, 560-566.	2.6	4
324	Prurigo nodularis-like skin eruptions in a patient with IgG4-related disease. <i>European Journal of Dermatology</i> , 2013, 23, 541-542.	0.6	4

#	ARTICLE	IF	CITATIONS
325	Third-line pembrolizumab-induced immune-related interstitial pneumonitis after ipilimumab and nivolumab failure. <i>European Journal of Dermatology</i> , 2018, 28, 129-130.	0.6	4
326	Clinical association of serum CD137 (4-1BB) levels in patients with systemic sclerosis. <i>Journal of Dermatological Science</i> , 2009, 53, 159-161.	1.9	3
327	The clinical characteristics of juvenile-onset systemic sclerosis in Japanese patients. <i>Modern Rheumatology</i> , 2013, , 1.	1.8	3
328	Clinical and laboratory features dependent on age at onset in Japanese systemic sclerosis. <i>Modern Rheumatology</i> , 2013, 23, 913-919.	1.8	3
329	A novel approach for inguinal lymph node dissection without inguinal skin incision for invasive extramammary Paget disease. <i>Dermatologic Therapy</i> , 2015, 28, 351-354.	1.7	3
330	RXRB Is an MHC-Encoded Susceptibility Gene Associated with Anti-Topoisomerase I Antibody-Positive Systemic Sclerosis. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1878-1886.	0.7	3
331	Tufted angioma of the finger: A case of an uncommon location with unique dermoscopic features. <i>Journal of Dermatology</i> , 2018, 45, e236-e237.	1.2	3
332	Subungual melanoma complicated by hydroxyurea-induced melanonychia with non-melanoma Hutchinson's sign. <i>European Journal of Dermatology</i> , 2018, 28, 559-561.	0.6	3
333	Lichen myxedematosus associated with monoclonal gammopathy of undetermined significance: A case report and a review of Japanese patients. <i>Journal of Dermatology</i> , 2019, 46, e32-e33.	1.2	3
334	CD22 and CD72 cooperatively contribute to the development of the reverse Arthus reaction model. <i>Journal of Dermatological Science</i> , 2019, 95, 36-43.	1.9	3
335	FDG-PET detects extensive calcinosis cutis in anti-NXP2 antibody-positive dermatomyositis. <i>Rheumatology</i> , 2019, 58, 1888-1888.	1.9	3
336	Anticancer Agent-Induced Life-Threatening Skin Toxicities: A Database Study of Spontaneous Reporting Data. <i>Oncologist</i> , 2019, 24, 266-272.	3.7	3
337	A case of cold-induced cholinergic urticaria accompanied by cholinergic urticaria showing a positive ice cube test. <i>Allergy International</i> , 2020, 69, 150-151.	3.3	3
338	Characteristics of Japanese patients with eosinophilic fasciitis: A brief multicenter study. <i>Journal of Dermatology</i> , 2020, 47, 1391-1394.	1.2	3
339	A case of zonisamide-induced toxic epidermal necrolysis with acute respiratory failure. <i>Allergy International</i> , 2020, 69, 642-644.	3.3	3
340	Clinical course of Japanese patients with early systemic sclerosis: A multicenter, prospective, observational study. <i>Modern Rheumatology</i> , 2021, 31, 162-170.	1.8	3
341	Unilateral heliotrope rash: a warning sign for anti-melanoma differentiation-associated gene 5 antibody-positive dermatomyositis. <i>Rheumatology</i> , 2021, 60, e134-e135.	1.9	3
342	Soluble CD4 and CD8 in serum from patients with localized scleroderma. <i>Archives of Dermatological Research</i> , 1996, 288, 358-362.	1.9	3

#	ARTICLE	IF	CITATIONS
343	Cutaneous necrotizing vasculitis in a patient with dermatomyositis positive for anti-PL-7 antibody. <i>European Journal of Dermatology</i> , 2013, 23, 889-890.	0.6	3
344	Cell surface-expressed Ro52/IgG/HLA-DR complex is targeted by autoantibodies in patients with inflammatory myopathies. <i>Journal of Autoimmunity</i> , 2022, 126, 102774.	6.5	3
345	Reliability of antinuclear matrix protein 2 antibody assays in idiopathic inflammatory myopathies is dependent on target protein properties. <i>Journal of Dermatology</i> , 2022, 49, 441-447.	1.2	3
346	Epidermal clearance of <i>Candida albicans</i> is mediated by IL-17 but independent of fungal innate immune receptors. <i>International Immunology</i> , 0, , .	4.0	3
347	Low Zone Tolerance Requires ICAM-1 Expression to Limit Contact Hypersensitivity Elicitation. <i>Journal of Investigative Dermatology</i> , 2009, 129, 2661-2667.	0.7	2
348	Two cases of livedo vasculopathy with non- criteria antiphospholipid antibodies. <i>Journal of Dermatology</i> , 2012, 39, 1026-1030.	1.2	2
349	A Case of Dermatomyositis with Esophageal Fistula in Whom Blind Mucosal Biopsy Detected Occult Oropharyngeal Carcinoma. <i>Case Reports in Dermatology</i> , 2014, 6, 268-273.	0.8	2
350	Impact of a new simplified disability scoring system for adult patients with localized scleroderma. <i>Journal of Dermatology</i> , 2018, 45, 431-435.	1.2	2
351	Case with anaphylactic shock induced by heparin lock flush injection. <i>Journal of Dermatology</i> , 2018, 45, e195-e196.	1.2	2
352	Neurofibromatosis type 1-associated serious haemorrhagic events successfully treated with steroid pulse therapy. <i>European Journal of Dermatology</i> , 2018, 28, 382-384.	0.6	2
353	Trichostasis spinulosa arising in isolated collagenoma of the scalp. <i>European Journal of Dermatology</i> , 2018, 28, 531-532.	0.6	2
354	Multiple haemangiomas in TAFRO syndrome with atypical features of glomeruloid and epithelioid haemangiomas. <i>European Journal of Dermatology</i> , 2018, 28, 371-372.	0.6	2
355	A Case of Refractory Subcutaneous Panniculitis-like T-cell Lymphoma with Bone Marrow and Lung Involvement Treated Successfully with Oral Etoposide. <i>Acta Dermato-Venereologica</i> , 2018, 98, 610-611.	1.3	2
356	Case of minocycline-induced hyperpigmentation mimicking angiosarcoma. <i>Journal of Dermatology</i> , 2019, 46, e414-e416.	1.2	2
357	Fixed drug eruption caused by allylisopropylacetylurea mimicking contact dermatitis of the face. <i>Contact Dermatitis</i> , 2020, 82, 56-57.	1.4	2
358	Recessive dystrophic epidermolysis bullosa with extensive transplantation of cultured epidermal autograft product after cardiopulmonary resuscitation: A case report. <i>Journal of Dermatology</i> , 2021, 48, e194-e195.	1.2	2
359	KEAP1 and epidermal differentiation: Psoriatic epidermis as a model. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 132-134.	0.3	2
360	Distribution of hypomelanotic macules in tuberous sclerosis complex: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 237-240.	1.2	2

#	ARTICLE	IF	CITATIONS
361	Elevated soluble CD23 levels in the sera from patients with localized scleroderma. Archives of Dermatological Research, 1996, 288, 74-78.	1.9	2
362	Cutaneous squamous cell carcinoma treated with preoperative intraarterial chemoradiation therapy. JDDG - Journal of the German Society of Dermatology, 2017, 15, 724-726.	0.8	2
363	Case of anti-IL2 antibody-positive dermatomyositis with predictable onset before the development of muscle symptoms. Journal of Dermatology, 2022, 49, .	1.2	2
364	A Case of Pretibial Epidermolysis Bullosa with Novel Mutations of the COL7A1 Gene. Annals of Dermatology, 2022, 34, 81.	0.9	2
365	Panniculitis in dermatomyositis: Two cases with antitranscriptional intermediary factor-1 antibody as myositis-specific antibody and review of the literature. Journal of Cutaneous Immunology and Allergy, 2022, 5, 88-93.	0.3	2
366	Loricrin Protects against Chemical Carcinogenesis. Journal of Investigative Dermatology, 2021, , .	0.7	2
367	Pegylated interferon-Î±2b for local control of Langerhans cell sarcoma. European Journal of Dermatology, 2018, 28, 835-836.	0.6	2
368	Reply. Arthritis and Rheumatology, 2015, 67, 2548-2548.	5.6	1
369	Case of facial lupus erythematosus profundus with intractable ulceration successfully treated with dapson. Journal of Dermatology, 2017, 44, e89-e90.	1.2	1
370	Clear cell sarcoma of the scalp: A case report. Journal of Dermatology, 2017, 44, e276-e277.	1.2	1
371	Coccygeal Nodule in an Infant: A Quiz. Acta Dermato-Venereologica, 2018, 98, 824-825.	1.3	1
372	Nail apparatus squamous cell carcinoma mimicking paronychia. Journal of Dermatology, 2019, 46, e460-e461.	1.2	1
373	A toddler case of keratosis follicularis squamosa (Dohi) successfully treated with salicylic acid ointment. European Journal of Dermatology, 2019, 29, 544-546.	0.6	1
374	Reconstruction using a vertical "sagging cheek" advancement flap for defects following full-thickness excision of non-melanoma skin cancer in the elderly: a case series. European Journal of Dermatology, 2019, 29, 654-656.	0.6	1
375	Oral pilocarpine alleviates the symptoms of acquired idiopathic generalised anhidrosis. European Journal of Dermatology, 2019, 29, 422-423.	0.6	1
376	Pencil-core granuloma with extensive calcinosis: An unusual case report. Journal of Dermatology, 2019, 46, e193-e195.	1.2	1
377	A case of drug-induced hypersensitivity syndrome due to diaminodiphenyl sulfone complicated by acute respiratory failure with atypical erythema around existing prurigo. Journal of Cutaneous Immunology and Allergy, 2020, 3, 45-47.	0.3	1
378	A case of anti-NXP2-positive dermatomyositis with generalized subcutaneous edema. Journal of Cutaneous Immunology and Allergy, 2020, 3, 115-116.	0.3	1

#	ARTICLE	IF	CITATIONS
379	Achievement of remission with surgical resection of a lung adenocarcinoma without systemic treatment in a rare case of anti-IF1 $\alpha$ antibody-positive dermatomyositis. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 117-119.	0.3	1
380	A case of giant porokeratosis coexisting disseminated superficial porokeratosis. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 139-141.	0.3	1
381	First case of symmetrical acral keratoderma in Japan with filaggrin mutation who showed marked improvement in skin manifestations using moisturizer. <i>Journal of Dermatology</i> , 2020, 47, e291-e293.	1.2	1
382	Use of a combination of oral psoralen, ultraviolet A and interferon $\alpha$ for the treatment of mycosis fungoides during pregnancy, which probably evoked CD8 <sup>+</sup> CD30 <sup>+</sup> lymphoproliferative disorder. <i>Journal of Dermatology</i> , 2021, 48, e17-e18.	1.2	1
383	A case of eosinophilic pustular folliculitis presenting as papuloerythroderma of Ofuji-like eruption. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 37-38.	0.3	1
384	Successful treatment of acrodermatitis continua of hallopeau with an anti-IL-17A agent. <i>Indian Journal of Dermatology</i> , 2021, 66, 225.	0.3	1
385	A rare case of multiple pyoderma gangrenosum co-mobilized with pseudoxanthoma elasticum. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 71-72.	0.3	1
386	Case of hepatosplenic T-cell lymphoma in a patient with dermatomyositis treated with prednisolone and azathioprine. <i>Journal of Dermatology</i> , 2021, 48, e275-e276.	1.2	1
387	Papulonodular lesions in Erdheim-Chester disease. <i>Journal of Dermatology</i> , 2021, 48, e445-e446.	1.2	1
388	Clinical characteristics of four myositis-specific autoantibodies with regulatory-approved testing in Japan: A Japanese multi-centre adult myositis patients <sup>TM</sup> cohort. <i>Journal of Dermatological Science</i> , 2021, 103, 53-56.	1.9	1
389	Refractory dermatomyositis which developed in a patient with silicone breast implants. <i>Allergology International</i> , 2021, 71, 158-158.	3.3	1
390	Successful High-Dose Radiation Treatment for Chemo-Resistant Oral Squamous Cell Carcinoma in a Kindler's Syndrome Patient. <i>Annals of Dermatology</i> , 2021, 33, 382.	0.9	1
391	A Case of Dermatomyositis Associated with Mechanic's Hand. <i>Nishinohon Journal of Dermatology</i> , 2008, 70, 606-609.	0.0	1
392	A Case of Systemic Sclerosis Occurring after Paclitaxel Therapy. <i>Nishinohon Journal of Dermatology</i> , 2009, 71, 556-560.	0.0	1
393	Efficacy and safety of a modified combination regimen of phenothrin and ivermectin lotion in patients with head lice in Tsukuba, Japan. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 4-12.	0.3	1
394	A phase I dose-escalation, safety/tolerability, and preliminary efficacy study of the intratumoral administration of GEN0101 in patients with advanced melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2022, , 1.	4.2	1
395	A rare case of folliculotropic mycosis fungoides with eosinophilic pneumonia. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 141-143.	0.3	1
396	Possible involvement of IgE antibody in epidermolysis bullosa acquisita: detection and correlation. <i>European Journal of Dermatology</i> , 2019, 29, 210-212.	0.6	1

#	ARTICLE	IF	CITATIONS
397	Anti-Ribosomal P Protein Antibodies in a Japanese Patient with Systemic Sclerosis. <i>Journal of Dermatology</i> , 1996, 23, 33-36.	1.2	0
398	Relation between hemodynamic changes after endoscopic transthoracic sympathectomy and the number of sympathetic segments operated. <i>Clinical Autonomic Research</i> , 2003, 13, 1-1.	2.5	0
399	Cutaneous <i>Mycobacterium chelonae</i> infection in a rheumatoid arthritis patient treated with etanercept. <i>European Journal of Dermatology</i> , 2013, 23, 700-701.	0.6	0
400	Eosinophilic granulomatosis with polyangiitis followed by venous thromboembolism resulting in severe cutaneous ulcers. <i>Journal of Dermatology</i> , 2017, 44, e216-e217.	1.2	0
401	Behandlung eines kutanen Plattenepithelkarzinoms mit intraarterieller Radiochemotherapie. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 724-726.	0.8	0
402	Unusual association between digital mucous cyst and acquired unguis fibrokeratoma: A case report. <i>Journal of Dermatology</i> , 2018, 45, e234-e235.	1.2	0
403	Reply: Lymph stasis promotes tumor growth. <i>Journal of Dermatological Science</i> , 2018, 90, 367-368.	1.9	0
404	Bilateral metachronous cutaneous apocrine carcinoma with reduced PTEN expression. <i>European Journal of Dermatology</i> , 2018, 28, 372-374.	0.6	0
405	Rare case of malignant melanoma presenting expanded volar pigmentation after surgery. <i>Journal of Dermatology</i> , 2019, 46, e409-e410.	1.2	0
406	Rare case of Leydig cell tumor with type I diabetes mellitus causing female pattern hair loss. <i>Journal of Dermatology</i> , 2019, 46, e484-e486.	1.2	0
407	Case of epidermolytic ichthyosis with impairment of pulmonary function and exacerbated skin manifestations in a late middle-aged adult. <i>Journal of Dermatology</i> , 2019, 46, e480-e482.	1.2	0
408	Successful treatment of refractory cutaneous lupus vasculitis with i.v. immunoglobulin. <i>Journal of Dermatology</i> , 2019, 46, e253-e255.	1.2	0
409	Linearly distributed multiple lipomas: An unusual case report. <i>Journal of Dermatology</i> , 2019, 46, e175-e176.	1.2	0
410	Anaphylaxis caused by sodium caseinate contained in canned coffee. <i>Allergology International</i> , 2020, 69, 157-158.	3.3	0
411	Case of X-linked hypohidrotic ectodermal dysplasia, along with facial bilateral reticular pigmentation. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 41-42.	0.3	0
412	Case of immunoglobulin G4-related disease presenting with an intramuscular mass. <i>Journal of Dermatology</i> , 2020, 47, e219-e220.	1.2	0
413	Interleukin-23 promotes CD103-negative Th17 in psoriatic non-lesional skin. <i>Journal of Dermatological Science</i> , 2021, 101, 72-74.	1.9	0
414	Effect of sirolimus gel on sweating: A pilot study. <i>Journal of Dermatology</i> , 2021, 48, e161-e162.	1.2	0



#	ARTICLE	IF	CITATIONS
415	PD-1 Regulates Passive Anaphylaxis: A Possible Role of the Mast Cell Intracellular Inhibitory Signal. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 819.	2.9	0
416	A case of anti-PL-7 antibody-positive anti-synthetase syndrome with dermatomyositis-associated erythema induced sclerodermatous changes. <i>Rheumatology</i> , 2021, 60, e362-e364.	1.9	0
417	Altered nucleocytoplasmic staining patterns of p62/SQSTM1 in cutaneous squamous cell carcinoma precursors. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 137-138.	0.3	0
418	A pediatric case of cellulitis caused by <i>Stenotrophomonas maltophilia</i> with subcutaneous microvascular thrombosis and diffuse hemorrhage. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 181-183.	0.3	0
419	Possible activation of effector B cells during drug-induced hypersensitivity syndrome. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 166-169.	0.3	0
420	Successful treatment of cheilitis granulomatosa with diaminodiphenyl sulfone. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 45-46.	0.3	0
421	B cell signal transduction and autoimmunity. <i>Japanese Journal of Clinical Immunology</i> , 2002, 25, 244-254.	0.0	0
422	Skin Manifestations in Rheumatologic Disorders. , 2010, , 349-356.		0
423	A Case of Anti-EJ Antibody-Positive Dermatomyositis with Severe Palpebral Edema. <i>Nishinohon Journal of Dermatology</i> , 2012, 74, 488-492.	0.0	0
424	Transforming Growth Factor- $\beta$ and Connective Tissue Growth Factor. , 2016, , 137-153.		0
425	B Cells. , 2016, , 113-130.		0
426	Trabectedin treatment for imatinib/pazopanib-resistant dermatofibrosarcoma protuberans : A case report. <i>Skin Cancer</i> , 2018, 33, 30-34.	0.0	0
427	Hypohidrosis in the macules in tuberous sclerosis complex and neurofibromatosis. <i>Journal of Dermatology</i> , 2021, 48, 418-419.	1.2	0
428	Familial Michelin tire baby syndrome. <i>Journal of Dermatology</i> , 2022, 49, .	1.2	0
429	Pelvic reactive lymphadenopathy mimicking lymph node metastasis of heel malignant melanoma. <i>European Journal of Dermatology</i> , 2018, 28, 841-843.	0.6	0
430	Microcystic adnexal carcinoma with large cysts: unusual clinical presentation and histological findings. <i>European Journal of Dermatology</i> , 2019, 29, 337-339.	0.6	0