Thijn R Brummelkamp

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3864024/publications.pdf

Version: 2024-02-01

84 papers 23,793 citations

23567 58 h-index 82 g-index

87 all docs

87 docs citations

87 times ranked

32183 citing authors

#	Article	IF	Citations
1	A System for Stable Expression of Short Interfering RNAs in Mammalian Cells. Science, 2002, 296, 550-553.	12.6	4,098
2	A Genomic and Functional Inventory of Deubiquitinating Enzymes. Cell, 2005, 123, 773-786.	28.9	1,593
3	Ebola virus entry requires the cholesterol transporter Niemann–Pick C1. Nature, 2011, 477, 340-343.	27.8	1,127
4	Regulation of progenitor cell proliferation and granulocyte function by microRNA-223. Nature, 2008, 451, 1125-1129.	27.8	1,097
5	YAP1 Increases Organ Size and Expands Undifferentiated Progenitor Cells. Current Biology, 2007, 17, 2054-2060.	3.9	1,091
6	Loss of the cylindromatosis tumour suppressor inhibits apoptosis by activating NF-κB. Nature, 2003, 424, 797-801.	27.8	1,071
7	Stable suppression of tumorigenicity by virus-mediated RNA interference. Cancer Cell, 2002, 2, 243-247.	16.8	1,067
8	A large-scale RNAi screen in human cells identifies new components of the p53 pathway. Nature, 2004, 428, 431-437.	27.8	955
9	Yap1 Acts Downstream of α-Catenin to Control Epidermal Proliferation. Cell, 2011, 144, 782-795.	28.9	923
10	Gene essentiality and synthetic lethality in haploid human cells. Science, 2015, 350, 1092-1096.	12.6	773
11	The Deubiquitinating Enzyme USP1 Regulates the Fanconi Anemia Pathway. Molecular Cell, 2005, 17, 331-339.	9.7	510
12	Identification of CMTM6 and CMTM4 as PD-L1 protein regulators. Nature, 2017, 549, 106-110.	27.8	501
13	Specific inhibition of gene expression using a stably integrated, inducible smallâ€interferingâ€RNA vector. EMBO Reports, 2003, 4, 609-615.	4.5	489
14	Haploid Genetic Screens in Human Cells Identify Host Factors Used by Pathogens. Science, 2009, 326, 1231-1235.	12.6	452
15	Human Immunodeficiency Virus Type 1 Escapes from RNA Interference-Mediated Inhibition. Journal of Virology, 2004, 78, 2601-2605.	3.4	426
16	Caspase-mediated cleavage of phospholipid flippase for apoptotic phosphatidylserine exposure. Science, 2014, 344, 1164-1168.	12.6	425
17	Ebola virus entry requires the host-programmed recognition of an intracellular receptor. EMBO Journal, 2012, 31, 1947-1960.	7.8	284
18	Survivin is required for a sustained spindle checkpoint arrest in response to lack of tension. EMBO Journal, 2003, 22, 2934-2947.	7.8	269

#	Article	lF	Citations
19	Deciphering the Glycosylome of Dystroglycanopathies Using Haploid Screens for Lassa Virus Entry. Science, 2013, 340, 479-483.	12.6	262
20	New tools for functional mammalian cancer genetics. Nature Reviews Cancer, 2003, 3, 781-789.	28.4	259
21	Lassa virus entry requires a trigger-induced receptor switch. Science, 2014, 344, 1506-1510.	12.6	251
22	Megabase-scale deletion using CRISPR/Cas9 to generate a fully haploid human cell line. Genome Research, 2014, 24, 2059-2065.	5.5	238
23	Oncogenic BRAF Regulates Melanoma Proliferation through the Lineage Specific Factor MITF. PLoS ONE, 2008, 3, e2734.	2.5	226
24	Subunit composition of <scp>VRAC</scp> channels determines substrate specificity and cellular resistance to <scp>P</scp> tâ€based antiâ€cancer drugs. EMBO Journal, 2015, 34, 2993-3008.	7.8	209
25	Global gene disruption in human cells to assign genes to phenotypes by deep sequencing. Nature Biotechnology, 2011, 29, 542-546.	17.5	207
26	Generation of iPSCs from cultured human malignant cells. Blood, 2010, 115, 4039-4042.	1.4	206
27	MCT1-mediated transport of a toxic molecule is an effective strategy for targeting glycolytic tumors. Nature Genetics, 2013, 45, 104-108.	21.4	204
28	A Mitotic Phosphorylation Feedback Network Connects Cdk1, Plk1, 53BP1, and Chk2 to Inactivate the G2/M DNA Damage Checkpoint. PLoS Biology, 2010, 8, e1000287.	5.6	201
29	An shRNA barcode screen provides insight into cancer cell vulnerability to MDM2 inhibitors. Nature Chemical Biology, 2006, 2, 202-206.	8.0	196
30	Vasohibins encode tubulin detyrosinating activity. Science, 2017, 358, 1453-1456.	12.6	185
31	A generic strategy for CRISPR-Cas9-mediated gene tagging. Nature Communications, 2015, 6, 10237.	12.8	176
32	Lipolysis-stimulated lipoprotein receptor (LSR) is the host receptor for the binary toxin $\langle i \rangle$ Clostridium difficile $\langle i \rangle$ transferase (CDT). Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 16422-16427.	7.1	175
33	PLA2G16 represents a switch between entry and clearance of Picornaviridae. Nature, 2017, 541, 412-416.	27.8	168
34	The solute carrier SLC35F2 enables YM155-mediated DNA damage toxicity. Nature Chemical Biology, 2014, 10, 768-773.	8.0	157
35	Glutaminyl cyclase is an enzymatic modifier of the CD47- SIRPα axis and a target for cancer immunotherapy. Nature Medicine, 2019, 25, 612-619.	30.7	156
36	Late endosomal transport and tethering are coupled processes controlled by RILP and the cholesterol sensor ORP1L. Journal of Cell Science, 2013, 126, 3462-74.	2.0	149

#	Article	IF	Citations
37	LZTR1 is a regulator of RAS ubiquitination and signaling. Science, 2018, 362, 1171-1177.	12.6	142
38	TBX-3, the Gene Mutated in Ulnar-Mammary Syndrome, Is a Negative Regulator of p19 and Inhibits Senescence. Journal of Biological Chemistry, 2002, 277, 6567-6572.	3.4	140
39	A CREB3–ARF4 signalling pathway mediates the response to Golgi stress and susceptibility to pathogens. Nature Cell Biology, 2013, 15, 1473-1485.	10.3	135
40	A senescence rescue screen identifies BCL6 as an inhibitor of anti-proliferative p19ARF-p53 signaling. Genes and Development, 2002, 16, 681-686.	5.9	132
41	shRNA libraries and their use in cancer genetics. Nature Methods, 2006, 3, 701-706.	19.0	116
42	Genetic wiring maps of single-cell protein states reveal an off-switch for GPCR signalling. Nature, 2017, 546, 307-311.	27.8	115
43	NRP2 and CD63 Are Host Factors for Lujo Virus Cell Entry. Cell Host and Microbe, 2017, 22, 688-696.e5.	11.0	108
44	Viral escape from endosomes and host detection at a glance. Journal of Cell Science, 2018, 131, .	2.0	107
45	A Haploid Genetic Screen Identifies Heparan Sulfate Proteoglycans Supporting Rift Valley Fever Virus Infection. Journal of Virology, 2016, 90, 1414-1423.	3.4	103
46	Haploid Genetic Screen Reveals a Profound and Direct Dependence on Cholesterol for Hantavirus Membrane Fusion. MBio, 2015, 6, e00801.	4.1	100
47	A functional screen identifies hDRIL1 as an oncogene that rescues RAS-induced senescence. Nature Cell Biology, 2002, 4, 148-153.	10.3	98
48	E2F-7: a distinctive E2F family member with an unusual organization of DNA-binding domains. Oncogene, 2004, 23, 5138-5150.	5.9	93
49	BRCA2 deficiency instigates cGAS-mediated inflammatory signaling and confers sensitivity to tumor necrosis factor-alpha-mediated cytotoxicity. Nature Communications, 2019, 10, 100.	12.8	91
50	A haploid genetic screen identifies the major facilitator domain containing 2A (MFSD2A) transporter as a key mediator in the response to tunicamycin. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 11756-11765.	7.1	90
51	A reversible gene trap collection empowers haploid genetics in human cells. Nature Methods, 2013, 10, 965-971.	19.0	90
52	Enterovirus D68 receptor requirements unveiled by haploid genetics. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 1399-1404.	7.1	86
53	Protocadherin-1 is essential for cell entry by New World hantaviruses. Nature, 2018, 563, 559-563.	27.8	84
54	LRP1 is a receptor for <i>Clostridium perfringens</i> TpeL toxin indicating a two-receptor model of clostridial glycosylating toxins. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 6431-6436.	7.1	82

#	Article	IF	CITATIONS
55	The Tubulin Detyrosination Cycle: Function and Enzymes. Trends in Cell Biology, 2019, 29, 80-92.	7.9	78
56	KREMEN1 Is a Host Entry Receptor for a Major Group of Enteroviruses. Cell Host and Microbe, 2018, 23, 636-643.e5.	11.0	69
57	Human ISPD Is a Cytidyltransferase Required for Dystroglycan O-Mannosylation. Chemistry and Biology, 2015, 22, 1643-1652.	6.0	67
58	Compromising the 19S proteasome complex protects cells from reduced flux through the proteasome. ELife, $2015, 4, .$	6.0	67
59	Cathepsin-mediated Necrosis Controls the Adaptive Immune Response by Th2 (T helper type 2)-associated Adjuvants. Journal of Biological Chemistry, 2013, 288, 7481-7491.	3.4	66
60	Niemann-Pick C1 Is Essential for Ebolavirus Replication and Pathogenesis <i>In Vivo</i> . MBio, 2015, 6, e00565-15.	4.1	65
61	Inhibition of ATPIF1 Ameliorates Severe Mitochondrial Respiratory Chain Dysfunction in Mammalian Cells. Cell Reports, 2014, 7, 27-34.	6.4	62
62	Identification of host cell factors required for intoxication through use of modified cholera toxin. Journal of Cell Biology, 2011, 195, 751-764.	5.2	61
63	Genome-Wide Identification and Characterization of Novel Factors Conferring Resistance to Topoisomerase II Poisons in Cancer. Cancer Research, 2015, 75, 4176-4187.	0.9	59
64	GPR107, a G-protein-coupled Receptor Essential for Intoxication by Pseudomonas aeruginosa Exotoxin A, Localizes to the Golgi and Is Cleaved by Furin. Journal of Biological Chemistry, 2014, 289, 24005-24018.	3.4	54
65	Diverse Viruses Require the Calcium Transporter SPCA1 for Maturation and Spread. Cell Host and Microbe, 2017, 22, 460-470.e5.	11.0	52
66	Attachment of Chlamydia trachomatis L2 to host cells requires sulfation. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 10059-10064.	7.1	46
67	Emerging intracellular receptors for hemorrhagic fever viruses. Trends in Microbiology, 2015, 23, 392-400.	7.7	42
68	Nedd4-Binding Protein 1 and TNFAIP3-Interacting Protein 1 Control MHC-1 Display in Neuroblastoma. Cancer Research, 2018, 78, 6621-6631.	0.9	42
69	USP9X Downregulation Renders Breast Cancer Cells Resistant to Tamoxifen. Cancer Research, 2014, 74, 3810-3820.	0.9	38
70	A Reporter Screen in a Human Haploid Cell Line Identifies CYLD as a Constitutive Inhibitor of NF-κB. PLoS ONE, 2013, 8, e70339.	2.5	34
71	SLFN11 can sensitize tumor cells towards IFN-γ-mediated T cell killing. PLoS ONE, 2019, 14, e0212053.	2.5	33
72	Posttranslational modification of microtubules by the MATCAP detyrosinase. Science, 2022, 376, eabn6020.	12.6	33

#	Article	IF	CITATIONS
73	Crystal structure of the tubulin tyrosine carboxypeptidase complex VASH1–SVBP. Nature Structural and Molecular Biology, 2019, 26, 567-570.	8.2	28
74	Haploid Mammalian Genetic Screen Identifies UBXD8 as a Key Determinant of HMGCR Degradation and Cholesterol Biosynthesis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2017, 37, 2064-2074.	2.4	25
75	Suppression of the p53-Dependent Replicative Senescence Response by Lysophosphatidic Acid Signaling. Molecular Cancer Research, 2008, 6, 1452-1460.	3.4	24
76	$\mbox{\ensuremath{\mbox{\scriptsize ci}}}\mbox{\ensuremath{\mbox{\scriptsize ATRAID}}\mbox{\ensuremath{\mbox{\scriptsize ci}}}\mbox{\ensuremath{\mbox{\scriptsize ci}}}\ensuremath{\mbox{\scriptsize $	12.4	15
77	Haploid genetic screens identify genetic vulnerabilities to microtubuleâ€ŧargeting agents. Molecular Oncology, 2018, 12, 953-971.	4.6	12
78	E3 ubiquitin ligase Mindbomb 1 facilitates nuclear delivery of adenovirus genomes. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118 , .	7.1	8
79	Functional Annotation of Deubiquitinating Enzymes Using RNA Interference. Methods in Enzymology, 2005, 398, 554-567.	1.0	7
80	A HUSH for transgene expression. Science, 2015, 348, 1433-1434.	12.6	7
81	Quantitative genetic screening reveals a Ragulator-FLCN feedback loop that regulates the mTORC1 pathway. Science Signaling, 2020, 13 , .	3.6	7
82	A haploid mammalian genetic screen identifies UBXD8 as a key determinant of sterol-stimulated degradation of HMGCR and cholesterol synthesis. Atherosclerosis, 2017, 263, e89.	0.8	1
83	Elucidating the molecular mechanism of action of cancer drugs in the second decade of the new millennium. Experimental Hematology, 2013, 41, S9.	0.4	0
84	Cellular Reprogramming Erases Aberrant DNA Methylation and the Malignant Phenotype in Chronic Myeloid Leukemia. Blood, 2014, 124, 4524-4524.	1.4	0