Alvaro Aa Avezum

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3867343/publications.pdf

Version: 2024-02-01

244 papers

72,248 citations

98 h-index ⁷⁸⁴ 248 g-index

264 all docs 264 docs citations

times ranked

264

62164 citing authors

#	Article	IF	Citations
1	Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. Lancet, The, 2004, 364, 937-952.	13.7	9,716
2	Apixaban versus Warfarin in Patients with Atrial Fibrillation. New England Journal of Medicine, 2011, 365, 981-992.	27.0	7,537
3	Fourth universal definition of myocardial infarction (2018). European Heart Journal, 2019, 40, 237-269.	2.2	2,687
4	Apixaban in Patients with Atrial Fibrillation. New England Journal of Medicine, 2011, 364, 806-817.	27.0	2,207
5	Effects of extended-release metoprolol succinate in patients undergoing non-cardiac surgery (POISE) Tj ${ m ETQq1~1}$	0.784314	rgBT/Overlo
6	Predictors of Hospital Mortality in the Global Registry of Acute Coronary Events. Archives of Internal Medicine, 2003, 163, 2345.	3.8	1,856
7	Radial versus femoral access for coronary angiography and intervention in patients with acute coronary syndromes (RIVAL): a randomised, parallel group, multicentre trial. Lancet, The, 2011, 377, 1409-1420.	13.7	1,759
8	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. New England Journal of Medicine, 2017, 377, 1319-1330.	27.0	1,745
9	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. Lancet, The, 2019, 394, 121-130.	13.7	1,625
10	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 310, 959.	7.4	1,422
11	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. Lancet, The, 2016, 388, 761-775.	13.7	1,414
12	A Validated Prediction Model for All Forms of Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2004, 291, 2727.	7.4	1,344
13	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. Lancet, The, 2015, 386, 266-273.	13.7	1, 295
14	Prediction of risk of death and myocardial infarction in the six months after presentation with acute coronary syndrome: prospective multinational observational study (GRACE). BMJ: British Medical Journal, 2006, 333, 1091.	2.3	1,236
15	Updated European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist anticoagulants in patients with non-valvular atrial fibrillation. Europace, 2015, 17, 1467-1507.	1.7	951
16	Modifiable risk factors, cardiovascular disease, and mortality in 155â€^722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 395, 795-808.	13.7	935
17	Hydroxychloroquine with or without Azithromycin in Mild-to-Moderate Covid-19. New England Journal of Medicine, 2020, 383, 2041-2052.	27.0	903
18	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2050-2062.	13.7	841

#	Article	IF	Citations
19	The effect of physical activity on mortality and cardiovascular disease in 130â€^000 people from 17 high-income, middle-income, and low-income countries: the PURE study. Lancet, The, 2017, 390, 2643-2654.	13.7	838
20	Randomized Trial of Benznidazole for Chronic Chagas' Cardiomyopathy. New England Journal of Medicine, 2015, 373, 1295-1306.	27.0	807
21	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. Lancet, The, 2011, 378, 1231-1243.	13.7	803
22	Early versus Delayed Invasive Intervention in Acute Coronary Syndromes. New England Journal of Medicine, 2009, 360, 2165-2175.	27.0	748
23	Double-dose versus standard-dose clopidogrel and high-dose versus low-dose aspirin in individuals undergoing percutaneous coronary intervention for acute coronary syndromes (CURRENT-OASIS 7): a randomised factorial trial. Lancet, The, 2010, 376, 1233-1243.	13.7	725
24	Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. New England Journal of Medicine, 2014, 371, 612-623.	27.0	725
25	Enoxaparin vs Unfractionated Heparin in High-Risk Patients With Non–ST-Segment Elevation Acute Coronary Syndromes Managed With an Intended Early Invasive Strategy. JAMA - Journal of the American Medical Association, 2004, 292, 45-54.	7.4	702
26	Association of Urinary Sodium and Potassium Excretion with Blood Pressure. New England Journal of Medicine, 2014, 371, 601-611.	27.0	687
27	Effect of Ramipril on the Incidence of Diabetes. New England Journal of Medicine, 2006, 355, 1551-1562.	27.0	684
28	Cardiovascular Risk and Events in 17 Low-, Middle-, and High-Income Countries. New England Journal of Medicine, 2014, 371, 818-827.	27.0	679
29	Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. New England Journal of Medicine, 2016, 374, 2021-2031.	27.0	641
30	Characteristics and Short-Term Prognosis of Perioperative Myocardial Infarction in Patients Undergoing Noncardiac Surgery. Annals of Internal Medicine, 2011, 154, 523.	3.9	557
31	Dronedarone in High-Risk Permanent Atrial Fibrillation. New England Journal of Medicine, 2011, 365, 2268-2276.	27.0	547
32	Complete Revascularization with Multivessel PCI for Myocardial Infarction. New England Journal of Medicine, 2019, 381, 1411-1421.	27.0	542
33	Randomized Trial of Primary PCI with or without Routine Manual Thrombectomy. New England Journal of Medicine, 2015, 372, 1389-1398.	27.0	536
34	Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. New England Journal of Medicine, 2016, 374, 2009-2020.	27.0	526
35	Impact of age on management and outcome of acute coronary syndrome: Observations from the global registry of acute coronary events (GRACE). American Heart Journal, 2005, 149, 67-73.	2.7	514
36	Practice variation and missed opportunities for reperfusion in ST-segment-elevation myocardial infarction: findings from the Global Registry of Acute Coronary Events (GRACE). Lancet, The, 2002, 359, 373-377.	13.7	496

#	Article	IF	Citations
37	Periprocedural Bleeding and Thromboembolic Events With Dabigatran Compared With Warfarin. Circulation, 2012, 126, 343-348.	1.6	494
38	Darapladib for Preventing Ischemic Events in Stable Coronary Heart Disease. New England Journal of Medicine, 2014, 370, 1702-1711.	27.0	467
39	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2037-2049.	13.7	446
40	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2020, 395, 785-794.	13.7	428
41	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. Lancet, The, 2019, 394, 131-138.	13.7	394
42	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. Lancet, The, 2016, 388, 465-475.	13.7	381
43	How strong is the evidence for the use of perioperative \hat{l}^2 blockers in non-cardiac surgery? Systematic review and meta-analysis of randomised controlled trials. BMJ: British Medical Journal, 2005, 331, 313-321.	2.3	366
44	Therapeutic versus prophylactic anticoagulation for patients admitted to hospital with COVID-19 and elevated D-dimer concentration (ACTION): an open-label, multicentre, randomised, controlled trial. Lancet, The, 2021, 397, 2253-2263.	13.7	366
45	Variations between countries in invasive cardiac procedures and outcomes in patients with suspected unstable angina or myocardial infarction without initial ST elevation. Lancet, The, 1998, 352, 507-514.	13.7	340
46	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. The Lancet Global Health, 2019, 7, e748-e760.	6.3	340
47	Diretrizes Brasileiras de Hipertensão Arterial – 2020. Arquivos Brasileiros De Cardiologia, 2021, 116, 516-658.	0.8	340
48	Five-Year Outcomes after Off-Pump or On-Pump Coronary-Artery Bypass Grafting. New England Journal of Medicine, 2016, 375, 2359-2368.	27.0	326
49	Variations in Cause and Management of Atrial Fibrillation in a Prospective Registry of 15 400 Emergency Department Patients in 46 Countries. Circulation, 2014, 129, 1568-1576.	1.6	324
50	Left Atrial Appendage Occlusion during Cardiac Surgery to Prevent Stroke. New England Journal of Medicine, 2021, 384, 2081-2091.	27.0	321
51	Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. New England Journal of Medicine, 2016, 374, 2032-2043.	27.0	299
52	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. Gastroenterology, 2019, 157, 682-691.e2.	1.3	299
53	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2018, 392, 2288-2297.	13.7	295
54	Brazilian Sepsis Epidemiological Study (BASES study). Critical Care, 2004, 8, R251.	5.8	289

#	Article	IF	CITATIONS
55	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. The Lancet Global Health, 2016, 4, e695-e703.	6.3	287
56	Risk Factors for Acute Myocardial Infarction in Latin America. Circulation, 2007, 115, 1067-1074.	1.6	273
57	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet, The, 2016, 387, 61-69.	13.7	272
58	Extent of, and factors associated with, delay to hospital presentation in patients with acute coronary disease (the GRACE registry). American Journal of Cardiology, 2002, 89, 791-796.	1.6	271
59	Methylprednisolone in patients undergoing cardiopulmonary bypass (SIRS): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2015, 386, 1243-1253.	13.7	268
60	Risk of ischaemic stroke according to pattern of atrial fibrillation: analysis of 6563 aspirin-treated patients in ACTIVE-A and AVERROES. European Heart Journal, 2015, 36, 281-288.	2.2	253
61	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. Lancet, The, 2018, 392, 496-506.	13.7	243
62	Occurrence of death and stroke in patients in 47 countries 1 year after presenting with atrial fibrillation: a cohort study. Lancet, The, 2016, 388, $1161-1169$.	13.7	216
63	Prevention of Heart Failure in Patients in the Heart Outcomes Prevention Evaluation (HOPE) Study. Circulation, 2003, 107, 1284-1290.	1.6	207
64	Apixaban in Comparison With Warfarin in Patients With Atrial Fibrillation and Valvular Heart Disease. Circulation, 2015, 132, 624-632.	1.6	203
65	Estimating modifiable coronary heart disease risk in multiple regions of the world: the INTERHEART Modifiable Risk Score. European Heart Journal, 2011, 32, 581-589.	2.2	199
66	Adherence to evidence-based therapies after discharge for acute coronary syndromes: an ongoing prospective, observational study. American Journal of Medicine, 2004, 117, 73-81.	1.5	198
67	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. Lancet Diabetes and Endocrinology,the, 2017, 5, 774-787.	11.4	198
68	The Long-Term Multicenter Observational Study of Dabigatran Treatment in Patients With Atrial Fibrillation (RELY-ABLE) Study. Circulation, 2013, 128, 237-243.	1.6	195
69	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 535-546.	7.3	191
70	Outcomes after thrombus aspiration for ST elevation myocardial infarction: 1-year follow-up of the prospective randomised TOTAL trial. Lancet, The, 2016, 387, 127-135.	13.7	187
71	Rationale and design of a randomized placebo-controlled trial assessing the effects of etiologic treatment in Chagas' cardiomyopathy: The BENznidazole Evaluation For Interrupting Trypanosomiasis (BENEFIT). American Heart Journal, 2008, 156, 37-43.	2.7	183
72	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. Journal of Hypertension, 2014, 32, 1005-1015.	0.5	174

#	Article	IF	CITATIONS
73	Management and 6-month outcomes in elderly and very elderly patients with high-risk non-ST-elevation acute coronary syndromes: The Global Registry of Acute Coronary Events. European Heart Journal, 2007, 29, 1275-1282.	2.2	167
74	Effect of Telmisartan on Renal Outcomes. Annals of Internal Medicine, 2009, 151, 1.	3.9	163
75	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. Lancet, The, 2015, 386, 1945-1954.	13.7	163
76	Low-Dose vs Standard-Dose Unfractionated Heparin for Percutaneous Coronary Intervention in Acute Coronary Syndromes Treated With Fondaparinux: The FUTURA/OASIS-8 Randomized Trial. JAMA - Journal of the American Medical Association, 2010, 304, 1339-1349.	7.4	161
77	Design and baseline characteristics of participants in the <scp>R</scp> esearching cardiovascular <scp>E</scp> vents with a <scp>W</scp> eekly <scp>IN</scp> cretin in <scp>D</scp> iabetes (<scp>REWIND</scp>) trial on the cardiovascular effects of dulaglutide. Diabetes, Obesity and Metabolism. 2018. 20. 42-49.	4.4	160
78	The BENEFIT trial: testing the hypothesis that trypanocidal therapy is beneficial for patients with chronic Chagas heart disease. Memorias Do Instituto Oswaldo Cruz, 2009, 104, 319-324.	1.6	154
79	Relationship Between Healthy Diet and Risk of Cardiovascular Disease Among Patients on Drug Therapies for Secondary Prevention. Circulation, 2012, 126, 2705-2712.	1.6	151
80	Glucose-Insulin-Potassium Therapy in Patients With ST-Segment Elevation Myocardial Infarction. JAMA - Journal of the American Medical Association, 2007, 298, 2399.	7.4	149
81	Specific barriers to the conduct of randomized trials. Clinical Trials, 2008, 5, 40-48.	1.6	144
82	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. Diabetes Care, 2016, 39, 780-787.	8.6	138
83	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. BMJ, The, 2021, 374, n1554.	6.0	136
84	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419.	10.0	134
85	Rationale, Design and Baseline Characteristics of Participants in the C ardiovascular O utco m es for P eople Using A nticoagulation S trategie s (COMPASS) Trial. Canadian Journal of Cardiology, 2017, 33, 1027-1035.	1.7	133
86	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. New England Journal of Medicine, 2021, 384, 1312-1322.	27.0	124
87	Impact of Prior Peripheral Arterial Disease and Stroke on Outcomes of Acute Coronary Syndromes and Effect of Evidence-Based Therapies (from the Global Registry of Acute Coronary Events). American Journal of Cardiology, 2007, 100, 1-6.	1.6	122
88	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV1 (PURE): an international, community-based cohort study. The Lancet Global Health, 2019, 7, e613-e623.	6.3	122
89	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. Environmental Health Perspectives, 2019, 127, 57003.	6.0	117
90	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808.	11.4	116

#	Article	IF	Citations
91	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. JAMA Psychiatry, 2020, 77, 1052.	11.0	116
92	Effects of aspirin dose on ischaemic events and bleeding after percutaneous coronary intervention: insights from the PCI-CURE study. European Heart Journal, 2008, 30, 900-907.	2.2	115
93	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. American Heart Journal, 2013, 166, 636-646.e4.	2.7	113
94	Education and risk for acute myocardial infarction in 52 high, middle and low-income countries: INTERHEART case-control study. Heart, 2009, 95, 2014-2022.	2.9	109
95	Mortality following placement of drug-eluting and bare-metal stents for ST-segment elevation acute myocardial infarction in the Global Registry of Acute Coronary Events. European Heart Journal, 2008, 30, 321-329.	2.2	108
96	Unprotected left main revascularization in patients with acute coronary syndromes. European Heart Journal, 2009, 30, 2308-2317.	2.2	108
97	Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. Gastroenterology, 2019, 157, 403-412.e5.	1.3	108
98	Risk factors for myocardial infarction in Brazil. American Heart Journal, 2003, 146, 331-338.	2.7	107
99	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157â€^436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet Planetary Health, The, 2020, 4, e235-e245.	11.4	106
100	Global patterns of use of antithrombotic and antiplatelet therapies in patients with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). American Heart Journal, 2003, 146, 999-1006.	2.7	104
101	Access to catheterisation facilities in patients admitted with acute coronary syndrome: multinational registry study. BMJ: British Medical Journal, 2005, 330, 441.	2.3	104
102	Updated Cardiovascular Prevention Guideline of the Brazilian Society of Cardiology - 2019. Arquivos Brasileiros De Cardiologia, 2019, 113, 787-891.	0.8	102
103	Antithrombotic Therapy With Fondaparinux in Relation to Interventional Management Strategy in Patients With ST- and Non–ST-Segment Elevation Acute Coronary Syndromes. Circulation, 2008, 118, 2038-2046.	1.6	98
104	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. Lancet, The, 2018, 391, 2019-2027.	13.7	96
105	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease. Circulation, 2020, 141, 1841-1854.	1.6	96
106	Efficacy and safety of apixaban compared with aspirin in the elderly: a subgroup analysis from the AVERROES trial. Age and Ageing, 2016, 45, 77-83.	1.6	91
107	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. Lancet, The, 2021, 398, 1133-1146.	13.7	87
108	Association of Elevated Fasting Glucose With Increased Short-term and 6-Month Mortality in ST-Segment Elevation and Non–ST-Segment Elevation Acute Coronary Syndromes. Archives of Internal Medicine, 2009, 169, 402.	3.8	86

#	Article	IF	Citations
109	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. BMJ: British Medical Journal, 2019, 364, 1772.	2.3	85
110	Amiodarone, Anticoagulation, andÂClinicalÂEvents in Patients WithÂAtrialÂFibrillation. Journal of the American College of Cardiology, 2014, 64, 1541-1550.	2.8	84
111	Reducing Premature Cardiovascular Morbidity and Mortality in People With Atherosclerotic Vascular Disease: The World Heart Federation Roadmap for Secondary Prevention of Cardiovascular Disease. Global Heart, 2015, 10, 99.	2.3	82
112	Late Consequences of Acute Coronary Syndromes: Global Registry of Acute Coronary Events (GRACE) Follow-up. American Journal of Medicine, 2015, 128, 766-775.	1.5	81
113	Rivaroxaban With or Without Aspirin in Patients With Heart Failure and Chronic Coronary or Peripheral Artery Disease. Circulation, 2019, 140, 529-537.	1.6	81
114	Association of peripheral artery disease with treatment and outcomes in acute coronary syndromes. The Global Registry of Acute Coronary Events (GRACE). American Heart Journal, 2006, 151, 1123-1128.	2.7	78
115	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. Lancet Diabetes and Endocrinology,the, 2020, 8, 106-114.	11.4	77
116	Rationale and Design of INTERSTROKE: A Global Case-Control Study of Risk Factors for Stroke. Neuroepidemiology, 2010, 35, 36-44.	2.3	76
117	Effectiveness of primary percutaneous coronary intervention compared with that of thrombolytic therapy in elderly patients with acute myocardial infarction 11 Guest Editor for this manuscript was Peter B. Berger, MD, Mayo Clinic, Rochester, Minn American Heart Journal, 2004, 147, 253-259.	2.7	74
118	Glucose levels are associated with cardiovascular disease and death in an international cohort of normal glycaemic and dysglycaemic men and women: the EpiDREAM cohort study. European Journal of Preventive Cardiology, 2012, 19, 755-764.	1.8	74
119	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. The Lancet Global Health, 2018, 6, e292-e301.	6.3	73
120	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. American Journal of Clinical Nutrition, 2020, 111, 795-803.	4.7	71
121	Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. PLoS ONE, 2010, 5, e14294.	2.5	70
122	Predicting freedom from clinical events in non-ST-elevation acute coronary syndromes: the Global Registry of Acute Coronary Events. Heart, 2009, 95, 888-894.	2.9	68
123	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. JAMA Internal Medicine, 2021, 181, 631.	5.1	68
124	Design and rationale of the TOTAL trial: A randomized trial of routine aspiration ThrOmbecTomy with percutaneous coronary intervention (PCI) versus PCI ALone in patients with ST-elevation myocardial infarction undergoing primary PCI. American Heart Journal, 2014, 167, 315-321.e1.	2.7	66
125	Cardiovascular Disease Burden: Evolving Knowledge of Risk Factors in Myocardial Infarction and Stroke through Population-Based Research and Perspectives in Global Prevention. Frontiers in Cardiovascular Medicine, 2015, 2, 32.	2.4	66
126	Has the frequency of bleeding changed over time for patients presenting with an acute coronary syndrome? The Global Registry of Acute Coronary Events. European Heart Journal, 2010, 31, 667-675.	2.2	63

#	Article	IF	CITATIONS
127	The association between ownership of common household devices and obesity and diabetes in high, middle and low income countries. Cmaj, 2014, 186, 258-266.	2.0	62
128	O impacto da espiritualidade na saúde fÃsica. Revista De Psiquiatria Clinica, 0, 34, 88-94.	0.6	60
129	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. BMJ Open Diabetes Research and Care, 2020, 8, e000826.	2.8	57
130	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. Journal of Hypertension, 2019, 37, 1813-1821.	0.5	56
131	Incidence and risk factors of aplastic anemia in Latin American countries: the LATIN case-control study. Haematologica, 2009, 94, 1220-1226.	3.5	55
132	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. Diabetes Care, 2020, 43, 2643-2650.	8.6	55
133	Stroke in Latin America: Burden of Disease and Opportunities for Prevention. Global Heart, 2015, 10, 323.	2.3	55
134	Effects of blood pressure and lipid lowering on cognition. Neurology, 2019, 92, e1435-e1446.	1.1	54
135	Risk Stratification in the Setting of Non-ST Elevation Acute Coronary Syndromes 1999-2007. American Journal of Cardiology, 2011, 108, 617-624.	1.6	53
136	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. BMJ, The, 2021, 372, m4948.	6.0	53
137	Influenza Vaccination and Major Adverse Vascular Events in High-Risk Patients. Circulation, 2012, 126, 278-286.	1.6	52
138	Effect of apixaban on brain infarction and microbleeds: AVERROES-MRI assessment study. American Heart Journal, 2016, 178, 145-150.	2.7	52
139	The Organization to Assess Strategies for Ischemic Syndromes (OASIS) registry in patients with unstable angina. American Journal of Cardiology, 1999, 84, 7-12.	1.6	51
140	Incidence and risk factors for agranulocytosis in Latin American countries—the Latin Study. European Journal of Clinical Pharmacology, 2008, 64, 921-929.	1.9	51
141	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. Heart, 2018, 104, 581-587.	2.9	49
142	Impact of In-Hospital Revascularization on Survival in Patients With Non–ST-Elevation Acute Coronary Syndrome and Congestive Heart Failure. Circulation, 2008, 118, 1163-1171.	1.6	48
143	Long-term effect of rosiglitazone and/or ramipril on the incidence of diabetes. Diabetologia, 2011, 54, 487-495.	6.3	48
144	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. BMJ Global Health, 2021, 6, e004124.	4.7	48

#	Article	IF	CITATIONS
145	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. Environmental Pollution, 2020, 262, 114197.	7.5	47
146	Design and rationale of the Radlal Vs. femorAL access for coronary intervention (RIVAL) trial: A randomized comparison of radial versus femoral access for coronary angiography or intervention in patients with acute coronary syndromes. American Heart Journal, 2011, 161, 254-260.e4.	2.7	46
147	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. American Journal of Clinical Nutrition, 2021, 114, 1049-1058.	4.7	46
148	Lipoproteinâ€Associated Phospholipase A ₂ Activity Is a Marker of Risk But Not a Useful Target for Treatment in Patients With Stable Coronary Heart Disease. Journal of the American Heart Association, 2016, 5, .	3.7	44
149	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. BMJ Open, 2017, 7, e013817.	1.9	44
150	The INVICTUS rheumatic heart disease research program: Rationale, design and baseline characteristics of a randomized trial of rivaroxaban compared to vitamin K antagonists in rheumatic valvular disease and atrial fibrillation. American Heart Journal, 2020, 225, 69-77.	2.7	43
151	Six-month survival benefits associated with clinical guideline recommendations in acute coronary syndromes. Heart, 2010, 96, 1201-1206.	2.9	42
152	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. BMJ Global Health, 2020, 5, e002640.	4.7	41
153	Initial Clinical Results Using Intracardiac Electrogram Monitoring to Detect and Alert Patients During Coronary Plaque Rupture and Ischemia. Journal of the American College of Cardiology, 2010, 56, 1089-1098.	2.8	39
154	Bleeding and New Cancer Diagnosis in Patients With Atherosclerosis. Circulation, 2019, 140, 1451-1459.	1.6	36
155	Clinical outcomes in patients with atrial fibrillation according to sex during anticoagulation with apixaban or warfarin: a secondary analysis of a randomized controlled trial. European Heart Journal, 2015, 36, ehv447.	2.2	35
156	Secondary CV Prevention in South America in a Community Setting: The PURE Study. Global Heart, 2017, 12, 305.	2.3	35
157	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery. JAMA Cardiology, 2021, 6, 1042.	6.1	35
158	Rivaroxaban and Aspirin in Patients With Symptomatic Lower Extremity Peripheral Artery Disease. JAMA Cardiology, 2021, 6, 21-29.	6.1	33
159	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. Cardiovascular Research, 2021, 117, 1523-1531.	3.8	33
160	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. Diabetes Care, 2020, 43, 3094-3101.	8.6	32
161	Magnitude and Prognosis Associated With Ventricular Arrhythmias in Patients Hospitalized With Acute Coronary Syndromes (from the GRACE Registry). American Journal of Cardiology, 2008, 102, 1577-1582.	1.6	31
162	Mortality Benefit of Rivaroxaban Plus Aspirin in Patients With Chronic Coronary or Peripheral Artery Disease. Journal of the American College of Cardiology, 2021, 78, 14-23.	2.8	31

#	Article	IF	CITATIONS
163	Risk factors, cardiovascular disease, and mortality in South America: a PURE substudy. European Heart Journal, 2022, 43, 2841-2851.	2.2	30
164	Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. JAMA Cardiology, 2022, 7, 796.	6.1	30
165	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. International Journal of Obesity, 2015, 39, 1217-1223.	3.4	29
166	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. Bulletin of the World Health Organization, 2015, 93, 851-861G.	3.3	29
167	Glucose levels compared with diabetes history in the risk assessment of patients with acute myocardial infarction. American Heart Journal, 2009, 157, 763-770.	2.7	28
168	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35–70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. Injury Prevention, 2016, 22, 92-98.	2.4	28
169	Risk factors and clinical outcomes in chronic coronary and peripheral artery disease: An analysis of the randomized, double-blind COMPASS trial. European Journal of Preventive Cardiology, 2020, 27, 296-307.	1.8	28
170	Acute Coronary Syndrome Behavior: Results of a Brazilian Registry. Arquivos Brasileiros De Cardiologia, 2013, 100, 502-10.	0.8	28
171	Cardiovascular disease in South America: current status and opportunities for prevention. Heart, 2009, 95, 1475-1482.	2.9	26
172	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. American Journal of Hypertension, 2016, 29, 796-805.	2.0	26
173	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. Heart, 2021, 107, 282-289.	2.9	25
174	Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants' Baseline Characteristics. Canadian Journal of Cardiology, 2016, 32, 311-318.	1.7	24
175	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. JAMA Network Open, 2021, 4, e2113775.	5.9	24
176	III Diretriz sobre tratamento do infarto agudo do miocárdio. Arquivos Brasileiros De Cardiologia, 0, 83, 1-86.	0.8	24
177	Interactions between heparins, glycoprotein Ilb/IIIa antagonists, and coronary intervention. The Global Registry of Acute Coronary Events (GRACE). American Heart Journal, 2007, 153, 960-969.	2.7	23
178	Comparison of Utilization of Statin Therapy at Hospital Discharge and Six-Month Outcomes in Patients With an Acute Coronary Syndrome and Serum Low-Density Lipoprotein ≥100 mg/dl Versus <100 mg/dl. American Journal of Cardiology, 2007, 100, 913-918.	1.6	23
179	Environmental Profile of a Community's Health (EPOCH): An Ecometric Assessment of Measures of the Community Environment Based on Individual Perception. PLoS ONE, 2012, 7, e44410.	2.5	23
180	Associations between tooth loss and prognostic biomarkers and the risk for cardiovascular events in patients with stable coronary heart disease. International Journal of Cardiology, 2017, 245, 271-276.	1.7	22

#	Article	IF	CITATIONS
181	Can an elderly woman's heart be too strong?. American Heart Journal, 2010, 160, 849-854.	2.7	21
182	Effects of Trypanocidal Treatment on Echocardiographic Parameters in Chagas Cardiomyopathy and Prognostic Value of Wall Motion Score Index: A BENEFIT Trial Echocardiographic Substudy. Journal of the American Society of Echocardiography, 2019, 32, 286-295.e3.	2.8	21
183	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. EClinicalMedicine, 2022, 44, 101284.	7.1	21
184	Randomized clinical trial to evaluate a routine full anticoagulation Strategy in Patients with Coronavirus Infection (SARS-CoV2) admitted to hospital: Rationale and design of the ACTION (AntiCoagulaTlon cOroNavirus)–Coalition IV trial. American Heart Journal, 2021, 238, 1-11.	2.7	19
185	International Collaborative Partnership for the Study of Atrial Fibrillation (INTERAF): Rationale, Design, and Initial Descriptives. Journal of the American Heart Association, 2016, 5, .	3.7	18
186	†Real-world†Mobservational studies in arrhythmia research: data sources, methodology, and interpretation. A position document from European Heart Rhythm Association (EHRA), endorsed by Heart Rhythm Society (HRS), Asia-Pacific HRS (APHRS), and Latin America HRS (LAHRS). Europace, 2020, 22, 831-832.	1.7	18
187	Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. European Heart Journal, 2021, 42, 2995-3007.	2.2	18
188	A Novel Method to Evaluate the Community Built Environment Using Photographs – Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. PLoS ONE, 2014, 9, e110042.	2.5	18
189	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. European Heart Journal, 2021, 42, 2565-2573.	2.2	17
190	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179â€^000 participants from 63 countries. The Lancet Global Health, 2022, 10, e216-e226.	6.3	16
191	Use of proven therapies in non–ST-elevation acute coronary syndromes according to evidence-based risk stratification. American Heart Journal, 2007, 153, 493-499.	2.7	15
192	Benznidazole for Chronic Chagas' Cardiomyopathy. New England Journal of Medicine, 2016, 374, 188-190.	27.0	15
193	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. BMJ Global Health, 2017, 2, e000443.	4.7	15
194	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline. Stroke, 2020, 51, 2901-2909.	2.0	15
195	Outcomes in anticoagulated patients with atrial fibrillation and with mitral or aortic valve disease. Heart, 2018, 104, 1292-1299.	2.9	14
196	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. European Heart Journal, 2022, 43, 202-209.	2.2	14
197	Clinical Impact of the Polypill for Cardiovascular Prevention in Latin America: A Consensus Statement of the Inter-American Society of Cardiology. Global Heart, 2019, 14, 3.	2.3	13
198	Characteristics and outcomes of atrial fibrillation in patients without traditional risk factors: an RE-LY AF registry analysis. Europace, 2020, 22, 870-877.	1.7	13

#	Article	IF	CITATIONS
199	Comparação entre troponina I cardÃaca e CK-MB massa em sÃndrome coronariana aguda sem supra de ST. Arquivos Brasileiros De Cardiologia, 2011, 96, 179-187.	0.8	11
200	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. International Journal of Stroke, 2019, 14, 270-281.	5.9	11
201	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. Sleep Medicine, 2021, 80, 265-272.	1.6	11
202	Hydroxychloroquine versus placebo in the treatment of non-hospitalised patients with COVID-19 (COPE – Coalition V): A double-blind, multicentre, randomised, controlled trial. The Lancet Regional Health Americas, 2022, 11, 100243.	2.6	11
203	Stenting and glycoprotein IIb/IIIa inhibition in patients with acute myocardial infarction undergoing percutaneous coronary intervention: Findings from the global registry of acute coronary events (GRACE). Catheterization and Cardiovascular Interventions, 2003, 60, 360-367.	1.7	10
204	Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. Stroke, 2021, 52, 2494-2501.	2.0	10
205	Metabolic syndrome and risk of stroke. Medicine (United States), 2018, 97, e9862.	1.0	9
206	Antithrombotic therapy use and clinical outcomes following thrombo-embolic events in patients with atrial fibrillation: insights from ARISTOTLE. European Heart Journal - Cardiovascular Pharmacotherapy, 2018, 4, 75-81.	3.0	9
207	Efficacy and safety of dabigatran versus warfarin from the RE-LY trial. Open Heart, 2018, 5, e000800.	2.3	9
208	Cardiovascular diseases in Latin America and the Caribbean: The present situation. Prevention and Control: the Official Journal of the World Heart Federation, 2006, 2, 149-157.	0.3	8
209	Pulmonary artery catheterization in patients with acute coronary syndromes. American Heart Journal, 2009, 158, 170-176.	2.7	8
210	Temporal trends in all-cause mortality according to smoking status: Insights from the Global Registry of Acute Coronary Events. International Journal of Cardiology, 2016, 218, 291-297.	1.7	8
211	Independent predictors of effective blood pressure control in patients with hypertension on drug treatment in Brazil. Journal of Clinical Hypertension, 2018, 20, 125-132.	2.0	8
212	Low-dose rivaroxaban plus aspirin in patients with polypharmacy and multimorbidity: an analysis from the COMPASS trial. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 462-473.	3.0	8
213	 Diretrizes do Grupo de Estudos em Cardiogeriatria da Sociedade Brasileira de Cardiologia . Arquivos Brasileiros De Cardiologia, 2002, 79, .	0.8	7
214	Risk factors for pre, intra, and postoperative hospital mortality in patients undergoing aortic surgery. Brazilian Journal of Cardiovascular Surgery, 2013, 28, 10-21.	0.6	7
215	The cost implications of the use of telmisartan or ramipril in patients at high risk for vascular events: the ONTARGET study. Journal of Medical Economics, 2011, 14, 792-797.	2.1	6
216	Conversion after off-pump coronary artery bypass grafting: the CORONARY trial experience. European Journal of Cardio-thoracic Surgery, 2017, 51, ezw361.	1.4	6

#	Article	IF	CITATIONS
217	Challenges and Opportunities to Scale Up Cardiovascular Disease Secondary Prevention in Latin America and the Caribbean. Global Heart, 2018, 13, 83.	2.3	6
218	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case–Control Study. American Journal of Hypertension, 2021, 34, 414-425.	2.0	6
219	Os Percentis e Pontos de Corte da Circunfer \tilde{A}^a ncia Abdominal para Obesidade em uma Ampla Amostra de Estudantes de 6 a 10 Anos de Idade do Estado de S \tilde{A} 50 Paulo, Brasil. Arquivos Brasileiros De Cardiologia, 2020, 114, 530-537.	0.8	6
220	Long-Term Treatment with the Combination of Rivaroxaban and Aspirin in Patients with Chronic Coronary or Peripheral Artery Disease: Outcomes During the Open Label Extension of the COMPASS trial. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 786-795.	3.0	6
221	Platelets and atherothrombosis: An essential role for inflammation in vascular disease â€" A review. International Journal of Angiology, 2005, 14, 211-217.	0.6	5
222	Cardiovascular prevention in coronary heart disease patients: guidelines implementation in clinical practice. Brazilian Journal of Cardiovascular Surgery, 2013, 28, 238-247.	0.6	5
223	Management of diabetes mellitus and associated cardiovascular risk factors in Brazil – the Brazilian study on the practice of diabetes care. Diabetology and Metabolic Syndrome, 2013, 5, 46.	2.7	4
224	Statins in adult patients with HIV. Medicine (United States), 2018, 97, e0116.	1.0	4
225	Perspectives in Chagas Disease Treatment. Global Heart, 2020, 10, 189.	2.3	4
226	The Anti-Coronavirus Therapies (ACT) Trials: Design, Baseline Characteristics, and Challenges. CJC Open, 2022, 4, 568-576.	1.5	4
227	High-density lipoprotein-cholesterol functionality and metabolic syndrome. Medicine (United States), 2018, 97, e11094.	1.0	3
228	Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. International Journal of Epidemiology, 2022, 51, 1304-1316.	1.9	3
229	Response to Letters Regarding Article, "Periprocedural Bleeding and Thromboembolic Events With Dabigatran Compared With Warfarin: Results From the Randomized Evaluation of Long-Term Anticoagulation Therapy (RE-LY) Randomized Trial― Circulation, 2013, 127, e506.	1.6	2
230	Epicardial adipose tissue and metabolic syndrome. Medicine (United States), 2018, 97, e0387.	1.0	2
231	Epicardial adipose tissue and carotid artery disease. Medicine (United States), 2018, 97, e0273.	1.0	2
232	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. Neuroepidemiology, 2021, 55, 206-215.	2.3	2
233	IV Diretrizes Brasileiras de Hipertensão Arterial Grupos de trabalho. Arquivos Brasileiros De Cardiologia, 0, 82, .	0.8	2
234	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. PLOS Global Public Health, 2022, 2, e0000141.	1.6	2

#	Article	IF	CITATIONS
235	Medications for blood pressure, blood glucose, lipids, and anti-thrombotic medications: relationship with cardiovascular disease and death in adults from 21 high-, middle-, and low-income countries with an elevated body mass index. European Journal of Preventive Cardiology, 2022, 29, 1817-1826.	1.8	2
236	The World Heart Observatory: Harnessing the Power of Data for Cardiovascular Health. Global Heart, 2022, 17 , .	2.3	2
237	Antitrombóticos nas sÃndromes coronarianas agudas: diretrizes atuais e novas evidências. Revista Brasileira De Terapia Intensiva, 2008, 20, .	0.3	1
238	Effects of Lipid‣owering and Antihypertensive Treatments in Addition to Healthy Lifestyles in Primary Prevention: An Analysis of the HOPEâ€3 Trial. Journal of the American Heart Association, 2018, 7, .	3.7	1
239	Estatinas na sepse: nova arma terap $ ilde{A}^a$ utica no arsenal da medicina intensiva?. Revista Brasileira De Terapia Intensiva, 2006, 18 , 402 - 406 .	0.3	O
240	The authors' reply:. Heart, 2009, 95, 1355-1356.	2.9	0
241	Pulmonary Function In Healthy Non-Smoking Adults From 17 Countries In Different Regions Of The World., 2011,,.		O
242	The Need for Brazil to Focus on CVD. Global Heart, 2020, 11, 439.	2.3	0
243	Posicionamento sobre Hipertensão Arterial e Espiritualidade – 2021. Arquivos Brasileiros De Cardiologia, 2021, 117, 599-613.	0.8	0
244	Refletir a prática clÃnica: a inovação na intervenção. Revista Brasileira De Cardiologia Invasiva, 2010, 18, 247-248.	0.1	0