

# Alvaro Aa Avezum

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3867343/publications.pdf>

Version: 2024-02-01

244  
papers

72,248  
citations

2696

98  
h-index

904

248  
g-index

264  
all docs

264  
docs citations

264  
times ranked

65986  
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-dose rivaroxaban plus aspirin in patients with polypharmacy and multimorbidity: an analysis from the COMPASS trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 462-473.	1.4	8
2	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. <i>European Heart Journal</i> , 2022, 43, 202-209.	1.0	14
3	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. <i>PLOS Global Public Health</i> , 2022, 2, e0000141.	0.5	2
4	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179â€™000 participants from 63 countries. <i>The Lancet Global Health</i> , 2022, 10, e216-e226.	2.9	16
5	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. <i>EClinicalMedicine</i> , 2022, 44, 101284.	3.2	21
6	Medications for blood pressure, blood glucose, lipids, and anti-thrombotic medications: relationship with cardiovascular disease and death in adults from 21 high-, middle-, and low-income countries with an elevated body mass index. <i>European Journal of Preventive Cardiology</i> , 2022, 29, 1817-1826.	0.8	2
7	The Anti-Coronavirus Therapies (ACT) Trials: Design, Baseline Characteristics, and Challenges. <i>CJC Open</i> , 2022, 4, 568-576.	0.7	4
8	Risk factors, cardiovascular disease, and mortality in South America: a PURE substudy. <i>European Heart Journal</i> , 2022, 43, 2841-2851.	1.0	30
9	Long-Term Treatment with the Combination of Rivaroxaban and Aspirin in Patients with Chronic Coronary or Peripheral Artery Disease: Outcomes During the Open Label Extension of the COMPASS trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 786-795.	1.4	6
10	Hydroxychloroquine versus placebo in the treatment of non-hospitalised patients with COVID-19 (COPE â€™ Coalition V): A double-blind, multicentre, randomised, controlled trial. <i>The Lancet Regional Health Americas</i> , 2022, 11, 100243.	1.5	11
11	Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. <i>International Journal of Epidemiology</i> , 2022, 51, 1304-1316.	0.9	3
12	The World Heart Observatory: Harnessing the Power of Data for Cardiovascular Health. <i>Global Heart</i> , 2022, 17, .	0.9	2
13	Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. <i>JAMA Cardiology</i> , 2022, 7, 796.	3.0	30
14	Rivaroxaban and Aspirin in Patients With Symptomatic Lower Extremity Peripheral Artery Disease. <i>JAMA Cardiology</i> , 2021, 6, 21-29.	3.0	33
15	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. <i>European Heart Journal</i> , 2021, 42, 2565-2573.	1.0	17
16	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153â€™152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021, 117, 1523-1531.	1.8	33
17	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Caseâ€™Control Study. <i>American Journal of Hypertension</i> , 2021, 34, 414-425.	1.0	6
18	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2021, 107, 282-289.	1.2	25

#	ARTICLE	IF	CITATIONS
19	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. <i>Neuroepidemiology</i> , 2021, 55, 206-215.	1.1	2
20	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021, 372, m4948.	3.0	53
21	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021, 6, e004124.	2.0	48
22	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1049-1058.	2.2	46
23	Diretrizes Brasileiras de HipertensÃ£o Arterial â€“ 2020. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 116, 516-658.	0.3	340
24	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021, 384, 1312-1322.	13.9	124
25	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021, 80, 265-272.	0.8	11
26	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021, 181, 631.	2.6	68
27	Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. <i>European Heart Journal</i> , 2021, 42, 2995-3007.	1.0	18
28	Left Atrial Appendage Occlusion during Cardiac Surgery to Prevent Stroke. <i>New England Journal of Medicine</i> , 2021, 384, 2081-2091.	13.9	321
29	Therapeutic versus prophylactic anticoagulation for patients admitted to hospital with COVID-19 and elevated D-dimer concentration (ACTION): an open-label, multicentre, randomised, controlled trial. <i>Lancet, The</i> , 2021, 397, 2253-2263.	6.3	366
30	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021, 4, e2113775.	2.8	24
31	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , 2021, 374, n1554.	3.0	136
32	Mortality Benefit of Rivaroxaban Plus Aspirin in Patients With Chronic Coronary or Peripheral Artery Disease. <i>Journal of the American College of Cardiology</i> , 2021, 78, 14-23.	1.2	31
33	Randomized clinical trial to evaluate a routine full anticoagulation Strategy in Patients with Coronavirus Infection (SARS-CoV2) admitted to hospital: Rationale and design of the ACTION (AntiCoagulation cOroNavirus)â€“Coalition IV trial. <i>American Heart Journal</i> , 2021, 238, 1-11.	1.2	19
34	Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. <i>Stroke</i> , 2021, 52, 2494-2501.	1.0	10
35	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery. <i>JAMA Cardiology</i> , 2021, 6, 1042.	3.0	35
36	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. <i>Lancet, The</i> , 2021, 398, 1133-1146.	6.3	87

#	ARTICLE	IF	CITATIONS
37	Posicionamento sobre HipertensÃ£o Arterial e Espiritualidade â€“ 2021. Arquivos Brasileiros De Cardiologia, 2021, 117, 599-613.	0.3	0
38	The Need for Brazil to Focus on CVD. Global Heart, 2020, 11, 439.	0.9	0
39	Risk factors and clinical outcomes in chronic coronary and peripheral artery disease: An analysis of the randomized, double-blind COMPASS trial. European Journal of Preventive Cardiology, 2020, 27, 296-307.	0.8	28
40	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2020, 395, 785-794.	6.3	428
41	Modifiable risk factors, cardiovascular disease, and mortality in 155â€™722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 395, 795-808.	6.3	935
42	â€“Real-worldâ€™ observational studies in arrhythmia research: data sources, methodology, and interpretation. A position document from European Heart Rhythm Association (EHRA), endorsed by Heart Rhythm Society (HRS), Asia-Pacific HRS (APHRS), and Latin America HRS (LAHRS). Europace, 2020, 22, 831-832.	0.7	18
43	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. Lancet Diabetes and Endocrinology, the, 2020, 8, 106-114.	5.5	77
44	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. Diabetes Care, 2020, 43, 3094-3101.	4.3	32
45	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. BMJ Global Health, 2020, 5, e002640.	2.0	41
46	Hydroxychloroquine with or without Azithromycin in Mild-to-Moderate Covid-19. New England Journal of Medicine, 2020, 383, 2041-2052.	13.9	903
47	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157â€™436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet Planetary Health, The, 2020, 4, e235-e245.	5.1	106
48	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. Diabetes Care, 2020, 43, 2643-2650.	4.3	55
49	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline. Stroke, 2020, 51, 2901-2909.	1.0	15
50	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147â€™812 individuals from 21 countries. BMJ Open Diabetes Research and Care, 2020, 8, e000826.	1.2	57
51	The INVICTUS rheumatic heart disease research program: Rationale, design and baseline characteristics of a randomized trial of rivaroxaban compared to vitamin K antagonists in rheumatic valvular disease and atrial fibrillation. American Heart Journal, 2020, 225, 69-77.	1.2	43
52	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. JAMA Psychiatry, 2020, 77, 1052.	6.0	116
53	Characteristics and outcomes of atrial fibrillation in patients without traditional risk factors: an RE-LY AF registry analysis. Europace, 2020, 22, 870-877.	0.7	13
54	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease. Circulation, 2020, 141, 1841-1854.	1.6	96

#	ARTICLE	IF	CITATIONS
55	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , 2020, 262, 114197.	3.7	47
56	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 795-803.	2.2	71
57	Perspectives in Chagas Disease Treatment. <i>Global Heart</i> , 2020, 10, 189.	0.9	4
58	Os Percentis e Pontos de Corte da Circunferência Abdominal para Obesidade em uma Ampla Amostra de Estudantes de 6 a 10 Anos de Idade do Estado de São Paulo, Brasil. <i>Arquivos Brasileiros De Cardiologia</i> , 2020, 114, 530-537.	0.3	6
59	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. <i>International Journal of Stroke</i> , 2019, 14, 270-281.	2.9	11
60	Fourth universal definition of myocardial infarction (2018). <i>European Heart Journal</i> , 2019, 40, 237-269.	1.0	2,687
61	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. <i>Gastroenterology</i> , 2019, 157, 682-691.e2.	0.6	299
62	Pantoprazole to Prevent Gastrointestinal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Gastroenterology</i> , 2019, 157, 403-412.e5.	0.6	108
63	Complete Revascularization with Multivessel PCI for Myocardial Infarction. <i>New England Journal of Medicine</i> , 2019, 381, 1411-1421.	13.9	542
64	Bleeding and New Cancer Diagnosis in Patients With Atherosclerosis. <i>Circulation</i> , 2019, 140, 1451-1459.	1.6	36
65	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 121-130.	6.3	1,625
66	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 131-138.	6.3	394
67	Rivaroxaban With or Without Aspirin in Patients With Heart Failure and Chronic Coronary or Peripheral Artery Disease. <i>Circulation</i> , 2019, 140, 529-537.	1.6	81
68	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Health Perspectives</i> , 2019, 127, 57003.	2.8	117
69	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV1 (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019, 7, e613-e623.	2.9	122
70	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019, 7, e748-e760.	2.9	340
71	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, 1772.	2.4	85
72	Effects of blood pressure and lipid lowering on cognition. <i>Neurology</i> , 2019, 92, e1435-e1446.	1.5	54

#	ARTICLE	IF	CITATIONS
73	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , 2019, 37, 1813-1821.	0.3	56
74	Effects of Trypanocidal Treatment on Echocardiographic Parameters in Chagas Cardiomyopathy and Prognostic Value of Wall Motion Score Index: A BENEFIT Trial Echocardiographic Substudy. <i>Journal of the American Society of Echocardiography</i> , 2019, 32, 286-295.e3.	1.2	21
75	Clinical Impact of the Polypill for Cardiovascular Prevention in Latin America: A Consensus Statement of the Inter-American Society of Cardiology. <i>Global Heart</i> , 2019, 14, 3.	0.9	13
76	Updated Cardiovascular Prevention Guideline of the Brazilian Society of Cardiology - 2019. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 113, 787-891.	0.3	102
77	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018, 6, e292-e301.	2.9	73
78	Epicardial adipose tissue and metabolic syndrome. <i>Medicine (United States)</i> , 2018, 97, e0387.	0.4	2
79	Metabolic syndrome and risk of stroke. <i>Medicine (United States)</i> , 2018, 97, e9862.	0.4	9
80	Statins in adult patients with HIV. <i>Medicine (United States)</i> , 2018, 97, e0116.	0.4	4
81	Antithrombotic therapy use and clinical outcomes following thrombo-embolic events in patients with atrial fibrillation: insights from ARISTOTLE. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2018, 4, 75-81.	1.4	9
82	Outcomes in anticoagulated patients with atrial fibrillation and with mitral or aortic valve disease. <i>Heart</i> , 2018, 104, 1292-1299.	1.2	14
83	Independent predictors of effective blood pressure control in patients with hypertension on drug treatment in Brazil. <i>Journal of Clinical Hypertension</i> , 2018, 20, 125-132.	1.0	8
84	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018, 104, 581-587.	1.2	49
85	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018, 392, 2288-2297.	6.3	295
86	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , 2018, 391, 2019-2027.	6.3	96
87	Effects of Lipid-Lowering and Antihypertensive Treatments in Addition to Healthy Lifestyles in Primary Prevention: An Analysis of the HOPE Trial. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	1
88	Efficacy and safety of dabigatran versus warfarin from the RE-LY trial. <i>Open Heart</i> , 2018, 5, e000800.	0.9	9
89	Epicardial adipose tissue and carotid artery disease. <i>Medicine (United States)</i> , 2018, 97, e0273.	0.4	2
90	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology, the</i> , 2018, 6, 798-808.	5.5	116

#	ARTICLE	IF	CITATIONS
91	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018, 392, 496-506.	6.3	243
92	High-density lipoprotein-cholesterol functionality and metabolic syndrome. <i>Medicine (United States)</i> , 2018, 97, e11094.	0.4	3
93	Challenges and Opportunities to Scale Up Cardiovascular Disease Secondary Prevention in Latin America and the Caribbean. <i>Global Heart</i> , 2018, 13, 83.	0.9	6
94	Design and baseline characteristics of participants in the Researching cardiovascular Events with a Weekly Insulin ( <i>REWIND</i> ) trial on the cardiovascular effects of dulaglutide. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 42-49.	2.2	160
95	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017, 7, e013817.	0.8	44
96	Rationale, Design and Baseline Characteristics of Participants in the Cardiovascular Outcomes for People Using Anticoagulation Strategies (COMPASS) Trial. <i>Canadian Journal of Cardiology</i> , 2017, 33, 1027-1035.	0.8	133
97	The effect of physical activity on mortality and cardiovascular disease in 130,000 people from 17 high-income, middle-income, and low-income countries: the PURE study. <i>Lancet, The</i> , 2017, 390, 2643-2654.	6.3	838
98	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2017, 377, 1319-1330.	13.9	1,745
99	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017, 390, 2050-2062.	6.3	841
100	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017, 390, 2037-2049.	6.3	446
101	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology, the</i> , 2017, 5, 774-787.	5.5	198
102	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health, The</i> , 2017, 2, e411-e419.	4.7	134
103	Associations between tooth loss and prognostic biomarkers and the risk for cardiovascular events in patients with stable coronary heart disease. <i>International Journal of Cardiology</i> , 2017, 245, 271-276.	0.8	22
104	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017, 2, e000443.	2.0	15
105	Conversion after off-pump coronary artery bypass grafting: the CORONARY trial experience. <i>European Journal of Cardio-thoracic Surgery</i> , 2017, 51, ezw361.	0.6	6
106	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017, 12, 305.	0.9	35
107	Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2009-2020.	13.9	526
108	Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2021-2031.	13.9	641

#	ARTICLE	IF	CITATIONS
109	Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2032-2043.	13.9	299
110	Temporal trends in all-cause mortality according to smoking status: Insights from the Global Registry of Acute Coronary Events. <i>International Journal of Cardiology</i> , 2016, 218, 291-297.	0.8	8
111	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016, 388, 465-475.	6.3	381
112	Effect of apixaban on brain infarction and microbleeds: AVERROES-MRI assessment study. <i>American Heart Journal</i> , 2016, 178, 145-150.	1.2	52
113	Occurrence of death and stroke in patients in 47 countries 1 year after presenting with atrial fibrillation: a cohort study. <i>Lancet, The</i> , 2016, 388, 1161-1169.	6.3	216
114	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 535-546.	2.9	191
115	International Collaborative Partnership for the Study of Atrial Fibrillation (INTERAF): Rationale, Design, and Initial Descriptives. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	18
116	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016, 4, e695-e703.	2.9	287
117	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016, 388, 761-775.	6.3	1,414
118	Five-Year Outcomes after Off-Pump or On-Pump Coronary-Artery Bypass Grafting. <i>New England Journal of Medicine</i> , 2016, 375, 2359-2368.	13.9	326
119	Lipoprotein-associated Phospholipase A <sub>2</sub> Activity Is a Marker of Risk But Not a Useful Target for Treatment in Patients With Stable Coronary Heart Disease. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	44
120	Benznidazole for Chronic Chagas's Cardiomyopathy. <i>New England Journal of Medicine</i> , 2016, 374, 188-190.	13.9	15
121	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. <i>American Journal of Hypertension</i> , 2016, 29, 796-805.	1.0	26
122	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016, 39, 780-787.	4.3	138
123	Efficacy and safety of apixaban compared with aspirin in the elderly: a subgroup analysis from the AVERROES trial. <i>Age and Ageing</i> , 2016, 45, 77-83.	0.7	91
124	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35-70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. <i>Injury Prevention</i> , 2016, 22, 92-98.	1.2	28
125	Outcomes after thrombus aspiration for ST elevation myocardial infarction: 1-year follow-up of the prospective randomised TOTAL trial. <i>Lancet, The</i> , 2016, 387, 127-135.	6.3	187
126	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , 2016, 387, 61-69.	6.3	272



#	ARTICLE	IF	CITATIONS
127	Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants' Baseline Characteristics. <i>Canadian Journal of Cardiology</i> , 2016, 32, 311-318.	0.8	24
128	Cardiovascular Disease Burden: Evolving Knowledge of Risk Factors in Myocardial Infarction and Stroke through Population-Based Research and Perspectives in Global Prevention. <i>Frontiers in Cardiovascular Medicine</i> , 2015, 2, 32.	1.1	66
129	Clinical outcomes in patients with atrial fibrillation according to sex during anticoagulation with apixaban or warfarin: a secondary analysis of a randomized controlled trial. <i>European Heart Journal</i> , 2015, 36, ehv447.	1.0	35
130	Risk of ischaemic stroke according to pattern of atrial fibrillation: analysis of 6563 aspirin-treated patients in ACTIVE-A and AVERROES. <i>European Heart Journal</i> , 2015, 36, 281-288.	1.0	253
131	Apixaban in Comparison With Warfarin in Patients With Atrial Fibrillation and Valvular Heart Disease. <i>Circulation</i> , 2015, 132, 624-632.	1.6	203
132	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>Lancet, The</i> , 2015, 386, 266-273.	6.3	1,295
133	Randomized Trial of Primary PCI with or without Routine Manual Thrombectomy. <i>New England Journal of Medicine</i> , 2015, 372, 1389-1398.	13.9	536
134	Late Consequences of Acute Coronary Syndromes: Global Registry of Acute Coronary Events (GRACE) Follow-up. <i>American Journal of Medicine</i> , 2015, 128, 766-775.	0.6	81
135	Methylprednisolone in patients undergoing cardiopulmonary bypass (SIRS): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2015, 386, 1243-1253.	6.3	268
136	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , 2015, 386, 1945-1954.	6.3	163
137	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015, 39, 1217-1223.	1.6	29
138	Updated European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist anticoagulants in patients with non-valvular atrial fibrillation. <i>Europace</i> , 2015, 17, 1467-1507.	0.7	951
139	Randomized Trial of Benznidazole for Chronic Chagasâ€™ Cardiomyopathy. <i>New England Journal of Medicine</i> , 2015, 373, 1295-1306.	13.9	807
140	Reducing Premature Cardiovascular Morbidity and Mortality in People With Atherosclerotic Vascular Disease: The World Heart Federation Roadmap for Secondary Prevention of Cardiovascular Disease. <i>Global Heart</i> , 2015, 10, 99.	0.9	82
141	Stroke in Latin America: Burden of Disease and Opportunities for Prevention. <i>Global Heart</i> , 2015, 10, 323.	0.9	55
142	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. <i>Bulletin of the World Health Organization</i> , 2015, 93, 851-861G.	1.5	29
143	The association between ownership of common household devices and obesity and diabetes in high, middle and low income countries. <i>Cmaj</i> , 2014, 186, 258-266.	0.9	62
144	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. <i>Journal of Hypertension</i> , 2014, 32, 1005-1015.	0.3	174

#	ARTICLE	IF	CITATIONS
145	Design and rationale of the TOTAL trial: A randomized trial of routine aspiration Thrombectomy with percutaneous coronary intervention (PCI) versus PCI Alone in patients with ST-elevation myocardial infarction undergoing primary PCI. <i>American Heart Journal</i> , 2014, 167, 315-321.e1.	1.2	66
146	Darapladib for Preventing Ischemic Events in Stable Coronary Heart Disease. <i>New England Journal of Medicine</i> , 2014, 370, 1702-1711.	13.9	467
147	Variations in Cause and Management of Atrial Fibrillation in a Prospective Registry of 15 400 Emergency Department Patients in 46 Countries. <i>Circulation</i> , 2014, 129, 1568-1576.	1.6	324
148	Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. <i>New England Journal of Medicine</i> , 2014, 371, 612-623.	13.9	725
149	Association of Urinary Sodium and Potassium Excretion with Blood Pressure. <i>New England Journal of Medicine</i> , 2014, 371, 601-611.	13.9	687
150	Cardiovascular Risk and Events in 17 Low-, Middle-, and High-Income Countries. <i>New England Journal of Medicine</i> , 2014, 371, 818-827.	13.9	679
151	Amiodarone, Anticoagulation, and Clinical Events in Patients With Atrial Fibrillation. <i>Journal of the American College of Cardiology</i> , 2014, 64, 1541-1550.	1.2	84
152	A Novel Method to Evaluate the Community Built Environment Using Photographs – Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. <i>PLoS ONE</i> , 2014, 9, e110042.	1.1	18
153	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 959.	3.8	1,422
154	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013, 166, 636-646.e4.	1.2	113
155	The Long-Term Multicenter Observational Study of Dabigatran Treatment in Patients With Atrial Fibrillation (RELY-ABLE) Study. <i>Circulation</i> , 2013, 128, 237-243.	1.6	195
156	Management of diabetes mellitus and associated cardiovascular risk factors in Brazil – the Brazilian study on the practice of diabetes care. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 46.	1.2	4
157	Response to Letters Regarding Article, “Periprocedural Bleeding and Thromboembolic Events With Dabigatran Compared With Warfarin: Results From the Randomized Evaluation of Long-Term Anticoagulation Therapy (RE-LY) Randomized Trial.” <i>Circulation</i> , 2013, 127, e506.	1.6	2
158	Risk factors for pre, intra, and postoperative hospital mortality in patients undergoing aortic surgery. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013, 28, 10-21.	0.2	7
159	Cardiovascular prevention in coronary heart disease patients: guidelines implementation in clinical practice. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013, 28, 238-247.	0.2	5
160	Acute Coronary Syndrome Behavior: Results of a Brazilian Registry. <i>Arquivos Brasileiros De Cardiologia</i> , 2013, 100, 502-10.	0.3	28
161	Relationship Between Healthy Diet and Risk of Cardiovascular Disease Among Patients on Drug Therapies for Secondary Prevention. <i>Circulation</i> , 2012, 126, 2705-2712.	1.6	151
162	Influenza Vaccination and Major Adverse Vascular Events in High-Risk Patients. <i>Circulation</i> , 2012, 126, 278-286.	1.6	52

#	ARTICLE	IF	CITATIONS
163	Glucose levels are associated with cardiovascular disease and death in an international cohort of normal glycaemic and dysglycaemic men and women: the EpiDREAM cohort study. <i>European Journal of Preventive Cardiology</i> , 2012, 19, 755-764.	0.8	74
164	Environmental Profile of a Community's Health (EPOCH): An Ecometric Assessment of Measures of the Community Environment Based on Individual Perception. <i>PLoS ONE</i> , 2012, 7, e44410.	1.1	23
165	Periprocedural Bleeding and Thromboembolic Events With Dabigatran Compared With Warfarin. <i>Circulation</i> , 2012, 126, 343-348.	1.6	494
166	Apixaban in Patients with Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2011, 364, 806-817.	13.9	2,207
167	Dronedarone in High-Risk Permanent Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2011, 365, 2268-2276.	13.9	547
168	Characteristics and Short-Term Prognosis of Perioperative Myocardial Infarction in Patients Undergoing Noncardiac Surgery. <i>Annals of Internal Medicine</i> , 2011, 154, 523.	2.0	557
169	Design and rationale of the Radial Vs. femoral access for coronary intervention (RIVAL) trial: A randomized comparison of radial versus femoral access for coronary angiography or intervention in patients with acute coronary syndromes. <i>American Heart Journal</i> , 2011, 161, 254-260.e4.	1.2	46
170	Apixaban versus Warfarin in Patients with Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2011, 365, 981-992.	13.9	7,537
171	Radial versus femoral access for coronary angiography and intervention in patients with acute coronary syndromes (RIVAL): a randomised, parallel group, multicentre trial. <i>Lancet, The</i> , 2011, 377, 1409-1420.	6.3	1,759
172	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , 2011, 378, 1231-1243.	6.3	803
173	Comparação entre troponina I cardíaca e CK-MB massa em síndrome coronariana aguda sem supra de ST. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 179-187.	0.3	11
174	Pulmonary Function In Healthy Non-Smoking Adults From 17 Countries In Different Regions Of The World., 2011, , .		0
175	Risk Stratification in the Setting of Non-ST Elevation Acute Coronary Syndromes 1999-2007. <i>American Journal of Cardiology</i> , 2011, 108, 617-624.	0.7	53
176	Long-term effect of rosiglitazone and/or ramipril on the incidence of diabetes. <i>Diabetologia</i> , 2011, 54, 487-495.	2.9	48
177	Estimating modifiable coronary heart disease risk in multiple regions of the world: the INTERHEART Modifiable Risk Score. <i>European Heart Journal</i> , 2011, 32, 581-589.	1.0	199
178	The cost implications of the use of telmisartan or ramipril in patients at high risk for vascular events: the ONTARGET study. <i>Journal of Medical Economics</i> , 2011, 14, 792-797.	1.0	6
179	Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. <i>PLoS ONE</i> , 2010, 5, e14294.	1.1	70
180	Six-month survival benefits associated with clinical guideline recommendations in acute coronary syndromes. <i>Heart</i> , 2010, 96, 1201-1206.	1.2	42

#	ARTICLE	IF	CITATIONS
181	Low-Dose vs Standard-Dose Unfractionated Heparin for Percutaneous Coronary Intervention in Acute Coronary Syndromes Treated With Fondaparinux: The FUTURA/OASIS-8 Randomized Trial. JAMA - Journal of the American Medical Association, 2010, 304, 1339-1349.	3.8	161
182	Rationale and Design of INTERSTROKE: A Global Case-Control Study of Risk Factors for Stroke. Neuroepidemiology, 2010, 35, 36-44.	1.1	76
183	Has the frequency of bleeding changed over time for patients presenting with an acute coronary syndrome? The Global Registry of Acute Coronary Events. European Heart Journal, 2010, 31, 667-675.	1.0	63
184	Initial Clinical Results Using Intracardiac Electrogram Monitoring to Detect and Alert Patients During Coronary Plaque Rupture and Ischemia. Journal of the American College of Cardiology, 2010, 56, 1089-1098.	1.2	39
185	Can an elderly woman's heart be too strong?. American Heart Journal, 2010, 160, 849-854.	1.2	21
186	Double-dose versus standard-dose clopidogrel and high-dose versus low-dose aspirin in individuals undergoing percutaneous coronary intervention for acute coronary syndromes (CURRENT-OASIS 7): a randomised factorial trial. Lancet, The, 2010, 376, 1233-1243.	6.3	725
187	Refletir a prtica clnica: a inovao na interveno. Revista Brasileira De Cardiologia Invasiva, 2010, 18, 247-248.	0.1	0
188	The BENEFIT trial: testing the hypothesis that trypanocidal therapy is beneficial for patients with chronic Chagas heart disease. Memorias Do Instituto Oswaldo Cruz, 2009, 104, 319-324.	0.8	154
189	Association of Elevated Fasting Glucose With Increased Short-term and 6-Month Mortality in ST-Segment Elevation and Non-ST-Segment Elevation Acute Coronary Syndromes. Archives of Internal Medicine, 2009, 169, 402.	4.3	86
190	Predicting freedom from clinical events in non-ST-elevation acute coronary syndromes: the Global Registry of Acute Coronary Events. Heart, 2009, 95, 888-894.	1.2	68
191	Incidence and risk factors of aplastic anemia in Latin American countries: the LATIN case-control study. Haematologica, 2009, 94, 1220-1226.	1.7	55
192	The authors' reply:. Heart, 2009, 95, 1355-1356.	1.2	0
193	Education and risk for acute myocardial infarction in 52 high, middle and low-income countries: INTERHEART case-control study. Heart, 2009, 95, 2014-2022.	1.2	109
194	Early versus Delayed Invasive Intervention in Acute Coronary Syndromes. New England Journal of Medicine, 2009, 360, 2165-2175.	13.9	748
195	Cardiovascular disease in South America: current status and opportunities for prevention. Heart, 2009, 95, 1475-1482.	1.2	26
196	Glucose levels compared with diabetes history in the risk assessment of patients with acute myocardial infarction. American Heart Journal, 2009, 157, 763-770.	1.2	28
197	Pulmonary artery catheterization in patients with acute coronary syndromes. American Heart Journal, 2009, 158, 170-176.	1.2	8
198	Unprotected left main revascularization in patients with acute coronary syndromes. European Heart Journal, 2009, 30, 2308-2317.	1.0	108

#	ARTICLE	IF	CITATIONS
199	Effect of Telmisartan on Renal Outcomes. <i>Annals of Internal Medicine</i> , 2009, 151, 1.	2.0	163
200	Incidence and risk factors for agranulocytosis in Latin American countries—the Latin Study. <i>European Journal of Clinical Pharmacology</i> , 2008, 64, 921-929.	0.8	51
201	Magnitude and Prognosis Associated With Ventricular Arrhythmias in Patients Hospitalized With Acute Coronary Syndromes (from the GRACE Registry). <i>American Journal of Cardiology</i> , 2008, 102, 1577-1582.	0.7	31
202	Specific barriers to the conduct of randomized trials. <i>Clinical Trials</i> , 2008, 5, 40-48.	0.7	144
203	Mortality following placement of drug-eluting and bare-metal stents for ST-segment elevation acute myocardial infarction in the Global Registry of Acute Coronary Events. <i>European Heart Journal</i> , 2008, 30, 321-329.	1.0	108
204	Rationale and design of a randomized placebo-controlled trial assessing the effects of etiologic treatment in Chagas' cardiomyopathy: The BENznidazole Evaluation For Interrupting Trypanosomiasis (BENEFIT). <i>American Heart Journal</i> , 2008, 156, 37-43.	1.2	183
205	Effects of extended-release metoprolol succinate in patients undergoing non-cardiac surgery (POISE). <i>TJ ETQq1 1 0.784314 rgBT /Over</i>	6.3	1,984
206	Effects of aspirin dose on ischaemic events and bleeding after percutaneous coronary intervention: insights from the PCI-CURE study. <i>European Heart Journal</i> , 2008, 30, 900-907.	1.0	115
207	Impact of In-Hospital Revascularization on Survival in Patients With Non-ST-Elevation Acute Coronary Syndrome and Congestive Heart Failure. <i>Circulation</i> , 2008, 118, 1163-1171.	1.6	48
208	Antithrombotic Therapy With Fondaparinux in Relation to Interventional Management Strategy in Patients With ST- and Non-ST-Segment Elevation Acute Coronary Syndromes. <i>Circulation</i> , 2008, 118, 2038-2046.	1.6	98
209	Antitrombóticos nas síndromes coronarianas agudas: diretrizes atuais e novas evidências. <i>Revista Brasileira De Terapia Intensiva</i> , 2008, 20, .	0.1	1
210	Management and 6-month outcomes in elderly and very elderly patients with high-risk non-ST-elevation acute coronary syndromes: The Global Registry of Acute Coronary Events. <i>European Heart Journal</i> , 2007, 29, 1275-1282.	1.0	167
211	Glucose-Insulin-Potassium Therapy in Patients With ST-Segment Elevation Myocardial Infarction. <i>JAMA - Journal of the American Medical Association</i> , 2007, 298, 2399.	3.8	149
212	Risk Factors for Acute Myocardial Infarction in Latin America. <i>Circulation</i> , 2007, 115, 1067-1074.	1.6	273
213	Use of proven therapies in non-ST-elevation acute coronary syndromes according to evidence-based risk stratification. <i>American Heart Journal</i> , 2007, 153, 493-499.	1.2	15
214	Interactions between heparins, glycoprotein IIb/IIIa antagonists, and coronary intervention. The Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2007, 153, 960-969.	1.2	23
215	Impact of Prior Peripheral Arterial Disease and Stroke on Outcomes of Acute Coronary Syndromes and Effect of Evidence-Based Therapies (from the Global Registry of Acute Coronary Events). <i>American Journal of Cardiology</i> , 2007, 100, 1-6.	0.7	122
216	Comparison of Utilization of Statin Therapy at Hospital Discharge and Six-Month Outcomes in Patients With an Acute Coronary Syndrome and Serum Low-Density Lipoprotein $\geq 100$ mg/dl Versus $< 100$ mg/dl. <i>American Journal of Cardiology</i> , 2007, 100, 913-918.	0.7	23

#	ARTICLE	IF	CITATIONS
217	Effect of Ramipril on the Incidence of Diabetes. <i>New England Journal of Medicine</i> , 2006, 355, 1551-1562.	13.9	684
218	Association of peripheral artery disease with treatment and outcomes in acute coronary syndromes. The Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2006, 151, 1123-1128.	1.2	78
219	Cardiovascular diseases in Latin America and the Caribbean: The present situation. Prevention and Control: the Official Journal of the World Heart Federation, 2006, 2, 149-157.	0.3	8
220	Estatinas na sepse: nova arma terapêutica no arsenal da medicina intensiva?. <i>Revista Brasileira De Terapia Intensiva</i> , 2006, 18, 402-406.	0.1	0
221	Prediction of risk of death and myocardial infarction in the six months after presentation with acute coronary syndrome: prospective multinational observational study (GRACE). <i>BMJ: British Medical Journal</i> , 2006, 333, 1091.	2.4	1,236
222	Platelets and atherothrombosis: An essential role for inflammation in vascular disease – A review. <i>International Journal of Angiology</i> , 2005, 14, 211-217.	0.2	5
223	How strong is the evidence for the use of perioperative $\beta_2$ blockers in non-cardiac surgery? Systematic review and meta-analysis of randomised controlled trials. <i>BMJ: British Medical Journal</i> , 2005, 331, 313-321.	2.4	366
224	Access to catheterisation facilities in patients admitted with acute coronary syndrome: multinational registry study. <i>BMJ: British Medical Journal</i> , 2005, 330, 441.	2.4	104
225	Impact of age on management and outcome of acute coronary syndrome: Observations from the global registry of acute coronary events (GRACE). <i>American Heart Journal</i> , 2005, 149, 67-73.	1.2	514
226	Enoxaparin vs Unfractionated Heparin in High-Risk Patients With Non-ST-Segment Elevation Acute Coronary Syndromes Managed With an Intended Early Invasive Strategy. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 45-54.	3.8	702
227	A Validated Prediction Model for All Forms of Acute Coronary Syndrome. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2727.	3.8	1,344
228	Brazilian Sepsis Epidemiological Study (BASES study). <i>Critical Care</i> , 2004, 8, R251.	2.5	289
229	Effectiveness of primary percutaneous coronary intervention compared with that of thrombolytic therapy in elderly patients with acute myocardial infarction <sup>11</sup> Guest Editor for this manuscript was Peter B. Berger, MD, Mayo Clinic, Rochester, Minn.. <i>American Heart Journal</i> , 2004, 147, 253-259.	1.2	74
230	Adherence to evidence-based therapies after discharge for acute coronary syndromes: an ongoing prospective, observational study. <i>American Journal of Medicine</i> , 2004, 117, 73-81.	0.6	198
231	Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study): case-control study. <i>Lancet, The</i> , 2004, 364, 937-952.	6.3	9,716
232	Stenting and glycoprotein IIb/IIIa inhibition in patients with acute myocardial infarction undergoing percutaneous coronary intervention: Findings from the global registry of acute coronary events (GRACE). <i>Catheterization and Cardiovascular Interventions</i> , 2003, 60, 360-367.	0.7	10
233	Risk factors for myocardial infarction in Brazil. <i>American Heart Journal</i> , 2003, 146, 331-338.	1.2	107
234	Global patterns of use of antithrombotic and antiplatelet therapies in patients with acute coronary syndromes: insights from the Global Registry of Acute Coronary Events (GRACE). <i>American Heart Journal</i> , 2003, 146, 999-1006.	1.2	104

#	ARTICLE	IF	CITATIONS
235	Prevention of Heart Failure in Patients in the Heart Outcomes Prevention Evaluation (HOPE) Study. <i>Circulation</i> , 2003, 107, 1284-1290.	1.6	207
236	Predictors of Hospital Mortality in the Global Registry of Acute Coronary Events. <i>Archives of Internal Medicine</i> , 2003, 163, 2345.	4.3	1,856
237	Practice variation and missed opportunities for reperfusion in ST-segment-elevation myocardial infarction: findings from the Global Registry of Acute Coronary Events (GRACE). <i>Lancet, The</i> , 2002, 359, 373-377.	6.3	496
238	Extent of, and factors associated with, delay to hospital presentation in patients with acute coronary disease (the GRACE registry). <i>American Journal of Cardiology</i> , 2002, 89, 791-796.	0.7	271
239	<![CDATA[<B>I Diretrizes do Grupo de Estudos em Cardiogeriatría</B> <B>da Sociedade Brasileira de Cardiologia</B>]]>. <i>Arquivos Brasileiros De Cardiologia</i> , 2002, 79, .	0.3	7
240	The Organization to Assess Strategies for Ischemic Syndromes (OASIS) registry in patients with unstable angina. <i>American Journal of Cardiology</i> , 1999, 84, 7-12.	0.7	51
241	Variations between countries in invasive cardiac procedures and outcomes in patients with suspected unstable angina or myocardial infarction without initial ST elevation. <i>Lancet, The</i> , 1998, 352, 507-514.	6.3	340
242	O impacto da espiritualidade na saúde física. <i>Revista De Psiquiatria Clínica</i> , 0, 34, 88-94.	0.6	60
243	IV Diretrizes Brasileiras de Hipertensão Arterial Grupos de trabalho. <i>Arquivos Brasileiros De Cardiologia</i> , 0, 82, .	0.3	2
244	III Diretriz sobre tratamento do infarto agudo do miocárdio. <i>Arquivos Brasileiros De Cardiologia</i> , 0, 83, 1-86.	0.3	24