List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3871048/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Calculation of spectra and plasmon wave distribution in one-dimensional periodic structure. Journal of Physics: Conference Series, 2022, 2243, 012088.  | 0.4 | 0         |
| 2  | Development of Optical Material Based on Glass Doped Rare Earth for Photonic Devices. Materials<br>Today: Proceedings, 2021, 43, 2531-2537.   | 1.8 | 4         |
| 3  | Luminescence and Judd-Ofelt analysis of Nd3+ ion doped oxyfluoride boro-tellurite glass for near-infrared laser application. Materials Today: Proceedings, 2021, 43, 2655-2662.   | 1.8 | 7         |
| 4  | IR emission of Er3+ ion-doped fluoroborotellurite glass for communication application. Journal of Non-Crystalline Solids, 2021, 566, 120849.  | 3.1 | 19        |
| 5  | The influences of interfacial recombination loss on the perovskite solar cell performance studied by<br>transient photovoltage spectroscopy. Materials Science in Semiconductor Processing, 2021, 135,<br>106095.                       | 4.0 | 5         |
| 6  | Spectroscopic study of Nd3+ ion-doped Zn-Al-Ba borate glasses for NIR emitting device applications.<br>Optical Materials, 2020, 107, 110018.  | 3.6 | 43        |
| 7  | Revealing the charge carrier kinetics in perovskite solar cells affected by mesoscopic structures and defect states from simple transient photovoltage measurements. Scientific Reports, 2020, 10, 19197.                               | 3.3 | 29        |
| 8  | Rolled Supercapacitor Device Model Using Carbon-Sheet as Electrodes in KCl Electrolyte System. Key<br>Engineering Materials, 2020, 860, 53-58.  | 0.4 | 2         |
| 9  | Electrocatalytic Activation of a DSSC Graphite Composite Counter Electrode Using In Situ<br>Polymerization of Aniline in a Water/Ethanol Dispersion of Reduced Graphene Oxide. Journal of<br>Electronic Materials, 2020, 49, 3182-3190. | 2.2 | 10        |
| 10 | Fabrications of Tapered Optical Fibers by Laser Induced Photopolymerization Technique. Journal of Physics: Conference Series, 2019, 1127, 012020.   | 0.4 | 0         |
| 11 | The Influence of Humid Atmosphere during the MAPbI3 Perovskite Layer Preparation on the Characteristics of Its Solar Cells. Journal of Physics: Conference Series, 2019, 1245, 012065.  | 0.4 | 1         |
| 12 | Photocurrent enhancement by incorporation of air-stable Cs <sub>2</sub> SnI <sub>6</sub> Perovskite<br>in dye-sensitized solar cell. Journal of Physics: Conference Series, 2019, 1245, 012066.   | 0.4 | 4         |
| 13 | A Preliminary result on the rGO functionalization as counter-electrode in dye-sensitized solar cells<br>(DSSC). Journal of Physics: Conference Series, 2019, 1245, 012067.  | 0.4 | 1         |
| 14 | Preparation of Fe <sub>2</sub> O <sub>3</sub> /TiO <sub>2</sub> /graphene oxide composite as visible<br>light-driven photocatalytic in degradation of rhodamine B dyes. Materials Research Express, 2019, 6,<br>126207.                 | 1.6 | 8         |
| 15 | The characteristics of band structures and crystal binding in all-inorganic perovskite APbBr3 studied<br>by the first principle calculations using the Density Functional Theory (DFT) method. Results in<br>Physics. 2019. 15. 102592. | 4.1 | 51        |
| 16 | Nonlinear Finite Element Method Analysis of After Fire Reinforced Concrete Beam Strengthened with<br>Carbon Fiber Strip. Journal of Physics: Conference Series, 2019, 1175, 012019.   | 0.4 | 0         |
| 17 | Development of Eu3+ doped boro-tellurite oxyfluoride glass and their Judd-Ofelt analysis for red laser gain medium application. Materials Today: Proceedings, 2019, 17, 1815-1822.  | 1.8 | 5         |
| 18 | Ab-initio calculation of APbI3 (A=Li, Na, K, Rb and Cs) perovskite crystal and their lattice constants optimization using density functional theory. Journal of Physics: Conference Series, 2019, 1170, 012023.                         | 0.4 | 3         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Electronic Structure Calculations of Alkali Lead Iodide APbI <sub>3</sub> (A=Li, Na, K, Rb or Cs) using<br>Density Functional Theory (DFT) Method. Journal of Physics: Conference Series, 2019, 1204, 012107.                                    | 0.4 | 5         |
| 20 | Understanding the role of organic cations on the electronic structure of lead iodide perovskite<br>from their UV photoemission spectra and their electronic structures calculated by DFT method.<br>Materials Research Express, 2019, 6, 084009. | 1.6 | 13        |
| 21 | The effect of acetonitrile as an additive on the ionic conductivity of imidazolium-based ionic liquid electrolyte and charge-discharge capacity of its Li-ion battery. Ionics, 2019, 25, 3661-3671.  | 2.4 | 12        |
| 22 | Optical and X-ray induced luminescence of Sm3+ -doped borotellurite and fluoroborotellurite glasses: A comparative study. Journal of Luminescence, 2019, 213, 19-28.   | 3.1 | 40        |
| 23 | Poly(ionic-liquid) from imidazoline-functionalized siloxane prepared by simple sol-gel route for efficient quasi-solid-state DSSC. Materials Research Express, 2019, 6, 075507.  | 1.6 | 8         |
| 24 | rGO based photo-anode in dye-sensitized solar cells (DSSC) and its photovoltaic characteristics. IOP<br>Conference Series: Materials Science and Engineering, 2019, 622, 012008.   | 0.6 | 5         |
| 25 | Enhanced efficiency in dye-sensitized solar cell by localized surface plasmon resonance effect of gold nanoparticles. Journal of Nonlinear Optical Physics and Materials, 2019, 28, 1950040.   | 1.8 | 9         |
| 26 | Development of Sm3+ doped ZnO-Al2O3-BaO-B2O3 glasses for optical gain medium. Journal of<br>Non-Crystalline Solids, 2018, 482, 86-92.  | 3.1 | 29        |
| 27 | Revealing the limiting factors that are responsible for the working performance of quasi-solid state<br>DSSCs using an ionic liquid and organosiloxane-based polymer gel electrolyte. Ionics, 2018, 24, 901-914.                                 | 2.4 | 12        |
| 28 | Detection of Dye Molecules Adsorbed in a Mesoporous Layer by Surface Plasmon Resonance<br>Spectroscopy and its Comparison with Simulation Results. Journal of Physics: Conference Series, 2018,<br>1057, 012002.                                 | 0.4 | 0         |
| 29 | Optical and physical properties of MnO 2 doped soda-lime- barium-silicate glasses with industrial scales. Materials Today: Proceedings, 2018, 5, 15040-15043.  | 1.8 | 3         |
| 30 | The physicochemical characteristic of biodegradable methylcellulose film reinforced with chicken eggshells. Materials Today: Proceedings, 2018, 5, 14836-14839.  | 1.8 | 3         |
| 31 | Fabrication and simulation of surface plasmon resonance (SPR)-based tapered fiber sensor for E. coli detection. Materials Today: Proceedings, 2018, 5, 14177-14182.  | 1.8 | 1         |
| 32 | Spectroscopy properties of Er 3+ ion doped ZnO-Al 2 O 3 -BaO-B 2 O 3 glass for photonic application.<br>Materials Today: Proceedings, 2018, 5, 15076-15080.  | 1.8 | 3         |
| 33 | Glass medium doped rare earth for sensor material. Materials Today: Proceedings, 2018, 5, 15126-15130.   | 1.8 | 7         |
| 34 | Reflectance spectra characteristics from an SPR grating fabricated by nano-imprint lithography<br>technique for biochemical nanosensor applications. Journal of Physics: Conference Series, 2018, 1011,<br>012064.                               | 0.4 | 0         |
| 35 | Fabrication of nanostructure grating polymer based coupling element for Surface Plasmon<br>Resonance (SPR) sensors and its spectral reflectance characteristics. Journal of Physics: Conference<br>Series, 2018, 1057, 012009.                   | 0.4 | 1         |
| 36 | Experimental Study of Acid Treatment Toward Characterization of Structural, Optical, and<br>Morphological Properties of TiO2-SnO2 Composite Thin Film. Journal of Physics: Conference Series,<br>2018, 1011, 012006.                             | 0.4 | 0         |

RAHMAT HIDAYAT

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Efficient and Stable Photovoltaic Characteristics of Quasi-Solid State DSSC using Polymer Gel<br>Electrolyte Based on Ionic Liquid in Organosiloxane Polymer Gels. Journal of Physics: Conference<br>Series, 2018, 1011, 012020.  | 0.4 | 4         |
| 38 | Influences of Al dopant atoms to the structure and morphology of Al doped ZnO nanorod thin film.<br>Journal of Physics: Conference Series, 2018, 1080, 012009.  | 0.4 | 1         |
| 39 | Controlled synthesis of lead-free perovskite Cs <sub>2</sub> Snl <sub>6</sub> as hole transport layer<br>in dye sensitized solar cells. Journal of Physics: Conference Series, 2018, 1080, 012003.  | 0.4 | 6         |
| 40 | Yellow and blue emission from BaO-(ZnO/ZnF2) B2O3TeO2 glasses doped with Dy3+ for laser medium and scintillation material applications. Optical Materials, 2018, 85, 382-390.   | 3.6 | 45        |
| 41 | Ab-Initio Computations of Electronic Structures of Methylammonium Lead Bromide/Iodide Perovskites<br>as Wide Bandgap Active Materials in Solar Cells. Journal of Physics: Conference Series, 2018, 1057,<br>012004.   | 0.4 | 1         |
| 42 | Preparations of Organo-Lead Halide Perovskite Layers in Humid Air Atmosphere and their Characteristics. Journal of Physics: Conference Series, 2018, 1057, 012007.  | 0.4 | 0         |
| 43 | Non-ohmic resistance effects of the AZO and TiZO as a blocking layer in dye-sensitized solar cells (DSSCs). Journal of Nonlinear Optical Physics and Materials, 2018, 27, 1850019.  | 1.8 | 3         |
| 44 | Surface plasmon resonance effect of silver nanoparticles on the enhanced efficiency of inverted<br>hybrid organic–inorganic solar cell. Journal of Nonlinear Optical Physics and Materials, 2018, 27,<br>1850017.   | 1.8 | 6         |
| 45 | Reduced Graphene Oxide/Polyaniline Nanocomposite as Efficient Counter Electrode for Dye Sensitized<br>Solar Cells. IOP Conference Series: Materials Science and Engineering, 2018, 384, 012040.   | 0.6 | 9         |
| 46 | Platinum-free, carbon-based materials as efficient counter electrodes for dye-sensitized solar cells.<br>Japanese Journal of Applied Physics, 2018, 57, 068001.   | 1.5 | 5         |
| 47 | Fabrication and Characterization of Surface Plasmon Resonance Sensor with Tapered Optical Fiber<br>Structure. Materials Science Forum, 2017, 886, 86-90.  | 0.3 | 2         |
| 48 | A simulation of surface plasmon resonance-based tapered fiber and sensing. Journal of Physics:<br>Conference Series, 2017, 853, 012005.   | 0.4 | 1         |
| 49 | Zinc Oxide/TiO2Bilayer Heterojunction as a Working Electrode in Quasi Solid Dye Sensitized Solar<br>Cells. IOP Conference Series: Materials Science and Engineering, 2017, 214, 012033.   | 0.6 | 1         |
| 50 | The Temperature Effect on the Working Characteristics of Solar Cells Based on Organometal Halide<br>Perovskite Crystals. Journal of Physics: Conference Series, 2017, 877, 012043.  | 0.4 | 4         |
| 51 | Influences of Precursor Solution Concentration and Temperature on<br>CH <sub>3</sub> NH <sub>3</sub> Pbl <sub>3</sub> Perovskite Layer Morphology and the Unconverted<br>Pbl <sub>2</sub> Proportion to their Perovskite Solar Cell Characteristics. Journal of Physics:<br>Conference Series 2017 877 012046 | 0.4 | 6         |
| 52 | Ab-Initio Calculation of Electronic Structure of Lead Halide Perovskites with Formamidinium Cation as an Active Material for Perovskite Solar Cells. Journal of Physics: Conference Series, 2017, 877, 012054.  | 0.4 | 6         |
| 53 | Evolution of Surface Plasmon Supermodes in Metal-Clad Microwire and Its Potential for Biosensing.<br>Journal of Lightwave Technology, 2017, 35, 4684-4691.  | 4.6 | 3         |
| 54 | Self-Assembly of ZnO-Nanorods and Its Performance in Quasi Solid Dye Sensitized Solar Cells. Journal of Physics: Conference Series, 2017, 877, 012023.  | 0.4 | 1         |

| #  | Article   | IF             | CITATIONS            |
|----|---|----------------|----------------------|
| 55 | Characteristic of Thermally Reduced Graphene Oxide as Supercapacitors Electrode Materials. IOP<br>Conference Series: Materials Science and Engineering, 2017, 196, 012034.  | 0.6            | 17                   |
| 56 | White Emission from Dy <inf>3+</inf> Doped Borate Glass and their Judd-Ofelt Analysis. , 2017, , .  |                | 0                    |
| 57 | Development of Glass for Radiation Shielding Material. , 2017, , .  |                | ο                    |
| 58 | Modeling and Calculation of Optical Amplification in One Dimensional Case of Laser Medium Using<br>Finite Difference Time Domain Method. Journal of Physics: Conference Series, 2016, 739, 012100.                  | 0.4            | 0                    |
| 59 | Investigation on the influences of layer structure and nanoporosity of light scattering TiO2layer in DSSC. Journal of Physics: Conference Series, 2016, 739, 012134.  | 0.4            | 1                    |
| 60 | Structural and optical characteristics of Eu3+ ions in sodium-lead-zinc-lithium-borate glass system.<br>Journal of Molecular Structure, 2016, 1121, 180-187.  | 3.6            | 117                  |
| 61 | The co-pigmentation of anthocyanin isolated from mangosteen pericarp ( <i>Garcinia Mangostana) Tj ETQq1 1 0.<br/>and Engineering, 2016, 107, 012061.</i>  | .784314<br>0.6 | rgBT /Overlock<br>22 |
| 62 | Enhanced 1057 nm luminescence peak and radiative properties of laser pump Nd3+-doped sodium borate glasses. , 2015, , .   |                | 1                    |
| 63 | The Investigation of CuO <sub>x</sub> Anode Interlayer Effect in Working Performance and Charge<br>Carrier Transport in Hybrid Solar Cells with Inverted Structure. Macromolecular Symposia, 2015, 353,<br>121-127. | 0.7            | 1                    |
| 64 | Photovoltaic Characteristics of Inverted Bulk-Heterojunction Organic Solar Cells with Titanium<br>Doped ZnO as their Electron Transport Layer. Advanced Materials Research, 2015, 1112, 251-255.                    | 0.3            | 2                    |
| 65 | Photovoltaic and Impedance Characteristics of Quasi Solid-State Dye-Sensitized Solar Cell Using<br>Polymer Gel Electrolytes. Advanced Materials Research, 2015, 1112, 256-261.                                      | 0.3            | 7                    |
| 66 | Tropical marine Chlorella sp. PP1 as a source of photosynthetic pigments for dye-sensitized solar cells. Algal Research, 2015, 10, 25-32.   | 4.6            | 35                   |
| 67 | Fabrication and Characterization of Zinc Oxide-Based Electrospun Nanofibers for Mechanical Energy<br>Harvesting. Journal of Nanotechnology in Engineering and Medicine, 2014, 5, .                                  | 0.8            | 19                   |
| 68 | The effect of ionic liquid electrolyte concentrations in dye sensitized solar cell using gel electrolyte.<br>AIP Conference Proceedings, 2014, , .  | 0.4            | 3                    |
| 69 | Thermochromic effects in a Jahn–Teller active \${mathrm{CuCl}}_{6}^{4-}\$ layered hybrid system.<br>Journal of Physics Condensed Matter, 2013, 25, 505901.  | 1.8            | 26                   |
| 70 | Preliminary study on the preparation of hybrid polymer gel electrolyte for lithium battery applications and its ac impedance characteristics. , 2013, , .   |                | 0                    |
| 71 | Influences of dopant concentration in sol–gel derived AZO layer on the performance of P3HT:PCBM<br>based inverted solar cell. Solar Energy Materials and Solar Cells, 2013, 111, 181-188.                           | 6.2            | 89                   |
| 72 | Fabrications and characterizations of dye-sensitized solar cells (DSSCs) with sol-gel derived gel   |                | 1                    |

electrolytes., 2013,,.

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Effect of Solvent Used in the Preparation of Aluminum-Doped ZnO as Electron Acceptor Layer on the Characteristic of its Hybrid Solar Cell. Materials Science Forum, 2013, 737, 74-79.   | 0.3 | 0         |
| 74 | Influences of aluminum concentration to the characteristics of ZnO electron transport layer and its hybrid polymer solar cell. , 2012, , .  |     | 0         |
| 75 | μSR Study of Charge Carrier Diffusion in Regioregular Poly(3-Butylthiophene-2,5-Diyl). Physics Procedia, 2012, 30, 97-100.  | 1.2 | 9         |
| 76 | EMISSION ENHANCEMENT CHARACTERISTICS OF OXAZINE IN PMMA MATRIX INFLUENCED BY SURFACE<br>PLASMON POLARITON INDUCED ON SINUSOIDAL SILVER GRATING. Journal of Nonlinear Optical Physics<br>and Materials, 2012, 21, 1250013.         | 1.8 | 4         |
| 77 | Distributed feedback grating fabricated from hybrid polymer precursor gel by employing shortâ€pulse<br>laser interference for photopumped polymer laser applications. Polymers for Advanced Technologies,<br>2012, 23, 1264-1270. | 3.2 | 5         |
| 78 | Siloxane based Organic-Inorganic Hybrid Polymers and their Applications for Nanostructured Optical/Photonic Components. ITB Journal of Engineering Science, 2012, 44, 207-219.  | 0.1 | 6         |
| 79 | Field and temperature dependent charge transport characteristics in regio-regular<br>Poly(3-octylthiophene-2,5-diyl) studied by Muon Spin relaxation. Journal of Physics: Conference Series,<br>2010, 225, 012003.                | 0.4 | 6         |
| 80 | <i>μ</i> SR study of electron radical dynamics in regio-regular polythiophene. Journal of Physics:<br>Conference Series, 2010, 200, 052024.   | 0.4 | 11        |
| 81 | Some Considerations On Photocurrent Characteristics Of Poly(alkylthiophene) And Photovoltaic<br>Characteristics Of Poly(alkylthiophene)â^•ZnO Based Hybrid Solar Cells. , 2010, , .   |     | Ο         |
| 82 | Intra- and inter-chain polaron diffusion in regio-random polythiophene studied by muon spin<br>relaxation. Physica B: Condensed Matter, 2010, 405, S381-S383.   | 2.7 | 13        |
| 83 | FABRICATION OF DISTRIBUTED FEEDBACK GRATING FROM HYBRID POLYMER WHICH EXHIBITS PHOTO-PUMPED LASING ACTION. International Journal of Nanoscience, 2010, 09, 307-310.   | 0.7 | 0         |
| 84 | Simple Preparation of ZnO Nano-layer by Sol-Gel Method as Active Electrode in P3HTâ^•ZnO<br>Heterojunction Solar Cell. , 2010, , .  |     | 0         |
| 85 | Determination of the Dielectric Constant and the Thickness of Gold Film by SPR Technique. , 2010, , .   |     | 0         |
| 86 | Time-Resolved Photoluminescence Study and Microcapillary Laser of Blue-Emissive π-Conjugated<br>Polymers Based on 9,10-Dihydrophenanthrene Unit. Japanese Journal of Applied Physics, 2009, 48,<br>082404.                        | 1.5 | 2         |
| 87 | Optical Properties and Microcapillary Laser of Blue-Emissive π-Conjugated Polymers Based on<br>9,10-Dihydrophenanthrene Unit. Japanese Journal of Applied Physics, 2008, 47, 4724-4727.   | 1.5 | 2         |
| 88 | Binding of europium complex to polymerizable macrocyclic molecules and its optical properties.<br>Optical Materials, 2007, 29, 1367-1374.   | 3.6 | 7         |
| 89 | Effects of Substrate Temperature and External Poling Field on Molecular Orientation and<br>Aggregation in Vacuum Deposited Photo Responsive DR1 Films. Journal of Nonlinear Optical Physics<br>and Materials, 2003, 12, 213-219.  | 1.8 | 1         |
| 90 | Time-resolved optical and electrical study of second-order processes responsible for the formation of free polarons in conjugated polymers. Physical Review B, 2002, 66, .  | 3.2 | 10        |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Photoexcitations in disubstituted polyacetylene: solitons and polarons. Synthetic Metals, 2001, 116, 91-94.  | 3.9  | 11        |
| 92  | Optical properties of disubstituted polyacetylene thin films. Synthetic Metals, 2001, 116, 95-99.  | 3.9  | 44        |
| 93  | Exciton dynamics in disubstituted polyacetylenes. Synthetic Metals, 2001, 119, 597-598.  | 3.9  | 36        |
| 94  | Spectral narrowing of photoluminescence and blue light-emitting diodes of poly(phenylene pyridine) derivatives. Synthetic Metals, 2001, 119, 601-602.  | 3.9  | 1         |
| 95  | Tunable optical properties of conducting polymers infiltrated in synthetic opal as photonic crystal.<br>Synthetic Metals, 2001, 121, 1459-1462.  | 3.9  | 13        |
| 96  | Influences of Interchain Interaction on Exciton Dynamics in Poly(3-alkylthiophene). Japanese Journal of Applied Physics, 2001, 40, 7103-7109.  | 1.5  | 12        |
| 97  | Synthesis and properties of a soluble and widely conjugated polyacetylene with anthryl pendant.<br>Journal of Polymer Science Part A, 2000, 38, 4717-4723.   | 2.3  | 13        |
| 98  | Time-resolved study of luminescence in highly luminescent disubstituted polyacetylene and its blend with poorly luminescent monosubstituted polyacetylene. Physical Review B, 2000, 61, 10167-10173. | 3.2  | 50        |
| 99  | Metathesis Polymerization of 9-(10-Hexoxycarbonyl)anthrylacetylene. A Route to a Widely Conjugated Polyacetylene with Excellent Stability and Solubility. Macromolecules, 2000, 33, 4313-4315.       | 4.8  | 21        |
| 100 | Optical properties of substituted phthalocyanine rare-earth metal complexes. Journal of Applied Physics, 2000, 88, 7137-7143.  | 2.5  | 31        |
| 101 | Electronic Properties and Electroluminescence of Monosubstituted Polyacetylenes and Their<br>Mixtures with Disubstituted Polyacetylene. Japanese Journal of Applied Physics, 1999, 38, 931-935.      | 1.5  | 16        |
| 102 | Excitation Dynamics in Disubstituted Polyacetylene. Physical Review Letters, 1999, 82, 4058-4061.  | 7.8  | 47        |
| 103 | Pl and el characteristics of mixture of polyacetylene derivatives and dynamics of excitons. Synthetic<br>Metals, 1999, 101, 210-211.   | 3.9  | 9         |
| 104 | Electroluminescence and photoluminescence characteristics of<br>poly(disilanyleneoligophenylene)sandpoly(disilanyleneoligothienylene)s. Synthetic Metals, 1999, 102,<br>1158.                        | 3.9  | 9         |
| 105 | Photoluminescence and Electroluminescence in Polyacetylene Derivatives. Synthetic Metals, 1999, 102, 1159.   | 3.9  | 10        |
| 106 | Microlasers and Micro-LEDs from Disubstituted Polyacetylene. Advanced Materials, 1998, 10, 869-872.  | 21.0 | 67        |
| 107 | Photoluminescence and Electroluminescence in Polymer Mixture of Poly(alkylphenylacetylene) and Poly(diphenylacetylene) Derivatives. Japanese Journal of Applied Physics, 1998, 37, L180-L183.        | 1.5  | 13        |
| 108 | Emission Characteristics of Poly[(tetraalkyldisilanylene)-p-oligophenylene]s. Japanese Journal of<br>Applied Physics, 1997, 36, L1548-L1551.   | 1.5  | 6         |

RAHMAT HIDAYAT

| #   | Article  | IF    | CITATIONS |
|-----|--|-------|-----------|
| 109 | Effect of Alkyl and Aromatic Substituents on Blue Electroluminescence in Polyacetylene Derivatives.<br>Japanese Journal of Applied Physics, 1997, 36, L302-L305.   | 1.5   | 34        |
| 110 | Spectral Narrowing of Emission in Di-substituted Polyacetylene. Japanese Journal of Applied Physics, 1997, 36, L1268-L1271.  | 1.5   | 25        |
| 111 | Effect of Molecular Structure of Substituents on Green Electroluminescence in Disubstituted<br>Acetylene Polymers. Japanese Journal of Applied Physics, 1997, 36, 3740-3743.   | 1.5   | 25        |
| 112 | Charge Transfer in Fullerene-Conducting Polymer Compositex: Electronic and Excitonic Properties.<br>Fullerenes, Nanotubes, and Carbon Nanostructures, 1997, 5, 1359-1386.  | 0.6   | 5         |
| 113 | Donor polymer (PAT6) — acceptor polymer (CNPPV) fractal network photocells. Synthetic Metals, 1997,<br>85, 1305-1306.  | 3.9   | 31        |
| 114 | Optical properties and electroluminescence characteristics of polyacetylene derivatives dependent on substituent and layer structure. Synthetic Metals, 1997, 91, 283-287.   | 3.9   | 35        |
| 115 | Optical properties of disubstituted acetylene polymers. , 1997, , .  |       | 14        |
| 116 | Optical Properties and Blue and Green Electroluminescence in Soluble Disubstituted Acetylene Polymers. Japanese Journal of Applied Physics, 1996, 35, L1138-L1141.   | 1.5   | 80        |
| 117 | Novel electrical and optical properties of discotic liquid crystals, substituted phthalocyanine rare-earth metal complexes. , 0, , .   |       | 0         |
| 118 | Charge Carrier Dynamics of Active Material Solar Cell P3HT:ZnO Nanoparticles Studied by Muon Spin<br>Relaxation (μSR). Advanced Materials Research, 0, 896, 477-480.   | 0.3   | 11        |
| 119 | Prelimenary Study on the Photovoltaic and Impedance Characteristics of Dye Sensitized Solar Cell<br>(DSSC) using Polymer Gel Electrolyte. Advanced Materials Research, 0, 896, 472-476.  | 0.3   | 0         |
| 120 | Study of Interfacial Charge Transfer Loss in Hybrid Solar Cells by Impedance Spectroscopy. Materials<br>Science Forum, 0, 827, 162-167.  | 0.3   | 3         |
| 121 | Structural and Optical Properties of Nd <sup>3+</sup> Doped<br>Na <sub>2</sub> O-PbO-ZnO-Li <sub>2</sub> O-B <sub>2</sub> O <sub>3&lt;<br/>Glasses System. Key Engineering Materials, 0, 675-676, 424-429.</sub>                                   | /sob> | 25        |
| 122 | The computation parameters optimizations for electronic structure calculation of LiPbl <sub>3</sub><br>perovskite by the density functional theory method. IOP Conference Series: Materials Science and<br>Engineering, 0, 434, 012026.            | 0.6   | 5         |
| 123 | Comparative study on the ionic conductivities and redox properties of LiPF6 and LiTFSI electrolytes and the characteristics of their rechargeable lithium ion batteries. IOP Conference Series: Materials Science and Engineering, 0, 432, 012061. | 0.6   | 8         |
| 124 | Effect of Lead-Free Perovskite Cs <sub>2</sub> Snl <sub>6</sub> Addition in the<br>Structure of Dye-Sensitized Solar Cell. Key Engineering Materials, 0, 860, 22-27.   | 0.4   | 5         |
| 125 | Photovoltaic Characterization of Hybrid Bulk Heterojunction Solar Cell Incorporated Gold<br>Nanoparticles Embedded in Active Layer. Key Engineering Materials, 0, 860, 34-41.  | 0.4   | 0         |
| 126 | Stacking Cell Model Supercapacitor Asymmetry with Multilayer Reduced Graphene Oxide Films<br>Fabricated Using UV Oven Spraying Technique. Materials Science Forum, 0, 1028, 127-132.   | 0.3   | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | The Cell Performances of DSSCs with ZnO Nanorod Electrodes. Materials Science Forum, 0, 1028, 168-172.  | 0.3 | 2         |
| 128 | Comparison of Optical Characteristics of GO-PANI Composite in Solution and Thin Film. Materials Science Forum, 0, 1028, 285-290.                | 0.3 | 0         |
| 129 | Multilayer Reduced Graphene Oxide Deposited on Carbon Sheet as Electrodes for Supercapacitor Device. Materials Science Forum, 0, 1028, 157-161. | 0.3 | 0         |