

Jae-Hyon Bahk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3871554/publications.pdf>

Version: 2024-02-01

138
papers

2,736
citations

186265

28
h-index

233421

45
g-index

145
all docs

145
docs citations

145
times ranked

2378
citing authors

#	ARTICLE	IF	CITATIONS
1	The laryngeal mask airway in infants and children. <i>Canadian Journal of Anaesthesia</i> , 2001, 48, 413-417.	1.6	131
2	Influence of Age and Sex on the Position of the Conus Medullaris and Tuffier's Line in Adults. <i>Anesthesiology</i> , 2003, 99, 1359-1363.	2.5	131
3	Derivation and Validation of Machine Learning Approaches to Predict Acute Kidney Injury after Cardiac Surgery. <i>Journal of Clinical Medicine</i> , 2018, 7, 322.	2.4	109
4	Does remote ischaemic preconditioning with postconditioning improve clinical outcomes of patients undergoing cardiac surgery? Remote Ischaemic Preconditioning with Postconditioning Outcome Trial. <i>European Heart Journal</i> , 2014, 35, 176-183.	2.2	103
5	Head rotation, flexion, and extension alter endotracheal tube position in adults and children. <i>Canadian Journal of Anaesthesia</i> , 2009, 56, 751-756.	1.6	88
6	Évaluation Écho cardiographique transŒsophagienne de la mise en place d'un cathŒter veineux central guidÉe par ECG. <i>Canadian Journal of Anaesthesia</i> , 2006, 53, 978-983.	1.6	77
7	Comparative hemodynamic effects of vasopressin and norepinephrine after milrinone-induced hypotension in off-pump coronary artery bypass surgical patients. <i>European Journal of Cardio-thoracic Surgery</i> , 2006, 29, 952-956.	1.4	76
8	The Effect of Remote Ischaemic Preconditioning on Myocardial Injury in Patients Undergoing Off-Pump Coronary Artery Bypass Graft Surgery. <i>Anaesthesia and Intensive Care</i> , 2010, 38, 924-929.	0.7	66
9	Effects of Remote Ischemic Preconditioning With Postconditioning in Patients Undergoing Off-Pump Coronary Artery Bypass Surgery. <i>Circulation Journal</i> , 2012, 76, 884-890.	1.6	65
10	Head position for facilitating the superior vena caval placement of catheters during right subclavian approach in children. <i>Critical Care Medicine</i> , 2002, 30, 297-299.	0.9	64
11	A New Technique to Reduce Epistaxis and Enhance Navigability During Nasotracheal Intubation. <i>Anesthesia and Analgesia</i> , 2007, 105, 1420-1424.	2.2	57
12	The effects of thermal softening of double-lumen endobronchial tubes on postoperative sore throat, hoarseness and vocal cord injuries: a prospective double-blind randomized trial. <i>British Journal of Anaesthesia</i> , 2016, 116, 282-288.	3.4	57
13	The Influence of Endotracheal Tube Tip Design on Nasal Trauma During Nasotracheal Intubation: Magill-Tip Versus Murphy-Tip. <i>Anesthesia and Analgesia</i> , 2005, 101, 1226-1229.	2.2	56
14	Pulse pressure variation as a predictor of fluid responsiveness during one-lung ventilation for lung surgery using thoracotomy: randomised controlled study. <i>European Journal of Anaesthesiology</i> , 2011, 28, 39-44.	1.7	55
15	A New and Simple Maneuver to Position the Left-Sided Double-Lumen Tube Without the Aid of Fiberoptic Bronchoscopy. <i>Anesthesia and Analgesia</i> , 1998, 86, 1271-1275.	2.2	48
16	Neutrophil, Lymphocyte, and Platelet Counts and Acute Kidney Injury After Cardiovascular Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 212-222.	1.3	47
17	Preemptive Low-dose Epidural Ketamine for Preventing Chronic Postthoracotomy Pain. <i>Clinical Journal of Pain</i> , 2011, 27, 304-308.	1.9	46
18	Coiling of lumbar epidural catheters. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 603-606.	1.6	42

#	ARTICLE	IF	CITATIONS
19	Acute Lung Injury: Effects of Prone Positioning on Cephalocaudal Distribution of Lung Inflationâ€”CT Assessment in Dogs. <i>Radiology</i> , 2005, 234, 151-161.	7.3	40
20	Pulse pressure variation to predict fluid responsiveness in spontaneously breathing patients: tidal vs forced inspiratory breathing. <i>Anaesthesia</i> , 2014, 69, 717-722.	3.8	40
21	Management of difficult airways with a laryngeal mask airway under propofol anaesthesia. <i>Paediatric Anaesthesia</i> , 1999, 9, 163-166.	1.1	34
22	Ultrasound-Assisted Versus Landmark-Guided Spinal Anesthesia in Patients With Abnormal Spinal Anatomy: A Randomized Controlled Trial. <i>Anesthesia and Analgesia</i> , 2020, 130, 787-795.	2.2	33
23	The Carina as a Useful Radiographic Landmark for Positioning the Intraaortic Balloon Pump. <i>Anesthesia and Analgesia</i> , 2007, 105, 735-738.	2.2	32
24	Infrared Thermographic Imaging in the Assessment of Successful Block on Lumbar Sympathetic Ganglion. <i>Yonsei Medical Journal</i> , 2003, 44, 119.	2.2	31
25	Intrathecal clonidine does not reduce postâ€”spinal shivering. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 1509-1513.	1.6	31
26	Effect of desflurane-remifentanil vs. Propofol-remifentanil anesthesia on arterial oxygenation during one-lung ventilation for thoracoscopic surgery: a prospective randomized trial. <i>BMC Anesthesiology</i> , 2017, 17, 9.	1.8	31
27	Practical anatomic landmarks for determining the insertion depth of central venous catheter in paediatric patients. <i>British Journal of Anaesthesia</i> , 2009, 102, 820-823.	3.4	30
28	Long-term incidence of chronic postsurgical pain after thoracic surgery for lung cancer: a 10-year single-center retrospective study. <i>Regional Anesthesia and Pain Medicine</i> , 2020, 45, 331-336.	2.3	30
29	A Comparison of Ketamine and Lidocaine Spray with Propofol for the Insertion of Laryngeal Mask Airway in Children: A Double-Blinded Randomized Trial. <i>Anesthesia and Analgesia</i> , 2002, 95, 1586-1589.	2.2	28
30	A New Technique to Determine the Size of Double-lumen Endobronchial Tubes by the Two Perpendicularly Measured Bronchial Diameters. <i>Anaesthesia and Intensive Care</i> , 2005, 33, 59-63.	0.7	28
31	Microvascular reactivity and clinical outcomes in cardiac surgery. <i>Critical Care</i> , 2015, 19, 316.	5.8	28
32	Comparison of Supraclavicular and Infraclavicular Brachial Plexus Block: A Systemic Review of Randomized Controlled Trials. <i>Anesthesia and Analgesia</i> , 2017, 124, 636-644.	2.2	28
33	Comparative efficacy and safety of anticoagulants for prevention of venous thromboembolism after hip and knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 634-641.	3.3	28
34	Clinical trial of esmolol-induced controlled hypotension with or without acute normovolemic hemodilution in spinal surgery*. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 74-78.	1.6	27
35	A comparison of direct laryngoscopic views depending on pillow height. <i>Journal of Anesthesia</i> , 2010, 24, 526-530.	1.7	27
36	Prediction of double-lumen tracheal tube depth. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 1999, 13, 370-371.	1.3	26

#	ARTICLE	IF	CITATIONS
37	Positioning of a Double-Lumen Endobronchial Tube without the Aid of Any Instruments: An Implication for Emergency Management. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000, 49, 899-902.	2.4	25
38	Effect of the bevel direction of puncture needle on success rate and complications during internal jugular vein catheterization*. <i>Critical Care Medicine</i> , 2012, 40, 491-494.	0.9	25
39	Long-term clinical outcomes of Remote Ischemic Preconditioning and Postconditioning Outcome (RISPO) trial in patients undergoing cardiac surgery. <i>International Journal of Cardiology</i> , 2017, 231, 84-89.	1.7	24
40	Validation and clinical utility of the Korean version of the Quality of Recovery-15 with enhanced recovery after surgery: a prospective observational cohort study. <i>British Journal of Anaesthesia</i> , 2020, 125, 614-621.	3.4	24
41	The Effects of Glossopharyngeal Nerve Block on Postoperative Pain Relief After Tonsillectomy: The Importance of the Extent of Obtunded Gag Reflex as a Clinical Indicator. <i>Anesthesia and Analgesia</i> , 2007, 105, 267-271.	2.2	24
42	The effect of acute normovolemic haemodilution on cerebral oxygenation. <i>International Journal of Clinical Practice</i> , 2004, 58, 903-906.	1.7	23
43	A randomised controlled trial comparing incentive spirometry with the Acapella [®] device for physiotherapy after thoracoscopic lung resection surgery. <i>Anaesthesia</i> , 2014, 69, 891-898.	3.8	23
44	Double-lumen tube placement with the patient in the supine position without a headrest minimizes displacement during lateral positioning. <i>Canadian Journal of Anaesthesia</i> , 2012, 59, 437-441.	1.6	21
45	Randomized Trial Comparing Early and Late Administration of Rocuronium Before and After Checking Mask Ventilation in Patients With Normal Airways. <i>Anesthesia and Analgesia</i> , 2019, 129, 380-386.	2.2	21
46	Pre-emptive epidural analgesia for acute and chronic post-thoracotomy pain in adults: a systematic review and meta-analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2020, 45, 1006-1016.	2.3	21
47	Driving pressure guided ventilation. <i>Korean Journal of Anesthesiology</i> , 2020, 73, 194-204.	2.5	21
48	The effect of bloodless pump prime on cerebral oxygenation in paediatric patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 648-652.	1.6	20
49	Use of a neck brace minimizes double-lumen tube displacement during patient positioning. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 413-417.	1.6	20
50	Hemomediastinum Resulting from Subclavian Artery Laceration During Internal Jugular Catheterization. <i>Anesthesia and Analgesia</i> , 2003, 97, 1257-1259.	2.2	18
51	Comparative effectiveness of interventions for managing postoperative catheter-related bladder discomfort: a systematic review and network meta-analysis. <i>Journal of Anesthesia</i> , 2019, 33, 197-208.	1.7	18
52	Misplacement of left-sided double-lumen tubes into the right mainstem bronchus: incidence, risk factors and blind repositioning techniques. <i>BMC Anesthesiology</i> , 2015, 15, 157.	1.8	17
53	Microcirculation measured by vascular occlusion test during desflurane [®] remifentanil anesthesia is superior to that in propofol [®] remifentanil anesthesia in patients undergoing thoracic surgery: subgroup analysis of a prospective randomized study. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 989-997.	1.6	16
54	Uppermost Blood Levels of the Right and Left Atria in the Supine Position. <i>Anesthesiology</i> , 2007, 107, 260-263.	2.5	15

#	ARTICLE	IF	CITATIONS
55	Pulmonary Protective Effects of Remote Ischaemic Preconditioning with Postconditioning in Patients Undergoing Cardiac Surgery Involving Cardiopulmonary Bypass: A Substudy of the Remote Ischaemic Preconditioning with Postconditioning Outcome trial. <i>Heart Lung and Circulation</i> , 2016, 25, 484-492.	0.4	15
56	Effect of combining a recruitment maneuver with protective ventilation on inflammatory responses in video-assisted thoracoscopic lobectomy: a randomized controlled trial. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 1403-1411.	2.4	15
57	Use of the laryngeal mask airway to preoxygenate in a paediatric patient with Treacher-Collins syndrome. <i>Paediatric Anaesthesia</i> , 1998, 8, 274-5.	1.1	15
58	Influence of lumbar flexion on the position of the intercrestal line. <i>Regional Anesthesia and Pain Medicine</i> , 2003, 28, 509-511.	2.3	14
59	Intra- and Extra-pericardial Lengths of the Superior Vena Cava in Vivo: Implication for the Positioning of Central Venous Catheters. <i>Anaesthesia and Intensive Care</i> , 2005, 33, 384-387.	0.7	14
60	A New and Simple Maneuver to Position the Left-Sided Double-Lumen Tube Without the Aid of Fiberoptic Bronchoscopy. <i>Anesthesia and Analgesia</i> , 1998, 86, 1271-1275.	2.2	13
61	A Novel Supraclavicular Approach to the Right Subclavian Vein Based on Three-Dimensional Computed Tomography. <i>Anesthesia and Analgesia</i> , 2007, 105, 200-204.	2.2	13
62	Preoperative aspirin use and acute kidney injury after cardiac surgery: A propensity-score matched observational study. <i>PLoS ONE</i> , 2017, 12, e0177201.	2.5	12
63	Lung ultrasound score to determine the effect of fraction inspired oxygen during alveolar recruitment on absorption atelectasis in laparoscopic surgery: a randomized controlled trial. <i>BMC Anesthesiology</i> , 2020, 20, 173.	1.8	12
64	Computed tomographic study of lumbar (L3?4) epidural depth and its relationship to physical measurements in young adult men*1. <i>Regional Anesthesia and Pain Medicine</i> , 1998, 23, 262-265.	2.3	11
65	Comparison of Central Venous Catheterization Sites in Infants. <i>Journal of International Medical Research</i> , 2004, 32, 563-569.	1.0	11
66	Tracheal laceration during intubation of a double-lumen tube and intraoperative fiberoptic bronchoscopic evaluation through an LMA in the lateral position -A case report-. <i>Korean Journal of Anesthesiology</i> , 2011, 60, 285.	2.5	11
67	Normothermic Cardiopulmonary Bypass in a Patient With Moyamoya Disease. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2005, 19, 499-500.	1.3	10
68	Computed Tomographic Window Setting for Bronchial Measurement to Guide Double-Lumen Tube Size. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 863-868.	1.3	10
69	Pulse-Pressure Variation Predicts Fluid Responsiveness During Heart Displacement for Off-Pump Coronary Artery Bypass Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011, 25, 1056-1062.	1.3	9
70	The Influence of Spinal Flexion in the Lateral Decubitus Position on the Unilaterality of Spinal Anesthesia. <i>Anesthesia and Analgesia</i> , 2013, 117, 1017-1021.	2.2	9
71	Increased tracheal cuff pressure during insertion of a transoesophageal echocardiography probe. <i>European Journal of Anaesthesiology</i> , 2015, 32, 549-554.	1.7	9
72	Association Between Elevated Echocardiographic Index of Left Ventricular Filling Pressure and Acute Kidney Injury After Off-Pump Coronary Artery Surgery. <i>Circulation Journal</i> , 2018, 82, 857-865.	1.6	9

#	ARTICLE	IF	CITATIONS
73	Comparative effectiveness of pharmacologic interventions to prevent shivering after surgery: a network meta-analysis. <i>Minerva Anestesiologica</i> , 2019, 85, 60-70.	1.0	9
74	The association between intraoperative urine output and postoperative acute kidney injury differs between partial and radical nephrectomy. <i>Scientific Reports</i> , 2019, 9, 760.	3.3	9
75	Gender difference and change of α_1 -adrenoceptors in the distal mesenteric arteries of streptozotocin-induced diabetic rats. <i>Korean Journal of Anesthesiology</i> , 2011, 61, 419.	2.5	9
76	Correspondence. <i>Paediatric Anaesthesia</i> , 1998, 8, 523-525.	1.1	8
77	Expression of inducible nitric oxide synthase in skin lesions of acute herpes zoster. <i>Journal of Dermatological Science</i> , 2002, 29, 201-205.	1.9	8
78	Influence of Mechanical Ventilation on the Incidence of Pneumothorax During Infraclavicular Subclavian Vein Catheterization. <i>Anesthesia and Analgesia</i> , 2016, 123, 636-640.	2.2	8
79	Tissue microcirculation measured by vascular occlusion test during anesthesia induction. <i>Journal of Clinical Monitoring and Computing</i> , 2016, 30, 41-50.	1.6	8
80	The impact of total intravenous anesthesia versus inhalation anesthesia on acute kidney injury after major abdominal surgery: a propensity score analysis. <i>Journal of Anesthesia</i> , 2021, 35, 112-121.	1.7	8
81	Influence of head and neck position on performance of the Ambu [®] AuraGain [®] laryngeal mask: a randomized crossover study. <i>Minerva Anestesiologica</i> , 2019, 85, 133-138.	1.0	8
82	Continuous mixed venous oxygen saturation, not mean blood pressure, is associated with early bupivacaine cardiotoxicity in dogs. <i>Canadian Journal of Anaesthesia</i> , 2003, 50, 376-381.	1.6	7
83	Prophylactic milrinone during OPCAB of posterior vessels: implication in angina patients taking β_2 -blockers. <i>European Journal of Cardio-thoracic Surgery</i> , 2003, 24, 770-776.	1.4	7
84	Hemodynamic effect of full flexion of the hips and knees in the supine position: a comparison with straight leg raising. <i>Korean Journal of Anesthesiology</i> , 2012, 62, 317.	2.5	7
85	Effects of airway evaluation parameters on the laryngeal view grade in mandibular prognathism and retrognathism patients. <i>Journal of Dental Anesthesia and Pain Medicine</i> , 2016, 16, 185.	1.0	7
86	Optimal level of the reference transducer for central venous pressure and pulmonary artery occlusion pressure monitoring in supine, prone, and sitting position. <i>Journal of Clinical Monitoring and Computing</i> , 2017, 31, 381-386.	1.6	7
87	Risk of non-cardiac surgery after percutaneous coronary intervention with drug-eluting stents. <i>Scientific Reports</i> , 2017, 7, 16393.	3.3	7
88	Augmentation of curved tip of left-sided double-lumen tubes to reduce right bronchial misplacement: A randomized controlled trial. <i>PLoS ONE</i> , 2019, 14, e0210711.	2.5	7
89	The effect of neck extension on success rate of blind intubation through Ambu [®] AuraGain [®] laryngeal mask: a randomized clinical trial. <i>Canadian Journal of Anaesthesia</i> , 2019, 66, 639-647.	1.6	7
90	The cumulative duration of bispectral index less than 40 concurrent with hypotension is associated with 90-day postoperative mortality: a retrospective study. <i>BMC Anesthesiology</i> , 2020, 20, 200.	1.8	7

#	ARTICLE	IF	CITATIONS
91	Repeated intermittent hypoxic stimuli to operative lung reduce hypoxemia during subsequent one-lung ventilation for thoracoscopic surgery: A randomized controlled trial. <i>PLoS ONE</i> , 2021, 16, e0249880.	2.5	7
92	Rupture of endotracheal tube cuff during robot-assisted endoscopic thyroidectomy -A case report-. <i>Korean Journal of Anesthesiology</i> , 2010, 59, 416.	2.5	7
93	Massive Carbon Dioxide Embolism Caused by a Carbon Dioxide Blower During the Repair of a Coronary Vein During Off-Pump Coronary Artery Bypass. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2007, 21, 715-717.	1.3	6
94	Preoperative Aspirin Resistance does not Increase Myocardial Injury during Off-pump Coronary Artery Bypass Surgery. <i>Journal of Korean Medical Science</i> , 2011, 26, 1041.	2.5	6
95	The head-down tilt position decreases vasopressor requirement during hypotension following induction of anaesthesia in patients undergoing elective coronary artery bypass graft and valvular heart surgeries. <i>European Journal of Anaesthesiology</i> , 2011, 28, 45-50.	1.7	6
96	Tracheal tubes lubricated with water to reduce sore throat after intubation: A randomized non-inferiority trial. <i>PLoS ONE</i> , 2018, 13, e0204846.	2.5	6
97	Association of nefopam use with postoperative nausea and vomiting in gynecological patients receiving prophylactic ramosetron: A retrospective study. <i>PLoS ONE</i> , 2018, 13, e0199930.	2.5	6
98	The diabetes-induced functional and distributional changes of the alpha 1-adrenoceptor of the abdominal aorta and distal mesenteric artery from streptozotocin-induced diabetic rats. <i>Korean Journal of Anesthesiology</i> , 2011, 60, 272.	2.5	6
99	Anesthetic management of a patient with Mounier-Kuhn syndrome undergoing off-pump coronary artery bypass graft surgery -A case report-. <i>Korean Journal of Anesthesiology</i> , 2011, 61, 83.	2.5	6
100	A Method for Removing the Laryngeal Mask Airway after Using It as an Intubation Guide. <i>Anesthesiology</i> , 1997, 86, 1218-1218.	2.5	5
101	Use of Esophageal Stethoscope as an Introducer during Nasotracheal Intubation. <i>Anesthesiology</i> , 2000, 92, 1503-1503.	2.5	5
102	Use of Gum Elastic Bougie During Difficult Airway Management. <i>Anesthesia and Analgesia</i> , 2003, 96, 1845.	2.2	5
103	Assisted head extension minimizes the frequency of dental contact with laryngoscopic blade during tracheal intubation. <i>American Journal of Emergency Medicine</i> , 2013, 31, 1629-1633.	1.6	5
104	The effects of water lubrication of tracheal tubes on post-intubation airway complications: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 562.	1.6	5
105	Comparison of bupivacaine plus intrathecal fentanyl and bupivacaine alone for spinal anesthesia with intravenous dexmedetomidine sedation: a randomized, double-blind, noninferiority trial. <i>Regional Anesthesia and Pain Medicine</i> , 2019, 44, 459-465.	2.3	5
106	Case report: pulmonary soiling after one-lung ventilation with a bronchial blocker. <i>Canadian Journal of Anaesthesia</i> , 2002, 49, 874-876.	1.6	4
107	Put the bevel down and visualize the needle tip when puncturing the internal jugular vein. <i>Critical Care Medicine</i> , 2012, 40, 2534.	0.9	4
108	Reference Levels for Central Venous Pressure and Pulmonary Artery Occlusion Pressure Monitoring in the Lateral Position. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017, 31, 939-943.	1.3	4

#	ARTICLE	IF	CITATIONS
109	The EC90 of remifentanyl for blunting cardiovascular responses to head fixation for neurosurgery under total intravenous anesthesia with propofol and remifentanyl based on bispectral index monitoring: estimation with the biased coin up-and-down sequential method. <i>BMC Anesthesiology</i> , 2017, 17, 136.	1.8	4
110	Relationship between blood pressure stability and mortality in cardiac surgery patients: retrospective cohort study. <i>Journal of Clinical Monitoring and Computing</i> , 2021, 35, 931-942.	1.6	4
111	The Optimal Location of Central Venous Catheters. <i>Anesthesia and Analgesia</i> , 2002, 94, 1372-1373.	2.2	3
112	Left ventricular outflow tract obstruction with systolic anterior motion of the mitral valve in patient with pericardial effusion caused by ascending aortic dissection -A case report-. <i>Korean Journal of Anesthesiology</i> , 2013, 64, 73.	2.5	3
113	Positive end-expiratory pressure-induced increase in external jugular venous pressure does not predict fluid responsiveness in laparoscopic prostatectomy. <i>Journal of Anesthesia</i> , 2018, 32, 316-325.	1.7	3
114	A novel maneuver to blindly position bronchial blockers. <i>Minerva Anestesiologica</i> , 2013, 79, 1126-31.	1.0	3
115	Position of the Shoulder for Subclavian Approach. <i>Anesthesiology</i> , 2005, 103, 208-209.	2.5	2
116	Mainstem bronchial diameter for the left-sided Broncho-Cath® doublelumen tube: an in vitro study. <i>Canadian Journal of Anaesthesia</i> , 2005, 52, 341-342.	1.6	2
117	A Simple Method to Apply Continuous Positive Airway Pressure During the Use of a Univent® Tube. <i>Anesthesia and Analgesia</i> , 2006, 103, 1042-1043.	2.2	2
118	Sympathetic stimulation increases the blood flow through the in situ right gastroepiploic artery graft after off-pump coronary artery bypass graft surgery. <i>European Journal of Cardio-thoracic Surgery</i> , 2006, 29, 948-951.	1.4	2
119	Preserved Blood Flow in the Composite Right Gastroepiploic Artery Graft During Norepinephrine Infusion. <i>Annals of Thoracic Surgery</i> , 2010, 89, 410-413.	1.3	2
120	Effect-site concentration of remifentanyl required to blunt haemodynamic responses during tracheal intubation: A randomized comparison between single- and double-lumen tubes. <i>Journal of International Medical Research</i> , 2018, 46, 430-439.	1.0	2
121	Hydroxyethyl Starch 6% 130/0.4 in a Balanced Electrolyte Solution and Renal Function After Nephrectomy. <i>Anesthesia and Analgesia</i> , 2020, 131, 1260-1269.	2.2	2
122	Transection of a Coopdech bronchial blocker tip during bronchial resection for right upper lobectomy: a case report. <i>Korean Journal of Anesthesiology</i> , 2015, 68, 287.	2.5	2
123	Influence of the Head Posture on Central Venous Catheter Position during Right Subclavian Catheterization. <i>Daehan Macwi'gwa Haghoeji</i> , 2007, 52, 627.	0.2	2
124	Positioning the double-lumen endobronchial tube. <i>Canadian Journal of Anaesthesia</i> , 2002, 49, 526-527.	1.6	1
125	Insertion of a Laryngeal Mask Airway in the Prone Position. <i>Anesthesia and Analgesia</i> , 2003, 96, 1241.	2.2	1
126	Direction of the J-tip of a Guidewire During Subclavian Approach. <i>Anesthesia and Analgesia</i> , 2005, 101, 920-921.	2.2	1

#	ARTICLE	IF	CITATIONS
127	Effect of Lumbar Flexion on the Extent of Epidural Blockade. <i>Regional Anesthesia and Pain Medicine</i> , 2007, 32, 471-474.	2.3	1
128	A Method for Minimizing Leakage during Positive Pressure Ventilation after Intubation through Laryngeal Mask Airway. <i>Anesthesiology</i> , 2000, 92, 904-904.	2.5	0
129	Management of the "anesthetized but cannot-ventilate"™ situation. <i>Canadian Journal of Anaesthesia</i> , 2001, 48, 1047-1047.	1.6	0
130	Tube Design for Nasotracheal Intubation. <i>Anesthesia and Analgesia</i> , 2006, 103, 254.	2.2	0
131	Reducing Epistaxis During Nasotracheal Intubation. <i>Anesthesia and Analgesia</i> , 2008, 106, 1924.	2.2	0
132	Is it constantly possible to penetrate only the anterior vessel wall against hydrostatic strain?. <i>Critical Care Medicine</i> , 2012, 40, 2535-2536.	0.9	0
133	Photoplethysmogram change by Trendelenburg position and insufflation of abdominal carbon dioxide. <i>Journal of Anesthesia</i> , 2013, 27, 970-971.	1.7	0
134	Pre-warming the double-lumen endobronchial tubes to facilitate intubation in incubator: Reply. <i>British Journal of Anaesthesia</i> , 2017, 118, 141.	3.4	0
135	Assessing influence of thermal softened double-lumen endobronchial tube on postoperative airway injury and morbidity: a call for methodology clarification: Reply. <i>British Journal of Anaesthesia</i> , 2017, 118, 140.	3.4	0
136	Dividing Stage 1 Acute Kidney Injury After Cardiac or Thoracic Aortic Surgery. <i>Annals of Thoracic Surgery</i> , 2021, 111, 1458-1464.	1.3	0
137	Postoperative Analgesia. <i>Journal of the Korean Medical Association</i> , 2007, 50, 1090.	0.3	0
138	Severe hypoxemia during carinal resection in the lateral position under one-lung ventilation of a non-dependent lung: a case report. <i>Korean Journal of Anesthesiology</i> , 2016, 69, 279.	2.5	0