## Jae-Hyon Bahk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3871554/publications.pdf

Version: 2024-02-01

186265 233421 138 2,736 28 45 citations g-index h-index papers 145 145 145 2378 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Dividing Stage 1 Acute Kidney Injury After Cardiac or Thoracic Aortic Surgery. Annals of Thoracic Surgery, 2021, 111, 1458-1464.	1.3	O
2	The impact of total intravenous anesthesia versus inhalation anesthesia on acute kidney injury after major abdominal surgery: a propensity score analysis. Journal of Anesthesia, 2021, 35, 112-121.	1.7	8
3	Repeated intermittent hypoxic stimuli to operative lung reduce hypoxemia during subsequent one-lung ventilation for thoracoscopic surgery: A randomized controlled trial. PLoS ONE, 2021, 16, e0249880.	2.5	7
4	Relationship between blood pressure stability and mortality in cardiac surgery patients: retrospective cohort study. Journal of Clinical Monitoring and Computing, 2021, 35, 931-942.	1.6	4
5	Ultrasound-Assisted Versus Landmark-Guided Spinal Anesthesia in Patients With Abnormal Spinal Anatomy: A Randomized Controlled Trial. Anesthesia and Analgesia, 2020, 130, 787-795.	2.2	33
6	Pre-emptive epidural analgesia for acute and chronic post-thoracotomy pain in adults: a systematic review and meta-analysis. Regional Anesthesia and Pain Medicine, 2020, 45, 1006-1016.	2.3	21
7	Hydroxyethyl Starch 6% 130/0.4 in a Balanced Electrolyte Solution and Renal Function After Nephrectomy. Anesthesia and Analgesia, 2020, 131, 1260-1269.	2.2	2
8	Lung ultrasound score to determine the effect of fraction inspired oxygen during alveolar recruitment on absorption atelectasis in laparoscopic surgery: a randomized controlled trial. BMC Anesthesiology, 2020, 20, 173.	1.8	12
9	Validation and clinical utility of the Korean version of the Quality of Recovery-15 with enhanced recovery after surgery: a prospective observational cohort study. British Journal of Anaesthesia, 2020, 125, 614-621.	3.4	24
10	The cumulative duration of bispectral index less than 40 concurrent with hypotension is associated with 90-day postoperative mortality: a retrospective study. BMC Anesthesiology, 2020, 20, 200.	1.8	7
11	Long-term incidence of chronic postsurgical pain after thoracic surgery for lung cancer: a 10-year single-center retrospective study. Regional Anesthesia and Pain Medicine, 2020, 45, 331-336.	2.3	30
12	Driving pressure guided ventilation. Korean Journal of Anesthesiology, 2020, 73, 194-204.	2.5	21
13	Comparative effectiveness of pharmacologic interventions to prevent shivering after surgery: a network meta-analysis. Minerva Anestesiologica, 2019, 85, 60-70.	1.0	9
14	The association between intraoperative urine output and postoperative acute kidney injury differs between partial and radical nephrectomy. Scientific Reports, 2019, 9, 760.	3.3	9
15	Comparison of bupivacaine plus intrathecal fentanyl and bupivacaine alone for spinal anesthesia with intravenous dexmedetomidine sedation: a randomized, double-blind, noninferiority trial. Regional Anesthesia and Pain Medicine, 2019, 44, 459-465.	2.3	5
16	Augmentation of curved tip of left-sided double-lumen tubes to reduce right bronchial misplacement: A randomized controlled trial. PLoS ONE, 2019, 14, e0210711.	2.5	7
17	The effect of neck extension on success rate of blind intubation through Ambu® AuraGainâ,,¢ laryngeal mask: a randomized clinical trial. Canadian Journal of Anaesthesia, 2019, 66, 639-647.	1.6	7
18	Randomized Trial Comparing Early and Late Administration of Rocuronium Before and After Checking Mask Ventilation in Patients With Normal Airways. Anesthesia and Analgesia, 2019, 129, 380-386.	2.2	21

#	Article	IF	Citations
19	Effect of combining a recruitment maneuver with protective ventilation on inflammatory responses in video-assisted thoracoscopic lobectomy: a randomized controlled trial. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 1403-1411.	2.4	15
20	Comparative effectiveness of interventions for managing postoperative catheter-related bladder discomfort: a systematic review and network meta-analysis. Journal of Anesthesia, 2019, 33, 197-208.	1.7	18
21	Influence of head and neck position on performance of the Ambu® AuraGainâ,, $\phi$ laryngeal mask: a randomized crossover study. Minerva Anestesiologica, 2019, 85, 133-138.	1.0	8
22	Positive end-expiratory pressure-induced increase in external jugular venous pressure does not predict fluid responsiveness in laparoscopic prostatectomy. Journal of Anesthesia, 2018, 32, 316-325.	1.7	3
23	Effect-site concentration of remifentanil required to blunt haemodynamic responses during tracheal intubation: A randomized comparison between single- and double-lumen tubes. Journal of International Medical Research, 2018, 46, 430-439.	1.0	2
24	Neutrophil, Lymphocyte, and Platelet Counts and Acute Kidney Injury After Cardiovascular Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2018, 32, 212-222.	1.3	47
25	Computed Tomographic Window Setting for Bronchial Measurement to Guide Double-Lumen Tube Size. Journal of Cardiothoracic and Vascular Anesthesia, 2018, 32, 863-868.	1.3	10
26	Derivation and Validation of Machine Learning Approaches to Predict Acute Kidney Injury after Cardiac Surgery. Journal of Clinical Medicine, 2018, 7, 322.	2.4	109
27	Tracheal tubes lubricated with water to reduce sore throat after intubation: A randomized non-inferiority trial. PLoS ONE, 2018, 13, e0204846.	2.5	6
28	Association of nefopam use with postoperative nausea and vomiting in gynecological patients receiving prophylactic ramosetron: A retrospective study. PLoS ONE, 2018, 13, e0199930.	2.5	6
29	Association Between Elevated Echocardiographic Index of Left Ventricular Filling Pressure and Acute Kidney Injury After Off-Pump Coronary Artery Surgery. Circulation Journal, 2018, 82, 857-865.	1.6	9
30	Optimal level of the reference transducer for central venous pressure and pulmonary artery occlusion pressure monitoring in supine, prone, and sitting position. Journal of Clinical Monitoring and Computing, 2017, 31, 381-386.	1.6	7
31	Comparison of Supraclavicular and Infraclavicular Brachial Plexus Block: A Systemic Review of Randomized Controlled Trials. Anesthesia and Analgesia, 2017, 124, 636-644.	2.2	28
32	Effect of desflurane-remifentanil vs. Propofol-remifentanil anesthesia on arterial oxygenation during one-lung ventilation for thoracoscopic surgery: a prospective randomized trial. BMC Anesthesiology, 2017, 17, 9.	1.8	31
33	Pre-warming the double-lumen endobronchial tubes to facilitate intubation in incubator: Reply. British Journal of Anaesthesia, 2017, 118, 141.	3.4	0
34	Long-term clinical outcomes of Remote Ischemic Preconditioning and Postconditioning Outcome (RISPO) trial in patients undergoing cardiac surgery. International Journal of Cardiology, 2017, 231, 84-89.	1.7	24
35	Comparative efficacy and safety of anticoagulants for prevention of venous thromboembolism after hip and knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 634-641.	3.3	28
36	Risk of non-cardiac surgery after percutaneous coronary intervention with drug-eluting stents. Scientific Reports, 2017, 7, 16393.	3.3	7

#	Article	IF	CITATIONS
37	Microcirculation measured by vascular occlusion test during desflurane–remifentanil anesthesia is superior to that in propofol–remifentanil anesthesia in patients undergoing thoracic surgery: subgroup analysis of a prospective randomized study. Journal of Clinical Monitoring and Computing, 2017, 31, 989-997.	1.6	16
38	Reference Levels for Central Venous Pressure and Pulmonary Artery Occlusion Pressure Monitoring in the Lateral Position. Journal of Cardiothoracic and Vascular Anesthesia, 2017, 31, 939-943.	1.3	4
39	Preoperative aspirin use and acute kidney injury after cardiac surgery: A propensity-score matched observational study. PLoS ONE, 2017, 12, e0177201.	2.5	12
40	Assessing influence of thermal softened double-lumen endobronchial tube on postoperative airway injury and morbidity: a call for methodology clarification: Reply. British Journal of Anaesthesia, 2017, 118, 140.	3.4	0
41	The EC90 of remifentanil for blunting cardiovascular responses to head fixation for neurosurgery under total intravenous anesthesia with propofol and remifentanil based on bispectral index monitoring: estimation with the biased coin up-and-down sequential method. BMC Anesthesiology, 2017. 17. 136.	1.8	4
42	Effects of airway evaluation parameters on the laryngeal view grade in mandibular prognathism and retrognathism patients. Journal of Dental Anesthesia and Pain Medicine, 2016, 16, 185.	1.0	7
43	Pulmonary Protective Effects of Remote Ischaemic Preconditioning with Postconditioning in Patients Undergoing Cardiac Surgery Involving Cardiopulmonary Bypass: A Substudy of the Remote Ischaemic Preconditioning with Postconditioning Outcome trial. Heart Lung and Circulation, 2016, 25, 484-492.	0.4	15
44	The effects of water lubrication of tracheal tubes on post-intubation airway complications: study protocol for a randomized controlled trial. Trials, 2016, 17, 562.	1.6	5
45	Influence of Mechanical Ventilation on the Incidence of Pneumothorax During Infraclavicular Subclavian Vein Catheterization. Anesthesia and Analgesia, 2016, 123, 636-640.	2.2	8
46	The effects of thermal softening of double-lumen endobronchial tubes on postoperative sore throat, hoarseness and vocal cord injuries: a prospective double-blind randomized trial. British Journal of Anaesthesia, 2016, 116, 282-288.	3.4	57
47	Tissue microcirculation measured by vascular occlusion test during anesthesia induction. Journal of Clinical Monitoring and Computing, 2016, 30, 41-50.	1.6	8
48	Severe hypoxemia during carinal resection in the lateral position under one-lung ventilation of a non-dependent lung: a case report. Korean Journal of Anesthesiology, 2016, 69, 279.	2.5	0
49	Increased tracheal cuff pressure during insertion of a transoesophageal echocardiography probe. European Journal of Anaesthesiology, 2015, 32, 549-554.	1.7	9
50	Misplacement of left-sided double-lumen tubes into the right mainstem bronchus: incidence, risk factors and blind repositioning techniques. BMC Anesthesiology, 2015, 15, 157.	1.8	17
51	Microvascular reactivity and clinical outcomes in cardiac surgery. Critical Care, 2015, 19, 316.	5.8	28
52	Transection of a Coopdech bronchial blocker tip during bronchial resection for right upper lobectomy: a case report. Korean Journal of Anesthesiology, 2015, 68, 287.	2.5	2
53	Pulse pressure variation to predict fluid responsiveness in spontaneously breathing patients: tidal vs forced inspiratory breathing. Anaesthesia, 2014, 69, 717-722.	3.8	40
54	Does remote ischaemic preconditioning with postconditioning improve clinical outcomes of patients undergoing cardiac surgery? Remote Ischaemic Preconditioning with Postconditioning Outcome Trial. European Heart Journal, 2014, 35, 176-183.	2.2	103

#	Article	IF	Citations
55	A randomised controlled trial comparing incentive spirometry with the Acapella $\langle \sup \rangle \hat{A}^{\otimes} \langle   \sup \rangle$ device for physiotherapy after thoracoscopic lung resection surgery. Anaesthesia, 2014, 69, 891-898.	3.8	23
56	Photoplethysmogram change by Trendelenburg position and insufflation of abdominal carbon dioxide. Journal of Anesthesia, 2013, 27, 970-971.	1.7	0
57	Assisted head extension minimizes the frequency of dental contact with laryngoscopic blade during tracheal intubation. American Journal of Emergency Medicine, 2013, 31, 1629-1633.	1.6	5
58	Left ventricular outflow tract obstruction with systolic anterior motion of the mitral valve in patient with pericardial effusion caused by ascending aortic dissection -A case report Korean Journal of Anesthesiology, 2013, 64, 73.	2.5	3
59	The Influence of Spinal Flexion in the Lateral Decubitus Position on the Unilaterality of Spinal Anesthesia. Anesthesia and Analgesia, 2013, 117, 1017-1021.	2.2	9
60	A novel maneuver to blindly position bronchial blockers. Minerva Anestesiologica, 2013, 79, 1126-31.	1.0	3
61	Hemodynamic effect of full flexion of the hips and knees in the supine position: a comparison with straight leg raising. Korean Journal of Anesthesiology, 2012, 62, 317.	2.5	7
62	Put the bevel down and visualize the needle tip when puncturing the internal jugular vein. Critical Care Medicine, 2012, 40, 2534.	0.9	4
63	Is it constantly possible to penetrate only the anterior vessel wall against hydrostatic strain?. Critical Care Medicine, 2012, 40, 2535-2536.	0.9	0
64	Effect of the bevel direction of puncture needle on success rate and complications during internal jugular vein catheterization*. Critical Care Medicine, 2012, 40, 491-494.	0.9	25
65	Effects of Remote Ischemic Preconditioning With Postconditioning in Patients Undergoing Off-Pump Coronary Artery Bypass Surgery. Circulation Journal, 2012, 76, 884-890.	1.6	65
66	Double-lumen tube placement with the patient in the supine position without a headrest minimizes displacement during lateral positioning. Canadian Journal of Anaesthesia, 2012, 59, 437-441.	1.6	21
67	Pulse-Pressure Variation Predicts Fluid Responsiveness During Heart Displacement for Off-Pump Coronary Artery Bypass Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2011, 25, 1056-1062.	1.3	9
68	Preoperative Aspirin Resistance does not Increase Myocardial Injury during Off-pump Coronary Artery Bypass Surgery. Journal of Korean Medical Science, 2011, 26, 1041.	2.5	6
69	Pulse pressure variation as a predictor of fluid responsiveness during one-lung ventilation for lung surgery using thoracotomy: randomised controlled study. European Journal of Anaesthesiology, 2011, 28, 39-44.	1.7	55
70	Preemptive Low-dose Epidural Ketamine for Preventing Chronic Postthoracotomy Pain. Clinical Journal of Pain, $2011, 27, 304-308$ .	1.9	46
71	The head-down tilt position decreases vasopressor requirement during hypotension following induction of anaesthesia in patients undergoing elective coronary artery bypass graft and valvular heart surgeries. European Journal of Anaesthesiology, 2011, 28, 45-50.	1.7	6
72	The diabetes-induced functional and distributional changes of the alpha 1-adrenoceptor of the abdominal aorta and distal mesenteric artery from streptozotocin-induced diabetic rats. Korean Journal of Anesthesiology, 2011, 60, 272.	2.5	6

#	Article	IF	Citations
73	Tracheal laceration during intubation of a double-lumen tube and intraoperative fiberoptic bronchoscopic evaluation through an LMA in the lateral position -A case report Korean Journal of Anesthesiology, 2011, 60, 285.	2.5	11
74	Anesthetic management of a patient with Mounier-Kuhn syndrome undergoing off-pump coronary artery bypass graft surgery -A case report Korean Journal of Anesthesiology, 2011, 61, 83.	2.5	6
75	Gender difference and change of î± <sub>1</sub> -adrenoceptors in the distal mesenteric arteries of streptozotocin-induced diabetic rats. Korean Journal of Anesthesiology, 2011, 61, 419.	2.5	9
76	A comparison of direct laryngoscopic views depending on pillow height. Journal of Anesthesia, 2010, 24, 526-530.	1.7	27
77	Preserved Blood Flow in the Composite Right Gastroepiploic Artery Graft During Norepinephrine Infusion. Annals of Thoracic Surgery, 2010, 89, 410-413.	1.3	2
78	The Effect of Remote Ischaemic Preconditioning on Myocardial Injury in Patients Undergoing Off-Pump Coronary Artery Bypass Graft Surgery. Anaesthesia and Intensive Care, 2010, 38, 924-929.	0.7	66
79	Rupture of endotracheal tube cuff during robot-assisted endoscopic thyroidectomy -A case report Korean Journal of Anesthesiology, 2010, 59, 416.	2.5	7
80	Practical anatomic landmarks for determining the insertion depth of central venous catheter in paediatric patients. British Journal of Anaesthesia, 2009, 102, 820-823.	3.4	30
81	Head rotation, flexion, and extension alter endotracheal tube position in adults and children. Canadian Journal of Anaesthesia, 2009, 56, 751-756.	1.6	88
82	Reducing Epistaxis During Nasotracheal Intubation. Anesthesia and Analgesia, 2008, 106, 1924.	2.2	0
83	The Carina as a Useful Radiographic Landmark for Positioning the Intraaortic Balloon Pump. Anesthesia and Analgesia, 2007, 105, 735-738.	2.2	32
84	A New Technique to Reduce Epistaxis and Enhance Navigability During Nasotracheal Intubation. Anesthesia and Analgesia, 2007, 105, 1420-1424.	2.2	57
85	Massive Carbon Dioxide Embolism Caused by a Carbon Dioxide Blower During the Repair of a Coronary Vein During Off-Pump Coronary Artery Bypass. Journal of Cardiothoracic and Vascular Anesthesia, 2007, 21, 715-717.	1.3	6
86	Effect of Lumbar Flexion on the Extent of Epidural Blockade. Regional Anesthesia and Pain Medicine, 2007, 32, 471-474.	2.3	1
87	Uppermost Blood Levels of the Right and Left Atria in the Supine Position. Anesthesiology, 2007, 107, 260-263.	2.5	15
88	The Effects of Glossopharyngeal Nerve Block on Postoperative Pain Relief After Tonsillectomy: The Importance of the Extent of Obtunded Gag Reflex as a Clinical Indicator. Anesthesia and Analgesia, 2007, 105, 267-271.	2.2	24
89	A Novel Supraclavicular Approach to the Right Subclavian Vein Based on Three-Dimensional Computed Tomography. Anesthesia and Analgesia, 2007, 105, 200-204.	2.2	13
90	Influence of the Head Posture on Central Venous Catheter Position during Right Subclavian Catheterization. Daehan Macwi'gwa Haghoeji, 2007, 52, 627.	0.2	2

#	Article	IF	Citations
91	Postoperative Analgesia. Journal of the Korean Medical Association, 2007, 50, 1090.	0.3	O
92	Tube Design for Nasotracheal Intubation. Anesthesia and Analgesia, 2006, 103, 254.	2.2	0
93	A Simple Method to Apply Continuous Positive Airway Pressure During the Use of a Univent?? Tube. Anesthesia and Analgesia, 2006, 103, 1042-1043.	2.2	2
94	Évaluation écho cardiographique transœsophagienne de la mise en place d'un cathéter veineux central guidée par ECG. Canadian Journal of Anaesthesia, 2006, 53, 978-983.	1.6	77
95	Comparative hemodynamic effects of vasopressin and norepinephrine after milrinone-induced hypotension in off-pump coronary artery bypass surgical patients. European Journal of Cardio-thoracic Surgery, 2006, 29, 952-956.	1.4	76
96	Sympathetic stimulation increases the blood flow through the in situ right gastroepiploic artery graft after off-pump coronary artery bypass graft surgeryâ <sup>†</sup> t. European Journal of Cardio-thoracic Surgery, 2006, 29, 948-951.	1.4	2
97	The Influence of Endotracheal Tube Tip Design on Nasal Trauma During Nasotracheal Intubation: Magill-Tip Versus Murphy-Tip. Anesthesia and Analgesia, 2005, 101, 1226-1229.	2.2	56
98	Direction of the J-tip of a Guidewire During Subclavian Approach. Anesthesia and Analgesia, 2005, 101, 920-921.	2.2	1
99	Position of the Shoulder for Subclavian Approach. Anesthesiology, 2005, 103, 208-209.	2.5	2
100	Intrathecal clonidine does not reduce postâ€spinal shivering. Acta Anaesthesiologica Scandinavica, 2005, 49, 1509-1513.	1.6	31
101	Mainstem bronchial diameter for the left-sided Broncho-Cath® doublelumen tube: an in vitro study. Canadian Journal of Anaesthesia, 2005, 52, 341-342.	1.6	2
102	Use of a neck brace minimizes double-lumen tube displacement during patient positioning. Canadian Journal of Anaesthesia, 2005, 52, 413-417.	1.6	20
103	Intra- and Extra-pericardial Lengths of the Superior Vena Cava in Vivo: Implication for the Positioning of Central Venous Catheters. Anaesthesia and Intensive Care, 2005, 33, 384-387.	0.7	14
104	A New Technique to Determine the Size of Double-lumen Endobronchial Tubes by the Two Perpendicularly Measured Bronchial Diameters. Anaesthesia and Intensive Care, 2005, 33, 59-63.	0.7	28
105	Acute Lung Injury: Effects of Prone Positioning on Cephalocaudal Distribution of Lung Inflation—CT Assessment in Dogs. Radiology, 2005, 234, 151-161.	7.3	40
106	Normothermic Cardiopulmonary Bypass in a Patient With Moyamoya Disease. Journal of Cardiothoracic and Vascular Anesthesia, 2005, 19, 499-500.	1.3	10
107	Comparison of Central Venous Catheterization Sites in Infants. Journal of International Medical Research, 2004, 32, 563-569.	1.0	11
108	The effect of acute normovolemic haemodilution on cerebral oxygenation. International Journal of Clinical Practice, 2004, 58, 903-906.	1.7	23

#	Article	IF	CITATIONS
109	The effect of bloodless pump prime on cerebral oxygenation in paediatric patients. Acta Anaesthesiologica Scandinavica, 2004, 48, 648-652.	1.6	20
110	Continuous mixed venous oxygen saturation, not mean blood pressure, is associated with early bupivacaine cardiotoxicity in dogs. Canadian Journal of Anaesthesia, 2003, 50, 376-381.	1.6	7
111	Clinical trial of esmolol-induced controlled hypotension with or without acute normovolemic hemodilution in spinal surgery*. Acta Anaesthesiologica Scandinavica, 2003, 47, 74-78.	1.6	27
112	Influence of lumbar flexion on the position of the intercrestal line. Regional Anesthesia and Pain Medicine, 2003, 28, 509-511.	2.3	14
113	Prophylactic milrinone during OPCAB of posterior vessels: implication in angina patients taking β-blockers. European Journal of Cardio-thoracic Surgery, 2003, 24, 770-776.	1.4	7
114	Influence of Age and Sex on the Position of the Conus Medullaris and Tuffier's Line in Adults. Anesthesiology, 2003, 99, 1359-1363.	2.5	131
115	Insertion of a Laryngeal Mask Airway in the Prone Position. Anesthesia and Analgesia, 2003, 96, 1241.	2.2	1
116	Hemomediastinum Resulting from Subclavian Artery Laceration During Internal Jugular Catheterization. Anesthesia and Analgesia, 2003, 97, 1257-1259.	2.2	18
117	Use of Gum Elastic Bougie During Difficult Airway Management. Anesthesia and Analgesia, 2003, 96, 1845.	2.2	5
118	Infrared Thermographic Imaging in the Assessment of Successful Block on Lumbar Sympathetic Ganglion. Yonsei Medical Journal, 2003, 44, 119.	2.2	31
119	Head position for facilitating the superior vena caval placement of catheters during right subclavian approach in children. Critical Care Medicine, 2002, 30, 297-299.	0.9	64
120	A Comparison of Ketamine and Lidocaine Spray with Propofol for the Insertion of Laryngeal Mask Airway in Children: A Double-Blinded Randomized Trial. Anesthesia and Analgesia, 2002, 95, 1586-1589.	2.2	28
121	The Optimal Location of Central Venous Catheters. Anesthesia and Analgesia, 2002, 94, 1372-1373.	2.2	3
122	Expression of inducible nitric oxide synthase in skin lesions of acute herpes zoster. Journal of Dermatological Science, 2002, 29, 201-205.	1.9	8
123	Case report: pulmonary soiling after one-lung ventilation with a bronchial blocker. Canadian Journal of Anaesthesia, 2002, 49, 874-876.	1.6	4
124	Positioning the double-lumen endobronchial tube. Canadian Journal of Anaesthesia, 2002, 49, 526-527.	1.6	1
125	Coiling of lumbar epidural catheters. Acta Anaesthesiologica Scandinavica, 2002, 46, 603-606.	1.6	42
126	The laryngeal mask airway in infants and children. Canadian Journal of Anaesthesia, 2001, 48, 413-417.	1.6	131

#	Article	IF	CITATION
127	Management of the â€~anesthetized but cannot-ventilate' situation. Canadian Journal of Anaesthesia, 2001, 48, 1047-1047.	1.6	0
128	A Method for Minimizing Leakage during Positive Pressure Ventilation after Intubation through Laryngeal Mask Airway. Anesthesiology, 2000, 92, 904-904.	2.5	0
129	Positioning of a Double-Lumen Endobronchial Tube without the Aid of Any Instruments: An Implication for Emergency Management. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 49, 899-902.	2.4	25
130	Use of Esophageal Stethoscope as an Introducer during Nasotracheal Intubation. Anesthesiology, 2000, 92, 1503-1503.	2.5	5
131	Management of difficult airways with a laryngeal mask airway under propofol anaesthesia. Paediatric Anaesthesia, 1999, 9, 163-166.	1.1	34
132	Prediction of double-lumen tracheal tube depth. Journal of Cardiothoracic and Vascular Anesthesia, 1999, 13, 370-371.	1.3	26
133	Correspondence. Paediatric Anaesthesia, 1998, 8, 523-525.	1.1	8
134	Computed tomographic study of lumbar (L3?4) epidural depth and its relationship to physical measurements in young adult men*1. Regional Anesthesia and Pain Medicine, 1998, 23, 262-265.	2.3	11
135	A New and Simple Maneuver to Position the Left-Sided Double-Lumen Tube Without the Aid of Fiberoptic Bronchoscopy. Anesthesia and Analgesia, 1998, 86, 1271-1275.	2.2	13
136	A New and Simple Maneuver to Position the Left-Sided Double-Lumen Tube Without the Aid of Fiberoptic Bronchoscopy. Anesthesia and Analgesia, 1998, 86, 1271-1275.	2.2	48
137	Use of the laryngeal mask airway to preoxygenate in a paediatric patient with Treacher-Collins syndrome. Paediatric Anaesthesia, 1998, 8, 274-5.	1.1	15
138	A Method for Removing the Laryngeal Mask Airway after Using It as an Intubation GuideÂ. Anesthesiology, 1997, 86, 1218-1218.	2.5	5