Andrea Di Cori

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3872150/publications.pdf

Version: 2024-02-01

76 papers 1,704 citations

279798 23 h-index 302126 39 g-index

79 all docs

79 docs citations

79 times ranked 1804 citing authors

#	Article	IF	CITATIONS
1	Transvenous removal of pacing and implantable cardiac defibrillating leads using single sheath mechanical dilatation and multiple venous approaches: high success rate and safety in more than 2000 leads. European Heart Journal, 2008, 29, 2886-2893.	2.2	227
2	Near zerO fluoroscopic exPosure during catheter ablAtion of supRavenTricular arrhYthmias: the NO-PARTY multicentre randomized trial. Europace, 2016, 18, 1565-1572.	1.7	114
3	Major predictors of fibrous adherences in transvenous implantable cardioverter-defibrillator lead extraction. Heart Rhythm, 2014, 11, 2196-2201.	0.7	82
4	Obesity Cardiomyopathy: Is It a Reality? An Ultrasonic Tissue Characterization Study. Journal of the American Society of Echocardiography, 2006, 19, 1063-1071.	2.8	75
5	Early textural and functional alterations of left ventricular myocardium in mild hypothyroidism. European Journal of Endocrinology, 2006, 155, 3-9.	3.7	72
6	Intracardiac Echocardiography in Patients with Pacing and Defibrillating Leads: A Feasibility Study. Echocardiography, 2008, 25, 632-638.	0.9	57
7	Major cardiac and vascular complications after transvenous lead extraction: acute outcome and predictive factors from the ESC-EHRA ELECTRa (European Lead Extraction ConTRolled) registry. Europace, 2019, 21, 771-780.	1.7	56
8	Severe Aortic Stenosis and Myocardial Function. Circulation, 2004, 110, 849-855.	1.6	55
9	Multicenter Experience with Transvenous Lead Extraction of Active Fixation Coronary Sinus Leads. PACE - Pacing and Clinical Electrophysiology, 2012, 35, 641-647.	1.2	51
10	Usefulness of mechanical transvenous dilation and location of areas of adherence in patients undergoing coronary sinus lead extraction. Europace, 2007, 9, 69-73.	1.7	49
11	Left Ventricular Function in Normotensive Young Adults With Well-Controlled Type 1 Diabetes Mellitus. American Journal of Cardiology, 2007, 99, 84-90.	1.6	45
12	Large, Singleâ€Center Experience in Transvenous Coronary Sinus Lead Extraction: Procedural Outcomes and Predictors for Mechanical Dilatation. PACE - Pacing and Clinical Electrophysiology, 2012, 35, 215-222.	1.2	44
13	Transvenous Extraction Performance of Expanded Polytetrafluoroethylene Covered ICD Leads in Comparison to Traditional ICD Leads in Humans. PACE - Pacing and Clinical Electrophysiology, 2010, 33, 1376-1381.	1.2	43
14	Myocardial function in severe aortic stenosis before and after aortic valve replacement: A Doppler tissue imaging study. Journal of the American Society of Echocardiography, 2005, 18, 8-14.	2.8	41
15	Effects of Bariatric Surgery on Early Myocardial Alterations in Adult Severely Obese Subjects. Cardiology, 2008, 109, 241-248.	1.4	39
16	Safety and efficacy of internal transjugular approach for transvenous extraction of implantable cardioverter defibrillator leads. Europace, 2014, 16, 1356-1362.	1.7	38
17	Predictors of Zero X-Ray Ablation for Supraventricular Tachycardias in a Nationwide Multicenter Experience. Circulation: Arrhythmia and Electrophysiology, 2018, 11, e005592.	4.8	37
18	Improvement of intrinsic myocardial contractility and cardiac fibrosis degree in acromegalic patients treated with somatostatin analogues: a prospective study. Clinical Endocrinology, 2005, 62, 590-596.	2.4	36

#	Article	IF	Citations
19	Management of antithrombotic therapy in patients undergoing electrophysiological device surgery. Europace, 2015, 17, 840-854.	1.7	28
20	Transvenous extraction profile of Riata leads: Procedural outcomes and technical complexity of mechanical removal. Heart Rhythm, 2015, 12, 580-587.	0.7	27
21	Feasibility and long-term effectiveness of a non-apical Micra pacemaker implantation in a referral centre for lead extraction. Europace, 2019, 21, 114-120.	1.7	26
22	Left ventricular hypertrophy and its regression in essential arterial hypertension. A tissue Doppler imaging study. American Journal of Hypertension, 2004, 17, 882-890.	2.0	25
23	Cardiac resynchronization therapy after coronary sinus lead extraction: feasibility and mid-term outcome of transvenous reimplantation in a tertiary referral centre. Europace, 2012, 14, 515-521.	1.7	25
24	Radiofrequency catheter ablation of atrioventricular nodal reciprocating tachycardia using intracardiac echocardiography in pregnancy. Europace, 2008, 10, 1018-1021.	1.7	23
25	A novel local impedance algorithm to guide effective pulmonary vein isolation in atrial fibrillation patients: Preliminary experience across different ablation sites from the CHARISMA pilot study. Journal of Cardiovascular Electrophysiology, 2020, 31, 2319-2327.	1.7	22
26	New-Onset Ventricular Tachycardia After Cardiac Resynchronization Therapy. Journal of Interventional Cardiac Electrophysiology, 2005, 12, 231-235.	1.3	21
27	Micra pacemaker implant after cardiac implantable electronic device extraction: feasibility and long-term outcomes. Europace, 2019, 21, 1229-1236.	1.7	20
28	Early Left Ventricular Structural Myocardial Alterations and Their Relationship with Functional and Electrical Properties of the Heart in Myotonic Dystrophy Type 1. Journal of the American Society of Echocardiography, 2009, 22, 1173-1179.	2.8	19
29	A Modified Transvenous Single Mechanical Dilatation Technique to Remove a Chronically Implanted Activeâ€Fixation Coronary Sinus Pacing Lead. PACE - Pacing and Clinical Electrophysiology, 2011, 34, e66-9.	1.2	19
30	Symptomatic Acute Myocardial Infarction in a Cardiac Transplant Recipient Successfully Treated With Primary Coronary Angioplasty: Evidence of Prognostic Importance of Chest Pain After Cardiac Transplantation. Journal of Heart and Lung Transplantation, 2005, 24, 1146-1149.	0.6	17
31	Safety and efficacy of transvenous mechanical lead extraction in patients with abandoned leads. Europace, 2020, 22, 1401-1408.	1.7	17
32	Transvenous lead extraction: Efficacy and safety of the procedure in octogenarian patients. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 382-387.	1.2	16
33	Micafungin for Candida Albicans Pacemaker-Associated Endocarditis: A Case Report and Review of the Literature. Mycopathologia, 2013, 175, 129-134.	3.1	15
34	Rationale and design of the NO-PARTY trial: near-zero fluoroscopic exposure during catheter ablation of supraventricular arrhythmias in young patients. Cardiology in the Young, 2012, 22, 539-546.	0.8	14
35	Cardiovascular implantable electronic device endocarditis treated with daptomycin with or without transvenous removal. Heart and Lung: Journal of Acute and Critical Care, 2012, 41, e24-e30.	1.6	14
36	Thromboembolic risk and effect of oral anticoagulation according to atrial fibrillation patterns: A systematic review and metaâ€analysis. Clinical Cardiology, 2017, 40, 641-647.	1.8	13

#	Article	IF	CITATIONS
37	Role of intraoperative electrical parameters in predicting reverse remodelling after cardiac resynchronization therapy and correlation with interventricular mechanical dyssynchrony. Europace, 2010, 12, 1453-1459.	1.7	11
38	Early impairment of myocardial blood flow reserve in men with essential hypertension: A quantitative myocardial contrast echocardiography study. Journal of the American Society of Echocardiography, 2004, 17, 1037-1043.	2.8	10
39	Subcutaneous Implantable Cardiac Defibrillators: Indications and Limitations. Current Heart Failure Reports, 2015, 12, 79-86.	3.3	10
40	Comparison between leadless and transvenous single-chamber pacemaker therapy in a referral centre for lead extraction. Journal of Interventional Cardiac Electrophysiology, 2021, 61, 395-404.	1.3	10
41	Predictors of ventricular ablation's success: Viability, innervation, or mismatch?. Journal of Nuclear Cardiology, 2021, 28, 175-183.	2.1	10
42	Where is the future of cardiac lead extraction heading?. Expert Review of Cardiovascular Therapy, 2016, 14, 1197-1203.	1.5	9
43	Overcoming the current issues surrounding device leads: reducing the complications during extraction. Expert Review of Medical Devices, 2017, 14, 469-480.	2.8	9
44	Role of pre-procedural CT imaging on catheter ablation in patients with atrial fibrillation: procedural outcomes and radiological exposure. Journal of Interventional Cardiac Electrophysiology, 2021, 60, 477-484.	1.3	9
45	Clinical impact of antithrombotic therapy in transvenous lead extraction complications: a sub-analysis from the ESC-EORP EHRA ELECTRa (European Lead Extraction ConTRolled) Registry. Europace, 2019, 21, 1096-1105.	1.7	8
46	Predictors of zero X ray procedures in supraventricular arrhythmias ablation. International Journal of Cardiovascular Imaging, 2020, 36, 1599-1607.	1.5	8
47	Utility of risk scores to predict adverse events in cardiac lead extraction. Expert Review of Cardiovascular Therapy, 2018, 16, 695-705.	1.5	7
48	Short-term extraction profile of cardiac pacing leads with hybrid silicone–polyurethane insulator: A pilot study. International Journal of Cardiology, 2013, 168, 4432-4433.	1.7	6
49	Subcutaneous Implantable Defibrillator in an acromegalic pregnant woman for secondary prevention of sudden cardiac death: When (2) technologies save (2) lives. International Journal of Cardiology, 2016, 223, 313-315.	1.7	6
50	Role of cardiac electronic implantable device in the stratification and management of embolic risk of silent atrial fibrillation: are all atrial fibrillations created equal?. Expert Review of Cardiovascular Therapy, 2018, 16, 175-181.	1.5	6
51	Minimal fluoroscopy approach for rightâ€sided supraventricular tachycardia ablation with a novel ablation technology: Insights from the multicenter CHARISMA clinical registry. Journal of Cardiovascular Electrophysiology, 2021, 32, 1296-1304.	1.7	6
52	Proarrhythmic Effect of Pacing Mode Reprogramation in a Patient with a Congenital Longâ€QT Syndrome. Journal of Cardiovascular Electrophysiology, 2013, 24, 1304-1305.	1.7	5
53	Retrieval of a transcatheter pacemaker in sheep after a mid-term implantation time. HeartRhythm Case Reports, 2016, 2, 43-46.	0.4	5
54	Stereotactic ventricular tachycardia radioablation aided by CT-channels analysis in a patient with inaccessible transmural substrate. Europace, 2021, 23, 1351-1351.	1.7	5

#	Article	IF	CITATIONS
55	Learning while extracting: â€~pacing' lessons from the world of lead extraction. Expert Review of Cardiovascular Therapy, 2013, 11, 1275-1276.	1.5	4
56	Leadless cardiac pacemaker implant in a patient with two deep brain stimulators: A peaceful cohabitation beyond prejudices. International Journal of Cardiology, 2016, 223, 136-138.	1.7	4
57	Left atrial thrombus and smoke resolution in patients with atrial fibrillation under chronic oral anticoagulation. Journal of Interventional Cardiac Electrophysiology, 2022, , 1.	1.3	4
58	Silence Is Golden: An Uncommon Case of Vocalization-Triggered Atrial Tachycardia. Canadian Journal of Cardiology, 2014, 30, 247.e3-247.e6.	1.7	3
59	Leadless pacing in a patient with superior vena cava syndrome undergoing lead extraction and percutaneous angioplasty. Journal of Cardiology Cases, 2018, 17, 212-214.	0.5	3
60	An Arrhythmic Storm: A Potential Complication on Opening the Umbrella for Percutaneous Closure of Interatrial Communications. American Journal of Cardiology, 2007, 100, 1181-1183.	1.6	2
61	Left ventricular outflow tract to left atrium fistula due to non-valve Listeria monocytogenes endocarditis. European Heart Journal, 2012, 33, 2235-2235.	2.2	2
62	The cold facts of long-term ECG monitoring. Expert Review of Cardiovascular Therapy, 2015, 13, 125-127.	1.5	2
63	Incessant accelerated idioventricular rhythm in pregnancy: An unusual long lasting case. International Journal of Cardiology, 2016, 209, 151-152.	1.7	2
64	Clinical impact of high-density mapping on the acute and long term outcome of atypical atrial flutter ablations. Journal of Interventional Cardiac Electrophysiology, 2024, 67, 43-51.	1.3	2
65	Manifest cardiac memory after biventricular pacing in a super-responder patient: Is memory the sign of a †forgotten' electrical ventricular pattern?. Journal of Cardiology Cases, 2011, 4, e129-e132.	0.5	1
66	Temporary coronary sinus pacing to allow hip surgery in a patient with drug-refractory incessant ventricular tachycardia. International Journal of Cardiology, 2013, 169, e21-e23.	1.7	1
67	High Risk Accessory Pathway Ablation Inside a Large Coronary Sinus Diverticulum in a Patient with Coexistent Drug-Induced Type 1 Brugada ECG Pattern. Journal of Cardiovascular Electrophysiology, 2014, 25, 101-102.	1.7	1
68	How to prevent atrial-oesophageal fistula following ablation of atrial fibrillation: are there actually any effective methods?. Europace, 2018, 20, 562-562.	1.7	1
69	Impact of anticoagulationÂtherapy on outcomes in patients with cardiac implantable resynchronization devices undergoing transvenous lead extraction: A substudy of the ESCâ€EHRA EORP ELECTRa (European Lead Extraction ConTRolled) Registry. Journal of Cardiovascular Electrophysiology, 2019, 30, 1086-1095.	1.7	1
70	Standard versus strict stability criteria in radiofrequency paroxysmal atrial fibrillation ablation using ablation index. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1404-1412.	1.2	1
71	Clinical implications of long-term ECG monitoring: from loop recorder to devices remote control. Minerva Cardiology and Angiology, 2017, 66, 40-48.	0.7	1
72	Port-a-Cath Complicated by Infection or Migration Not Removed by Manual Traction: Usefulness of Cardiac Pacing Leads Extraction Techniques. Annals of Vascular Surgery, 2013, 27, 529-536.	0.9	0

#	Article	IF	CITATIONS
73	Right heart failure due to a fistula between a giant aortic pseudoaneurysm and the left atrium. Journal of Cardiovascular Medicine, 2016, 17, e196-e198.	1.5	O
74	Future management of cardiac arrhythmias: the shape of the world to come. Minerva Cardiology and Angiology, 2017, 66, 38-39.	0.7	0
75	Left ventricular reverse remodeling after transcatheter aortic valve implantation complicated by paroxysmal complete atrioventricular block. Journal of Cardiology Cases, 2018, 17, 194-196.	0.5	O
76	Prevention of sudden cardiac death: from wearable to subcutaneous cardioverter defibrillator. Minerva Cardiology and Angiology, 2017, 66, 83-99.	0.7	0