

# Marco Moschini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3872380/publications.pdf>

Version: 2024-02-01

228  
papers

4,073  
citations

147801

31  
h-index

197818

49  
g-index

231  
all docs

231  
docs citations

231  
times ranked

4453  
citing authors

#	ARTICLE	IF	CITATIONS
1	More Extensive Pelvic Lymph Node Dissection Improves Survival in Patients with Node-positive Prostate Cancer. <i>European Urology</i> , 2015, 67, 212-219.	1.9	178
2	Characteristics and clinical significance of histological variants of bladder cancer. <i>Nature Reviews Urology</i> , 2017, 14, 651-668.	3.8	147
3	A Multi-institutional Analysis of Perioperative Outcomes in 106 Men Who Underwent Radical Prostatectomy for Distant Metastatic Prostate Cancer at Presentation. <i>European Urology</i> , 2016, 69, 788-794.	1.9	140
4	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer—An International Collaborative Multistakeholder Effort. <i>European Urology</i> , 2020, 77, 223-250.	1.9	132
5	Micropapillary Urothelial Carcinoma of the Bladder: A Systematic Review and Meta-analysis of Disease Characteristics and Treatment Outcomes. <i>European Urology</i> , 2019, 75, 649-658.	1.9	82
6	Long-term Impact of Adjuvant Versus Early Salvage Radiation Therapy in pT3N0 Prostate Cancer Patients Treated with Radical Prostatectomy: Results from a Multi-institutional Series. <i>European Urology</i> , 2017, 71, 886-893.	1.9	77
7	Extent of lymph node dissection at nephrectomy affects cancer-specific survival and metastatic progression in specific subcategories of patients with renal cell carcinoma (<scp>RCC</scp>). <i>BJU International</i> , 2014, 114, 210-215.	2.5	69
8	Comparing long-term outcomes of primary and progressive carcinoma invading bladder muscle after radical cystectomy. <i>BJU International</i> , 2016, 117, 604-610.	2.5	68
9	Incidence and effect of variant histology on oncological outcomes in patients with bladder cancer treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 335-341.	1.6	66
10	Critical Review of Outcomes from Radical Cystectomy: Can Complications from Radical Cystectomy Be Reduced by Surgical Volume and Robotic Surgery?. <i>European Urology Focus</i> , 2016, 2, 19-29.	3.1	65
11	Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology—Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , 2018, 121, 252-259.	2.5	61
12	Differential Impact of Gonadotropin-releasing Hormone Antagonist Versus Agonist on Clinical Safety and Oncologic Outcomes on Patients with Metastatic Prostate Cancer: A Meta-analysis of Randomized Controlled Trials. <i>European Urology</i> , 2021, 79, 44-53.	1.9	61
13	The Role of Prostate-specific Antigen Persistence After Radical Prostatectomy for the Prediction of Clinical Progression and Cancer-specific Mortality in Node-positive Prostate Cancer Patients. <i>European Urology</i> , 2016, 69, 1142-1148.	1.9	60
14	Natural History of Clinical Recurrence Patterns of Lymph Node-Positive Prostate Cancer After Radical Prostatectomy. <i>European Urology</i> , 2016, 69, 135-142.	1.9	58
15	External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>European Urology</i> , 2019, 75, 319-328.	1.9	57
16	Low-risk Prostate Cancer: Identification, Management, and Outcomes. <i>European Urology</i> , 2017, 72, 238-249.	1.9	55
17	Early Postoperative Radiotherapy is Associated with Worse Functional Outcomes in Patients with Prostate Cancer. <i>Journal of Urology</i> , 2017, 197, 669-675.	0.4	55
18	Incorporation of tissue-based genomic biomarkers into localized prostate cancer clinics. <i>BMC Medicine</i> , 2016, 14, 67.	5.5	53

#	ARTICLE	IF	CITATIONS
19	Differences in trends in the use of robotâ€assisted and open radical cystectomy and changes over time in periâ€operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019, 124, 656-664.	2.5	53
20	Contemporary Incidence and Cancer Control Outcomes of Primary Neuroendocrine Prostate Cancer: A SEER Database Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e793-e800.	1.9	51
21	Patterns and prognostic significance of clinical recurrences after radical cystectomy for bladder cancer: A 20-year single center experience. <i>European Journal of Surgical Oncology</i> , 2016, 42, 735-743.	1.0	49
22	Lymphocyteâ€toâ€monocyte ratio and neutrophilâ€toâ€lymphocyte ratio as biomarkers for predicting lymph node metastasis and survival in patients treated with radical cystectomy. <i>Journal of Surgical Oncology</i> , 2017, 115, 455-461.	1.7	46
23	Management of muscle invasive, locally advanced and metastatic urothelial carcinoma of the bladder: a literature review with emphasis on the role of surgery. <i>Translational Andrology and Urology</i> , 2016, 5, 735-744.	1.4	43
24	Trends of lymphadenectomy in upper tract urothelial carcinoma (UTUC) patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017, 35, 1541-1547.	2.2	41
25	Efficacy of Surgery in the Primary Tumor Site for Metastatic Urothelial Cancer: Analysis of an International, Multicenter, Multidisciplinary Database. <i>European Urology Oncology</i> , 2020, 3, 94-101.	5.4	41
26	Evaluating the effect of time from prostate cancer diagnosis to radical prostatectomy on cancer control: Can surgery be postponed safely?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 150.e9-150.e15.	1.6	40
27	Effect of Allogeneic Intraoperative Blood Transfusion on Survival in Patients Treated With Radical Cystectomy for Nonmetastatic Bladder Cancer: Results From a Single High-Volume Institution. <i>Clinical Genitourinary Cancer</i> , 2015, 13, 562-567.	1.9	37
28	Risk Stratification of pN+ Prostate Cancer after Radical Prostatectomy from a Large Single Institutional Series with Long-Term Followup. <i>Journal of Urology</i> , 2016, 195, 1773-1778.	0.4	37
29	Usefulness of pT1 substaging in papillary urothelial bladder carcinoma. <i>Diagnostic Pathology</i> , 2016, 11, 6.	2.0	33
30	HER2 overexpression is associated with worse outcomes in patients with upper tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017, 35, 251-259.	2.2	33
31	Validation of Preoperative Risk Grouping of the Selection of Patients Most Likely to Benefit From Neoadjuvant Chemotherapy Before Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e267-e273.	1.9	33
32	Comparative Effectiveness in Perioperative Outcomes of Robotic versus Open Radical Cystectomy: Results from a Multicenter Contemporary Retrospective Cohort Study. <i>European Urology Focus</i> , 2020, 6, 1233-1239.	3.1	33
33	Impact of preoperative thrombocytosis on pathological outcomes and survival in patients treated with radical cystectomy for bladder carcinoma. <i>Anticancer Research</i> , 2014, 34, 3225-30.	1.1	33
34	Accuracy and prognostic value of variant histology and lymphovascular invasion at transurethral resection of bladder. <i>World Journal of Urology</i> , 2018, 36, 231-240.	2.2	32
35	Incidence and survival outcomes in patients with upper urinary tract urothelial carcinoma diagnosed with variant histology and treated with nephroureterectomy. <i>BJU International</i> , 2019, 124, 738-745.	2.5	32
36	Feasibility and Clinical Roles of Different Substaging Systems at First and Second Transurethral Resection in Patients with T1 High-Grade Bladder Cancer. <i>European Urology Focus</i> , 2018, 4, 87-93.	3.1	31

#	ARTICLE	IF	CITATIONS
37	Prognostic role of N-cadherin expression in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 264-271.	1.6	30
38	Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Primary Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e755-e764.	1.9	29
39	Impact of stage migration and practice changes on high-risk prostate cancer: results from patients treated with radical prostatectomy over the last two decades. <i>BJU International</i> , 2016, 117, 740-747.	2.5	28
40	Bladder cancer cell growth and motility implicate cannabinoid 2 receptor-mediated modifications of sphingolipids metabolism. <i>Scientific Reports</i> , 2017, 7, 42157.	3.3	28
41	Impact of Primary Tumor Location on Survival from the European Organization for the Research and Treatment of Cancer Advanced Urothelial Cancer Studies. <i>Journal of Urology</i> , 2018, 199, 1149-1157.	0.4	28
42	The accuracy of Vesical Imaging-Reporting and Data System (VI-RADS): an updated comprehensive multi-institutional, multi-readers systematic review and meta-analysis from diagnostic evidence into future clinical recommendations. <i>World Journal of Urology</i> , 2022, 40, 1617-1628.	2.2	28
43	Outcomes for Patients with Clinical Lymphadenopathy Treated with Radical Prostatectomy. <i>European Urology</i> , 2016, 69, 193-196.	1.9	27
44	Pure but Not Mixed Histologic Variants Are Associated With Poor Survival at Radical Cystectomy in Bladder Cancer Patients. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e603-e607.	1.9	27
45	Pretreatment Risk Stratification for Endoscopic Kidney-sparing Surgery in Upper Tract Urothelial Carcinoma: An International Collaborative Study. <i>European Urology</i> , 2021, 80, 507-515.	1.9	27
46	Predicting survival of men with recurrent prostate cancer after radical prostatectomy. <i>European Journal of Cancer</i> , 2016, 54, 27-34.	2.8	26
47	Predictive factors of the absence of residual disease at repeated transurethral resection of the bladder. Is there a possibility to avoid it in well-selected patients?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 77.e1-77.e7.	1.6	26
48	The impact of preoperative nutritional status on post-surgical complication and mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review of the literature. <i>World Journal of Urology</i> , 2021, 39, 1045-1081.	2.2	26
49	Pelvic Lymph Node Dissection in Prostate Cancer: Indications, Extent and Tailored Approaches. <i>Urologia</i> , 2017, 84, 9-19.	0.7	25
50	Histological variants in non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2019, 8, 34-38.	1.4	25
51	Oncological outcomes of laparoscopic versus open nephroureterectomy for the treatment of upper tract urothelial carcinoma: an updated meta-analysis. <i>World Journal of Surgical Oncology</i> , 2021, 19, 129.	1.9	25
52	Clinical Lymphadenopathy in Urothelial Cancer: A Transatlantic Collaboration on Performance of Cross-sectional Imaging and Oncologic Outcomes in Patients Treated with Radical Cystectomy Without Neoadjuvant Chemotherapy. <i>European Urology Focus</i> , 2018, 4, 245-251.	3.1	24
53	Oncological predictive value of the 2004 World Health Organisation grading classification in primary T1 non-muscle-invasive bladder cancer. A step forward or back?. <i>BJU International</i> , 2015, 115, 267-273.	2.5	23
54	Comparison between the diagnostic accuracies of 18F-fluorodeoxyglucose positron emission tomography/computed tomography and conventional imaging in recurrent urothelial carcinomas: a retrospective, multicenter study. <i>Abdominal Radiology</i> , 2018, 43, 2391-2399.	2.1	23

#	ARTICLE	IF	CITATIONS
55	18F-FDG PET/CT and Urothelial Carcinoma: Impact on Management and Prognosisâ€”A Multicenter Retrospective Study. <i>Cancers</i> , 2019, 11, 700.	3.7	23
56	The New Prostate Cancer Grading System Does Not Improve Prediction of Clinical Recurrence After Radical Prostatectomy: Results of a Large, Twoâ€”Center Validation Study. <i>Prostate</i> , 2017, 77, 263-273.	2.3	22
57	Frailty impact on postoperative complications and early mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 9-23.	1.5	22
58	Identification of pathologically favorable disease in intermediate-risk prostate cancer patients: Implications for active surveillance candidates selection. <i>Prostate</i> , 2015, 75, 1484-1491.	2.3	21
59	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 57.e1-57.e7.	1.6	21
60	The Impact of Perioperative Blood Transfusion on Survival of Bladder Cancer Patients Submitted to Radical Cystectomy: Role of Anemia Status. <i>European Urology Focus</i> , 2016, 2, 86-91.	3.1	20
61	Timing of blood transfusion and not ABO blood type is associated with survival in patients treated with radical cystectomy for nonmetastatic bladder cancer: Results from a single high-volume institution. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 256.e7-256.e13.	1.6	20
62	Bacillus Calmette-GuÃ©rin unresponsiveness in non-muscle-invasive bladder cancer patients: what the urologists should know. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019, 71, 17-30.	3.9	20
63	Are all grade group 4 prostate cancers created equal? Implications for the applicability of the novel grade grouping. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 461.e7-461.e14.	1.6	19
64	Prognostic Value of Serum Cholinesterase in Nonâ€”muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e1123-e1132.	1.9	19
65	Impact of Gender on Chemotherapeutic Response and Oncologic Outcomes in Patients Treated With Radical Cystectomy and Perioperative Chemotherapy for Bladder Cancer: A Systematic Review and Meta-Analysis. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 78-87.	1.9	19
66	Impact of Smoking Habit on Perioperative Morbidity in Patients Treated with Radical Cystectomy for Urothelial Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021, 4, 580-593.	5.4	19
67	How to optimally manage elderly bladder cancer patients?. <i>Translational Andrology and Urology</i> , 2016, 5, 683-691.	1.4	18
68	Surgical treatment for clinical node-positive bladder cancer patients treated with radical cystectomy without neoadjuvant chemotherapy. <i>World Journal of Urology</i> , 2018, 36, 639-644.	2.2	18
69	The effect of HER2 status on oncological outcomes of patients with invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 533.e1-533.e10.	1.6	17
70	Validation of the American Society for Reproductive Medicine guidelines/recommendations in white European men presenting for couple's infertility. <i>Fertility and Sterility</i> , 2016, 106, 1076-1082.e1.	1.0	17
71	Which Patients with Clinically Node-positive Prostate Cancer Should Be Considered for Radical Prostatectomy as Part of Multimodal Treatment? The Impact of Nodal Burden on Long-term Outcomes. <i>European Urology</i> , 2019, 75, 817-825.	1.9	17
72	Importance of prostate volume in the stratification of patients with intermediateâ€”risk prostate cancer. <i>International Journal of Urology</i> , 2015, 22, 555-561.	1.0	16

#	ARTICLE	IF	CITATIONS
73	Effect on postoperative survival of the status of distal ureteral margin: The necessity to achieve negative margins at the time of radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 59.e15-59.e22.	1.6	16
74	Pattern of node metastases in patients treated with radical cystectomy and extended or superextended pelvic lymph node dissection due to bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 307.e9-307.e14.	1.6	16
75	Elevated preoperative neutrophil-lymphocyte ratio predicts upgrading at radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 100-105.	3.9	16
76	Location of Metastatic Bladder Cancer as a Determinant of In-hospital Mortality After Radical Cystectomy. <i>European Urology Oncology</i> , 2018, 1, 169-175.	5.4	16
77	A panel of systemic inflammatory response biomarkers for outcome prediction in patients treated with radical cystectomy for urothelial carcinoma. <i>BJU International</i> , 2022, 129, 182-193.	2.5	16
78	Intracorporeal versus extracorporeal urinary diversion in robot-assisted radical cystectomy: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1587-1599.	2.2	16
79	Available evidence on HIFU for focal treatment of prostate cancer: a systematic review. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2022, 48, 263-274.	1.5	16
80	Erectile Function Recovery After Nerve-Sparing Radical Prostatectomy for Prostate Cancer: Is Back to Baseline Status Enough for Patient Satisfaction?. <i>Journal of Sexual Medicine</i> , 2016, 13, 669-678.	0.6	15
81	Perioperative Allogenic Blood Transfusion in Renal Cell Carcinoma: Risk Factors and Effect on Long-term Outcomes. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e421-e427.	1.9	15
82	Contemporary Management of Prostate Cancer Patients Suitable for Active Surveillance: A North American Population-based Study. <i>European Urology Focus</i> , 2018, 4, 68-74.	3.1	15
83	Contemporary Trends of Systemic Neoadjuvant and Adjuvant Intravesical Chemotherapy in Patients With Upper Tract Urothelial Carcinomas Undergoing Minimally Invasive or Open Radical Nephroureterectomy: Analysis of US Claims on Perioperative Outcomes and Health Care Costs. <i>Clinical Genitourinary Cancer</i> , 2022, 20, 198.e1-198.e9.	1.9	15
84	Sildenafil and tadalafil have synergistic inhibitory effects on nerve-mediated contractions of human and rat isolated prostates. <i>European Journal of Pharmacology</i> , 2014, 744, 42-51.	3.5	14
85	A nomogram predicting the cancer-specific mortality in patients eligible for radical cystectomy evaluating clinical data and neoadjuvant cisplatin-based chemotherapy. <i>World Journal of Urology</i> , 2016, 34, 207-213.	2.2	14
86	Is transurethral resection alone enough for the diagnosis of histological variants? A single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 528.e1-528.e5.	1.6	14
87	Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e1039-e1045.	1.9	14
88	Incidence and Predictors of 30-Day Readmission After Robot-Assisted Radical Prostatectomy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 67-71.	1.9	14
89	Prediction tools in non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2019, 8, 39-45.	1.4	14
90	Stratification of Intermediate-risk Non-muscle-invasive Bladder Cancer Patients: Implications for Adjuvant Therapies. <i>European Urology Focus</i> , 2020, 7, 566-573.	3.1	14

#	ARTICLE	IF	CITATIONS
91	Impact of preoperative systemic immune-inflammation Index on oncologic outcomes in bladder cancer patients treated with radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 106.e11-106.e19.	1.6	14
92	The presence of carcinoma in situ at radical cystectomy increases the risk of urothelial recurrence: Implications for follow-up schemes. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 151.e17-151.e23.	1.6	13
93	Prognostic Role of N-cadherin Expression in Patients With Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e73-e78.	1.9	13
94	Open Versus Robotic Cystectomy: A Propensity Score Matched Analysis Comparing Survival Outcomes. <i>Journal of Clinical Medicine</i> , 2019, 8, 1192.	2.4	13
95	Development of a New Comorbidity Assessment Tool for Specific Prediction of Perioperative Mortality in Contemporary Patients Treated with Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 1942-1949.	1.5	13
96	The impact of treatment modality on survival in patients with clinical node-positive bladder cancer: results from a multicenter collaboration. <i>World Journal of Urology</i> , 2021, 39, 443-451.	2.2	13
97	Novel Classification for Upper Tract Urothelial Carcinoma to Better Risk-stratify Patients Eligible for Kidney-sparing Strategies: An International Collaborative Study. <i>European Urology Focus</i> , 2022, 8, 491-497.	3.1	13
98	Prognostic role of expression of N-cadherin in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017, 35, 1073-1080.	2.2	12
99	Impact of the Level of Urothelial Carcinoma Involvement of the Prostate on Survival after Radical Cystectomy. <i>Bladder Cancer</i> , 2017, 3, 161-169.	0.4	12
100	Association between Inflammatory Potential of Diet and Bladder Cancer Risk: Results of 3 United States Prospective Cohort Studies. <i>Journal of Urology</i> , 2019, 202, 484-489.	0.4	12
101	Compared Efficacy of Adjuvant Intravesical BCG-TICE vs. BCG-RIVM for High-Risk Non-Muscle Invasive Bladder Cancer (NMIBC): A Propensity Score Matched Analysis. <i>Cancers</i> , 2022, 14, 887.	3.7	12
102	What is the Need for Prostatic Biomarkers in Prostate Cancer Management?. <i>Current Urology Reports</i> , 2015, 16, 70.	2.2	11
103	Lymph node dissection for renal cell carcinoma. <i>Current Opinion in Urology</i> , 2016, 26, 424-431.	1.8	11
104	Preoperative Favorable Characteristics in Bladder Cancer Patients Cannot Substitute the Necessity of Extended Lymphadenectomy During Radical Cystectomy: A Sensitivity Curve Analysis. <i>Urology</i> , 2016, 88, 97-103.	1.0	11
105	Diagnosis and management of spermatic cord tumors. <i>Current Opinion in Urology</i> , 2017, 27, 76-79.	1.8	11
106	Contemporary rates of adherence to international guidelines for pelvic lymph node dissection in radical cystectomy: a population-based study. <i>World Journal of Urology</i> , 2018, 36, 1417-1422.	2.2	11
107	Prognostic value of the systemic inflammation modified Glasgow prognostic score in patients with upper tract urothelial carcinoma (UTUC) treated with radical nephroureterectomy: Results from a large multicenter international collaboration. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 602.e11-602.e19.	1.6	11
108	The effectiveness of multiparametric magnetic resonance imaging in bladder cancer (Vesical) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 T <i>Urology</i> , 2020, 18, 67-71.	1.5	11

#	ARTICLE	IF	CITATIONS
109	Survival Outcomes After Immediate Radical Cystectomy Versus Conservative Management with Bacillus Calmette-Guérin Among T1 High-grade Micropapillary Bladder Cancer Patients: Results from a Multicentre Collaboration. <i>European Urology Focus</i> , 2022, 8, 1270-1277.	3.1	11
110	Upper Tract Urothelial Carcinoma in the Lynch Syndrome Tumour Spectrum: A Comprehensive Overview from the European Association of Urology - Young Academic Urologists and the Global Society of Rare Genitourinary Tumors. <i>European Urology Oncology</i> , 2022, 5, 30-41.	5.4	11
111	Oncologic Surveillance After Radical Nephroureterectomy for High-risk Upper Tract Urothelial Carcinoma. <i>European Urology Oncology</i> , 2022, 5, 451-459.	5.4	11
112	Incidence and Predictors of 30-Day Readmission in Patients Treated With Radical Cystectomy: A Single Center European Experience. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e341-e346.	1.9	10
113	Obesity is associated with biochemical recurrence after radical prostatectomy: A multi-institutional extended validation study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 460.e1-460.e8.	1.6	10
114	Long-term utility of adjuvant hormonal and radiation therapy for patients with seminal vesicle invasion at radical prostatectomy. <i>BJU International</i> , 2017, 120, 69-75.	2.5	10
115	Tertiary Gleason pattern in radical prostatectomy specimens is associated with worse outcomes than the next higher Gleason score group in localized prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 158.e1-158.e6.	1.6	10
116	Role of serum cholinesterase in patients treated with salvage radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 123-129.	1.6	10
117	Increasing Rate of Noninterventional Treatment Management in Localized Prostate Cancer Candidates for Active Surveillance: A North American Population-Based Study. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 72-78.e4.	1.9	10
118	Long-term functional and oncological outcomes of nerve-sparing and prostate capsule-sparing cystectomy: a single-centre experience. <i>BJU International</i> , 2020, 125, 253-259.	2.5	10
119	The impact of hormones and reproductive factors on the risk of bladder cancer in women: results from the Nurses' Health Study and Nurses' Health Study II. <i>International Journal of Epidemiology</i> , 2020, 49, 599-607.	1.9	10
120	Ureteral and urethral recurrence after radical cystectomy: a systematic review. <i>Current Opinion in Urology</i> , 2020, 30, 441-448.	1.8	10
121	Catalog of prognostic tissue-based biomarkers in patients treated with neoadjuvant systemic therapy for urothelial carcinoma of the bladder: a systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 180-190.	1.6	10
122	Accuracy and Clinical Utility of a Tumor Grade- and Stage-based Predictive Model in Localized Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2022, 8, 761-768.	3.1	10
123	Enhanced recovery after surgery (ERAS) in radical cystectomy patients: from consensus to evidences. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019, 45, 655-657.	1.5	10
124	Impact of Intra- and Postoperative Blood Transfusion on the Incidence, Timing, and Pattern of Disease Recurrence After Radical Cystectomy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e681-e688.	1.9	9
125	Radical Cystectomy in Pathological T4a and T4b Bladder Cancer Patients: Is There Any Space for Sub Stratification?. <i>Urologia Internationalis</i> , 2019, 102, 269-276.	1.3	9
126	Development of a Prediction Tool for Exclusive Locoregional Recurrence After Radical Cystectomy in Patients With Muscle-Invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019, 17, 7-14.e3.	1.9	9

#	ARTICLE	IF	CITATIONS
127	Expression of urokinase-type plasminogen activator system in non-metastatic prostate cancer. <i>World Journal of Urology</i> , 2020, 38, 2501-2511.	2.2	9
128	Comparing Perioperative Complications Between Laparoscopic and Robotic Radical Cystectomy for Bladder Cancer. <i>Journal of Endourology</i> , 2020, 34, 1033-1040.	2.1	9
129	Biomarkers predicting oncological outcomes of high-risk non-muscle-invasive bladder cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020, 72, 265-278.	3.9	9
130	Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration. <i>World Journal of Urology</i> , 2022, 40, 1167-1174.	2.2	9
131	Systematic Review: The Learning Curve for Robot-Assisted Radical Cystectomy—What Do We Know?. <i>Journal of Endourology</i> , 2022, , .	2.1	9
132	Characterization of Late Recurrence After Radical Cystectomy in a Large Multicenter Cohort of Bladder Cancer Patients. <i>Urology</i> , 2017, 106, 119-124.	1.0	8
133	Impact of Prostate Involvement on Outcomes in Patients Treated with Radical Cystoprostatectomy for Bladder Cancer. <i>Urologia Internationalis</i> , 2017, 98, 290-297.	1.3	8
134	The surgical management of patients with clinical stage T4 bladder cancer: A single institution experience. <i>European Journal of Surgical Oncology</i> , 2017, 43, 808-814.	1.0	8
135	Therapeutic approaches for lymph node involvement in prostate, bladder and kidney cancer. <i>Expert Review of Anticancer Therapy</i> , 2019, 19, 739-755.	2.4	8
136	Propensity-score-matched comparison of soft tissue surgical margins status between open and robotic-assisted radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 179.e1-179.e7.	1.6	8
137	Re-establishing the Role of Robot-assisted Radical Cystectomy After the 2020 EAU Muscle-invasive and Metastatic Bladder Cancer Guideline Panel Recommendations. <i>European Urology</i> , 2020, 78, 489-491.	1.9	8
138	Impact of preoperative serum albumin-globulin ratio on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 235.e5-235.e14.	1.6	8
139	Differential Prognosis and Response of De novo vs. Secondary Muscle-Invasive Bladder Cancer: An Updated Systematic Review and Meta-Analysis. <i>Cancers</i> , 2021, 13, 2496.	3.7	8
140	Accuracy of Frozen Section Analysis of Urethral and Ureteral Margins During Radical Cystectomy for Bladder Cancer: A Systematic Review and Diagnostic Meta-Analysis. <i>European Urology Focus</i> , 2022, 8, 752-760.	3.1	8
141	Impact of the preoperative modified glasgow prognostic score on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Minerva Urology and Nephrology</i> , 2021, , .	2.5	8
142	Variant histologies in bladder cancer: Does the centre have an impact in detection accuracy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 273.e11-273.e20.	1.6	8
143	Potential Effect of Antiplatelet and Anticoagulant Therapy on the Timing of the Diagnosis of Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e245-e250.	1.9	7
144	Preoperative anemia is associated with disease recurrence and progression in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 113.e9-113.e14.	1.6	7

#	ARTICLE	IF	CITATIONS
145	Survival Outcomes in Octogenarian and Nonagenarian Patients Treated with First-line Androgen Deprivation Therapy for Organ-confined Prostate Cancer. <i>European Urology Focus</i> , 2018, 4, 834-841.	3.1	7
146	Prediction of the Need for an Extended Lymphadenectomy at the Time of Radical Cystectomy in Patients with Bladder Cancer. <i>European Urology Focus</i> , 2021, 7, 1067-1074.	3.1	7
147	Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021, 39, 1947-1953.	2.2	7
148	Incidence, risk factors and outcomes of urethral recurrence after radical cystectomy for bladder cancer: A systematic review and meta-analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 806-815.	1.6	7
149	Prognostic blood-based biomarkers in patients treated with neoadjuvant chemotherapy for urothelial carcinoma of the bladder: A systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 471-479.	1.6	7
150	Comparative Outcomes of Primary Versus Recurrent High-risk Non-muscle-invasive and Primary Versus Secondary Muscle-invasive Bladder Cancer After Radical Cystectomy: Results from a Retrospective Multicenter Study. <i>European Urology Open Science</i> , 2022, 39, 14-21.	0.4	7
151	Radiofrequency-Induced Thermo-Chemotherapy Effect (Rite) for Non Muscle Invasive Bladder Cancer Treatment: Current Role and Perspectives. <i>Urologia</i> , 2016, 83, 7-17.	0.7	6
152	External beam radiotherapy with or without androgen deprivation therapy in elderly patients with high metastatic risk prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 239.e9-239.e15.	1.6	6
153	Heterogeneity of risk within Gleason 4+4, 4+5 and 5+4 prostate cancer. <i>Scandinavian Journal of Urology</i> , 2018, 52, 340-348.	1.0	6
154	Evaluation of Cause of Death After Radical Cystectomy for Patients With Bladder Cancer: The Impact of Age at the Time of Surgery. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e541-e548.	1.9	6
155	Comparing oncological outcomes of laparoscopic vs open radical nephroureterectomy for the treatment of upper tract urothelial carcinoma: A propensity score-matched analysis. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 31-36.	1.5	6
156	Assessment of the oncological outcomes of three different bacillus Calmette-Guérin strains in patients with high-grade T1 non-muscle-invasive bladder cancer. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 78-85.	1.5	6
157	Postoperative peripheral neuropathies associated with patient positioning during robot-assisted laparoscopic radical prostatectomy (RARP): A systematic review of the literature. <i>Prostate</i> , 2021, 81, 361-367.	2.3	6
158	Impact of preoperative plasma levels of interleukin 6 and interleukin 6 soluble receptor on disease outcomes after radical cystectomy for bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 85-95.	4.2	6
159	The Management of Distal Ureter During Radical Nephroureterectomy Does Not Influence Bladder Recurrence. <i>Journal of Endourology</i> , 2022, 36, 77-82.	2.1	6
160	Preoperative plasma level of endoglin as a predictor for disease outcomes after radical cystectomy for nonmetastatic urothelial carcinoma of the bladder. <i>Molecular Carcinogenesis</i> , 2022, 61, 5-18.	2.7	6
161	Does mpMRI guidance improve HIFU partial gland ablation compared to conventional ultrasound guidance? Early functional outcomes and complications from a single center. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020, 46, 984-992.	1.5	6
162	A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urology and Nephrology</i> , 2022, 74, .	2.5	6

#	ARTICLE	IF	CITATIONS
163	Features and management of men with pN1 cMO prostate cancer after radical prostatectomy and lymphadenectomy: a systematic review of population-based evidence. <i>Current Opinion in Urology</i> , 2022, 32, 69-84.	1.8	6
164	Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated With Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2022, 29, 5307-5316.	1.5	6
165	Selecting the Best Candidates for Cisplatin-based Adjuvant Chemotherapy After Radical Cystectomy Among Patients with pN+ Bladder Cancer. <i>European Urology Oncology</i> , 2022, 5, 722-725.	5.4	6
166	Effect of Stage Migration on Bladder Cancer: A Slow but Steady Improvement in Long-Term Survival Rates After Radical Cystectomy in Previous 25 Years. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e223-e228.	1.9	5
167	Further Understanding of Urokinase Plasminogen Activator Overexpression in Urothelial Bladder Cancer Progression, Clinical Outcomes and Potential Therapeutic Targets. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 315-324.	2.0	5
168	ABO Blood Group and Rhesus Factor Are Not Associated with Outcomes After Radical Cystectomy for Non-metastatic Urothelial Carcinoma of the Bladder. , 2017, 37, 5747-5753.		5
169	Diagnostic accuracy of preoperative lymph node staging of bladder cancer according to different lymph node locations: A multicenter cohort from the European Association of Urology " Young Academic Urologists. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 195.e27-195.e35.	1.6	5
170	Caveolin-1 as prognostic factor of disease recurrence and survival in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 356-362.	1.6	4
171	Predicting local failure after radical cystectomy in patients with bladder cancer: Implications for the selection of candidates at adjuvant radiation therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 672.e1-672.e6.	1.6	4
172	Testosterone Levels Correlate With Grade Group 5 Prostate Cancer: Another Step Toward Personalized Medicine. <i>Prostate</i> , 2017, 77, 234-241.	2.3	4
173	The need to improve TURB: a diagnostic and therapeutic fundamental first step in the disease's management. <i>Translational Andrology and Urology</i> , 2019, 8, 2-4.	1.4	4
174	Prediction of Complications in Radical Prostatectomy Prostate Cancer Patients: Simulated Annealing versus Co-Morbidity Indexes. <i>Urologia Internationalis</i> , 2019, 102, 51-59.	1.3	4
175	Accuracy of MRI-guided Versus Systematic Prostate Biopsy in Patients Under Active Surveillance: A Systematic Review and Meta-analysis. <i>Clinical Genitourinary Cancer</i> , 2021, 19, 3-11.e1.	1.9	4
176	Evaluating the role of neoadjuvant chemotherapy in bladder cancer patients with occult lymph node metastases. <i>Translational Andrology and Urology</i> , 2018, 7, 742-744.	1.4	3
177	Caveolin-1 Expression in Upper Tract Urothelial Carcinoma. <i>European Urology Focus</i> , 2019, 5, 97-103.	3.1	3
178	Do Not Learn a Technique, Learn the Biology Underlying the Disease: Techniques Evolve, Biology Prevails. <i>European Urology</i> , 2020, 77, 1-2.	1.9	3
179	How to improve patient selection for neoadjuvant chemotherapy in bladder cancer patients candidate for radical cystectomy and pelvic lymph node dissection. <i>World Journal of Urology</i> , 2020, 38, 1229-1233.	2.2	3
180	Salvage Radical Prostatectomy After Robot-assisted Laparoscopic Prostatectomy: Case Series. <i>Clinical Genitourinary Cancer</i> , 2020, 18, e202-e207.	1.9	3

#	ARTICLE	IF	CITATIONS
181	Is it Time to Consider Eliminating Surgery from the Treatment of Locally Advanced Bladder Cancer?. <i>European Urology</i> , 2021, 79, 713-716.	1.9	3
182	Higher nodal yield with robot-assisted pelvic lymph node dissection for bladder cancer compared to laparoscopic dissection: implications for more accurate staging. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 92-97.	1.5	3
183	Intravesical Therapy in Patients with Intermediate-risk Non-muscle-invasive Bladder Cancer: A Systematic Review and Network Meta-analysis of Disease Recurrence. <i>European Urology Focus</i> , 2022, 8, 447-456.	3.1	3
184	Lynch syndrome in urological practice: diagnosis, therapeutic strategies, and screening for upper tract urothelial carcinoma. <i>Current Opinion in Urology</i> , 2022, 32, 40-47.	1.8	3
185	Restaging transurethral resection in a high-grade nonmuscle invasive bladder cancer: a systematic review. <i>Current Opinion in Urology</i> , 2022, 32, 54-60.	1.8	3
186	The Value of Preoperative Plasma VEGF Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>European Urology Focus</i> , 2022, 8, 972-979.	3.1	3
187	Carboplatin-based adjuvant chemotherapy versus observation after radical cystectomy in patients with pN1-3 urothelial bladder cancer. <i>World Journal of Urology</i> , 2022, 40, 1489-1496.	2.2	3
188	Prognostic impact of insulin-like growth factor-1 and its binding proteins, insulin-like growth factor-binding protein-2 and -3, on adverse histopathological features and survival outcomes after radical cystectomy. <i>International Journal of Urology</i> , 2022, , .	1.0	3
189	The Role of Prior Bladder Cancer on Recurrence in Patients Treated with Radical Nephroureterectomy. <i>Clinical Genitourinary Cancer</i> , 2021, , .	1.9	3
190	The Cancer of the Bladder Risk Assessment (COBRA) score accurately predicts cancer-specific survival after radical cystectomy: external validation and lymphovascular invasion assessment value to improve its performance. <i>Clinical Genitourinary Cancer</i> , 2021, , .	1.9	3
191	The impact of perioperative blood transfusion on survival outcomes in radical cystectomy patients. <i>Translational Andrology and Urology</i> , 2017, 6, 1205-1207.	1.4	2
192	Prognostic value of hepatocyte growth factor for muscle-invasive bladder cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 3091-3102.	2.5	2
193	Robot-assisted radical cystectomy: towards a future of sexual-sparing surgery?. <i>Minerva Urology and Nephrology</i> , 2022, 73, 697-699.	2.5	2
194	The Impact of Primary Versus Secondary Muscle-invasive Bladder Cancer at Diagnosis on the Response to Neoadjuvant Chemotherapy. <i>European Urology Open Science</i> , 2022, 41, 74-80.	0.4	2
195	1838 WHEN TO PERFORM LYMPH NODE DISSECTION IN RENAL CELL CARCINOMA PATIENTS: A NOVEL APPROACH TO PREOPERATIVELY ASSESS THE RISK OF LYMPH NODE INVASION AT SURGERY AND NODAL PROGRESSION DURING FOLLOW UP. <i>Journal of Urology</i> , 2013, 189, .	0.4	1
196	RE: Androgen Deprivation With or Without Radiation Therapy for Clinically Node-Positive Prostate Cancer. <i>Journal of the National Cancer Institute</i> , 2015, 107, .	6.3	1
197	Re: Adjuvant Sandwich Chemotherapy Plus Radiotherapy vs Adjuvant Chemotherapy Alone for Locally Advanced Bladder Cancer After Radical Cystectomy: A Randomized Phase 2 Trial. <i>European Urology</i> , 2018, 74, 119.	1.9	1
198	Adjuvant chemotherapy in bladder cancer patients with histological variants: time to change the approach?. <i>Translational Andrology and Urology</i> , 2019, 8, S280-S282.	1.4	1

#	ARTICLE	IF	CITATIONS
199	Reply to Nicholas G. Zaorsky, Daniel E. Spratt, and Pierre Blanchard's Letter to the Editor re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>Eur Urol</i> 2019;75:319-28. <i>European Urology</i> , 2019, 75, e98-e99.	1.9	1
200	From Basic Science to Clinical Research to Develop New Solutions to Improve Diagnoses and Treatment of Bladder Cancer Patients. <i>Journal of Clinical Medicine</i> , 2020, 9, 2373.	2.4	1
201	Multiparametric magnetic resonance imaging ultrasound-guided fusion biopsy during active surveillance: A single-centre study. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020, 18, 142-147.	1.5	1
202	Single staff cystectomy in a low-volume center: Oncological outcomes and complications. <i>Canadian Urological Association Journal</i> , 2021, 15, E582-E587.	0.6	1
203	The Uro-oncology Patient and Vaccination Against SARS-CoV-2. <i>European Urology Open Science</i> , 2021, 29, 77-81.	0.4	1
204	Adverse events of the second-line treatment for patients with locally advanced or metastatic urothelial carcinoma of the bladder: network meta-analysis. <i>Immunotherapy</i> , 2021, 13, 917-929.	2.0	1
205	Emerging diagnostic and therapeutic strategies for urothelial carcinoma. <i>Arab Journal of Urology Arab Association of Urology</i> , 2021, 19, 1-1.	1.5	1
206	Is there enough evidence available nowadays to suggest a paradigmatic shift in treatment of MIBC with perioperative systemic therapy administration?. <i>Minerva Urology and Nephrology</i> , 2021, 73, 674-676.	2.5	1
207	Combination of histological and molecular data for improving outcome prediction in non-muscle invasive bladder cancer—narrative review. <i>Translational Cancer Research</i> , 2020, 9, 7323-7336.	1.0	1
208	Metastasis Within Three Years from Radical Nephroureterectomy as a Potential Surrogate for Overall Survival. <i>Clinical Genitourinary Cancer</i> , 2022, 20, 389.e1-389.e7.	1.9	1
209	Re: Failure-Free Survival and Radiotherapy in Patients with Newly Diagnosed Nonmetastatic Prostate Cancer: Data from Patients in the Control Arm of the STAMPEDE Trial. <i>European Urology</i> , 2016, 70, 398-399.	1.9	0
210	Editorial Comment. <i>Urology</i> , 2017, 103, 147-148.	1.0	0
211	Hospitalization before surgery and subsequent risk of infective complications after radical cystectomy: A population-based analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 659.e7-659.e12.	1.6	0
212	Preoperative Prediction of Node Metastases in Bladder Cancer Patients Using Genomic and Clinicopathologic Data. <i>EBioMedicine</i> , 2018, 31, 5-6.	6.1	0
213	The role of antibiotic prophylaxis after radical cystectomy in preventing urinary tract infections and readmission for sepsis. <i>Translational Andrology and Urology</i> , 2018, 7, 752-753.	1.4	0
214	Re: Kristian D. Stensland, Harras Zaid, Mark Broadwin, et al. Comparative Effectiveness of Treatment Strategies for Squamous Cell Carcinoma of the Bladder. <i>Eur Urol Oncol</i> . In press. <a href="https://doi.org/10.1016/j.euo.2018.11.003">https://doi.org/10.1016/j.euo.2018.11.003</a> . <i>European Urology Oncology</i> , 2019, 2, 230.	5.4	0
215	Reply to Alba Fiorentino, Angelo Errico, and Marcello Scarcia's Letter to the Editor re: Marco Moschini, Emanuele Zaffuto, Pierre I. Karakiewicz, et al. External Beam Radiotherapy Increases the Risk of Bladder Cancer When Compared with Radical Prostatectomy in Patients Affected by Prostate Cancer: A Population-based Analysis. <i>Eur Urol</i> 2019;75:319-28. <i>European Urology</i> , 2019, 75, e95.	1.9	0
216	CALIBER: a phase II randomized feasibility trial of chemoablation with mitomycin vs surgical management in low-risk non-muscle-invasive bladder cancer. <i>BJU International</i> , 2020, 126, 663-663.	2.5	0

#	ARTICLE	IF	CITATIONS
217	Re: Hugh Mostafid, Ashish M. Kamat, Siamak Daneshmand, et al. Best Practices to Optimise Quality and Outcomes of Transurethral Resection of Bladder Tumours. <i>Eur Urol Oncol</i> 2021;4:12â€“9. <i>European Urology Oncology</i> , 2021, 4, 126.	5.4	0
218	Radical Cystectomy. , 2021, , 139-175.		0
219	Re: Paolo Dellâ€™Oglio, Elio Mazzone, Edward Lambert, et al. The Effect of Surgical Experience on Perioperative and Oncological Outcomes After Robot-assisted Radical Cystectomy with Intracorporeal Urinary Diversion: Evidence from a Referral Centre with Extensive Experience in Robotic Surgery. <i>Eur Urol Focus</i> 2021;7:352â€“8. <i>European Urology Focus</i> . 2022, 8, 890.	3.1	0
220	Contemporary Outcomes of Patients With Nonmuscle-Invasive Bladder Cancer Treated With Bacillus Calmette-GuÃ©rin: Implications for Clinical Trial Design. Letter.. <i>Journal of Urology</i> , 2021, 206, 1528.	0.4	0
221	Editorial Comment from Dr Lonati and Dr Moschini to Stage and cancerâ€™specific mortality differ within specific Asian ethnic groups in upper tract urothelial carcinoma: North American populationâ€™based study. <i>International Journal of Urology</i> , 2021, 28, 1252-1253.	1.0	0
222	Continuing acetylsalicylic acid during Robotic-Assisted Radical Cystectomy with intracorporeal urinary diversion does not increase hemorrhagic complications: results from a large multicentric cohort. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, , .	1.6	0
223	Re: Ten-Year Oncologic Outcomes following Robot-Assisted Radical Cystectomy: Results from the International Robotic Cystectomy Consortium. <i>Journal of Urology</i> , 2020, 203, 624-624.	0.4	0
224	Re: Evaluation of the Fluorescence In Situ Hybridization Test to Predict Recurrence and/or Progression of Disease after bacillus Calmette-GuÃ©rin for Primary High Grade Nonmuscle Invasive Bladder Cancer: Results from a Prospective Multicenter Trial. <i>Journal of Urology</i> , 2020, 203, 625-625.	0.4	0
225	Editorial Comment. <i>Journal of Urology</i> , 2020, 204, 32-32.	0.4	0
226	Comment on: Postoperative outcomes of Fast-Track-enhanced recovery protocol in open radical cystectomy: comparison with standard management in a high-volume center and Trifecta proposal. <i>Minerva Urology and Nephrology</i> , 2022, 74, 119-121.	2.5	0
227	ASO Visual Abstract: Prognostic Role of Preoperative Vascular Cell Adhesion Molecule-1 Plasma Levels in Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
228	Efficacy and toxicity of antibody-drug conjugates (ADCs) in the treatment of metastatic urothelial cancer (mUC): A systematic review.. <i>Journal of Clinical Oncology</i> , 2022, 40, e16536-e16536.	1.6	0