

# Qing-Song Mei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3876755/publications.pdf>

Version: 2024-02-01

27  
papers

968  
citations

759233

12  
h-index

526287

27  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1149  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Achieving synergistic strengthening and enhanced comprehensive properties of Cu matrix composites at high strength level by incorporating nanocarbons and Al <sub>2</sub> O <sub>3</sub> dual reinforcements. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 839, 142859. | 5.6  | 8         |
| 2  | Gradient microstructure, recrystallization and mechanical properties of copper processed by high pressure surface rolling. <i>Journal of Materials Science and Technology</i> , 2022, 126, 182-190.  | 10.7 | 15        |
| 3  | Cancellous bone-like porous Fe@Zn scaffolds with core-shell-structured skeletons for biodegradable bone implants. <i>Acta Biomaterialia</i> , 2021, 121, 665-681.  | 8.3  | 32        |
| 4  | Bimodal grain structures and tensile properties of a biomedical Co-20Cr-15W-10Ni alloy with different pre-strains. <i>Rare Metals</i> , 2021, 40, 20-30.   | 7.1  | 12        |
| 5  | Thermal stability of bimodal grain structure in a cobalt-based superalloy subjected to high-temperature exposure. <i>Rare Metals</i> , 2021, 40, 877-884.  | 7.1  | 3         |
| 6  | GNPs/Al nanocomposites with high strength and ductility and electrical conductivity fabricated by accumulative roll-compositing. <i>Rare Metals</i> , 2021, 40, 2593-2601.   | 7.1  | 7         |
| 7  | Fabrication of graphene/copper nanocomposites via in-situ delamination of graphite in copper by accumulative roll-compositing. <i>Composites Part B: Engineering</i> , 2021, 216, 108850.  | 12.0 | 31        |
| 8  | Fabrication and properties of Al-TiAl <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> composites with high content of reinforcing particles by accumulative roll-bonding and spark plasma sintering. <i>Materials Today Communications</i> , 2020, 24, 101060.  | 1.9  | 3         |
| 9  | Production of Surface Layer with Gradient Microstructure and Microhardness on Copper by High Pressure Surface Rolling. <i>Metals</i> , 2020, 10, 73.   | 2.3  | 8         |
| 10 | Microstructure and mechanical behavior of Al-TiAl <sub>3</sub> composites containing high content uniform dispersion of TiAl <sub>3</sub> particles. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 786, 139435.  | 5.6  | 11        |
| 11 | Cancellous-Bone-like Porous Iron Scaffold Coated with Strontium Incorporated Octacalcium Phosphate Nanowhiskers for Bone Regeneration. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 509-518.   | 5.2  | 31        |
| 12 | Al matrix composites reinforced by high volume fraction of TiAl <sub>3</sub> fabricated through combined accumulative roll-bonding processes. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 754, 309-317.  | 5.6  | 12        |
| 13 | Production of a high strength Al/(TiAl <sub>3</sub> +Al <sub>2</sub> O <sub>3</sub> ) composite from an Al-TiO <sub>2</sub> system by accumulative roll-bonding and spark plasma sintering. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 752, 192-198.                  | 5.6  | 16        |
| 14 | Effect of H <sub>2</sub> dilution on the structure and properties of nc-CrC/a-C:H coatings deposited by a hybrid beams system. <i>Nuclear Science and Techniques/Hewuli</i> , 2018, 29, 1.   | 3.4  | 1         |
| 15 | Effects of Cold Rolling and Annealing Prior to Dealloying on the Microstructure of Nanoporous Gold. <i>Nanomaterials</i> , 2018, 8, 540.   | 4.1  | 6         |
| 16 | Effect of Squareness of Initial $\gamma$ Precipitates on Creep-Rupture Life of a Ni-Base Single Crystal Superalloy at 760/982°C. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2018, 49, 2929-2939.   | 2.2  | 5         |
| 17 | Hall-Petch relations and strengthening of Al-ZnO composites in view of grain size relative to interparticle spacing. <i>Scripta Materialia</i> , 2018, 153, 27-30.   | 5.2  | 78        |
| 18 | Liquid-phase aluminizing of Ti-6Al-4V with a nanostructured surface layer. <i>Materials Letters</i> , 2017, 193, 169-171.  | 2.6  | 3         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Effect of Ion Source Current on the Microstructure and Properties of Cr-DLC Coatings Prepared by Ion Beam-Assisted Arc Ion Plating. <i>Nano</i> , 2017, 12, 1750053.   | 1.0  | 1         |
| 20 | Dependence of Liquid Supercooling on Liquid Overheating Levels of Al Small Particles. <i>Materials</i> , 2016, 9, 7.   | 2.9  | 8         |
| 21 | Surface nanocrystallization and property of Ti6Al4V alloy induced by high pressure surface rolling. <i>Surface and Coatings Technology</i> , 2016, 289, 94-100.  | 4.8  | 27        |
| 22 | Cu/C composites with a good combination of hardness and electrical conductivity fabricated from Cu and graphite by accumulative roll-bonding. <i>Materials and Design</i> , 2016, 110, 124-129.  | 7.0  | 50        |
| 23 | Evolution of microstructure and property of NiTi alloy induced by cold rolling. <i>Journal of Alloys and Compounds</i> , 2015, 653, 156-161.   | 5.5  | 40        |
| 24 | Production of Al <sub>2</sub> O <sub>3</sub> /Ti <sub>2</sub> AlN composite with novel combination of high temperature properties. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 607, 6-9. | 5.6  | 8         |
| 25 | Different stages in the continuous microstructural evolution of copper deformed to ultrahigh plastic strains. <i>Scripta Materialia</i> , 2012, 67, 1003-1006.   | 5.2  | 13        |
| 26 | Melting and superheating of crystalline solids: From bulk to nanocrystals. <i>Progress in Materials Science</i> , 2007, 52, 1175-1262.   | 32.8 | 504       |
| 27 | Pressure-induced superheating of Al nanoparticles encapsulated in Al <sub>2</sub> O <sub>3</sub> shells without epitaxial interface. <i>Acta Materialia</i> , 2005, 53, 1059-1066.   | 7.9  | 35        |