

David H Wasserman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3877612/publications.pdf>

Version: 2024-02-01

185
papers

13,183
citations

26610

56
h-index

24961

109
g-index

217
all docs

217
docs citations

217
times ranked

18523
citing authors

#	ARTICLE	IF	CITATIONS
1	Mitochondrial H ₂ O ₂ emission and cellular redox state link excess fat intake to insulin resistance in both rodents and humans. <i>Journal of Clinical Investigation</i> , 2009, 119, 573-581.	3.9	1,051
2	Physical Activity/Exercise and Type 2 Diabetes: A consensus statement from the American Diabetes Association. <i>Diabetes Care</i> , 2006, 29, 1433-1438.	4.3	800
3	The liver. <i>Current Biology</i> , 2017, 27, R1147-R1151.	1.8	708
4	Physical Activity/Exercise and Type 2 Diabetes. <i>Diabetes Care</i> , 2004, 27, 2518-2539.	4.3	617
5	Standard operating procedures for describing and performing metabolic tests of glucose homeostasis in mice. <i>DMM Disease Models and Mechanisms</i> , 2010, 3, 525-534.	1.2	606
6	Circadian Disruption Leads to Insulin Resistance and Obesity. <i>Current Biology</i> , 2013, 23, 372-381.	1.8	364
7	Considerations in the Design of Hyperinsulinemic-Euglycemic Clamps in the Conscious Mouse. <i>Diabetes</i> , 2006, 55, 390-397.	0.3	345
8	Four grams of glucose. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 296, E11-E21.	1.8	291
9	Fibroblast Growth Factor 21 Controls Glycemia via Regulation of Hepatic Glucose Flux and Insulin Sensitivity. <i>Endocrinology</i> , 2009, 150, 4084-4093.	1.4	254
10	Glucose Metabolism In Vivo in Four Commonly Used Inbred Mouse Strains. <i>Diabetes</i> , 2008, 57, 1790-1799.	0.3	225
11	Metformin reduces liver glucose production by inhibition of fructose-1-6-bisphosphatase. <i>Nature Medicine</i> , 2018, 24, 1395-1406.	15.2	212
12	Chronic Treatment With Sildenafil Improves Energy Balance and Insulin Action in High Fat-Fed Conscious Mice. <i>Diabetes</i> , 2007, 56, 1025-1033.	0.3	208
13	FGF19 action in the brain induces insulin-independent glucose lowering. <i>Journal of Clinical Investigation</i> , 2013, 123, 4799-4808.	3.9	183
14	VEGFB/VEGFR1-Induced Expansion of Adipose Vasculature Counteracts Obesity and Related Metabolic Complications. <i>Cell Metabolism</i> , 2016, 23, 712-724.	7.2	180
15	FoxO1 integrates direct and indirect effects of insulin on hepatic glucose production and glucose utilization. <i>Nature Communications</i> , 2015, 6, 7079.	5.8	172
16	NIH experiment in centralized mouse phenotyping: the Vanderbilt experience and recommendations for evaluating glucose homeostasis in the mouse. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E849-E855.	1.8	160
17	Activation of invariant natural killer T cells by lipid excess promotes tissue inflammation, insulin resistance, and hepatic steatosis in obese mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1143-52.	3.3	160
18	The extracellular matrix and insulin resistance. <i>Trends in Endocrinology and Metabolism</i> , 2015, 26, 357-366.	3.1	157

#	ARTICLE	IF	CITATIONS
19	Bile diversion to the distal small intestine has comparable metabolic benefits to bariatric surgery. <i>Nature Communications</i> , 2015, 6, 7715.	5.8	156
20	Toll-like Receptor 4 Deficiency Promotes the Alternative Activation of Adipose Tissue Macrophages. <i>Diabetes</i> , 2012, 61, 2718-2727.	0.3	148
21	Mice with AS160/TBC1D4-Thr649Ala Knockin Mutation Are Glucose Intolerant with Reduced Insulin Sensitivity and Altered GLUT4 Trafficking. <i>Cell Metabolism</i> , 2011, 13, 68-79.	7.2	147
22	Diet-Induced Muscle Insulin Resistance Is Associated With Extracellular Matrix Remodeling and Interaction With Integrin $\alpha 2 \beta 1$ in Mice. <i>Diabetes</i> , 2011, 60, 416-426.	0.3	132
23	The physiological regulation of glucose flux into muscle <i>in vivo</i> . <i>Journal of Experimental Biology</i> , 2011, 214, 254-262.	0.8	128
24	Exercise and the Regulation of Hepatic Metabolism. <i>Progress in Molecular Biology and Translational Science</i> , 2015, 135, 203-225.	0.9	127
25	Effects of Gender on Neuroendocrine and Metabolic Counterregulatory Responses to Exercise in Normal Man ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 224-230.	1.8	126
26	Skeletal Muscle AMP-activated Protein Kinase Is Essential for the Metabolic Response to Exercise in Vivo. <i>Journal of Biological Chemistry</i> , 2009, 284, 23925-23934.	1.6	124
27	SIRT3 Is Crucial for Maintaining Skeletal Muscle Insulin Action and Protects Against Severe Insulin Resistance in High-Fat-Fed Mice. <i>Diabetes</i> , 2015, 64, 3081-3092.	0.3	119
28	Central injection of fibroblast growth factor 1 induces sustained remission of diabetic hyperglycemia in rodents. <i>Nature Medicine</i> , 2016, 22, 800-806.	15.2	119
29	Circadian Clock Gene <i>Bmal1</i> Is Not Essential; Functional Replacement with its Paralog, <i>Bmal2</i> . <i>Current Biology</i> , 2010, 20, 316-321.	1.8	116
30	Microvascular Disease, Peripheral Artery Disease, and Amputation. <i>Circulation</i> , 2019, 140, 449-458.	1.6	114
31	Metabolomic profiling of dietary-induced insulin resistance in the high fat-fed C57BL/6J mouse. <i>Diabetes, Obesity and Metabolism</i> , 2008, 10, 950-958.	2.2	111
32	Amino acids as metabolic substrates during cardiac ischemia. <i>Experimental Biology and Medicine</i> , 2012, 237, 1369-1378.	1.1	107
33	Hyaluronan Accumulates With High-Fat Feeding and Contributes to Insulin Resistance. <i>Diabetes</i> , 2013, 62, 1888-1896.	0.3	100
34	The Glucagon-Like Peptide-1 Receptor Regulates Endogenous Glucose Production and Muscle Glucose Uptake Independent of Its Incretin Action. <i>Endocrinology</i> , 2009, 150, 1155-1164.	1.4	99
35	Hyperinsulinemic-euglycemic Clamps in Conscious, Unrestrained Mice. <i>Journal of Visualized Experiments</i> , 2011, , .	0.2	94
36	Overproduction of Angiotensinogen from Adipose Tissue Induces Adipose Inflammation, Glucose Intolerance, and Insulin Resistance. <i>Obesity</i> , 2012, 20, 48-56.	1.5	94

#	ARTICLE	IF	CITATIONS
37	Regulation of Glucose Fluxes During Exercise in the Postabsorptive State. Annual Review of Physiology, 1995, 57, 191-218.	5.6	91
38	The Vasculature in Prediabetes. Circulation Research, 2018, 122, 1135-1150.	2.0	91
39	Hepatic energy state is regulated by glucagon receptor signaling in mice. Journal of Clinical Investigation, 2009, 119, 2412-2422.	3.9	91
40	Glucagon and lipid interactions in the regulation of hepatic AMPK signaling and expression of PPAR α and FGF21 transcripts in vivo. American Journal of Physiology - Endocrinology and Metabolism, 2010, 299, E607-E614.	1.8	90
41	Individual Mice Can Be Distinguished by the Period of Their Islet Calcium Oscillations: Is There an Intrinsic Islet Period That Is Imprinted In Vivo?. Diabetes, 2005, 54, 3517-3522.	0.3	89
42	Aldosterone decreases glucose-stimulated insulin secretion in vivo in mice and in murine islets. Diabetologia, 2011, 54, 2152-2163.	2.9	88
43	Muscle-Specific Vascular Endothelial Growth Factor Deletion Induces Muscle Capillary Rarefaction Creating Muscle Insulin Resistance. Diabetes, 2013, 62, 572-580.	0.3	82
44	Impact of macrophage toll-like receptor 4 deficiency on macrophage infiltration into adipose tissue and the artery wall in mice. Diabetologia, 2009, 52, 318-328.	2.9	81
45	Overexpression of hexokinase II increases insulin and exercise-stimulated muscle glucose uptake in vivo. American Journal of Physiology - Endocrinology and Metabolism, 1999, 276, E70-E77.	1.8	80
46	Glucose-6-Phosphate-Mediated Activation of Liver Glycogen Synthase Plays a Key Role in Hepatic Glycogen Synthesis. Diabetes, 2013, 62, 4070-4082.	0.3	78
47	Mass spectrometry-based microassay of ^2H and ^{13}C plasma glucose labeling to quantify liver metabolic fluxes in vivo. American Journal of Physiology - Endocrinology and Metabolism, 2015, 309, E191-E203.	1.8	75
48	AS160 deficiency causes whole-body insulin resistance via composite effects in multiple tissues. Biochemical Journal, 2013, 449, 479-489.	1.7	71
49	Emerging role of AMP-activated protein kinase in endocrine control of metabolism in the liver. Molecular and Cellular Endocrinology, 2013, 366, 152-162.	1.6	71
50	Hexokinase II Overexpression Improves Exercise-Stimulated But Not Insulin-Stimulated Muscle Glucose Uptake in High-Fat-Fed C57BL/6J Mice. Diabetes, 2004, 53, 306-314.	0.3	70
51	Glucoregulation during and after exercise in health and insulin-dependent diabetes. Exercise and Sport Sciences Reviews, 2005, 33, 17-23.	1.6	69
52	Insulin secretion in the conscious mouse is biphasic and pulsatile. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E523-E529.	1.8	67
53	Glucagon-Like Peptide-1 Receptor Knockout Mice Are Protected from High-Fat Diet-Induced Insulin Resistance. Endocrinology, 2010, 151, 4678-4687.	1.4	67
54	Endothelial nitric oxide synthase is central to skeletal muscle metabolic regulation and enzymatic signaling during exercise in vivo. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R1399-R1408.	0.9	64

#	ARTICLE	IF	CITATIONS
55	Markers of glycemic control in the mouse: comparisons of 6-h- and overnight-fasted blood glucoses to Hb A _{1c} . American Journal of Physiology - Endocrinology and Metabolism, 2008, 295, E981-E986.	1.8	63
56	5-Aminoimidazole-4-carboxamide-1-β-d-ribofuranoside (AICAR) Effect on Glucose Production, but Not Energy Metabolism, Is Independent of Hepatic AMPK in Vivo. Journal of Biological Chemistry, 2014, 289, 5950-5959.	1.6	60
57	Energy state of the liver during short-term and exhaustive exercise in C57BL/6J mice. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E405-E408.	1.8	58
58	Hexokinase II partial knockout impairs exercise-stimulated glucose uptake in oxidative muscles of mice. American Journal of Physiology - Endocrinology and Metabolism, 2003, 285, E958-E963.	1.8	57
59	Distributed control of glucose uptake by working muscles of conscious mice: roles of transport and phosphorylation. American Journal of Physiology - Endocrinology and Metabolism, 2004, 286, E77-E84.	1.8	55
60	Control of Exercise-stimulated Muscle Glucose Uptake by GLUT4 Is Dependent on Glucose Phosphorylation Capacity in the Conscious Mouse. Journal of Biological Chemistry, 2004, 279, 50956-50961.	1.6	55
61	Control of muscle glucose uptake: test of the rate-limiting step paradigm in conscious, unrestrained mice. Journal of Physiology, 2005, 562, 925-935.	1.3	54
62	Glucose kinetics and exercise tolerance in mice lacking the GLUT4 glucose transporter. Journal of Physiology, 2007, 582, 801-812.	1.3	53
63	Assessment of Different Bariatric Surgeries in the Treatment of Obesity and Insulin Resistance in Mice. Annals of Surgery, 2011, 254, 73-82.	2.1	53
64	Relaxin Treatment Reverses Insulin Resistance in Mice Fed a High-Fat Diet. Diabetes, 2013, 62, 3251-3260.	0.3	52
65	Contrasting effects of exercise and NOS inhibition on tissue-specific fatty acid and glucose uptake in mice. American Journal of Physiology - Endocrinology and Metabolism, 2002, 283, E116-E123.	1.8	51
66	Limitations to basal and insulin-stimulated skeletal muscle glucose uptake in the high-fat-fed rat. American Journal of Physiology - Endocrinology and Metabolism, 2000, 279, E1064-E1071.	1.8	49
67	Hexokinase II protein content is a determinant of exercise endurance capacity in the mouse. Journal of Physiology, 2005, 566, 533-541.	1.3	49
68	Hepatocyte estrogen receptor alpha mediates estrogen action to promote reverse cholesterol transport during Western-type diet feeding. Molecular Metabolism, 2018, 8, 106-116.	3.0	49
69	Limitations to exercise- and maximal insulin-stimulated muscle glucose uptake. Journal of Applied Physiology, 1998, 85, 2305-2313.	1.2	48
70	Phosphorylation Barriers to Skeletal and Cardiac Muscle Glucose Uptakes in High-Fat Fed Mice: Studies in Mice With a 50% Reduction of Hexokinase II. Diabetes, 2007, 56, 2476-2484.	0.3	47
71	Interaction of gut and liver in nitrogen metabolism during exercise. Metabolism: Clinical and Experimental, 1991, 40, 307-314.	1.5	46
72	Heterozygous SOD2 Deletion Impairs Glucose-Stimulated Insulin Secretion, but Not Insulin Action, in High-Fat-Fed Mice. Diabetes, 2014, 63, 3699-3710.	0.3	46

#	ARTICLE	IF	CITATIONS
73	Loss of hepatic AMP-activated protein kinase impedes the rate of glycogenolysis but not gluconeogenic fluxes in exercising mice. <i>Journal of Biological Chemistry</i> , 2017, 292, 20125-20140.	1.6	46
74	Role of TAPP1 and TAPP2 adaptor binding to PtdIns(3,4)P ₂ in regulating insulin sensitivity defined by knock-in analysis. <i>Biochemical Journal</i> , 2011, 434, 265-274.	1.7	45
75	Role of carotid bodies in control of the neuroendocrine response to exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 281, E742-E748.	1.8	44
76	Functional limitations to glucose uptake in muscles comprised of different fiber types. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001, 280, E994-E999.	1.8	41
77	AMP Kinase-Induced Skeletal Muscle Glucose But Not Long-Chain Fatty Acid Uptake Is Dependent on Nitric Oxide. <i>Diabetes</i> , 2004, 53, 1429-1435.	0.3	41
78	Effects of chronic coffee consumption on glucose kinetics in the conscious rat. <i>Canadian Journal of Physiology and Pharmacology</i> , 2007, 85, 823-830.	0.7	41
79	Disruption of Acetyl-Lysine Turnover in Muscle Mitochondria Promotes Insulin Resistance and Redox Stress without Overt Respiratory Dysfunction. <i>Cell Metabolism</i> , 2020, 31, 131-147.e11.	7.2	41
80	INTERACTION OF PHYSIOLOGICAL MECHANISMS IN CONTROL OF MUSCLE GLUCOSE UPTAKE. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005, 32, 319-323.	0.9	39
81	SIRT2 knockout exacerbates insulin resistance in high fat-fed mice. <i>PLoS ONE</i> , 2018, 13, e0208634.	1.1	39
82	Hyperoxia Synergizes with Mutant Bone Morphogenic Protein Receptor 2 to Cause Metabolic Stress, Oxidant Injury, and Pulmonary Hypertension. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2013, 49, 778-787.	1.4	38
83	Approach to assessing determinants of glucose homeostasis in the conscious mouse. <i>Mammalian Genome</i> , 2014, 25, 522-538.	1.0	38
84	Integrin β 1-null Mice Exhibit Improved Fatty Liver When Fed a High Fat Diet Despite Severe Hepatic Insulin Resistance. <i>Journal of Biological Chemistry</i> , 2015, 290, 6546-6557.	1.6	38
85	An Overview of Muscle Glucose Uptake during Exercise. <i>Advances in Experimental Medicine and Biology</i> , 1998, 441, 1-16.	0.8	38
86	Hepatic Glucagon Action Is Essential for Exercise-Induced Reversal of Mouse Fatty Liver. <i>Diabetes</i> , 2011, 60, 2720-2729.	0.3	37
87	Glycine N-methyltransferase deletion in mice diverts carbon flux from gluconeogenesis to pathways that utilize excess methionine cycle intermediates. <i>Journal of Biological Chemistry</i> , 2018, 293, 11944-11954.	1.6	37
88	Matrix metalloproteinase 9 opposes diet-induced muscle insulin resistance in mice. <i>Diabetologia</i> , 2014, 57, 603-613.	2.9	36
89	Sympathetic drive to liver and nonhepatic splanchnic tissue during heavy exercise. <i>Journal of Applied Physiology</i> , 1997, 82, 1244-1249.	1.2	35
90	Obesity impairs skeletal muscle AMPK signaling during exercise: role of AMPK β 2 in the regulation of exercise capacity in vivo. <i>International Journal of Obesity</i> , 2011, 35, 982-989.	1.6	35

#	ARTICLE	IF	CITATIONS
91	Integrin-Linked Kinase Is Necessary for the Development of Diet-Induced Hepatic Insulin Resistance. <i>Diabetes</i> , 2017, 66, 325-334.	0.3	35
92	Cytochrome P450 epoxygenase-derived epoxyeicosatrienoic acids contribute to insulin sensitivity in mice and in humans. <i>Diabetologia</i> , 2017, 60, 1066-1075.	2.9	35
93	Insulin exits skeletal muscle capillaries by fluid-phase transport. <i>Journal of Clinical Investigation</i> , 2018, 128, 699-714.	3.9	35
94	5-Aminoimidazole-4-Carboxamide-1- β -D-Ribofuranoside Causes Acute Hepatic Insulin Resistance In Vivo. <i>Diabetes</i> , 2005, 54, 355-360.	0.3	34
95	Fiber type-specific determinants of V max for insulin-stimulated muscle glucose uptake in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 284, E541-E548.	1.8	32
96	Portal Venous 5-Aminoimidazole-4-Carboxamide-1- β -D-Ribofuranoside Infusion Overcomes Hyperinsulinemic Suppression of Endogenous Glucose Output. <i>Diabetes</i> , 2005, 54, 373-382.	0.3	32
97	Integrin-Linked Kinase in Muscle Is Necessary for the Development of Insulin Resistance in Diet-Induced Obese Mice. <i>Diabetes</i> , 2016, 65, 1590-1600.	0.3	32
98	Regulation of Insulin-Stimulated Muscle Glucose Uptake in the Conscious Mouse: Role of Glucose Transport Is Dependent on Glucose Phosphorylation Capacity. <i>Endocrinology</i> , 2004, 145, 4912-4916.	1.4	31
99	Insulin Action in the Double Incretin Receptor Knockout Mouse. <i>Diabetes</i> , 2008, 57, 288-297.	0.3	31
100	Chronic Angiotensin-(1 β) Improves Insulin Sensitivity in High-Fat Fed Mice Independent of Blood Pressure. <i>Hypertension</i> , 2016, 67, 983-991.	1.3	30
101	Interaction of Insulin and Prior Exercise in Control of Hepatic Metabolism of a Glucose Load. <i>Diabetes</i> , 2003, 52, 1897-1903.	0.3	28
102	Zonation of acetate labeling across the liver: implications for studies of lipogenesis by MIDA. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E1022-E1027.	1.8	27
103	Prior exercise increases net hepatic glucose uptake during a glucose load. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E1022-E1029.	1.8	26
104	Disassociation of Muscle Insulin Signaling and Insulin-Stimulated Glucose Uptake during Endotoxemia. <i>PLoS ONE</i> , 2012, 7, e30160.	1.1	26
105	A negative arterial-portal venous glucose gradient increases net hepatic glucose uptake in euglycemic dogs. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E126-E134.	1.8	23
106	Role of hepatic α - and β -adrenergic receptor stimulation on hepatic glucose production during heavy exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997, 273, E831-E838.	1.8	22
107	Analysis of insulin-stimulated skeletal muscle glucose uptake in conscious rat using isotopic glucose analogs. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 274, E287-E296.	1.8	22
108	CD44 contributes to hyaluronan-mediated insulin resistance in skeletal muscle of high-fat-fed C57BL/6 mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 317, E973-E983.	1.8	22

#	ARTICLE	IF	CITATIONS
109	Physiological Bases for the Treatment of the Physically Active Individual with Diabetes. <i>Sports Medicine</i> , 1989, 7, 376-392.	3.1	21
110	Effect of fast duration on disposition of an intraduodenal glucose load in the conscious dog. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 276, E543-E552.	1.8	21
111	CETP Inhibition Improves HDL Function but Leads to Fatty Liver and Insulin Resistance in CETP-Expressing Transgenic Mice on a High-Fat Diet. <i>Diabetes</i> , 2018, 67, 2494-2506.	0.3	20
112	Enhanced Mitochondrial Superoxide Scavenging Does Not Improve Muscle Insulin Action in the High Fat-Fed Mouse. <i>PLoS ONE</i> , 2015, 10, e0126732.	1.1	20
113	Liver AMP-Activated Protein Kinase Is Unnecessary for Gluconeogenesis but Protects Energy State during Nutrient Deprivation. <i>PLoS ONE</i> , 2017, 12, e0170382.	1.1	20
114	Glucagon response to exercise is critical for accelerated hepatic glutamine metabolism and nitrogen disposal. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E638-E645.	1.8	19
115	Prior exercise and the response to insulin-induced hypoglycemia in the dog. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002, 282, E1128-E1138.	1.8	19
116	Prior exercise enhances passive absorption of intraduodenal glucose. <i>Journal of Applied Physiology</i> , 2003, 95, 1132-1138.	1.2	18
117	AMP-activated protein kinase (AMPK) ± 2 plays a role in determining the cellular fate of glucose in insulin-resistant mouse skeletal muscle. <i>Diabetologia</i> , 2013, 56, 608-617.	2.9	18
118	Striatal Dopamine Homeostasis is Altered in Mice Following Roux-en-Y Gastric Bypass Surgery. <i>ACS Chemical Neuroscience</i> , 2014, 5, 943-951.	1.7	18
119	Perfusion controls muscle glucose uptake by altering the rate of glucose dispersion in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 317, E1022-E1036.	1.8	18
120	Whole Body Irradiation Induces Diabetes and Adipose Insulin Resistance in Nonhuman Primates. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 878-886.	0.4	18
121	Exercise and Adipose Tissue Immunity: Outrunning Inflammation. <i>Obesity</i> , 2021, 29, 790-801.	1.5	18
122	Multitissue 2H/13C flux analysis reveals reciprocal upregulation of renal gluconeogenesis in hepatic PEPCK-C α knockout mice. <i>JCI Insight</i> , 2021, 6, .	2.3	18
123	Hepatic Denervation Alters the Transition from the Fed to the Food-Deprived State in Conscious Dogs. <i>Journal of Nutrition</i> , 1993, 123, 1739-1746.	1.3	17
124	Prevention of Overt Hypoglycemia During Exercise: Stimulation of Endogenous Glucose Production Independent of Hepatic Catecholamine Action and Changes in Pancreatic Hormone Concentration. <i>Diabetes</i> , 2002, 51, 1310-1318.	0.3	17
125	Exercise-Induced Changes in Insulin and Glucagon Are Not Required for Enhanced Hepatic Glucose Uptake After Exercise but Influence the Fate of Glucose Within the Liver. <i>Diabetes</i> , 2004, 53, 3041-3047.	0.3	17
126	Cyclooxygenase-2 in adipose tissue macrophages limits adipose tissue dysfunction in obese mice. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	17

#	ARTICLE	IF	CITATIONS
127	Mesenchymal stem cell transplantation for the infarcted heart: a role in minimizing abnormalities in cardiac-specific energy metabolism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E163-E172.	1.8	16
128	Mesenchymal stem cell transplantation for the infarcted heart: therapeutic potential for insulin resistance beyond the heart. <i>Cardiovascular Diabetology</i> , 2013, 12, 128.	2.7	16
129	Adipocyte integrin-linked kinase plays a key role in the development of diet-induced adipose insulin resistance in male mice. <i>Molecular Metabolism</i> , 2021, 49, 101197.	3.0	14
130	Insulin, Muscle Glucose Uptake, and Hexokinase: Revisiting the Road Not Taken. <i>Physiology</i> , 2022, 37, 115-127.	1.6	14
131	Metabolic implications of reduced heart-type fatty acid binding protein in insulin resistant cardiac muscle. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2008, 1782, 586-592.	1.8	13
132	Reduced Nonexercise Activity Attenuates Negative Energy Balance in Mice Engaged in Voluntary Exercise. <i>Diabetes</i> , 2018, 67, 831-840.	0.3	13
133	Mouse Models of Bariatric Surgery. , 2012, 2012, 295.		13
134	Sympathetic drive to liver and nonhepatic splanchnic tissue during prolonged exercise is increased in diabetes. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 1327-1332.	1.5	12
135	Splanchnic glucagon kinetics in exercising alloxan-diabetic dogs. <i>Journal of Applied Physiology</i> , 1999, 86, 1626-1631.	1.2	12
136	Diminishing impairments in glucose uptake, mitochondrial content, and ADP-stimulated oxygen flux by mesenchymal stem cell therapy in the infarcted heart. <i>American Journal of Physiology - Cell Physiology</i> , 2014, 306, C19-C27.	2.1	12
137	Fibrotic Encapsulation Is the Dominant Source of Continuous Glucose Monitor Delays. <i>Diabetes</i> , 2019, 68, 1892-1901.	0.3	12
138	Energy metabolism couples hepatocyte integrin-linked kinase to liver gluco-regulation and postabsorptive responses of mice in an age-dependent manner. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E1118-E1135.	1.8	12
139	5-Aminoimidazole-4-carboxamide-1- β -D-ribofuranoside renders glucose output by the liver of the dog insensitive to a pharmacological increment in insulin. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005, 289, E1039-E1043.	1.8	11
140	Long Chain Fatty Acid Uptake In Vivo: Comparison of [¹²⁵ I]â€™MIPP and [³ H]â€™Bromopalmitate. <i>Lipids</i> , 2008, 43, 703-11.	0.7	11
141	NIH Mouse Metabolic Phenotyping Centers: the power of centralized phenotyping. <i>Mammalian Genome</i> , 2012, 23, 623-631.	1.0	11
142	Transendothelial Insulin Transport is Impaired in Skeletal Muscle Capillaries of Obese Male Mice. <i>Obesity</i> , 2020, 28, 303-314.	1.5	11
143	Reciprocity Between Skeletal Muscle AMPK Deletion and Insulin Action in Diet-Induced Obese Mice. <i>Diabetes</i> , 2020, 69, 1636-1649.	0.3	11
144	Lost in Translation. <i>Diabetes</i> , 2009, 58, 1947-1950.	0.3	10

#	ARTICLE	IF	CITATIONS
145	Transgenic Mice Overexpressing Renin Exhibit Glucose Intolerance and Diet-Genotype Interactions. <i>Frontiers in Endocrinology</i> , 2012, 3, 166.	1.5	10
146	Enhanced Glucose Transport, but not Phosphorylation Capacity, Ameliorates Lipopolysaccharide-Induced Impairments in Insulin-Stimulated Muscle Glucose Uptake. <i>Shock</i> , 2016, 45, 677-685.	1.0	10
147	Mitochondrial antioxidative capacity regulates muscle glucose uptake in the conscious mouse: effect of exercise and diet. <i>Journal of Applied Physiology</i> , 2012, 113, 1173-1183.	1.2	9
148	Acute Nitric Oxide Synthase Inhibition Accelerates Transendothelial Insulin Efflux In Vivo. <i>Diabetes</i> , 2018, 67, 1962-1975.	0.3	9
149	Collagen 24 \pm 1 Is Increased in Insulin-Resistant Skeletal Muscle and Adipose Tissue. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5738.	1.8	9
150	Pancreatic innervation is not essential for exercise-induced changes in glucagon and insulin or glucose kinetics. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1999, 277, E1122-E1129.	1.8	8
151	Hepatic α - and β -adrenergic receptors are not essential for the increase in R_{a} during exercise in diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 278, E444-E451.	1.8	8
152	Automated quantification of microvascular perfusion. <i>Microcirculation</i> , 2018, 25, e12482.	1.0	8
153	Dysregulated transmethylation leading to hepatocellular carcinoma compromises redox homeostasis and glucose formation. <i>Molecular Metabolism</i> , 2019, 23, 1-13.	3.0	8
154	Meta-fibrosis links positive energy balance and mitochondrial metabolism to insulin resistance. <i>F1000Research</i> , 2017, 6, 1758.	0.8	8
155	Rapid changes in the microvascular circulation of skeletal muscle impair insulin delivery during sepsis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E1012-E1023.	1.8	7
156	Regulation of hepatic glutamine metabolism during exercise in the dog. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1998, 275, E655-E664.	1.8	6
157	Regulation of Endogenous Glucose Production in Glucose Transporter 4 Over-Expressing Mice. <i>PLoS ONE</i> , 2012, 7, e52355.	1.1	5
158	CETP Expression Protects Female Mice from Obesity-Induced Decline in Exercise Capacity. <i>PLoS ONE</i> , 2015, 10, e0136915.	1.1	5
159	Gut and liver fat metabolism in depancreatized dogs: effects of exercise and acute insulin infusion. <i>Journal of Applied Physiology</i> , 1997, 83, 1339-1347.	1.2	4
160	Regulation of glucose kinetics during exercise by the glucagon-like peptide-1 receptor. <i>Journal of Physiology</i> , 2012, 590, 5245-5255.	1.3	4
161	Devoured by our own children: the possibility and peril of moral status enhancement. <i>Journal of Medical Ethics</i> , 2013, 39, 78-79.	1.0	4
162	Influence of the integrin alpha-1 subunit and its relationship with high-fat diet upon extracellular matrix synthesis in skeletal muscle and tendon. <i>Cell and Tissue Research</i> , 2020, 381, 177-187.	1.5	4

#	ARTICLE	IF	CITATIONS
163	Capillary Endothelial Insulin Transport: The Rate-limiting Step for Insulin-stimulated Glucose Uptake. <i>Endocrinology</i> , 2022, 163, .	1.4	4
164	Point-Counterpoint: Glucose phosphorylation is/is not a significant barrier to muscle glucose uptake by the working muscle. <i>Journal of Applied Physiology</i> , 2006, 101, 1803-1805.	1.2	3
165	Reply to Letter to the Editor: Perfusion controls muscle glucose uptake by altering the rate of glucose dispersion in vivo. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 318, E313-E317.	1.8	3
166	EET Analog Treatment Improves Insulin Signaling in a Genetic Mouse Model of Insulin Resistance. <i>Diabetes</i> , 2021, , db210298.	0.3	3
167	Increased oxygen consumption and OXPHOS potential in superhealer mesenchymal stem cells. <i>Cell Regeneration</i> , 2012, 1, 1:3.	1.1	2
168	Peeling back the layers of the glucose clamp. <i>Nature Metabolism</i> , 2022, 4, 496-498.	5.1	2
169	An Unjustified Exception to an Unjust Law?. <i>American Journal of Bioethics</i> , 2009, 9, 63-65.	0.5	1
170	Role of the Endocrine Pancreas in Glucose Homeostasis During Exercise. <i>Canadian Journal of Diabetes</i> , 2010, 34, 188-190.	0.4	0
171	American Heart Association Vascular Disease Strategically Focused Research Network. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, e47-e54.	1.1	0
172	Glycogen Synthase Kinase 3 Inhibition Improves Insulin Stimulated Glucose Metabolism in High Fat Fed C57/BL6J Mice. <i>FASEB Journal</i> , 2007, 21, A832.	0.2	0
173	Determinants of glucose tolerance in inbred mouse strains. <i>FASEB Journal</i> , 2007, 21, A829.	0.2	0
174	Activation of glucagon receptor signaling stimulates regulators of hepatic fat oxidation in vivo. <i>FASEB Journal</i> , 2008, 22, 948.16.	0.2	0
175	FVB/N mice are hypersensitive to moderate insulin-induced hypoglycemia while 129X1 mice are completely insensitive. <i>FASEB Journal</i> , 2008, 22, 949.8.	0.2	0
176	Oxidative stress limits exercise- and insulin-stimulated muscle glucose uptake (MGU) in conscious, chow-fed C57BL/6J mice. <i>FASEB Journal</i> , 2009, 23, 990.32.	0.2	0
177	Elevated oxygen utilization and superior energetic reserve in superhealer mesenchymal stem cells. <i>FASEB Journal</i> , 2012, 26, 887.7.	0.2	0
178	Quantitative capillary blood flow spatial analysis in skeletal muscle during sepsis. <i>FASEB Journal</i> , 2018, 32, .	0.2	0
179	Skeletal Muscle Parvin Regulates Exercise Tolerance and Glucose Homeostasis in Mice. <i>FASEB Journal</i> , 2018, 32, 853.4.	0.2	0
180	Integrin-Linked Kinase is Necessary for Normal Hepatic Glycogen Storage and Energy Metabolism. <i>FASEB Journal</i> , 2018, 32, .	0.2	0

#	ARTICLE	IF	CITATIONS
181	SIRT2 is required for in vivo tissue-specific and whole body insulin action in mice. FASEB Journal, 2018, 32, 864.6.	0.2	0
182	Automated Quantitation of Microvascular Perfusion Parameters Using Fluorescence Videomicroscopy and Computational Image Processing. FASEB Journal, 2018, 32, 577.3.	0.2	0
183	Acute nitric oxide synthase inhibition enhances trans-endothelial insulin efflux and muscle insulin sensitivity in vivo. FASEB Journal, 2018, 32, 846.3.	0.2	0
184	Obese Mice Are Protected From Increased Energy Intake in Response to Voluntary Wheel Running. FASEB Journal, 2018, 32, 853.22.	0.2	0
185	Rapid changes in the microvascular circulation of skeletal muscle impair insulin delivery during sepsis. FASEB Journal, 2019, 33, 685.4.	0.2	0