
## Chia-Shang J Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3878830/publications.pdf Version: 2024-02-01



Сни-Shanellui

#	Article	IF	CITATIONS
1	Virtual Read-Out: Radiology Education for the 21st Century During the COVID-19 Pandemic. Academic Radiology, 2020, 27, 872-881.	2.5	67
2	Advanced Imaging of Intracranial Meningiomas. Neurosurgery Clinics of North America, 2016, 27, 137-143.	1.7	55
3	Predicting Meningioma Consistency on Preoperative Neuroimaging Studies. Neurosurgery Clinics of North America, 2016, 27, 145-154.	1.7	37
4	Ultra-high field magnetic resonance imaging for localization of corticotropin-secreting pituitary adenomas. Neuroradiology, 2020, 62, 1051-1054.	2.2	23
5	Development and clinical validation of a grading system for pituitary adenoma consistency. Journal of Neurosurgery, 2021, 134, 1800-1807.	1.6	21
6	Value of pituitary gland MRI at 7 T in Cushing's disease and relationship to inferior petrosal sinus sampling: case report. Journal of Neurosurgery, 2019, 130, 347-351.	1.6	13
7	Differential Clinical Presentation, Intraoperative Management Strategies, and Surgical Outcomes After Endoscopic Endonasal Treatment of Cystic Sellar Masses. World Neurosurgery, 2020, 133, e241-e251.	1.3	5
8	Safety and Effectiveness of the Direct Endoscopic Endonasal Approach for Primary Sellar Pathology: A Contemporary Case Series of More Than 400 Patients. World Neurosurgery, 2021, 148, e536-e546.	1.3	5
9	Common Data Elements in Head and Neck Radiology Reporting. Neuroimaging Clinics of North America, 2020, 30, 379-391.	1.0	4
10	A Comparison of WebRTC and Conventional Videoconferencing for Synchronized Remote Medical Image Presentation. Journal of Digital Imaging, 2022, 35, 68-76.	2.9	2
11	Ultra-high field 7 T MRI localizes regional brain volume recovery following corticotroph adenoma resection and hormonal remission in Cushing's disease: A case series. , 0, 13, 239.		1
12	Predictive Accuracy of MRI in Differentiation of Cystic Sellar Masses. Journal of Neurological Surgery, Part B: Skull Base, 2019, 80, .	0.8	0
13	MeTiS: a modular pipeline for extracting 3D-printable brain-surface models from conventional and ultra-high field MRI. Journal of 3D Printing in Medicine, 0, , .	2.0	0