

# Marc Leone

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3878832/publications.pdf>

Version: 2024-02-01

383  
papers

20,413  
citations

15504

65  
h-index

13771

129  
g-index

469  
all docs

469  
docs citations

469  
times ranked

18545  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mortality among inpatients with bipolar disorders and COVID-19: a propensity score matching analysis in a national French cohort study. <i>Psychological Medicine</i> , 2023, 53, 1979-1988.	4.5	5
2	Clinical decision support for severe trauma patients: Machine learning based definition of a bundle of care for hemorrhagic shock and traumatic brain injury. <i>Journal of Trauma and Acute Care Surgery</i> , 2022, 92, 135-143.	2.1	10
3	Ultrasound assessment of gastric contents prior to placental delivery: A prospective multicentre cohort study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 100993.	1.4	2
4	Selective digestive decontamination and COVID-19: Uncertainty in a moving area. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 101009.	1.4	0
5	Impact of platelet transfusion on outcomes in trauma patients. <i>Critical Care</i> , 2022, 26, 49.	5.8	20
6	Withholding and withdrawal of life-sustaining therapy in 8569 trauma patients. <i>European Journal of Anaesthesiology</i> , 2022, 39, 418-426.	1.7	1
7	Dose of norepinephrine: the devil is in the details. <i>Intensive Care Medicine</i> , 2022, 48, 638-640.	8.2	14
8	Local Anesthetic Plasma Concentrations as a Valuable Tool to Confirm the Diagnosis of Local Anesthetic Systemic Toxicity? A Report of 10 Years of Experience. <i>Pharmaceutics</i> , 2022, 14, 708.	4.5	7
9	An international survey of adherence to Surviving Sepsis Campaign Guidelines 2016 regarding fluid resuscitation and vasopressors in the initial management of septic shock. <i>Journal of Critical Care</i> , 2022, 68, 144-154.	2.2	15
10	Ultra-early initiation of postoperative rehabilitation in the post-anaesthesia care unit after major thoracic surgery: case-control study. <i>BJS Open</i> , 2022, 6, .	1.7	3
11	Female hormones prevent sepsis-induced cardiac dysfunction: an experimental randomized study. <i>Scientific Reports</i> , 2022, 12, 4939.	3.3	5
12	Intrahospital trauma flowcharts – Cognitive aids for intrahospital trauma management from the French Society of Anaesthesia and Intensive Care Medicine (SFAR) and the French Society of Emergency Medicine (SFMU). <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 101069.	1.4	5
13	Septic shock: incidence, mortality and hospital readmission rates in French intensive care units from 2014 to 2018. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2022, 41, 101082.	1.4	13
14	Comparison of 8 versus 15 days of antibiotic therapy for <i>Pseudomonas aeruginosa</i> ventilator-associated pneumonia in adults: a randomized, controlled, open-label trial. <i>Intensive Care Medicine</i> , 2022, 48, 841-849.	8.2	43
15	Antibiotic prophylaxis in ICU patients: should I do or not?. <i>Intensive Care Medicine</i> , 2022, 48, 1215-1217.	8.2	1
16	Selepressin in Septic Shock. <i>Shock</i> , 2022, 57, 172-179.	2.1	3
17	Implementation of French Recommendations for the Prevention and the Treatment of Hospital-acquired Pneumonia: A Cluster-randomized Trial. <i>Clinical Infectious Diseases</i> , 2021, 73, e1601-e1610.	5.8	12
18	Long-term mortality and quality of life after trauma: an ancillary study from the prospective multicenter trial FROG-ICU. <i>European Journal of Trauma and Emergency Surgery</i> , 2021, 47, 461-466.	1.7	0

#	ARTICLE	IF	CITATIONS
19	Guidelines on enhanced recovery after pulmonary lobectomy. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2021, 40, 100791.	1.4	26
20	Association of Automated Text Messaging With Patient Response Rate After Same-Day Surgery. <i>JAMA Network Open</i> , 2021, 4, e2033312.	5.9	3
21	Bedside POCUS during ward emergencies is associated with improved diagnosis and outcome: an observational, prospective, controlled study. <i>Critical Care</i> , 2021, 25, 34.	5.8	47
22	A Tangled Threesome: Circadian Rhythm, Body Temperature Variations, and the Immune System. <i>Biology</i> , 2021, 10, 65.	2.8	35
23	Current use of inotropes in circulatory shock. <i>Annals of Intensive Care</i> , 2021, 11, 21.	4.6	35
24	Reply to Chen and Vitetta. <i>Journal of Infectious Diseases</i> , 2021, 223, 1660-1662.	4.0	1
25	Ventilator-associated pneumonia due to <i>Staphylococcus aureus</i> in brain-injured patients: Beyond risk factors. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2021, 40, 100825.	1.4	0
26	Non-Invasive Respiratory Support for Management of the Perioperative Patient: A Narrative Review. <i>Advances in Therapy</i> , 2021, 38, 1746-1756.	2.9	3
27	An international survey on aminoglycoside practices in critically ill patients: the AMINO III study. <i>Annals of Intensive Care</i> , 2021, 11, 49.	4.6	15
28	Comparison of two delayed strategies for renal replacement therapy initiation for severe acute kidney injury (AKIKI 2): a multicentre, open-label, randomised, controlled trial. <i>Lancet, The</i> , 2021, 397, 1293-1300.	13.7	106
29	Editorial: Septic shock: what we should know or almost!. <i>Current Opinion in Anaesthesiology</i> , 2021, 34, 69-70.	2.0	3
30	Can Thoracic Ultrasound on Admission Predict the Outcome of Critically Ill Patients with SARS-CoV-2? A French Multi-Centric Ancillary Retrospective Study. <i>Advances in Therapy</i> , 2021, 38, 2599-2612.	2.9	9
31	Impact of dexamethasone on the incidence of ventilator-associated pneumonia and blood stream infections in COVID-19 patients requiring invasive mechanical ventilation: a multicenter retrospective study. <i>Annals of Intensive Care</i> , 2021, 11, 87.	4.6	45
32	Antimicrobial Lessons From a Large Observational Cohort on Intra-abdominal Infections in Intensive Care Units. <i>Drugs</i> , 2021, 81, 1065-1078.	10.9	13
33	An insight depicting estradiol pathway in sepsis. <i>Minerva Anestesiologica</i> , 2021, 87, 505-507.	1.0	1
34	The pandemic in French intensive care units. <i>Lancet Regional Health - Europe, The</i> , 2021, 5, 100132.	5.6	1
35	Effect of early hyperoxemia on the outcome in severe blunt chest trauma: A propensity score-based analysis of a single-center retrospective cohort. <i>Journal of Critical Care</i> , 2021, 63, 179-186.	2.2	7
36	A three-day antimicrobial course for community-acquired pneumonia? Still no evidence in intensive care unit. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2021, 40, 100883.	1.4	1

#	ARTICLE	IF	CITATIONS
37	Effect of dexamethasone on complications or all cause mortality after major non-cardiac surgery: multicentre, double blind, randomised controlled trial. <i>BMJ, The</i> , 2021, 373, n1162.	6.0	19
38	Beta-lactam allergy labeling in intensive care units. <i>Medicine (United States)</i> , 2021, 100, e26494.	1.0	1
39	Sexual Dimorphism and Gender in Infectious Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 698121.	4.8	57
40	French multicentre observational study on SARS-CoV-2 infections intensive care initial management: the FRENCH CORONA study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2021, 40, 100931.	1.4	19
41	Continuous Pneumatic Regulation of Tracheal Cuff Pressure to Decrease Ventilator-associated Pneumonia in Trauma Patients Who Were Mechanically Ventilated. <i>Chest</i> , 2021, 160, 499-508.	0.8	21
42	Association between mortality and highly antimicrobial-resistant bacteria in intensive care unit-acquired pneumonia. <i>Scientific Reports</i> , 2021, 11, 16497.	3.3	18
43	Management of the patient with the open abdomen. <i>Current Opinion in Critical Care</i> , 2021, 27, 726-732.	3.2	3
44	Four-factor prothrombin complex concentrate to reduce allogenic blood product transfusion in patients with major trauma, the PROCOAG trial: study protocol for a randomized multicenter double-blind superiority study. <i>Trials</i> , 2021, 22, 634.	1.6	4
45	Left ventricular longitudinal strain variations assessed by speckle-tracking echocardiography after a passive leg raising maneuver in patients with acute circulatory failure to predict fluid responsiveness: A prospective, observational study. <i>PLoS ONE</i> , 2021, 16, e0257737.	2.5	7
46	Daytime variation in SARS-CoV-2 infection and cytokine production. <i>Microbial Pathogenesis</i> , 2021, 158, 105067.	2.9	15
47	Management of SARS-CoV-2 pneumonia in intensive care unit: An observational retrospective study comparing two bundles. <i>Journal of Critical Care</i> , 2021, 65, 200-204.	2.2	3
48	Pneumothorax diagnosis with lung sliding quantification by speckle tracking: A prospective multicentric observational study. <i>American Journal of Emergency Medicine</i> , 2021, 49, 14-17.	1.6	9
49	Lung Ultrasound Findings in the Postanesthesia Care Unit Are Associated With Outcome After Major Surgery: A Prospective Observational Study in a High-Risk Cohort. <i>Anesthesia and Analgesia</i> , 2021, 132, 172-181.	2.2	18
50	Factors Associated with 90-Day Mortality in Invasively Ventilated Patients with COVID-19 in Marseille, France. <i>Journal of Clinical Medicine</i> , 2021, 10, 5650.	2.4	3
51	Impact of Sex Hormones on Macrophage Responses to <i>Coxiella burnetii</i> . <i>Frontiers in Immunology</i> , 2021, 12, 705088.	4.8	6
52	Trauma-related mortality of patients with severe psychiatric disorders: population-based study from the French national hospital database. <i>British Journal of Psychiatry</i> , 2020, 217, 568-574.	2.8	7
53	Mediastinitis in the intensive care unit patient: a narrative review. <i>Clinical Microbiology and Infection</i> , 2020, 26, 26-34.	6.0	28
54	Improving care for the ICU patient with suspected infection: a multidisciplinary perspective. <i>Clinical Microbiology and Infection</i> , 2020, 26, 6-7.	6.0	4

#	ARTICLE	IF	CITATIONS
55	Monitoring tissue perfusion: a pilot clinical feasibility and safety study of a urethral photoplethysmography-derived perfusion device in high-risk patients. <i>Journal of Clinical Monitoring and Computing</i> , 2020, 34, 961-969.	1.6	10
56	Ventilator-associated pneumonia diagnosis: a prioritization exercise based on multi-criteria decision analysis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 281-286.	2.9	12
57	A novel urinary biomarker predicts 1-year mortality after discharge from intensive care. <i>Critical Care</i> , 2020, 24, 10.	5.8	16
58	Screening and topical decolonization of preoperative nasal <i>Staphylococcus aureus</i> carriers to reduce the incidence of postoperative infections after lung cancer surgery: a propensity matched study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020, 30, 552-558.	1.1	2
59	Circadian disruption of core body temperature in trauma patients: a single-center retrospective observational study. <i>Journal of Intensive Care</i> , 2020, 8, 4.	2.9	11
60	Reliability of gastric suctioning compared with ultrasound assessment of residual gastric volume: a prospective multicentre cohort study. <i>Anaesthesia</i> , 2020, 75, 323-330.	3.8	30
61	Venous-to-Arterial Carbon Dioxide Partial Pressure Difference: Predictor of Septic Patient Prognosis Depending on Central Venous Oxygen Saturation. <i>Shock</i> , 2020, 53, 710-716.	2.1	7
62	Antimicrobial de-escalation in critically ill patients: a position statement from a task force of the European Society of Intensive Care Medicine (ESICM) and European Society of Clinical Microbiology and Infectious Diseases (ESCMID) Critically Ill Patients Study Group (ESGCIP). <i>Intensive Care Medicine</i> , 2020, 46, 245-265.	8.2	97
63	Antibiotic prophylaxis in the ICU: to be or not to be administered for patients undergoing procedures?. <i>Intensive Care Medicine</i> , 2020, 46, 364-367.	8.2	4
64	Choice of fluid for critically ill patients: An overview of specific situations. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 837-845.	1.4	5
65	Early hyperoxemia is associated with lower adjusted mortality after severe trauma: results from a French registry. <i>Critical Care</i> , 2020, 24, 604.	5.8	12
66	Effects of Hydroxychloroquine on Covid-19 in Intensive Care Unit Patients: Preliminary Results. <i>International Journal of Antimicrobial Agents</i> , 2020, 56, 106136.	2.5	16
67	Comparative study of lung ultrasound and chest computed tomography scan in the assessment of severity of confirmed COVID-19 pneumonia. <i>Intensive Care Medicine</i> , 2020, 46, 1707-1713.	8.2	126
68	Low level of evidence in Surviving Sepsis Campaign guidelines: Should we throw the baby out with the bathwater?. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 491-492.	1.4	1
69	Exacerbation of circadian rhythms of core body temperature and sepsis in trauma patients. <i>Journal of Critical Care</i> , 2020, 60, 23-26.	2.2	3
70	A Granulocytic Signature Identifies COVID-19 and Its Severity. <i>Journal of Infectious Diseases</i> , 2020, 222, 1985-1996.	4.0	81
71	Assessing physicians' and nurses' experience of dying and death in the ICU: development of the CAESAR-P and the CAESAR-N instruments. <i>Critical Care</i> , 2020, 24, 521.	5.8	9
72	Republication de: Impact d'un protocole d'examen pronostiques dans la prise en charge des arrêts cardio-respiratoires en réanimation. <i>Journal Européen Des Urgences Et De Reanimation</i> , 2020, 32, 28-36.	0.1	0

#	ARTICLE	IF	CITATIONS
73	“No dose” lung ultrasound correlation with “low dose” CT scan for early diagnosis of SARS-CoV-2 pneumonia. <i>Intensive Care Medicine</i> , 2020, 46, 1103-1104.	8.2	9
74	Antimicrobial De-Escalation in the ICU: From Recommendations to Level of Evidence. <i>Advances in Therapy</i> , 2020, 37, 3083-3096.	2.9	14
75	First description of SARS-CoV-2 in ascites. <i>IDCases</i> , 2020, 21, e00836.	0.9	11
76	Antimicrobial de-escalation in the critically ill patient and assessment of clinical cure: the DIANA study. <i>Intensive Care Medicine</i> , 2020, 46, 1404-1417.	8.2	54
77	Incidence and Outcome of Subclinical Acute Kidney Injury Using penKid in Critically Ill Patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 822-829.	5.6	31
78	Noninvasive respiratory support in the hypoxaemic peri-operative/periprocedural patient: a joint ESA/ESICM guideline. <i>Intensive Care Medicine</i> , 2020, 46, 697-713.	8.2	43
79	Noninvasive respiratory support in the hypoxaemic peri-operative/periprocedural patient. <i>European Journal of Anaesthesiology</i> , 2020, 37, 265-279.	1.7	15
80	The IASIS, INHALE and VAPORISE trials. Reasons for a triple failure: Study design, aminoglycosides dosing and technique of nebulisation. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2020, 39, 179-183.	1.4	11
81	Editorial: The anaesthesiologist and the surgical ICU patient. <i>Current Opinion in Anaesthesiology</i> , 2020, 33, 129-130.	2.0	0
82	The I-MICRO trial, Ilomedin for treatment of septic shock with persistent microperfusion defects: a double-blind, randomized controlled trial” study protocol for a randomized controlled trial. <i>Trials</i> , 2020, 21, 601.	1.6	9
83	For Whom the Clock Ticks: Clinical Chronobiology for Infectious Diseases. <i>Frontiers in Immunology</i> , 2020, 11, 1457.	4.8	33
84	Decreased duration of intravenous cephalosporins in intensive care unit patients with selective digestive decontamination: a retrospective before-and-after study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 2115-2120.	2.9	3
85	Early Changes Over Time in the Radiographic Assessment of Lung Edema Score Are Associated With Survival in ARDS. <i>Chest</i> , 2020, 158, 2394-2403.	0.8	29
86	Effect of Hydroxyethyl Starch vs Saline for Volume Replacement Therapy on Death or Postoperative Complications Among High-Risk Patients Undergoing Major Abdominal Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 225.	7.4	94
87	The clinical relevance of oliguria in the critically ill patient: analysis of a large observational database. <i>Critical Care</i> , 2020, 24, 171.	5.8	18
88	Antimicrobial de-escalation as part of antimicrobial stewardship in intensive care: no simple answers to simple questions” a viewpoint of experts. <i>Intensive Care Medicine</i> , 2020, 46, 236-244.	8.2	57
89	Effect of fibrinogen concentrate administration on early mortality in traumatic hemorrhagic shock: A propensity score analysis. <i>Journal of Trauma and Acute Care Surgery</i> , 2020, 88, 661-670.	2.1	19
90	Worldwide clinical practices in perioperative antibiotic therapy for lung transplantation. <i>BMC Pulmonary Medicine</i> , 2020, 20, 109.	2.0	20

#	ARTICLE	IF	CITATIONS
91	Nationwide survey on training and device utilization during tracheal intubation in French intensive care units. <i>Annals of Intensive Care</i> , 2020, 10, 2.	4.6	20
92	Expert consensus-based clinical practice guidelines management of intravascular catheters in the intensive care unit. <i>Annals of Intensive Care</i> , 2020, 10, 118.	4.6	93
93	Pulmonary embolism in patients with coronavirus disease-2019 (COVID-19) pneumonia: a narrative review. <i>Annals of Intensive Care</i> , 2020, 10, 124.	4.6	149
94	COVID-19 gender susceptibility and outcomes: A systematic review. <i>PLoS ONE</i> , 2020, 15, e0241827.	2.5	46
95	Vasopressors to treat refractory septic shock. <i>Minerva Anestesiologica</i> , 2020, 86, 537-545.	1.0	18
96	Dexmedetomidine as a promise. <i>Minerva Anestesiologica</i> , 2020, 86, 886-887.	1.0	0
97	Point-of-Care Ultrasound in the Critically Ill Pregnant Woman. , 2020, , 165-181.		0
98	COVID-19 gender susceptibility and outcomes: A systematic review. , 2020, 15, e0241827.		0
99	COVID-19 gender susceptibility and outcomes: A systematic review. , 2020, 15, e0241827.		0
100	COVID-19 gender susceptibility and outcomes: A systematic review. , 2020, 15, e0241827.		0
101	COVID-19 gender susceptibility and outcomes: A systematic review. , 2020, 15, e0241827.		0
102	Strategic proposal for a national trauma system in France. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 121-130.	1.4	21
103	Tumescent local anaesthesia for breast cancer surgery in elderly women: about 6 cases. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 387-389.	1.4	3
104	A multicentre observational study on management of general anaesthesia in elderly patients at high-risk of postoperative adverse outcomes. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 15-23.	1.4	19
105	A pictureâ€™s worth a thousand words: speckle tracking for quantification and assessment of lung sliding. <i>Intensive Care Medicine</i> , 2019, 45, 101-102.	8.2	4
106	Personalised mechanical ventilation tailored to lung morphology versus low positive end-expiratory pressure for patients with acute respiratory distress syndrome in France (the LIVE study): a multicentre, single-blind, randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2019, 7, 870-880.	10.7	202
107	Gender and survival of critically ill patients: results from the FROG-ICU study. <i>Annals of Intensive Care</i> , 2019, 9, 43.	4.6	32
108	Update in Neurocritical Care: a summary of the 2018 Paris international conference of the French Society of Intensive Care. <i>Annals of Intensive Care</i> , 2019, 9, 47.	4.6	16

#	ARTICLE	IF	CITATIONS
109	Speckle tracking quantification of lung sliding for the diagnosis of pneumothorax: a multicentric observational study. <i>Intensive Care Medicine</i> , 2019, 45, 1212-1218.	8.2	16
110	In Memoriam of Professor Claude Martin 1949-2019. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 413.	1.4	0
111	Choosing the Right Antifungal Agent in ICU Patients. <i>Advances in Therapy</i> , 2019, 36, 3308-3320.	2.9	23
112	Epidemiology of intra-abdominal infection and sepsis in critically ill patients: AbSeS, a multinational observational cohort study and ESICM Trials Group Project. <i>Intensive Care Medicine</i> , 2019, 45, 1703-1717.	8.2	103
113	Choc septique r� fractaire � la noradr�aline. <i>Anesth�sie &amp; R�animation</i> , 2019, 5, 315-321.	0.1	0
114	Incidental Finding of Thrombus by Ultrasonography in a Trauma Patient with an Intravascular Cooling Device. <i>Therapeutic Hypothermia and Temperature Management</i> , 2019, 9, 265-267.	0.9	0
115	Effect of landiolol on sex-related transcriptomic changes in the myocardium during sepsis. <i>Intensive Care Medicine Experimental</i> , 2019, 7, 50.	1.9	5
116	Structural features shared by ICUs belonging to research networks an international survey. �Critical care research network survey�. <i>Journal of Critical Care</i> , 2019, 54, 99-104.	2.2	2
117	Attributable deaths caused by infections with antibiotic-resistant bacteria in France. <i>Lancet Infectious Diseases, The</i> , 2019, 19, 128-129.	9.1	24
118	Clinical controversies in abdominal sepsis. Insights for critical care settings. <i>Journal of Critical Care</i> , 2019, 53, 53-58.	2.2	25
119	Effects of the discontinuation sequence of norepinephrine and vasopressin on hypotension incidence in patients with septic shock: A meta-analysis. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019, 48, 560-565.	1.6	4
120	Candida Prophylaxis and Treatment in Critically Ill Patients after Abdominal Surgery: A Survey of Practice. <i>Surgical Infections</i> , 2019, 20, 510-518.	1.4	2
121	Epidemiology of obstetric critical illness. <i>International Journal of Obstetric Anesthesia</i> , 2019, 40, 128-139.	0.4	23
122	Association of Age With Short-term and Long-term Mortality Among Patients Discharged From Intensive Care Units in France. <i>JAMA Network Open</i> , 2019, 2, e193215.	5.9	54
123	Strategy focused on clinical parameters of microcirculation to resuscitate patients in septic shock: Do not forget any tools. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 209-210.	1.4	1
124	Value of early repeated abdominal CT in selective non-operative management for blunt bowel and mesenteric injury. <i>European Radiology</i> , 2019, 29, 5932-5940.	4.5	15
125	Antibio prophylaxis in surgery and interventional medicine (adult patients). Update 2017. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 549-562.	1.4	52
126	Current use of vasopressors in septic shock. <i>Annals of Intensive Care</i> , 2019, 9, 20.	4.6	109



#	ARTICLE	IF	CITATIONS
127	Impact of renin-angiotensin system inhibitors continuation versus discontinuation on outcome after major surgery: protocol of a multicenter randomized, controlled trial (STOP-or-NOT trial). <i>Trials</i> , 2019, 20, 160.	1.6	22
128	PACMAN trial protocol, Perioperative Administration of Corticotherapy on Morbidity and mortality After Non-cardiac major surgery: a randomised, multicentre, double-blind, superiority study. <i>BMJ Open</i> , 2019, 9, e021262.	1.9	7
129	Multidrug-resistant <i>Pseudomonas aeruginosa</i> and mortality in mechanically ventilated ICU patients. <i>American Journal of Infection Control</i> , 2019, 47, 1059-1064.	2.3	21
130	Epidemiology of trauma in France: mortality and risk factors based on a national medico-administrative database. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 461-468.	1.4	15
131	Implementation of antibiotic stewardship programmes in French ICUs in 2018: a nationwide cross-sectional survey. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 2106-2114.	3.0	16
132	Paired acute baseline serum tryptase levels in perioperative anaphylaxis: An observational study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 1157-1165.	5.7	49
133	Preliminary results of synergy between norepinephrine and terlipressin during septic shock. <i>Intensive Care Medicine</i> , 2019, 45, 730-732.	8.2	8
134	A worldwide perspective of sepsis epidemiology and survival according to age: Observational data from the ICON audit. <i>Journal of Critical Care</i> , 2019, 51, 122-132.	2.2	16
135	La Société française d'anesthésie et réanimation: une société savante et une maison pour tous!. <i>Anesthésie &amp; Réanimation</i> , 2019, 5, 360-367.	0.1	1
136	The Artificial Kidney Initiation in Kidney Injury 2 (AKIKI2): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 726.	1.6	15
137	Selepressin in septic shock: A wake-up call for new drugs. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2019, 38, 579-581.	1.4	0
138	Reply to "Circadian Rhythm Disruption and Sepsis in Severe Trauma Patients" Shock [epub ahead of print]. <i>Shock</i> , 2019, 52, 642.	2.1	1
139	One-Year Prognosis of Kidney Injury at Discharge From the ICU: A Multicenter Observational Study. <i>Critical Care Medicine</i> , 2019, 47, e953-e961.	0.9	21
140	Efficacy and safety of antimicrobial de-escalation as a clinical strategy. <i>Expert Review of Anti-Infective Therapy</i> , 2019, 17, 79-88.	4.4	19
141	Circadian Rhythm Disruption and Sepsis in Severe Trauma Patients. <i>Shock</i> , 2019, 52, 29-36.	2.1	51
142	Construire une filière de soins pour les traumatismes graves à l'échelle nationale : un groupe d'experts se positionne. <i>Annales Francaises De Medecine D'Urgence</i> , 2019, 9, 7-9.	0.1	1
143	Oropharyngeal and nasopharyngeal decontamination with chlorhexidine gluconate in lung cancer surgery: a randomized clinical trial. <i>Intensive Care Medicine</i> , 2018, 44, 578-587.	8.2	17
144	Sex-Mediated Response to the Beta-Blocker Landiolol in Sepsis: An Experimental, Randomized Study. <i>Critical Care Medicine</i> , 2018, 46, e684-e691.	0.9	17

#	ARTICLE	IF	CITATIONS
145	Effects of cyclosporine A pretreatment of deceased organ donors on kidney graft function (Cis-A-rein): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 231.	1.6	9
146	Use of speckle-tracking strain in preload-dependent patients, need for cautious interpretation!. <i>Annals of Intensive Care</i> , 2018, 8, 29.	4.6	33
147	Septic shock in intermediate care unit: Don't play with fire. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2018, 37, 109-110.	1.4	1
148	Implementation of an electronic checklist in the ICU: Association with improved outcomes. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2018, 37, 25-33.	1.4	8
149	Can point-of-care ultrasound predict spinal hypotension during caesarean section? A prospective observational study. <i>Anaesthesia</i> , 2018, 73, 15-22.	3.8	34
150	Takotsubo Cardiomyopathy Following Induction of Anesthesia for Lung Transplantation, an Unexpected Complication. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 1855-1857.	1.3	2
151	Ultrasound examination of the antrum to predict gastric content volume in the third trimester of pregnancy as assessed by MRI. <i>European Journal of Anaesthesiology</i> , 2018, 35, 379-389.	1.7	39
152	Thoracic Epidural Analgesia and Mortality in Acute Pancreatitis: A Multicenter Propensity Analysis. <i>Critical Care Medicine</i> , 2018, 46, e198-e205.	0.9	59
153	Management of invasive candidiasis and candidaemia in critically ill adults: expert opinion of the European Society of Anaesthesia Intensive Care Scientific Subcommittee. <i>Journal of Hospital Infection</i> , 2018, 98, 382-390.	2.9	24
154	Hospital-acquired pneumonia in ICU. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2018, 37, 83-98.	1.4	135
155	The Patient with Septic Shock. , 2018, , 241-253.		0
156	Brief summary of French guidelines for the prevention, diagnosis and treatment of hospital-acquired pneumonia in ICU. <i>Annals of Intensive Care</i> , 2018, 8, 104.	4.6	32
157	Complemental analysis about postoperative opioid consumption between video-assisted thoracic surgery (VATS) and robotic-assisted thoracic surgery (RATS) for early-stage lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, E764-E765.	1.4	0
158	Postoperative morphine consumption and anaesthetic management of patients undergoing video-assisted or robotic-assisted lung resection: a prospective, propensity score-matched study. <i>Journal of Thoracic Disease</i> , 2018, 10, 3558-3567.	1.4	13
159	Epidrum is an unreliable device for identifying the thoracic epidural space. <i>European Journal of Anaesthesiology</i> , 2018, 35, 716-717.	1.7	6
160	Sepsis in Intensive Care Unit Patients: Worldwide Data From the Intensive Care over Nations Audit. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy313.	0.9	255
161	Choice of fluids in critically ill patients. <i>BMC Anesthesiology</i> , 2018, 18, 200.	1.8	23
162	Single-lung and double-lung transplantation: technique and tips. <i>Journal of Thoracic Disease</i> , 2018, 10, 2508-2518.	1.4	13

#	ARTICLE	IF	CITATIONS
163	French intensive care unit organisation. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2018, 37, 625-627.	1.4	38
164	Measure it to manage it: a bevy of ICU quality-of-care indicators. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2018, 37, 523-524.	1.4	0
165	Gender and sepsis: first step of personalized medicine?. <i>Minerva Anestesiologica</i> , 2018, 84, 434-436.	1.0	5
166	Questions to improve familyâ€‘staff communication in the ICU: a randomized controlled trial. <i>Intensive Care Medicine</i> , 2018, 44, 1879-1887.	8.2	20
167	Clinical value of automated fibrin generation markers in patients with septic shock: a SepsisCoag ancillary study. <i>British Journal of Haematology</i> , 2018, 183, 636-647.	2.5	5
168	Impact of angiotensin-converting enzyme inhibitors or receptor blockers on post-ICU discharge outcome in patients with acute kidney injury. <i>Intensive Care Medicine</i> , 2018, 44, 598-605.	8.2	62
169	Clearsightâ„¢ use for haemodynamic monitoring during the third trimester of pregnancy â€‘ a validation study. <i>International Journal of Obstetric Anesthesia</i> , 2018, 36, 85-95.	0.4	11
170	Epinephrine Versus Norepinephrine forÂ‘Cardiogenic Shock After AcuteÂ‘Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2018, 72, 173-182.	2.8	282
171	Influence of Regional Anesthesia on the Rate of Chronic Postthoracotomy Pain Syndrome in Lung Cancer Patients. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2018, 24, 180-186.	0.8	19
172	Concordance of longitudinal strain and MRI in a case of myocardial contusion in a patient with normal conventional 2D echocardiography. <i>Intensive Care Medicine</i> , 2018, 44, 1949-1950.	8.2	1
173	MALDI-TOF MS monitoring of PBMC activation status in sepsis. <i>BMC Infectious Diseases</i> , 2018, 18, 355.	2.9	8
174	Sepsis is associated with lack of monocyte HLA-DR expression recovery without modulating T-cell reconstitution after lung transplantation. <i>Transplant Immunology</i> , 2018, 51, 6-11.	1.2	7
175	Diagnostic pointâ€‘ofâ€‘care ultrasound: applications in obstetric anaesthetic management. <i>Anaesthesia</i> , 2018, 73, 1265-1279.	3.8	50
176	Integrating extended focused assessment with sonography for trauma (eFAST) in the initial assessment of severe trauma: Impact on the management of 756 patients. <i>Injury</i> , 2018, 49, 1774-1780.	1.7	35
177	Determinants of long-term outcome in ICU survivors: results from the FROG-ICU study. <i>Critical Care</i> , 2018, 22, 8.	5.8	123
178	Modelling the association between fibrinogen concentration on admission and mortality in patients with massive transfusion after severe trauma: an analysis of a large regional database. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2018, 26, 55.	2.6	25
179	Sodium bicarbonate therapy for patients with severe metabolic acidaemia in the intensive care unit (BICAR-ICU): a multicentre, open-label, randomised controlled, phase 3 trial. <i>Lancet, The</i> , 2018, 392, 31-40.	13.7	232
180	New-onset atrial fibrillation in critically ill patients and its association with mortality: A report from the FROG-ICU study. <i>International Journal of Cardiology</i> , 2018, 266, 95-99.	1.7	46

#	ARTICLE	IF	CITATIONS
181	Population pharmacokinetic model for tumescent lidocaine in women undergoing breast cancer surgery. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1309-1315.	1.9	2
182	Surgical antimicrobial prophylaxis in intensive care unit (ICU) patients: a preliminary, observational, retrospective study. <i>Annals of Translational Medicine</i> , 2018, 6, 402-402.	1.7	3
183	Chest trauma: First 48 hours management. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2017, 36, 135-145.	1.4	56
184	Selection of right studies criteria to foster conclusions. Caveats for metanalysis conducted in sepsis. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2017, 46, 64-65.	1.6	2
185	Re: Lung and cardiac ultrasound for hemodynamic monitoring of patients with severe pre-eclampsia. J. Ambrozic, G. Brzan Simenc, K. Prokselj, N. Tulz, M. Cvijic and M. Lucovnik. <i>Ultrasound Obstet Gynecol</i> 2017; 49: 104-109. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 49, 22-22.	1.7	1
186	Collaborative approach of individual participant data of prospective studies of de-escalation in non-immunosuppressed critically ill patients with sepsis. <i>Expert Review of Clinical Pharmacology</i> , 2017, 10, 457-465.	3.1	17
187	The clinical impact and prevalence of emergency point-of-care ultrasound: A prospective multicenter study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2017, 36, 383-389.	1.4	31
188	Antibiotic therapy in the critically ill - expert opinion of the Intensive Care Medicine Scientific Subcommittee of the European Society of Anaesthesiology. <i>European Journal of Anaesthesiology</i> , 2017, 34, 215-220.	1.7	8
189	Causes and Characteristics of Death in Intensive Care Units. <i>Anesthesiology</i> , 2017, 126, 882-889.	2.5	64
190	Effect of Individualized vs Standard Blood Pressure Management Strategies on Postoperative Organ Dysfunction Among High-Risk Patients Undergoing Major Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1346.	7.4	548
191	Analytical interference during cefepime therapeutic drug monitoring in intensive care patient: About a case report. <i>Therapie</i> , 2017, 72, 587-592.	1.0	1
192	Multicentre randomised controlled trial to investigate the usefulness of continuous pneumatic regulation of tracheal cuff pressure for reducing ventilator-associated pneumonia in mechanically ventilated severe trauma patients: the AGATE study protocol. <i>BMJ Open</i> , 2017, 7, e017003.	1.9	11
193	A Global Declaration on Appropriate Use of Antimicrobial Agents across the Surgical Pathway. <i>Surgical Infections</i> , 2017, 18, 846-853.	1.4	31
194	Optimum treatment of vasopressor-dependent distributive shock. <i>Expert Review of Anti-Infective Therapy</i> , 2017, 15, 5-10.	4.4	7
195	Rapid diagnostic test and use of antibiotic against methicillin-resistant <i>Staphylococcus aureus</i> in adult intensive care unit. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2017, 36, 267-272.	2.9	10
196	Risk factors for death in septic shock. <i>Medicine (United States)</i> , 2017, 96, e9241.	1.0	23
197	Protective effect of early low-dose hydrocortisone on ventilator-associated pneumonia in the cancer patients: a propensity score analysis. <i>Annals of Intensive Care</i> , 2017, 7, 106.	4.6	2
198	Determination of a cut-off value of antral area measured in the supine position for the fast diagnosis of an empty stomach in the parturient. <i>European Journal of Anaesthesiology</i> , 2017, 34, 150-157.	1.7	35

#	ARTICLE	IF	CITATIONS
199	Early management of sepsis with emphasis on early goal directed therapy: AME evidence series 002. Journal of Thoracic Disease, 2017, 9, 392-405.	1.4	16
200	Antimicrobial prophylaxis is critical for preventing surgical site infection. Journal of Thoracic Disease, 2017, 9, 2826-2828.	1.4	7
201	AME evidence series 001â€”The Society for Translational Medicine: clinical practice guidelines for diagnosis and early identification of sepsis in the hospital. Journal of Thoracic Disease, 2016, 8, 2654-2665.	1.4	33
202	Beta-blockers in septic shock: a magnifying glass on the relation heart vessel. Journal of Thoracic Disease, 2016, 8, E802-E804.	1.4	4
203	The impact of extracerebral organ failure on outcome of patients after cardiac arrest: an observational study from the ICON database. Critical Care, 2016, 20, 368.	5.8	38
204	Intensive care and pregnancy: Epidemiology and general principles of management of obstetrics ICU patients during pregnancy. Anaesthesia, Critical Care & Pain Medicine, 2016, 35, S51-S57.	1.4	35
205	Influence of Diaphragmatic Motion on Inferior Vena Cava Diameter Respiratory Variations in Healthy Volunteers. Anesthesiology, 2016, 124, 1338-1346.	2.5	35
206	Elevated Plasma Levels of sRAGE Are Associated With Nonfocal CT-Based Lung Imaging in Patients With ARDS. Chest, 2016, 150, 998-1007.	0.8	83
207	Antimicrobial therapy in patients with septic shock. Presse Medicale, 2016, 45, e111-e117.	1.9	2
208	Septic shock: A global response. Presse Medicale, 2016, 45, e91-e92.	1.9	1
209	The ANTIBIOPERF study: a nationwide cross-sectional survey about practices for Î²-lactam administration and therapeutic drug monitoring among critically ill patients in France. Clinical Microbiology and Infection, 2016, 22, 625-631.	6.0	57
210	French Intensive Care Society, International congress â€” RÃ©animation 2016. Annals of Intensive Care, 2016, 6, 1-236.	4.6	35
211	Pelvic fracture in multiple trauma: A 67-case series. Orthopaedics and Traumatology: Surgery and Research, 2016, 102, 1013-1016.	2.0	11
212	Antimicrobials: a global alliance for optimizing their rational use in intra-abdominal infections (AGORA). World Journal of Emergency Surgery, 2016, 11, 33.	5.0	130
213	Ultrasonographic measurement of antral area for estimating gastric fluid volume in parturients. British Journal of Anaesthesia, 2016, 117, 198-205.	3.4	42
214	Lung ultrasonography for assessment of oxygenation response to prone position ventilation in ARDS. Intensive Care Medicine, 2016, 42, 1546-1556.	8.2	97
215	Postoperative analgesia after caesarean section with transversus abdominis plane block or continuous infiltration wound catheter: A randomized clinical trial. TAP vs. infiltration after caesarean section. Anaesthesia, Critical Care & Pain Medicine, 2016, 35, 401-406.	1.4	22
216	Urine sodium concentration to predict fluid responsiveness in oliguric ICU patients: a prospective multicenter observational study. Critical Care, 2016, 20, 165.	5.8	34

#	ARTICLE	IF	CITATIONS
217	Two-dimensional strain echocardiography in intensive care unit patients: A prospective, observational study. <i>Journal of Clinical Ultrasound</i> , 2016, 44, 368-374.	0.8	13
218	About baclofen withdrawal syndrome. <i>Presse Medicale</i> , 2016, 45, 547-548.	1.9	11
219	The new Sfar journals are in place. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2016, 35, 1-2.	1.4	4
220	Efficacy of the endoscopic management of postoperative fistulas of leakages after esophageal surgery for cancer: a retrospective series. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 4895-4903.	2.4	19
221	CAESAR: a new tool to assess relatives' experience of dying and death in the ICU. <i>Intensive Care Medicine</i> , 2016, 42, 995-1002.	8.2	62
222	A Systematic Review of the Definitions, Determinants, and Clinical Outcomes of Antimicrobial De-escalation in the Intensive Care Unit. <i>Clinical Infectious Diseases</i> , 2016, 62, 1009-1017.	5.8	168
223	Night shift decreases cognitive performance of ICU physicians. <i>Intensive Care Medicine</i> , 2016, 42, 393-400.	8.2	73
224	Postoperative sepsis in cancer patients undergoing major elective digestive surgery is associated with increased long-term mortality. <i>Journal of Critical Care</i> , 2016, 31, 48-53.	2.2	37
225	Impaired Granuloma Formation in Sepsis: Impact of Monocytopenia. <i>PLoS ONE</i> , 2016, 11, e0158528.	2.5	7
226	Intravenous immunoglobins in sepsis: the potential risk of overinterpreting a well-done meta-analysis. <i>Minerva Anestesiologica</i> , 2016, 82, 505-7.	1.0	0
227	Ebola virus outbreak: Tribute to the French Army Health Services. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2015, 34, 307-308.	1.4	3
228	NOREPINEPHRINE. <i>Shock</i> , 2015, 44, 305-309.	2.1	91
229	European trauma guideline compliance assessment: the ETRAUSS study. <i>Critical Care</i> , 2015, 19, 423.	5.8	31
230	Assessment of Neutrophil Gelatinase-associated Lipocalin in the Brain-dead Organ Donor to Predict Immediate Graft Function in Kidney Recipients. <i>Anesthesiology</i> , 2015, 122, 96-105.	2.5	5
231	Translating Conceptual Guidelines in Clinical Progress?*. <i>Critical Care Medicine</i> , 2015, 43, 1537-1539.	0.9	0
232	Being Overweight Is Associated With Greater Survival in ICU Patients. <i>Critical Care Medicine</i> , 2015, 43, 2623-2632.	0.9	113
233	Extra vascular lung water but not lung ultrasound predicts grade 3 pulmonary graft dysfunction and utilization of rescue therapies for severe hypoxemia after lung transplantation. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	1.9	1
234	Causes and characteristics of death in icu: a national study. <i>Intensive Care Medicine Experimental</i> , 2015, 3, .	1.9	0

#	ARTICLE	IF	CITATIONS
235	Strategies to reduce curative antibiotic therapy in intensive care units (adult and paediatric). <i>Intensive Care Medicine</i> , 2015, 41, 1181-1196.	8.2	59
236	Severe preeclampsia: what's new in intensive care?. <i>Intensive Care Medicine</i> , 2015, 41, 1343-1346.	8.2	10
237	Effect of Sedative Premedication on Patient Experience After General Anesthesia. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 916.	7.4	143
238	Complicated grief after death of a relative in the intensive care unit. <i>European Respiratory Journal</i> , 2015, 45, 1341-1352.	6.7	230
239	Implementation of lung ultrasound in polyvalent intensive care unit: Impact on irradiation and medical cost. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2015, 34, 41-44.	1.4	28
240	Acute mesenteric ischemia, procalcitonin, and intensive care unit. <i>Intensive Care Medicine</i> , 2015, 41, 1378-1378.	8.2	5
241	Point-of-care ultrasound in intensive care units: assessment of 1073 procedures in a multicentric, prospective, observational study. <i>Intensive Care Medicine</i> , 2015, 41, 1638-1647.	8.2	145
242	Guidelines for management of intra-abdominal infections. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2015, 34, 117-130.	1.4	112
243	Elaboration of a consensual definition of de-escalation allowing a ranking of $\beta$ -lactams. <i>Clinical Microbiology and Infection</i> , 2015, 21, 649.e1-649.e10.	6.0	112
244	Practices of end-of-life decisions in 66 southern French ICUs 4years after an official legal framework: A 1-day audit. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2015, 34, 73-77.	1.4	18
245	Outcome of acute mesenteric ischemia in the intensive care unit: a retrospective, multicenter study of 780 cases. <i>Intensive Care Medicine</i> , 2015, 41, 667-676.	8.2	128
246	Optimizing mean arterial pressure in septic shock: a critical reappraisal of the literature. <i>Critical Care</i> , 2015, 19, 101.	5.8	129
247	Arterial pulse pressure variation suitability in critical care: A French national survey. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , 2015, 34, 23-28.	1.4	21
248	Sleep disorders among French anaesthesiologists and intensivists working in public hospitals. <i>European Journal of Anaesthesiology</i> , 2015, 32, 132-137.	1.7	13
249	Long-term outcome in kidney recipients from donors treated with hydroxyethylstarch 130/0.4 and hydroxyethylstarch 200/0.6. <i>British Journal of Anaesthesia</i> , 2015, 115, 798.	3.4	11
250	Corrigendum to "Elaboration of a consensual definition of de-escalation allowing a ranking of $\beta$ -lactams" [Clin Microbiol Infect 21 (2015) 649.e1-649.e10]. <i>Clinical Microbiology and Infection</i> , 2015, 21, e81.	6.0	1
251	Early Hepatic Dysfunction Is Associated with a Worse Outcome in Patients Presenting with Acute Respiratory Distress Syndrome: A Post-Hoc Analysis of the ACURASYS and PROSEVA Studies. <i>PLoS ONE</i> , 2015, 10, e0144278.	2.5	42
252	Prolonged mechanical ventilation negatively affects survival and functional outcome in lung transplant recipients. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
253	No coronary artery occlusion in septic shock: Isoproterenol infusion should not be discouraged. <i>Heart, Lung and Vessels</i> , 2015, 7, 90.	0.4	0
254	De-escalation in severe sepsis: still an important part of our armamentarium against antimicrobial resistance, of course!. <i>Intensive Care Medicine</i> , 2014, 40, 1619-1619.	8.2	3
255	Prediction of chronic lung allograft dysfunction: a systems medicine challenge. <i>European Respiratory Journal</i> , 2014, 43, 689-693.	6.7	20
256	A Clinical Trial of Progesterone for Severe Traumatic Brain Injury. <i>New England Journal of Medicine</i> , 2014, 371, 2467-2476.	27.0	404
257	Infections, antibiotic treatment and mortality in patients admitted to ICUs in countries considered to have high levels of antibiotic resistance compared to those with low levels. <i>BMC Infectious Diseases</i> , 2014, 14, 513.	2.9	20
258	Septic Shock Resuscitation. <i>Critical Care Medicine</i> , 2014, 42, 2294-2295.	0.9	3
259	Postoperative Pain and Subsequent Ptsd-Related Symptoms in Patients Undergoing Lung Resection for Suspected Cancer. <i>Journal of Thoracic Oncology</i> , 2014, 9, 362-369.	1.1	26
260	Comparative study of three methods of estimation of creatinine clearance in critically ill patients. <i>Annales Francaises D'Anesthesie Et De Reanimation</i> , 2014, 33, e85-e88.	1.4	6
261	Assessment of the worldwide burden of critical illness: the Intensive Care Over Nations (ICON) audit. <i>Lancet Respiratory Medicine</i> , 2014, 2, 380-386.	10.7	864
262	Impact of infection on the prognosis of critically ill cirrhotic patients: results from a large worldwide study. <i>Liver International</i> , 2014, 34, 1496-1503.	3.9	76
263	Blunt bowel and mesenteric injuries detected on CT scan: who is really eligible for surgery?. <i>European Journal of Trauma and Emergency Surgery</i> , 2014, 40, 75-81.	1.7	10
264	De-escalation of antimicrobial treatment in neutropenic patients with severe sepsis: results from an observational study. <i>Intensive Care Medicine</i> , 2014, 40, 41-49.	8.2	106
265	De-escalation versus continuation of empirical antimicrobial treatment in severe sepsis: a multicenter non-blinded randomized noninferiority trial. <i>Intensive Care Medicine</i> , 2014, 40, 1399-1408.	8.2	182
266	Abdominal infections in the intensive care unit: characteristics, treatment and determinants of outcome. <i>BMC Infectious Diseases</i> , 2014, 14, 420.	2.9	88
267	Neutropenic cancer patients with severe sepsis: need for antibiotics in the first hour. <i>Intensive Care Medicine</i> , 2014, 40, 1173-1174.	8.2	26
268	Infections and Use of Antibiotics in Patients Admitted for Severe Acute Pancreatitis: Data from the EPIC II Study. <i>Surgical Infections</i> , 2014, 15, 394-398.	1.4	24
269	Impact of a goal-directed therapy protocol on postoperative fluid balance in patients undergoing liver transplantation: A retrospective study. <i>Annales Francaises D'Anesthesie Et De Reanimation</i> , 2014, 33, e47-e54.	1.4	25
270	Nicardipine-associated pulmonary edema in a parturient: use of chest ultrasound. <i>International Journal of Obstetric Anesthesia</i> , 2014, 23, 291-292.	0.4	6



#	ARTICLE	IF	CITATIONS
271	Lung Ultrasound Predicts Interstitial Syndrome and Hemodynamic Profile in Parturients with Severe Preeclampsia. <i>Anesthesiology</i> , 2014, 120, 906-914.	2.5	92
272	Early sex-specific modulation of the molecular clock in trauma. <i>Journal of Trauma and Acute Care Surgery</i> , 2014, 76, 241-244.	2.1	2
273	Leukocyte Toll-like Receptor 2-mitochondria Axis in Sepsis. <i>Anesthesiology</i> , 2014, 121, 1147-1149.	2.5	3
274	Systematic Analysis of Blood Cell Transcriptome in End-Stage Chronic Respiratory Diseases. <i>PLoS ONE</i> , 2014, 9, e109291.	2.5	28
275	A Trial of Intraoperative Low-Tidal-Volume Ventilation in Abdominal Surgery. <i>New England Journal of Medicine</i> , 2013, 369, 428-437.	27.0	1,620
276	Occult Pulmonary Embolism in Intensive Care Unit Patients Undergoing Chest Computed Tomography Scan: Incidence and Effect on Outcomes. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013, 27, 474-478.	1.3	3
277	Effect of Statin Therapy on Mortality in Patients With Ventilator-Associated Pneumonia. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 1692.	7.4	155
278	Residual rates of mortality in patients with severe sepsis: a fatality or a new challenge?. <i>Annals of Intensive Care</i> , 2013, 3, 27.	4.6	7
279	Lidocaine versus ropivacaine for perineal infiltration postâ€episiotomy. <i>International Journal of Gynecology and Obstetrics</i> , 2013, 122, 33-36.	2.3	20
280	Lung ultrasoundâ€guided management of acute breathlessness during pregnancy. <i>Anaesthesia</i> , 2013, 68, 97-101.	3.8	36
281	Prediction of fluid responsiveness in severe preeclamptic patients with oliguria. <i>Intensive Care Medicine</i> , 2013, 39, 593-600.	8.2	77
282	Early Identification of Patients at Risk for Difficult Intubation in the Intensive Care Unit. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013, 187, 832-839.	5.6	270
283	Routine use of <i>Staphylococcus aureus</i> rapid diagnostic test in patients with suspected ventilator-associated pneumonia. <i>Critical Care</i> , 2013, 17, R170.	5.8	34
284	Overexpression of the Per2 Gene in Male Patients with Acute Q Fever. <i>Journal of Infectious Diseases</i> , 2012, 206, 1768-1770.	4.0	9
285	Variable compliance with clinical practice guidelines identified in a 1-day audit at 66 French adult intensive care units*. <i>Critical Care Medicine</i> , 2012, 40, 3189-3195.	0.9	83
286	Oxygen blood transport during experimental sepsis. <i>Critical Care Medicine</i> , 2012, 40, 1017-1018.	0.9	1
287	Prevention of CAUTI: simple is beautiful. <i>Lancet, The</i> , 2012, 380, 1891-1892.	13.7	7
288	Fluid management and risk factors for renal dysfunction in patients with severe sepsis and/or septic shock. <i>Critical Care</i> , 2012, 16, R34.	5.8	24

#	ARTICLE	IF	CITATIONS
289	Hypoxia-inducible factor (HIF1 $\alpha$ ) gene expression in human shock states. <i>Critical Care</i> , 2012, 16, R120.	5.8	35
290	Respiratory variations of inferior vena cava diameter to predict fluid responsiveness in spontaneously breathing patients with acute circulatory failure: need for a cautious use. <i>Critical Care</i> , 2012, 16, R188.	5.8	296
291	Chest radiographs in 104 French ICUs: current prescription strategies and clinical value (the RadioDay) Tj ETQq1 1 0.784314 ggBT /Over	8.2	38
292	Sex Hormones and Bacterial Infections. , 2012, , .		7
293	The Practice of Therapeutic Hypothermia after Cardiac Arrest in France: A National Survey. <i>PLoS ONE</i> , 2012, 7, e45284.	2.5	22
294	Increased mortality associated with meticillin-resistant <i>Staphylococcus aureus</i> (MRSA) infection in the Intensive Care Unit: results from the EPIC II study. <i>International Journal of Antimicrobial Agents</i> , 2011, 38, 331-335.	2.5	145
295	Overview of antimicrobial therapy in intensive care units. <i>Expert Review of Anti-Infective Therapy</i> , 2011, 9, 97-109.	4.4	12
296	High central venous oxygen saturation in the latter stages of septic shock is associated with increased mortality. <i>Critical Care</i> , 2011, 15, R176.	5.8	106
297	An Evaluation of the Role of Gene Expression in the Prediction and Diagnosis of Ventilator-associated Pneumonia. <i>Anesthesiology</i> , 2011, 115, 344-352.	2.5	13
298	<i>Candida</i> bloodstream infections in intensive care units: Analysis of the extended prevalence of infection in intensive care unit study*. <i>Critical Care Medicine</i> , 2011, 39, 665-670.	0.9	342
299	Monitoring of plasma creatinine and urinary $\beta$ -glutamyl transpeptidase improves detection of acute kidney injury by more than 20%*. <i>Critical Care Medicine</i> , 2011, 39, 52-56.	0.9	13
300	Disagreement between pulse contour analysis and transpulmonary thermodilution for cardiac output monitoring after routine therapeutic interventions in ICU patients with acute circulatory failure. <i>European Journal of Anaesthesiology</i> , 2011, 28, 664-669.	1.7	24
301	Antibiotic therapy in patients with septic shock. <i>European Journal of Anaesthesiology</i> , 2011, 28, 318-324.	1.7	15
302	Penetration of Ertapenem into Muscle Measured by In Vivo Microdialysis in Mechanically Ventilated Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3573-3575.	3.2	12
303	Non-adherence to guidelines: an avoidable cause of failure of empirical antimicrobial therapy in the presence of difficult-to-treat bacteria. <i>Intensive Care Medicine</i> , 2010, 36, 75-82.	8.2	22
304	Reduced interleukin-12 release from stimulated monocytes in patients with sepsis after major cancer surgery. <i>Acta Anaesthesiologica Scandinavica</i> , 2010, 54, 643-648.	1.6	5
305	Neuromuscular Blockers in Early Acute Respiratory Distress Syndrome. <i>New England Journal of Medicine</i> , 2010, 363, 1107-1116.	27.0	2,005
306	How the relationships between general practitioners and intensivists can be improved: the general practitioners' point of view. <i>Critical Care</i> , 2010, 14, R112.	5.8	16

#	ARTICLE	IF	CITATIONS
307	International recommendations for glucose control in adult non diabetic critically ill patients. <i>Critical Care</i> , 2010, 14, R166.	5.8	101
308	Procalcitonin in intensive care units: the PRORATA trial. <i>Lancet, The</i> , 2010, 375, 1605.	13.7	4
309	Procalcitonin in intensive care units: the PRORATA trial. <i>Lancet, The</i> , 2010, 375, 1605-1606.	13.7	8
310	Emerging drugs in sepsis. <i>Expert Opinion on Emerging Drugs</i> , 2010, 15, 41-52.	2.4	12
311	Gene Expression Profiles Characterize Inflammation Stages in the Acute Lung Injury in Mice. <i>PLoS ONE</i> , 2010, 5, e11485.	2.5	23
312	Sex-Related Differences in Gene Expression Following <i>Coxiella burnetii</i> Infection in Mice: Potential Role of Circadian Rhythm. <i>PLoS ONE</i> , 2010, 5, e12190.	2.5	36
313	Results of Non-operative Therapy for Delayed Hemorrhage after Pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2009, 13, 922-928.	1.7	54
314	Defining, treating and preventing hospital acquired pneumonia: European perspective. <i>Intensive Care Medicine</i> , 2009, 35, 9-29.	8.2	397
315	Terlipressin or Europressin?. <i>Critical Care</i> , 2009, 13, 192.	5.8	4
316	Quel agent vasopresseur utiliser au cours du choc septique? <i>Praticien En Anesthesie Reanimation</i> , 2009, 13, 51-57.	0.0	0
317	Oxygen Tissue Saturation Is Lower in Nonsurvivors than in Survivors after Early Resuscitation of Septic Shock. <i>Anesthesiology</i> , 2009, 111, 366-371.	2.5	115
318	Erythropoietin measurements in severely traumatized patients. <i>Acta Anaesthesiologica Scandinavica</i> , 2008, 52, 601-604.	1.6	4
319	Role of terlipressin in the treatment of infants and neonates with catecholamine-resistant septic shock. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2008, 22, 323-333.	4.0	14
320	Nephrotoxicity of hydroxyethyl starch solution. <i>British Journal of Anaesthesia</i> , 2008, 100, 856-857.	3.4	6
321	Comparison of the novel hydroxyethylstarch 130/0.4 and hydroxyethylstarch 200/0.6 in brain-dead donor resuscitation on renal function after transplantation. <i>British Journal of Anaesthesia</i> , 2008, 100, 504-508.	3.4	92
322	Vasopressin in Septic Shock. <i>New England Journal of Medicine</i> , 2008, 358, 2736-2738.	27.0	13
323	Cranio-cerebral penetrating injury caused by a spear gun through the mouth. <i>Journal of Neurosurgery</i> , 2008, 108, 1021-1023.	1.6	15
324	Vasopressor use in septic shock: an update. <i>Current Opinion in Anaesthesiology</i> , 2008, 21, 141-147.	2.0	21

#	ARTICLE	IF	CITATIONS
325	How to break the vicious circle of antibiotic resistances?. <i>Current Opinion in Critical Care</i> , 2008, 14, 587-592.	3.2	31
326	A novel intravascular rewarming method to treat severe hypothermia. <i>European Journal of Emergency Medicine</i> , 2008, 15, 56-58.	1.1	7
327	IMPACT OF TERLIPRESSIN ON RENAL GRAFT FUNCTION. <i>Shock</i> , 2008, 29, 667-669.	2.1	9
328	Long-term Outcome in Chest Trauma. <i>Anesthesiology</i> , 2008, 109, 864-871.	2.5	38
329	Impact of intensive care on renal function before graft harvest: results of a monocentric study. <i>Critical Care</i> , 2007, 11, R103.	5.8	24
330	Does the Timing of Tracheal Intubation Based on Neuromuscular Monitoring Decrease Laryngeal Injury? Similar Method, Similar Conditions, Conflicting Results. <i>Anesthesia and Analgesia</i> , 2007, 104, 211.	2.2	1
331	Ventilator-associated pneumonia: Breaking the vicious circle of antibiotic overuse*. <i>Critical Care Medicine</i> , 2007, 35, 379-385.	0.9	142
332	Which is the right antibiotic treatment for ventilator-associated pneumonia?. <i>Critical Care Medicine</i> , 2007, 35, 1808-1809.	0.9	0
333	Comparison of methylprednisolone and ketoprofen after multiple third molar extraction: a randomized controlled study. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007, 103, e7-e9.	1.4	24
334	Coxiella burnetii infection in C57BL/6 mice aged 1 or 14 months. <i>FEMS Immunology and Medical Microbiology</i> , 2007, 50, 396-400.	2.7	14
335	A randomized trial of catheter change and short course of antibiotics for asymptomatic bacteriuria in catheterized ICU patients. <i>Intensive Care Medicine</i> , 2007, 33, 726-729.	8.2	50
336	Extubation en r�animation. <i>Praticien En Anesthesie Reanimation</i> , 2006, 10, 366-370.	0.0	0
337	Rescue therapy in septic shock--is terlipressin the last frontier?. <i>Critical Care</i> , 2006, 10, 131.	5.8	8
338	Raising Mean Arterial Pressure in Patients with Septic Shock. <i>Critical Care Medicine</i> , 2006, 34, 269.	0.9	0
339	A REAPPRAISAL OF ISOPROTERENOL IN GOAL-DIRECTED THERAPY OF SEPTIC SHOCK. <i>Shock</i> , 2006, 26, 353-357.	2.1	25
340	Decreased vasopressin responsiveness in vasodilatory septic shock "like conditions". <i>Critical Care Medicine</i> , 2006, 34, 1126-1130.	0.9	76
341	Prophylaxis with Ciprofloxacin for Open Prostatectomy: Comparison of Tissue Penetration with Two Oral Doses. <i>Journal of Chemotherapy</i> , 2006, 18, 225-226.	1.5	2
342	Increasing mean arterial pressure in patients with septic shock: Effects on oxygen variables and renal function*. <i>Critical Care Medicine</i> , 2005, 33, 780-786.	0.9	349

#	ARTICLE	IF	CITATIONS
343	Endpoint: Quality of Life. <i>Critical Care Medicine</i> , 2005, 33, 267-268.	0.9	1
344	Effects of sufentanil or ketamine administered in target-controlled infusion on the cerebral hemodynamics of severely brain-injured patients*. <i>Critical Care Medicine</i> , 2005, 33, 1109-1113.	0.9	141
345	Terlipressin or norepinephrine in hyperdynamic septic shock: A prospective, randomized study*. <i>Critical Care Medicine</i> , 2005, 33, 1897-1902.	0.9	242
346	Calculated Serum Osmolality Can Lead to a Systematic Bias Compared to Direct Measurement. <i>Journal of Neurosurgical Anesthesiology</i> , 2005, 17, 106-109.	1.2	6
347	Terlipressin: A new therapeutic for calcium-channel blockers overdose. <i>Journal of Critical Care</i> , 2005, 20, 114-115.	2.2	22
348	Risk factors for late-onset ventilator-associated pneumonia in trauma patients receiving selective digestive decontamination. <i>Intensive Care Medicine</i> , 2005, 31, 64-70.	8.2	35
349	Reply to the comment by Fox et al. on "Risk factors for late-onset ventilator associated pneumonia in trauma patients receiving selective digestive decontamination" <i>Intensive Care Medicine</i> , 2005, 31, 1000-1000.	8.2	0
350	Surprising results deserve consideration. <i>Intensive Care Medicine</i> , 2005, 31, 1138-1138.	8.2	0
351	Predictive perioperative factors for developing severe sepsis after major surgery. <i>British Journal of Anaesthesia</i> , 2005, 95, 776-781.	3.4	58
352	Decreased circulating elastin peptide levels in humans with sepsis. <i>Pathologie Et Biologie</i> , 2005, 53, 443-447.	2.2	4
353	Target concentrations of remifentanil with propofol to blunt coughing during intubation, cuff inflation, and tracheal suctioning. <i>British Journal of Anaesthesia</i> , 2004, 93, 660-663.	3.4	20
354	Effect of Sex on <i>Coxiella burnetii</i> Infection: Protective Role of 17 $\beta$ -Estradiol. <i>Journal of Infectious Diseases</i> , 2004, 189, 339-345.	4.0	143
355	Moxifloxacin Penetration in Bronchial Secretions of Mechanically Ventilated Patients with Pneumonia. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 638-640.	3.2	16
356	Survey of the use of catecholamines by French physicians. <i>Intensive Care Medicine</i> , 2004, 30, 984-988.	8.2	50
357	Catheter-associated urinary tract infections in intensive care units. <i>Microbes and Infection</i> , 2004, 6, 1026-1032.	1.9	56
358	Clinical review: Vasopressin and terlipressin in septic shock patients. <i>Critical Care</i> , 2004, 9, 212.	5.8	108
359	TERLIPRESSIN IN CATECHOLAMINE-RESISTANT SEPTIC SHOCK PATIENTS. <i>Shock</i> , 2004, 22, 314-319.	2.1	129
360	The Effects of Remifentanil on Endotracheal Suctioning-Induced Increases in Intracranial Pressure in Head-Injured Patients. <i>Anesthesia and Analgesia</i> , 2004, 99, 1193-1198.	2.2	42

#	ARTICLE	IF	CITATIONS
361	Renal Effects of Norepinephrine in Septic and Nonseptic Patients. <i>Chest</i> , 2004, 126, 534-539.	0.8	170
362	Risk factors of ventilator associated pneumonia in trauma patients treated with selective digestive decontamination. <i>European Journal of Anaesthesiology</i> , 2004, 21, 160.	1.7	0
363	CELL ADHESION MOLECULES AS A MARKER REFLECTING THE REDUCTION OF ENDOTHELIAL ACTIVATION INDUCED BY GLUCOCORTICOID. <i>Shock</i> , 2004, 21, 311-314.	2.1	18
364	Comparison of effectiveness of two urinary drainage systems in intensive care unit: a prospective, randomized clinical trial. <i>Intensive Care Medicine</i> , 2003, 29, 410-413.	8.2	14
365	Comparison of effectiveness of two urinary drainage systems in intensive care unit: a prospective, randomized clinical trial. <i>Intensive Care Medicine</i> , 2003, 29, 410-413.	8.2	22
366	Risk factors of nosocomial catheter-associated urinary tract infection in a polyvalent intensive care unit. <i>Intensive Care Medicine</i> , 2003, 29, 929-932.	8.2	30
367	Risk factors of nosocomial catheter-associated urinary tract infection in a polyvalent intensive care unit. <i>Intensive Care Medicine</i> , 2003, 29, 1077-1080.	8.2	80
368	Long-term epidemiological survey of <i>Candida</i> species: comparison of isolates found in an intensive care unit and in conventional wards. <i>Journal of Hospital Infection</i> , 2003, 55, 169-174.	2.9	26
369	Infections urinaires nosocomiales en réanimation. <i>Médecine Et Maladies Infectieuses</i> , 2003, 33, 284-292.	5.0	2
370	Ceftriaxone (1 g Intravenously) Penetration into Abdominal Tissues when Administered as Antibiotic Prophylaxis during Nephrectomy. <i>Journal of Chemotherapy</i> , 2003, 15, 139-142.	1.5	6
371	Pulmonary Contusion in Severe Head Trauma Patients. <i>Chest</i> , 2003, 124, 2261-2266.	0.8	30
372	Long-term (6-year) effect of selective digestive decontamination on antimicrobial resistance in intensive care, multiple-trauma patients*. <i>Critical Care Medicine</i> , 2003, 31, 2090-2095.	0.9	102
373	Empirical antimicrobial therapy of septic shock patients: Adequacy and impact on the outcome*. <i>Critical Care Medicine</i> , 2003, 31, 462-467.	0.9	189
374	Decompressive craniectomy for severe traumatic brain injury: Evaluation of the effects at one year*. <i>Critical Care Medicine</i> , 2003, 31, 2535-2538.	0.9	230
375	Brain tissue penetration of ciprofloxacin following a single intravenous dose. <i>Journal of Antimicrobial Chemotherapy</i> , 2002, 50, 607-609.	3.0	13
376	Positive inotropic stimulation. <i>Current Opinion in Critical Care</i> , 2002, 8, 395-403.	3.2	26
377	Systemic endothelial activation is greater in septic than in traumatic-hemorrhagic shock but does not correlate with endothelial activation in skin biopsies. <i>Critical Care Medicine</i> , 2002, 30, 808-814.	0.9	45
378	Influence on outcome of ventilator-associated pneumonia in multiple trauma patients with head trauma treated with selected digestive decontamination*. <i>Critical Care Medicine</i> , 2002, 30, 1741-1746.	0.9	60

#	ARTICLE	IF	CITATIONS
379	Randomized clinical trial of extended use of a hydrophobic condenser humidifier: 1 vs. 7 days. Critical Care Medicine, 2002, 30, 232-237.	0.9	49
380	Prevention of Nosocomial Urinary Tract Infection in ICU Patients. Chest, 2001, 120, 220-224.	0.8	40
381	Role of Glycopeptides in the Treatment of Septic Complications after Cardiac Surgery. Journal of Chemotherapy, 2001, 13, 112-118.	1.5	3
382	Effect of norepinephrine on the outcome of septic shock. Critical Care Medicine, 2000, 28, 2758-2765.	0.9	360
383	High adenosine plasma concentration as a prognostic index for outcome in patients with septic shock. Critical Care Medicine, 2000, 28, 3198-3202.	0.9	161