
## Carlos R Osorio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3879621/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A Highly Unstable and Elusive Plasmid That Encodes the Type III Secretion System Is Necessary for Full Virulence in the Marine Fish Pathogen Photobacterium damselae subsp. piscicida. International Journal of Molecular Sciences, 2022, 23, 4729.	4.1	2
2	A Secreted NlpC/P60 Endopeptidase from Photobacterium damselae subsp. <i>piscicida</i> Cleaves the Peptidoglycan of Potentially Competing Bacteria. MSphere, 2021, 6, .	2.9	3
3	The twoâ€component system RstAB regulates production of a polysaccharide capsule with a role in virulence in the marine pathogen Photobacterium damselae subsp. damselae. Environmental Microbiology Reports, 2021, , .	2.4	0
4	The twoâ€component system <scp>RstAB</scp> regulates production of a polysaccharide capsule with a role in virulence in the marine pathogen <scp><i>Photobacterium damselae</i></scp> subsp.< <i>damselae</i> . Environmental Microbiology, 2021, 23, 4859-4880.	3.8	4
5	Exposure of the Opportunistic Marine Pathogen Photobacterium damselae subsp. damselae to Human Body Temperature Is a Stressful Condition That Shapes the Transcriptome, Viability, Cell Morphology, and Virulence. Frontiers in Microbiology, 2020, 11, 1771.	3.5	10
6	Diverse Horizontally-Acquired Gene Clusters Confer Sucrose Utilization to Different Lineages of the Marine Pathogen Photobacterium damselae subsp. damselae. Genes, 2020, 11, 1244.	2.4	4
7	Highly Transferable pAQU-Related Plasmids Encoding Multidrug Resistance Are Widespread in the Human and Fish Pathogen Photobacterium damselae subsp. damselae in Aquaculture Areas in the Black Sea. Microbial Ecology, 2020, 80, 507-518.	2.8	3
8	A virulence gene typing scheme for Photobacterium damselae subsp. piscicida, the causative agent of fish photobacteriosis, reveals a high prevalence of plasmid-encoded virulence factors and of type III secretion system genes. Aquaculture, 2020, 521, 735057.	3.5	11
9	The RstAB System Impacts Virulence, Motility, Cell Morphology, Penicillin Tolerance and Production of Type II Secretion System-Dependent Factors in the Fish and Human Pathogen Photobacterium damselae subsp. damselae. Frontiers in Microbiology, 2019, 10, 897.	3.5	17
10	Draft Genome Sequences of Photobacterium damselae subsp. piscicida SNW-8.1 and PP3, Two Fish-Isolated Strains Containing a Type III Secretion System. Microbiology Resource Announcements, 2019, 8, .	0.6	9
11	Photobacterium damselae: How Horizontal Gene Transfer Shaped Two Different Pathogenic Lifestyles in a Marine Bacterium. , 2019, , 175-199.		4
12	T3SS effectors in Vibrios: Homology in sequence, diversity in biological functions?. Virulence, 2018, 9, 721-723.	4.4	14
13	Photobacterium damselae subsp. damselae, a Generalist Pathogen with Unique Virulence Factors and High Genetic Diversity. Journal of Bacteriology, 2018, 200, e00002-18.	2.2	44
14	Cytotoxin- and Chemotaxis-Genes Cooperate to Promote Adhesion of Photobacterium damselae subsp. damselae. Frontiers in Microbiology, 2018, 9, 2996.	3.5	12
15	Transcriptome changes in response to temperature in the fish pathogen Photobacterium damselae subsp. damselae: Clues to understand the emergence of disease outbreaks at increased seawater temperatures. PLoS ONE, 2018, 13, e0210118.	2.5	40
16	Molecular Epidemiology of Photobacterium damselae subsp. damselae Outbreaks in Marine Rainbow Trout Farms Reveals Extensive Horizontal Gene Transfer and High Genetic Diversity. Frontiers in Microbiology, 2018, 9, 2155.	3.5	24
17	A proteomic analysis of the iron response of Photobacterium damselae subsp. damselae reveals metabolic adaptations to iron levels changes and novel potential virulence factors. Veterinary Microbiology, 2017, 201, 257-264.	1.9	26
18	Chromosome-Encoded Hemolysin, Phospholipase, and Collagenase in Plasmidless Isolates of Photobacterium damselae subsp. damselae Contribute to Virulence for Fish. Applied and Environmental Microbiology, 2017, 83, .	3.1	44

#	Article	IF	CITATIONS
19	Identification of the Ferric-Acinetobactin Outer Membrane Receptor in <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> and Structure–Activity Relationships of Synthetic Acinetobactin Analogues. ACS Chemical Biology, 2017, 12, 479-493.	3.4	12
20	Genomic analysis of the marine fish pathogen Photobacterium damselae subsp. piscicida: Insertion sequences proliferation is associated with chromosomal reorganisations and rampant gene decay. Infection, Genetics and Evolution, 2017, 54, 221-229.	2.3	15
21	The Apoptogenic Toxin AIP56 Is Secreted by the Type II Secretion System of Photobacterium damselae subsp. piscicida. Toxins, 2017, 9, 368.	3.4	19
22	Secreted Citrate Serves as Iron Carrier for the Marine Pathogen Photobacterium damselae subsp damselae. Frontiers in Cellular and Infection Microbiology, 2017, 7, 361.	3.9	22
23	rstB Regulates Expression of the Photobacterium damselae subsp. damselae Major Virulence Factors Damselysin, Phobalysin P and Phobalysin C. Frontiers in Microbiology, 2017, 08, 582.	3.5	32
24	First Report of <i>Streptomyces scabies</i> Causing Potato Common Scab in Punjab, Pakistan. Plant Disease, 2017, 101, 378.	1.4	4
25	Unveiling the pan-genome of the SXT/R391 family of ICEs: molecular characterisation of new variable regions of SXT/R391-like ICEs detected in Pseudoalteromonas sp. and Vibrio scophthalmi. Antonie Van Leeuwenhoek, 2016, 109, 1141-1152.	1.7	14
26	Photobacterium damselae subsp. damselae, an Emerging Fish Pathogen in the Black Sea: Evidence of a Multiclonal Origin. Applied and Environmental Microbiology, 2016, 82, 3736-3745.	3.1	61
27	Persistence of Antibiotic Resistant Vibrio spp. in Shellfish Hatchery Environment. Microbial Ecology, 2016, 72, 851-860.	2.8	26
28	First Report of <i>Streptomyces turgidiscabiei</i> and <i>S. stelliscabiei</i> Causing Potato Common Scab in Lahore Punjab, Pakistan. Plant Disease, 2016, 100, 2160-2160.	1.4	3
29	The emergence of Vibrio pathogens in Europe: ecology, evolution, and pathogenesis (Paris, 11–12th) Tj ETQq1	107843	14.rgBT /Ove
30	Photobacterium damselae subsp. damselae Major Virulence Factors Dly, Plasmid-Encoded HlyA, and Chromosome-Encoded HlyA Are Secreted via the Type II Secretion System. Infection and Immunity, 2015, 83, 1246-1256.	2.2	42
31	A Transmissible Plasmid-Borne Pathogenicity Island Confers Piscibactin Biosynthesis in the Fish Pathogen Photobacterium damselae subsp. piscicida. Applied and Environmental Microbiology, 2015, 81, 5867-5879.	3.1	48
32	Two Catechol Siderophores, Acinetobactin and Amonabactin, Are Simultaneously Produced by <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> Sharing Part of the Biosynthetic Pathway. ACS Chemical Biology, 2015, 10, 2850-2860.	3.4	38
33	Phobalysin, a Small β-Pore-Forming Toxin of Photobacterium damselae subsp. damselae. Infection and Immunity, 2015, 83, 4335-4348.	2.2	40
34	Evidence for horizontal gene transfer, gene duplication and genetic variation as driving forces of the diversity of haemolytic phenotypes inPhotobacterium damselaesubsp.damselae. FEMS Microbiology Letters, 2014, 355, 152-162.	1.8	26
35	Genetic characterization of pPHDP60, a novel conjugative plasmid from the marine fish pathogen Photobacterium damselae subsp. piscicida. Plasmid, 2013, 70, 154-159.	1.4	9
36	Integrating conjugative elements of the SXT/R391 family from fish-isolated <i>Vibrios</i> encode restriction-modification systems that confer resistance to bacteriophages. FEMS Microbiology Ecology, 2013, 83, 457-467.	2.7	39

CARLOS R OSORIO

#	Article	IF	CITATIONS
37	Synthesis and antibacterial activity of conjugates between norfloxacin and analogues of the siderophore vanchrobactin. Bioorganic and Medicinal Chemistry, 2013, 21, 295-302.	3.0	36
38	Synergistic and Additive Effects of Chromosomal and Plasmid-Encoded Hemolysins Contribute to Hemolysis and Virulence in Photobacterium damselae subsp. damselae. Infection and Immunity, 2013, 81, 3287-3299.	2.2	60
39	Photobacterium damselae subsp. damselae, a bacterium pathogenic for marine animals and humans. Frontiers in Microbiology, 2013, 4, 283.	3.5	169
40	Integrating Conjugative Elements as Vectors of Antibiotic, Mercury, and Quaternary Ammonium Compound Resistance in Marine Aquaculture Environments. Antimicrobial Agents and Chemotherapy, 2012, 56, 2619-2626.	3.2	69
41	Structure and Biosynthetic Assembly of Piscibactin, a Siderophore from <i>Photobacterium damselae</i> subsp. <i>piscicida</i> , Predicted from Genome Analysis. European Journal of Organic Chemistry, 2012, 2012, 5693-5700.	2.4	49
42	The Photobacterium damselae subsp. damselae Hemolysins Damselysin and HlyA Are Encoded within a New Virulence Plasmid. Infection and Immunity, 2011, 79, 4617-4627.	2.2	73
43	Application of suppressive subtractive hybridization to the identification of genetic differences between two Lactococcus garvieae strains showing distinct differences in virulence for rainbow trout and mouse. Microbiology (United Kingdom), 2011, 157, 2106-2119.	1.8	6
44	Anguibactin―versus vanchrobactinâ€mediated iron uptake in <i>Vibrio anguillarum</i> : evolution and ecology of a fish pathogen. Environmental Microbiology Reports, 2010, 2, 19-26.	2.4	41
45	The ABCâ€transporter <i>hutCD</i> genes of <i>Photobacterium damselae</i> subsp. <i>piscicida</i> are essential for haem utilization as iron source and are expressed during infection in fish. Journal of Fish Diseases, 2010, 33, 649-655.	1.9	8
46	FvtA Is the Receptor for the Siderophore Vanchrobactin in <i>Vibrio anguillarum</i> : Utility as a Route of Entry for Vanchrobactin Analogues. Applied and Environmental Microbiology, 2009, 75, 2775-2783.	3.1	26
47	Genetic characterization of pAsa6, a new plasmid from Aeromonas salmonicida subsp. salmonicida that encodes a type III effector protein AopH homolog. Plasmid, 2009, 61, 176-181.	1.4	15
48	Identification of iron regulated genes in the fish pathogen Aeromonas salmonicida subsp. salmonicida: Genetic diversity and evidence of conserved iron uptake systems. Veterinary Microbiology, 2009, 133, 377-382.	1.9	22
49	Identification of heme uptake genes in the fish pathogen Aeromonas salmonicida subsp. salmonicida. Archives of Microbiology, 2008, 190, 439-449.	2.2	35
50	Distribution of small plasmids in <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> strains isolated from NW Spain and Portugal: evidence of clonality in strains isolated from turbot, <i>Psetta maxima</i> (L.). Journal of Fish Diseases, 2008, 31, 469-472.	1.9	12
51	Biosynthetic and regulatory elements involved in the production of the siderophore vanchrobactin in Vibrio anguillarum. Microbiology (United Kingdom), 2008, 154, 1400-1413.	1.8	30
52	Genomic and Functional Analysis of ICE <i>Pda</i> Spa1, a Fish-Pathogen-Derived SXT-Related Integrating Conjugative Element That Can Mobilize a Virulence Plasmid. Journal of Bacteriology, 2008, 190, 3353-3361.	2.2	58
53	Identification of Siderophore Biosynthesis Genes Essential for Growth of <i>Aeromonas salmonicida</i> under Iron Limitation Conditions. Applied and Environmental Microbiology, 2008, 74, 2341-2348.	3.1	33
54	Heme, an iron supply for vibrios pathogenic for fish. BioMetals, 2007, 20, 615-626.	4.1	29

CARLOS R OSORIO

#	Article	IF	CITATIONS
55	Transcriptional organization and regulation of the Vibrio anguillarum heme uptake gene cluster. Gene, 2006, 374, 68-76.	2.2	19
56	A siderophore biosynthesis gene cluster from the fish pathogen Photobacterium damselae subsp. piscicida is structurally and functionally related to the Yersinia high-pathogenicity island. Microbiology (United Kingdom), 2006, 152, 3327-3341.	1.8	46
57	A gene cluster involved in the biosynthesis of vanchrobactin, a chromosome-encoded siderophore produced by Vibrio anguillarum. Microbiology (United Kingdom), 2006, 152, 3517-3528.	1.8	45
58	Characterization of functional domains of theVibrio choleraevirulence regulator ToxT. Molecular Microbiology, 2005, 58, 1143-1156.	2.5	53
59	Heme uptake genes in human and fish isolates of Photobacterium damselae: existence of hutA pseudogenes. Archives of Microbiology, 2005, 183, 347-358.	2.2	23
60	Subtractive hybridization reveals a high genetic diversity in the fish pathogen Photobacterium damselae subsp. piscicida: evidence of a SXT-like element. Microbiology (United Kingdom), 2005, 151, 2659-2669.	1.8	26
61	Genetic Variability of the Heme Uptake System among Different Strains of the Fish Pathogen Vibrio anguillarum : Identification of a New Heme Receptor. Applied and Environmental Microbiology, 2005, 71, 8434-8441.	3.1	15
62	Variation in 16S-23S rRNA Intergenic Spacer Regions in Photobacterium damselae : a Mosaic-Like Structure. Applied and Environmental Microbiology, 2005, 71, 636-645.	3.1	41
63	Characterization of Heme Uptake Cluster Genes in the Fish Pathogen Vibrio anguillarum. Journal of Bacteriology, 2004, 186, 6159-6167.	2.2	71
64	Two tonB Systems Function in Iron Transport in Vibrio anguillarum , but Only One Is Essential for Virulence. Infection and Immunity, 2004, 72, 7326-7329.	2.2	62
65	Identification of Fur regulated genes in the bacterial fish pathogen Photobacterium damselae ssp. piscicida using the Fur titration assay. BioMetals, 2004, 17, 725-733.	4.1	14
66	dentification and characterisation of the fur genes in <i>Photobacterium damselae</i> ssp. <i>piscicida</i> and ssp. <i>damselae</i> . Diseases of Aquatic Organisms, 2004, 58, 151-156.	1.0	7
67	Characterization of the 23S and 5S rRNA genes and 23S-5S intergenic spacer region (ITS-2) of Photobacterium damselae. Diseases of Aquatic Organisms, 2004, 61, 33-39.	1.0	5
68	Isolation of mutants of Vibrio anguillarum defective in haeme utilisation and cloning of huvA, a gene coding for an outer membrane protein involved in the use of haeme as iron source. Archives of Microbiology, 2003, 179, 329-338.	2.2	26
69	Identification oftdh-positiveVibrio parahaemolyticusfrom an outbreak associated with raw oyster consumption in Spain. FEMS Microbiology Letters, 2003, 226, 281-284.	1.8	117
70	Development of a PCR-based method for the detection of Listonella anguillarum in fish tissues and blood samples. Diseases of Aquatic Organisms, 2003, 55, 109-115.	1.0	44
71	Multiplex PCR assay for ureC and 16S rRNA genes clearly discriminates between both subspecies of Photobacterium damselae. Diseases of Aquatic Organisms, 2000, 40, 177-183.	1.0	86
72	A Region of the Transmembrane Regulatory Protein ToxR That Tethers the Transcriptional Activation Domain to the Cytoplasmic Membrane Displays Wide Divergence among Vibrio Species. Journal of Bacteriology, 2000, 182, 526-528.	2.2	90

#	Article	IF	CITATIONS
73	Presence of phospholipase-D (dly) gene coding for damselysin production is not a pre-requisite for pathogenicity in Photobacterium damselae subsp. damselae. Microbial Pathogenesis, 2000, 28, 119-126.	2.9	25
74	16S rRNA Gene Sequence Analysis of <i>Photobacterium damselae</i> and Nested PCR Method for Rapid Detection of the Causative Agent of Fish Pasteurellosis. Applied and Environmental Microbiology, 1999, 65, 2942-2946.	3.1	94
75	Note: Arthrobacter rhombi sp. nov., isolated from Greenland halibut (Reinhardtius hippoglossoides). International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1217-1220.	1.7	40
76	Assessment of a magnetic bead-EIA based kit for rapid diagnosis of fish pasteurellosis. Journal of Microbiological Methods, 1999, 38, 147-154.	1.6	12
77	Applicability of Ribotyping for Intraspecific Classification and Epidemiological Studies of Photobacterium damsela subsp. piscicida. Systematic and Applied Microbiology, 1997, 20, 634-639.	2.8	22