

Sjoerd H Hoogland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3879710/publications.pdf>

Version: 2024-02-01

150
papers

28,888
citations

12303

69
h-index

9073

144
g-index

152
all docs

152
docs citations

152
times ranked

21710
citing authors

#	ARTICLE	IF	CITATIONS
1	The Impact of Ion Migration on the Electro-Optic Effect in Hybrid Organic-Inorganic Perovskites. <i>Advanced Functional Materials</i> , 2022, 32, 2107939.	7.8	7
2	Controlled Crystal Plane Orientations in the ZnO Transport Layer Enable High-Responsivity, Low-Dark-Current Infrared Photodetectors. <i>Advanced Materials</i> , 2022, 34, e2200321.	11.1	21
3	Quantum-size-tuned heterostructures enable efficient and stable inverted perovskite solar cells. <i>Nature Photonics</i> , 2022, 16, 352-358.	15.6	233
4	Deep-Blue Perovskite Single-Mode Lasing through Efficient Vapor-Assisted Chlorination. <i>Advanced Materials</i> , 2021, 33, e2006697.	11.1	30
5	Linear Electro-Optic Modulation in Highly Polarizable Organic Perovskites. <i>Advanced Materials</i> , 2021, 33, e2006368.	11.1	20
6	Electro-Optic Modulation Using Metal-Free Perovskites. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 19042-19047.	4.0	12
7	Reply to: Perovskite decomposition and missing crystal planes in HRTEM. <i>Nature</i> , 2021, 594, E8-E9.	13.7	2
8	Facet-Oriented Coupling Enables Fast and Sensitive Colloidal Quantum Dot Photodetectors. <i>Advanced Materials</i> , 2021, 33, e2101056.	11.1	42
9	Quantum Dot Self-Assembly Enables Low-Threshold Lasing. <i>Advanced Science</i> , 2021, 8, e2101125.	5.6	28
10	Bright and Stable Light-Emitting Diodes Based on Perovskite Quantum Dots in Perovskite Matrix. <i>Journal of the American Chemical Society</i> , 2021, 143, 15606-15615.	6.6	94
11	Control Over Ligand Exchange Reactivity in Hole Transport Layer Enables High-Efficiency Colloidal Quantum Dot Solar Cells. <i>ACS Energy Letters</i> , 2021, 6, 468-476.	8.8	32
12	Rigid Conjugated Diamine Templates for Stable Dion-Jacobson-Type Two-Dimensional Perovskites. <i>Journal of the American Chemical Society</i> , 2021, 143, 19901-19908.	6.6	39
13	Stabilizing Surface Passivation Enables Stable Operation of Colloidal Quantum Dot Photovoltaic Devices at Maximum Power Point in an Air Ambient. <i>Advanced Materials</i> , 2020, 32, e1906497.	11.1	47
14	Spatial Collection in Colloidal Quantum Dot Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 1908200.	7.8	24
15	Narrow Emission from Rb ₃ Sb ₂ I ₉ Nanoparticles. <i>Advanced Optical Materials</i> , 2020, 8, 1901606.	3.6	18
16	Cascade surface modification of colloidal quantum dot inks enables efficient bulk homojunction photovoltaics. <i>Nature Communications</i> , 2020, 11, 103.	5.8	181
17	Structural Distortion and Bandgap Increase of Two-Dimensional Perovskites Induced by Trifluoromethyl Substitution on Spacer Cations. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 10144-10149.	2.1	22
18	High-Performance Perovskite Single-Junction and Textured Perovskite/Silicon Tandem Solar Cells via Slot-Die-Coating. <i>ACS Energy Letters</i> , 2020, 5, 3034-3040.	8.8	134

#	ARTICLE	IF	CITATIONS
19	A Tuned Alternating D ⁺ A Copolymer Hole-Transport Layer Enables Colloidal Quantum Dot Solar Cells with Superior Fill Factor and Efficiency. <i>Advanced Materials</i> , 2020, 32, e2004985.	11.1	56
20	Colloidal Quantum Dot Solar Cell Band Alignment using Two-Step Ionic Doping. , 2020, 2, 1583-1589.		15
21	Efficient and Stable Colloidal Quantum Dot Solar Cells with a Green-Solvent Hole-Transport Layer. <i>Advanced Energy Materials</i> , 2020, 10, 2002084.	10.2	23
22	Orthogonal colloidal quantum dot inks enable efficient multilayer optoelectronic devices. <i>Nature Communications</i> , 2020, 11, 4814.	5.8	48
23	Monolithic Organic/Colloidal Quantum Dot Hybrid Tandem Solar Cells via Buffer Engineering. <i>Advanced Materials</i> , 2020, 32, e2004657.	11.1	16
24	Suppression of Auger Recombination by Gradient Alloying in InAs/CdSe/CdS QDs. <i>Chemistry of Materials</i> , 2020, 32, 7703-7709.	3.2	15
25	InP-Quantum-Dot-in-ZnS-Matrix Solids for Thermal and Air Stability. <i>Chemistry of Materials</i> , 2020, 32, 9584-9590.	3.2	8
26	Multiple Self-Trapped Emissions in the Lead-Free Halide Cs ₃ Cu ₂ I ₅ . <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 4326-4330.	2.1	79
27	Micron Thick Colloidal Quantum Dot Solids. <i>Nano Letters</i> , 2020, 20, 5284-5291.	4.5	47
28	Colloidal Quantum Dot Bulk Heterojunction Solids with Near-Unity Charge Extraction Efficiency. <i>Advanced Science</i> , 2020, 7, 2000894.	5.6	22
29	A Chemically Orthogonal Hole Transport Layer for Efficient Colloidal Quantum Dot Solar Cells. <i>Advanced Materials</i> , 2020, 32, e1906199.	11.1	59
30	Single-Precursor Intermediate Shelling Enables Bright, Narrow Line Width InAs/InZnP-Based QD Emitters. <i>Chemistry of Materials</i> , 2020, 32, 2919-2925.	3.2	13
31	Enhanced optical path and electron diffusion length enable high-efficiency perovskite tandems. <i>Nature Communications</i> , 2020, 11, 1257.	5.8	180
32	Bipolar-shell resurfacing for blue LEDs based on strongly confined perovskite quantum dots. <i>Nature Nanotechnology</i> , 2020, 15, 668-674.	15.6	541
33	High Color Purity Lead-Free Perovskite Light-Emitting Diodes via Sn Stabilization. <i>Advanced Science</i> , 2020, 7, 1903213.	5.6	146
34	Quantum Dot-Plasmon Lasing with Controlled Polarization Patterns. <i>ACS Nano</i> , 2020, 14, 3426-3433.	7.3	66
35	Engineering Directionality in Quantum Dot Shell Lasing Using Plasmonic Lattices. <i>Nano Letters</i> , 2020, 20, 1468-1474.	4.5	48
36	Ligand-Assisted Reconstruction of Colloidal Quantum Dots Decreases Trap State Density. <i>Nano Letters</i> , 2020, 20, 3694-3702.	4.5	46

#	ARTICLE	IF	CITATIONS
37	Temperature-Induced Self-Compensating Defect Traps and Gain Thresholds in Colloidal Quantum Dots. ACS Nano, 2019, 13, 8970-8976.	7.3	8
38	Mixed Lead Halide Passivation of Quantum Dots. Advanced Materials, 2019, 31, e1904304.	11.1	81
39	Stable Colloidal Quantum Dot Inks Enable Inkjet-Printed High-Sensitivity Infrared Photodetectors. ACS Nano, 2019, 13, 11988-11995.	7.3	99
40	Nanostructured Back Reflectors for Efficient Colloidal Quantum Dot Infrared Optoelectronics. Advanced Materials, 2019, 31, e1901745.	11.1	49
41	Lattice anchoring stabilizes solution-processed semiconductors. Nature, 2019, 570, 96-101.	13.7	208
42	Controlled Steric Hindrance Enables Efficient Ligand Exchange for Stable, Infrared-Bandgap Quantum Dot Inks. ACS Energy Letters, 2019, 4, 1225-1230.	8.8	54
43	A Facet-Specific Quantum Dot Passivation Strategy for Colloid Management and Efficient Infrared Photovoltaics. Advanced Materials, 2019, 31, e1805580.	11.1	87
44	Electro-Optic Modulation in Hybrid Metal Halide Perovskites. Advanced Materials, 2019, 31, e1808336.	11.1	42
45	Efficient hybrid colloidal quantum dot/organic solar cells mediated by near-infrared sensitizing small molecules. Nature Energy, 2019, 4, 969-976.	19.8	120
46	Bright colloidal quantum dot light-emitting diodes enabled by efficient chlorination. Nature Photonics, 2018, 12, 159-164.	15.6	303
47	2D matrix engineering for homogeneous quantum dot coupling in photovoltaic solids. Nature Nanotechnology, 2018, 13, 456-462.	15.6	252
48	Hybrid Tandem Quantum Dot/Organic Solar Cells with Enhanced Photocurrent and Efficiency via Ink and Interlayer Engineering. ACS Energy Letters, 2018, 3, 1307-1314.	8.8	40
49	Infrared Cavity-Enhanced Colloidal Quantum Dot Photovoltaics Employing Asymmetric Multilayer Electrodes. ACS Energy Letters, 2018, 3, 2908-2913.	8.8	20
50	Multibandgap quantum dot ensembles for solar-matched infrared energy harvesting. Nature Communications, 2018, 9, 4003.	5.8	56
51	Butylamine-Catalyzed Synthesis of Nanocrystal Inks Enables Efficient Infrared CQD Solar Cells. Advanced Materials, 2018, 30, e1803830.	11.1	67
52	Picosecond Charge Transfer and Long Carrier Diffusion Lengths in Colloidal Quantum Dot Solids. Nano Letters, 2018, 18, 7052-7059.	4.5	51
53	Activated Electron-Transport Layers for Infrared Quantum Dot Optoelectronics. Advanced Materials, 2018, 30, e1801720.	11.1	57
54	Spin control in reduced-dimensional chiral perovskites. Nature Photonics, 2018, 12, 528-533.	15.6	371

#	ARTICLE	IF	CITATIONS
55	Acid-Assisted Ligand Exchange Enhances Coupling in Colloidal Quantum Dot Solids. <i>Nano Letters</i> , 2018, 18, 4417-4423.	4.5	57
56	Efficient and stable solution-processed planar perovskite solar cells via contact passivation. <i>Science</i> , 2017, 355, 722-726.	6.0	2,019
57	Enhanced Solar-to-Hydrogen Generation with Broadband Epsilon-Near-Zero Nanostructured Photocatalysts. <i>Advanced Materials</i> , 2017, 29, 1701165.	11.1	39
58	Pseudohalide-Exchanged Quantum Dot Solids Achieve Record Quantum Efficiency in Infrared Photovoltaics. <i>Advanced Materials</i> , 2017, 29, 1700749.	11.1	79
59	Quantum Dot Color-Converting Solids Operating Efficiently in the kW/cm^2 Regime. <i>Chemistry of Materials</i> , 2017, 29, 5104-5112.	3.2	17
60	Hybrid tandem quantum dot/organic photovoltaic cells with complementary near infrared absorption. <i>Applied Physics Letters</i> , 2017, 110, 223903.	1.5	23
61	Field-emission from quantum-dot-in-perovskite solids. <i>Nature Communications</i> , 2017, 8, 14757.	5.8	83
62	Nanoimprint-Transfer-Patterned Solids Enhance Light Absorption in Colloidal Quantum Dot Solar Cells. <i>Nano Letters</i> , 2017, 17, 2349-2353.	4.5	46
63	Quantum Dots in Two-Dimensional Perovskite Matrices for Efficient Near-Infrared Light Emission. <i>ACS Photonics</i> , 2017, 4, 830-836.	3.2	30
64	Continuous-wave lasing in colloidal quantum dot solids enabled by facet-selective epitaxy. <i>Nature</i> , 2017, 544, 75-79.	13.7	319
65	Halide Re-Shelled Quantum Dot Inks for Infrared Photovoltaics. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 37536-37541.	4.0	35
66	Chloride Passivation of ZnO Electrodes Improves Charge Extraction in Colloidal Quantum Dot Photovoltaics. <i>Advanced Materials</i> , 2017, 29, 1702350.	11.1	126
67	Molecular Doping of the Hole-Transporting Layer for Efficient, Single-Step-Deposited Colloidal Quantum Dot Photovoltaics. <i>ACS Energy Letters</i> , 2017, 2, 1952-1959.	8.8	45
68	Mixed-quantum-dot solar cells. <i>Nature Communications</i> , 2017, 8, 1325.	5.8	148
69	Study of Exciton Hopping Transport in PbS Colloidal Quantum Dot Thin Films Using Frequency- and Temperature-Scanned Photocarrier Radiometry. <i>International Journal of Thermophysics</i> , 2017, 38, 1.	1.0	7
70	Hybrid organic-inorganic inks flatten the energy landscape in colloidal quantum dot solids. <i>Nature Materials</i> , 2017, 16, 258-263.	13.3	563
71	The In-Gap Electronic State Spectrum of Methylammonium Lead Iodide Single-Crystal Perovskites. <i>Advanced Materials</i> , 2016, 28, 3406-3410.	11.1	187
72	Design of Phosphor White Light Systems for High-Power Applications. <i>ACS Photonics</i> , 2016, 3, 2243-2248.	3.2	37

#	ARTICLE	IF	CITATIONS
73	Single-step colloidal quantum dot films for infrared solar harvesting. <i>Applied Physics Letters</i> , 2016, 109, .	1.5	52
74	Gradient-Doped Colloidal Quantum Dot Solids Enable Thermophotovoltaic Harvesting of Waste Heat. <i>ACS Energy Letters</i> , 2016, 1, 740-746.	8.8	8
75	Atomistic Design of CdSe/CdS Core-Shell Quantum Dots with Suppressed Auger Recombination. <i>Nano Letters</i> , 2016, 16, 6491-6496.	4.5	51
76	Optical Generation and Transport of Charges in Iron Pyrite Nanocrystal Films and Subsequent Injection into SnO ₂ . <i>Journal of Physical Chemistry C</i> , 2016, 120, 22155-22162.	1.5	6
77	Optical Resonance Engineering for Infrared Colloidal Quantum Dot Photovoltaics. <i>ACS Energy Letters</i> , 2016, 1, 852-857.	8.8	27
78	Efficient Biexciton Interaction in Perovskite Quantum Dots Under Weak and Strong Confinement. <i>ACS Nano</i> , 2016, 10, 8603-8609.	7.3	190
79	Amine-Free Synthesis of Cesium Lead Halide Perovskite Quantum Dots for Efficient Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2016, 26, 8757-8763.	7.8	344
80	Perovskite energy funnels for efficient light-emitting diodes. <i>Nature Nanotechnology</i> , 2016, 11, 872-877.	15.6	1,868
81	Imbalanced charge carrier mobility and Schottky junction induced anomalous current-voltage characteristics of excitonic PbS colloidal quantum dot solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 155, 155-165.	3.0	37
82	ZnFe ₂ O ₄ Leaves Grown on TiO ₂ Trees Enhance Photoelectrochemical Water Splitting. <i>Small</i> , 2016, 12, 3181-3188.	5.2	56
83	Quantitative Analysis of Trap-State-Mediated Exciton Transport in Perovskite-Shelled PbS Quantum Dot Thin Films Using Photocarrier Diffusion-Wave Nondestructive Evaluation and Imaging. <i>Journal of Physical Chemistry C</i> , 2016, 120, 14416-14427.	1.5	26
84	10.6% Certified Colloidal Quantum Dot Solar Cells via Solvent-Polarity-Engineered Halide Passivation. <i>Nano Letters</i> , 2016, 16, 4630-4634.	4.5	312
85	Passivation Using Molecular Halides Increases Quantum Dot Solar Cell Performance. <i>Advanced Materials</i> , 2016, 28, 299-304.	11.1	312
86	Double-Sided Junctions Enable High-Performance Colloidal-Quantum-Dot Photovoltaics. <i>Advanced Materials</i> , 2016, 28, 4142-4148.	11.1	121
87	Ligand-Stabilized Reduced-Dimensionality Perovskites. <i>Journal of the American Chemical Society</i> , 2016, 138, 2649-2655.	6.6	1,157
88	Atomic layer deposition of absorbing thin films on nanostructured electrodes for short-wavelength infrared photosensing. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	5
89	Planar-integrated single-crystalline perovskite photodetectors. <i>Nature Communications</i> , 2015, 6, 8724.	5.8	617
90	Low trap-state density and long carrier diffusion in organolead trihalide perovskite single crystals. <i>Science</i> , 2015, 347, 519-522.	6.0	4,156

#	ARTICLE	IF	CITATIONS
91	Photojunction Field-Effect Transistor Based on a Colloidal Quantum Dot Absorber Channel Layer. ACS Nano, 2015, 9, 356-362.	7.3	73
92	Two-Photon Absorption in Organometallic Bromide Perovskites. ACS Nano, 2015, 9, 9340-9346.	7.3	254
93	Single-step fabrication of quantum funnels via centrifugal colloidal casting of nanoparticle films. Nature Communications, 2015, 6, 7772.	5.8	68
94	Quantum-dot-in-perovskite solids. Nature, 2015, 523, 324-328.	13.7	468
95	Microsecond-sustained lasing from colloidal quantum dot solids. Nature Communications, 2015, 6, 8694.	5.8	109
96	High-Efficiency Colloidal Quantum Dot Photovoltaics via Robust Self-Assembled Monolayers. Nano Letters, 2015, 15, 7691-7696.	4.5	198
97	Infrared Colloidal Quantum Dot Photovoltaics via Coupling Enhancement and Agglomeration Suppression. ACS Nano, 2015, 9, 8833-8842.	7.3	96
98	All-Quantum-Dot Infrared Light-Emitting Diodes. ACS Nano, 2015, 9, 12327-12333.	7.3	61
99	Perovskite Thin Films via Atomic Layer Deposition. Advanced Materials, 2015, 27, 53-58.	11.1	204
100	Colloidal quantum dot surface engineering for high performance optoelectronic devices. , 2015, , .		0
101	Electronically Active Impurities in Colloidal Quantum Dot Solids. ACS Nano, 2014, 8, 11763-11769.	7.3	32
102	Conformal Organohalide Perovskites Enable Lasing on Spherical Resonators. ACS Nano, 2014, 8, 10947-10952.	7.3	330
103	Engineering colloidal quantum dot solids within and beyond the mobility-invariant regime. Nature Communications, 2014, 5, 3803.	5.8	214
104	Air-stable n-type colloidal quantum dot solids. Nature Materials, 2014, 13, 822-828.	13.3	529
105	Folded-Light-Path Colloidal Quantum Dot Solar Cells. Scientific Reports, 2013, 3, 2166.	1.6	21
106	Directly Deposited Quantum Dot Solids Using a Colloidally Stable Nanoparticle Ink. Advanced Materials, 2013, 25, 5742-5749.	11.1	99
107	Exciton Lifetime Broadening and Distribution Profiles of PbS Colloidal Quantum Dot Thin Films Using Frequency- and Temperature-Scanned Photocarrier Radiometry. Journal of Physical Chemistry C, 2013, 117, 23333-23348.	1.5	29
108	Jointly Tuned Plasmonic-Excitonic Photovoltaics Using Nanoshells. Nano Letters, 2013, 13, 1502-1508.	4.5	93

#	ARTICLE	IF	CITATIONS
109	Graded Doping for Enhanced Colloidal Quantum Dot Photovoltaics. <i>Advanced Materials</i> , 2013, 25, 1719-1723.	11.1	164
110	Self-Assembled, Nanowire Network Electrodes for Depleted Bulk Heterojunction Solar Cells. <i>Advanced Materials</i> , 2013, 25, 1769-1773.	11.1	102
111	Self-Assembled, Nanowire Network Electrodes for Depleted Bulk Heterojunction Solar Cells (Adv.) <i>Tj ETQq1 1 0.784314 rgBT /Overlo</i>	11.1	5
112	Measuring Charge Carrier Diffusion in Coupled Colloidal Quantum Dot Solids. <i>ACS Nano</i> , 2013, 7, 5282-5290.	7.3	178
113	Joint Mapping of Mobility and Trap Density in Colloidal Quantum Dot Solids. <i>ACS Nano</i> , 2013, 7, 5757-5762.	7.3	30
114	Interface Recombination in Depleted Heterojunction Photovoltaics based on Colloidal Quantum Dots. <i>Advanced Energy Materials</i> , 2013, 3, 917-922.	10.2	117
115	The Donor-Supply Electrode Enhances Performance in Colloidal Quantum Dot Solar Cells. <i>ACS Nano</i> , 2013, 7, 6111-6116.	7.3	113
116	Broadband solar absorption enhancement via periodic nanostructuring of electrodes. <i>Scientific Reports</i> , 2013, 3, 2928.	1.6	69
117	Photocurrent extraction efficiency in colloidal quantum dot photovoltaics. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	19
118	Optical gain and lasing in colloidal quantum dots. , 2013, , 199-232.		5
119	Systematic optimization of quantum junction colloidal quantum dot solar cells. <i>Applied Physics Letters</i> , 2012, 101, 151112.	1.5	52
120	Quantum beats due to excitonic ground-state splitting in colloidal quantum dots. <i>Physical Review B</i> , 2012, 86, .	1.1	22
121	Hybrid passivated colloidal quantum dot solids. <i>Nature Nanotechnology</i> , 2012, 7, 577-582.	15.6	1,100
122	N-type Colloidal Quantum Dot Solids for Photovoltaics. <i>Advanced Materials</i> , 2012, 24, 6181-6185.	11.1	181
123	All-inorganic Colloidal Quantum Dot Photovoltaics Employing Solution-Phase Halide Passivation. <i>Advanced Materials</i> , 2012, 24, 6295-6299.	11.1	197
124	Quantum Junction Solar Cells. <i>Nano Letters</i> , 2012, 12, 4889-4894.	4.5	196
125	A Charge-Orbital Balance Picture of Doping in Colloidal Quantum Dot Solids. <i>ACS Nano</i> , 2012, 6, 8448-8455.	7.3	206
126	Enhanced Mobility-Lifetime Products in PbS Colloidal Quantum Dot Photovoltaics. <i>ACS Nano</i> , 2012, 6, 89-99.	7.3	244

#	ARTICLE	IF	CITATIONS
127	Inorganic passivation and doping control in colloidal quantum dot photovoltaics. , 2012, , .		0
128	DNA-based programming of quantum dot valency, self-assembly and luminescence. Nature Nanotechnology, 2011, 6, 485-490.	15.6	237
129	A tunable colloidal quantum dot photo field-effect transistor. Applied Physics Letters, 2011, 99, .	1.5	18
130	Colloidal-quantum-dot photovoltaics using atomic-ligand passivation. Nature Materials, 2011, 10, 765-771.	13.3	1,375
131	Tandem colloidal quantum dot solar cells employing a graded recombination layer. Nature Photonics, 2011, 5, 480-484.	15.6	367
132	Gain bandwidth characterization of surface-emitting quantum well laser gain structures for femtosecond operation. Optics Express, 2010, 18, 21330.	1.7	27
133	Fast, sensitive and spectrally tuneable colloidal-quantum-dot photodetectors. Nature Nanotechnology, 2009, 4, 40-44.	15.6	475
134	Megahertz-frequency large-area optical modulators at 1.55 μ m based on solution-cast colloidal quantum dots. Optics Express, 2008, 16, 6683.	1.7	16
135	Carrier Relaxation Dynamics in Lead Sulfide Colloidal Quantum Dots. Journal of Physical Chemistry B, 2008, 112, 2757-2760.	1.2	41
136	Ultrafast carrier dynamics in PbS quantum dots. , 2008, , .		0
137	Efficient Schottky-quantum-dot photovoltaics: The roles of depletion, drift, and diffusion. Applied Physics Letters, 2008, 92, .	1.5	155
138	Spectrotemporal gain bandwidth measurement in an InGaAs/GaAsP quantum well vertical-external-cavity surface-emitting semiconductor laser. , 2008, , .		0
139	A solution-processed 1.53 μ m quantum dot laser with temperature-invariant emission wavelength. Optics Express, 2006, 14, 3273.	1.7	127
140	Ultrasensitive solution-cast quantum dot photodetectors. Nature, 2006, 442, 180-183.	13.7	1,634
141	Extended cavity surface-emitting semiconductor lasers. Progress in Quantum Electronics, 2006, 30, 1-43.	3.5	150
142	Physical, electrical, and optical properties of SF-PECVD-grown hydrogenated microcrystalline silicon with growth surface electrical bias. Journal of Materials Science: Materials in Electronics, 2006, 17, 789-799.	1.1	3
143	10-GHz train of sub-500-fs optical soliton-like pulses from a surface-emitting semiconductor laser. IEEE Photonics Technology Letters, 2005, 17, 267-269.	1.3	63
144	Vertical-external-cavity semiconductor lasers. Journal Physics D: Applied Physics, 2004, 37, R75-R85.	1.3	169

#	ARTICLE	IF	CITATIONS
145	Continuous-Wave Operation of Monolithically Grown 1.5- μ m Optically Pumped Vertical-External-Cavity Surface-Emitting Lasers. <i>Applied Optics</i> , 2003, 42, 6678.	2.1	5
146	Picosecond pulse generation with 1.5- μ m passively modelocked surface-emitting semiconductor laser. <i>Electronics Letters</i> , 2003, 39, 846.	0.5	30
147	Sub-500-fs soliton-like pulse in a passively mode-locked broadband surface-emitting laser with 100 mW average power. <i>Applied Physics Letters</i> , 2002, 80, 3892-3894.	1.5	202
148	Soliton-like pulse-shaping mechanism in passively mode-locked surface-emitting semiconductor lasers. <i>Applied Physics B: Lasers and Optics</i> , 2002, 75, 445-451.	1.1	125
149	Passively mode-locked diode-pumped surface-emitting semiconductor laser. <i>IEEE Photonics Technology Letters</i> , 2000, 12, 1135-1137.	1.3	191
150	Self-Aligned Non-Centrosymmetric Conjugated Molecules Enable Electro-Optic Perovskites. <i>Advanced Optical Materials</i> , 0, , 2100730.	3.6	6