Nav Kapur

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3880061/publications.pdf

Version: 2024-02-01

14655 22166 17,446 331 66 113 citations h-index g-index papers 347 347 347 11590 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry, the, 2020, 7, 468-471.	7.4	1,054
2	Suicide After Deliberate Self-Harm: A 4-Year Cohort Study. American Journal of Psychiatry, 2005, 162, 297-303.	7.2	549
3	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry,the, 2021, 8, 579-588.	7.4	455
4	Predicting suicide following self-harm: systematic review of risk factors and risk scales. British Journal of Psychiatry, 2016, 209, 277-283.	2.8	355
5	Randomised controlled trial of brief psychological intervention after deliberate self poisoning Commentary: Another kind of talk that works?. BMJ: British Medical Journal, 2001, 323, 135-135.	2.3	331
6	Self-harm in England: a tale of three cities. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 513-521.	3.1	325
7	Non-suicidal self-injury <i>v.</i> attempted suicide: new diagnosis or false dichotomy?. British Journal of Psychiatry, 2013, 202, 326-328.	2.8	325
8	The epidemiology and prevention of suicide by hanging: a systematic review. International Journal of Epidemiology, 2005, 34, 433-442.	1.9	275
9	Suicide following self-harm: Findings from the Multicentre Study of self-harm in England, 2000–2012. Journal of Affective Disorders, 2015, 175, 147-151.	4.1	261
10	Predicting suicidal behaviours using clinical instruments: Systematic review and meta-analysis of positive predictive values for risk scales. British Journal of Psychiatry, 2017, 210, 387-395.	2.8	251
11	Implementation of mental health service recommendations in England and Wales and suicide rates, 1997–2006: a cross-sectional and before-and-after observational study. Lancet, The, 2012, 379, 1005-1012.	13.7	250
12	Premature death after self-harm: a multicentre cohort study. Lancet, The, 2012, 380, 1568-1574.	13.7	246
13	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. BMJ: British Medical Journal, 2017, 359, j4351.	2.3	240
14	Repetition of selfâ€harm and suicide following selfâ€harm in children and adolescents: findings from the Multicentre Study of Selfâ€harm in England. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 1212-1219.	5.2	226
15	Suicide in mental health in-patients and within 3 months of discharge. British Journal of Psychiatry, 2006, 188, 129-134.	2.8	214
16	Attitudes towards clinical services among people who self-harm: systematic review. British Journal of Psychiatry, 2009, 194, 104-110.	2.8	203
17	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. Lancet Public Health, The, 2021, 6, e124-e135.	10.0	201
18	Long term effect of reduced pack sizes of paracetamol on poisoning deaths and liver transplant activity in England and Wales: interrupted time series analyses. BMJ, The, 2013, 346, f403-f403.	6.0	191

#	Article	IF	Citations
19	Suicide and the internet. BMJ: British Medical Journal, 2008, 336, 800-802.	2.3	186
20	Suicide Risk in Primary Care Patients With Major Physical Diseases. Archives of General Psychiatry, 2012, 69, 256.	12.3	184
21	Incidence of suicide, hospital-presenting non-fatal self-harm, and community-occurring non-fatal self-harm in adolescents in England (the iceberg model of self-harm): a retrospective study. Lancet Psychiatry,the, 2018, 5, 167-174.	7.4	181
22	Suicide in recently discharged psychiatric patients: a case-control study. Psychological Medicine, 2009, 39, 443-449.	4.5	171
23	Epidemiology and trends in non-fatal self-harm in three centres in England, 2000–2012: findings from the Multicentre Study of Self-harm in England. BMJ Open, 2016, 6, e010538.	1.9	159
24	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. Lancet Public Health, The, 2020, 5, e543-e550.	10.0	159
25	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. British Journal of Psychiatry, 2010, 196, 354-358.	2.8	155
26	The Repetition of Suicidal Behavior. Journal of Clinical Psychiatry, 2006, 67, 1599-1609.	2.2	142
27	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. F1000Research, 2020, 9, 1097.	1.6	141
28	Management of deliberate self poisoning in adults in four teaching hospitals: descriptive study. BMJ: British Medical Journal, 1998, 316, 831-832.	2.3	140
29	Suicide in juveniles and adolescents in the United Kingdom. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 1155-1165.	5.2	136
30	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000–2007. British Journal of Psychiatry, 2010, 197, 493-498.	2.8	131
31	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001–2011. Social Science and Medicine, 2014, 117, 76-85.	3.8	125
32	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. F1000Research, 2020, 9, 1097.	1.6	123
33	Suicide within 12 months of mental health service contact in different age and diagnostic groups. British Journal of Psychiatry, 2006, 188, 135-142.	2.8	118
34	Hospital care and repetition following self-harm: Multicentre comparison of self-poisoning and self-injury. British Journal of Psychiatry, 2008, 192, 440-445.	2.8	117
35	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010–2011): A review of coroners׳ records. Journal of Affective Disorders, 2015, 183, 98-105.	4.1	117
36	Suicide and mental illness: a clinical review of 15 years findings from the UK National Confidential Inquiry into Suicide. British Medical Bulletin, 2011, 100, 101-121.	6.9	116

#	Article	IF	CITATIONS
37	Rates of mental disorder in people convicted of homicide. British Journal of Psychiatry, 2006, 188, 143-147.	2.8	114
38	Suicide following presentation to hospital for non-fatal self-harm in the Multicentre Study of Self-harm: a long-term follow-up study. Lancet Psychiatry,the, 2019, 6, 1021-1030.	7.4	112
39	Qualitative interviewing with vulnerable populations: Individuals' experiences of participating in suicide and self-harm based research. Journal of Affective Disorders, 2013, 145, 356-362.	4.1	110
40	Emergency department contact prior to suicide in mental health patients. Emergency Medicine Journal, 2011, 28, 467-471.	1.0	108
41	Suicide in children and young people in England: a consecutive case series. Lancet Psychiatry, the, 2016, 3, 751-759.	7.4	106
42	Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. BMJ Open, 2013, 3, e003444.	1.9	102
43	A Clinical Tool for Assessing Risk After Self-Harm. Annals of Emergency Medicine, 2006, 48, 459-466.	0.6	101
44	Does Clinical Management Improve Outcomes following Self-Harm? Results from the Multicentre Study of Self-Harm in England. PLoS ONE, 2013, 8, e70434.	2.5	101
45	How do methods of non-fatal self-harm relate to eventual suicide?. Journal of Affective Disorders, 2012, 136, 526-533.	4.1	100
46	Psychosocial assessment following self-harm: Results from the Multi-Centre Monitoring of Self-Harm Project. Journal of Affective Disorders, 2008, 106, 285-293.	4.1	97
47	Primary care contact prior to suicide in individuals with mental illness. British Journal of General Practice, 2009, 59, 825-832.	1.4	97
48	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. British Journal of Psychiatry, 2017, 210, 429-436.	2.8	95
49	Suicide Within Two Weeks of Discharge From Psychiatric Inpatient Care: A Case-Control Study. Psychiatric Services, 2013, 64, 653-659.	2.0	94
50	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. British Journal of Psychiatry, 2012, 200, 399-404.	2.8	93
51	Suicide Research, Prevention, and COVID-19. Crisis, 2020, 41, 321-330.	1.2	93
52	Psychiatric morbidity and suicidal behaviour in low- and middle-income countries: A systematic review and meta-analysis. PLoS Medicine, 2019, 16, e1002905.	8.4	92
53	Suicide in current psychiatric in-patients: a case-control study The National Confidential Inquiry into Suicide and Homicide. Psychological Medicine, 2007, 37, 831-837.	4.5	90
54	Suicide and self-harm. Lancet, The, 2022, 399, 1903-1916.	13.7	90

#	Article	IF	CITATIONS
55	Perpetrators of Homicide With Schizophrenia: A National Clinical Survey in England and Wales. Psychiatric Services, 2006, 57, 1648-1651.	2.0	89
56	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. European Child and Adolescent Psychiatry, 2012, 21, 369-377.	4.7	89
57	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990–2005. Psychological Medicine, 2013, 43, 1415-1422.	4.5	88
58	Mortality in children and adolescents following presentation to hospital after non-fatal self-harm in the Multicentre Study of Self-harm: a prospective observational cohort study. The Lancet Child and Adolescent Health, 2020, 4, 111-120.	5 . 6	87
59	Suicide after Leaving the UK Armed Forces —A Cohort Study. PLoS Medicine, 2009, 6, e1000026.	8.4	86
60	Hospitalization for physical illness and risk of subsequent suicide: a population study. Journal of Internal Medicine, 2013, 273, 48-58.	6.0	81
61	Mental health service changes, organisational factors, and patient suicide in England in 1997–2012: a before-and-after study. Lancet Psychiatry,the, 2016, 3, 526-534.	7.4	79
62	Factors influencing the decision to use hanging as a method of suicide: qualitative study. British Journal of Psychiatry, 2010, 197, 320-325.	2.8	77
63	The role of alcohol and drugs in homicides in England and Wales. Addiction, 2006, 101, 1117-1124.	3.3	76
64	Service user perspectives on psychosocial assessment following self-harm and its impact on further help-seeking: A qualitative study. Journal of Affective Disorders, 2013, 145, 315-323.	4.1	73
65	Homicide followed by suicide: a cross-sectional study. Journal of Forensic Psychiatry and Psychology, 2009, 20, 306-321.	1.0	72
66	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. BMJ: British Medical Journal, 2008, 337, a2278-a2278.	2.3	71
67	Psychosocial assessment and repetition of self-harm: The significance of single and multiple repeat episode analyses. Journal of Affective Disorders, 2010, 127, 257-265.	4.1	71
68	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. British Journal of Psychiatry, 2010, 197, 212-218.	2.8	70
69	Rates of self-harm presenting to general hospitals: a comparison of data from the Multicentre Study of Self-Harm in England and Hospital Episode Statistics. BMJ Open, 2016, 6, e009749.	1.9	70
70	Interventions to reduce the impact of unemployment and economic hardship on mental health in the general population: a systematic review. Psychological Medicine, 2017, 47, 1062-1084.	4.5	70
71	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. BMJ: British Medical Journal, 2009, 338, b2270-b2270.	2.3	69
72	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001–2013. BMC Psychiatry, 2016, 16, 53.	2.6	69

#	Article	IF	CITATIONS
73	The impact of self-harm by young people on parents and families: a qualitative study. BMJ Open, 2016, 6, e009631.	1.9	68
74	Emergency department management and outcome for self-poisoning: a cohort study. General Hospital Psychiatry, 2004, 26, 36-41.	2.4	65
75	Self-harm in the UK. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 782-788.	3.1	65
76	Risk factors for suicide in Hungary: a case-control study. BMC Psychiatry, 2009, 9, 45.	2.6	65
77	Which are the most useful scales for predicting repeat self-harm? A systematic review evaluating risk scales using measures of diagnostic accuracy. BMJ Open, 2016, 6, e009297.	1.9	65
78	Suicide in Schizophrenia: Findings from a National Clinical Survey. Journal of Psychiatric Practice, 2006, 12, 139-147.	0.7	63
79	The development of a population-level clinical screening tool for self-harm repetition and suicide: the ReACT Self-Harm Rule. Psychological Medicine, 2012, 42, 2383-2394.	4.5	63
80	Suicide in dementia: 9-year national clinical survey in England and Wales. British Journal of Psychiatry, 2009, 194, 175-180.	2.8	61
81	Can we usefully stratify patients according to suicide risk?. BMJ: British Medical Journal, 2017, 359, j4627.	2.3	61
82	Six-Year Follow-Up of Impact of Co-proxamol Withdrawal in England and Wales on Prescribing and Deaths: Time-Series Study. PLoS Medicine, 2012, 9, e1001213.	8.4	60
83	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. BMC Psychiatry, 2018, 18, 113.	2.6	59
84	Predicting the risk of repetition after self harm: cohort study. BMJ: British Medical Journal, 2005, 330, 394-395.	2.3	58
85	Effect of general hospital management on repeat episodes of deliberate self poisoning: cohort study. BMJ: British Medical Journal, 2002, 325, 866-867.	2.3	57
86	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. Lancet Psychiatry,the, 2018, 5, 905-912.	7.4	57
87	Information sources used by the suicidal to inform choice of method. Journal of Affective Disorders, 2012, 136, 702-709.	4.1	55
88	Psychiatric in-patient care and suicide in England, 1997 to 2008: a longitudinal study. Psychological Medicine, 2013, 43, 61-71.	4.5	55
89	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. Lancet Psychiatry,the, 2015, 2, 809-816.	7.4	55
90	Suicide by gases in England and Wales 2001–2011: Evidence of the emergence of new methods of suicide. Journal of Affective Disorders, 2015, 170, 190-195.	4.1	54

#	Article	IF	Citations
91	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003–2018. BMC Psychiatry, 2021, 21, 229.	2.6	54
92	Scales for predicting risk following self-harm: an observational study in 32 hospitals in England. BMJ Open, 2014, 4, e004732.	1.9	53
93	Accuracy of Clinician Predictions of Future Selfâ€Harm: A Systematic Review and Metaâ€Analysis of Predictive Studies. Suicide and Life-Threatening Behavior, 2019, 49, 23-40.	1.9	52
94	Psychosocial and illness related predictors of consultation rates in primary care – a cohort study. Psychological Medicine, 2004, 34, 719-728.	4.5	51
95	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. Psychological Medicine, 2012, 42, 727-741.	4.5	51
96	New policy and evidence on suicide prevention. Lancet Psychiatry, the, 2017, 4, 658-660.	7.4	51
97	Psychological morbidity and job satisfaction in hospital consultants and junior house officers: multicentre, cross sectional survey. BMJ: British Medical Journal, 1998, 317, 511-512.	2.3	50
98	Suicide amongst psychiatric in-patients who abscond from the ward: a national clinical survey. BMC Psychiatry, 2010, 10, 14.	2.6	50
99	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring. JAMA Psychiatry, 2016, 73, 1015.	11.0	49
100	Clustering of suicides among people with mental illness. British Journal of Psychiatry, 2005, 187, 476-480.	2.8	48
101	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. Emergency Medicine Journal, 2015, 32, 793-799.	1.0	48
102	Suicide in England in the COVID-19 pandemic: Early observational data from real time surveillance. Lancet Regional Health - Europe, The, 2021, 4, 100110.	5.6	48
103	"Well it's like someone at the other end cares about you.―A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. General Hospital Psychiatry, 2011, 33, 166-176.	2.4	47
104	Suicides in ethnic minorities within 12 months of contact with mental health services. British Journal of Psychiatry, 2003, 183, 155-160.	2.8	44
105	General hospital services for deliberate self-poisoning: an expensive road to nowhere?. Postgraduate Medical Journal, 1999, 75, 599-602.	1.8	43
106	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. British Journal of Psychiatry, 2010, 197, 5-7.	2.8	43
107	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. PLoS ONE, 2016, 11, e0149713.	2.5	43
108	Understanding vulnerability to self-harm in times of economic hardship and austerity: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e010131.	1.9	42

#	Article	IF	CITATIONS
109	Suicide in late-life depression with and without comorbid anxiety disorders. International Journal of Geriatric Psychiatry, 2016, 31, 146-152.	2.7	42
110	Suicide in recently admitted psychiatric in-patients: A case-control study. Journal of Affective Disorders, 2013, 144, 123-128.	4.1	41
111	Suicide in bipolar disorder in a national English sample, 1996–2009: frequency, trends and characteristics. Psychological Medicine, 2013, 43, 2593-2602.	4.5	41
112	Psychiatric hospitalisation and the risk of suicide. British Journal of Psychiatry, 2018, 212, 269-273.	2.8	41
113	A multicentre study of coproxamol poisoning suicides based on coroners' records in England. British Journal of Clinical Pharmacology, 2005, 59, 207-212.	2.4	40
114	Messages from Manchester: pilot randomised controlled trial following self-harm. British Journal of Psychiatry, 2013, 203, 73-74.	2.8	40
115	Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. Journal of Psychosomatic Research, 2016, 82, 54-61.	2.6	40
116	Suicide risk assessment in UK mental health services: a national mixed-methods study. Lancet Psychiatry,the, 2020, 7, 1046-1053.	7.4	40
117	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. Journal of Affective Disorders, 2016, 191, 132-138.	4.1	39
118	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. JAMA Network Open, 2021, 4, e2134803.	5.9	39
119	Individual- and area-level predictors of self-harm repetition. British Journal of Psychiatry, 2006, 189, 416-421.	2.8	38
120	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. BMC Public Health, 2011, 11, 460.	2.9	38
121	Quality of risk assessment prior to suicide and homicide. Psychiatric Bulletin (2014), 2014, 38, 46-47.	0.3	38
122	Suicide by hanging: multicentre study based on coroners' records in England. British Journal of Psychiatry, 2005, 186, 260-261.	2.8	37
123	Suicide in psychiatric in-patients in England, 1997 to 2003. Psychological Medicine, 2006, 36, 1485-1492.	4.5	37
124	Mechanisms of brief contact interventions in clinical populations: a systematic review. BMC Psychiatry, 2016, 16, 194.	2.6	37
125	Co-proxamol and suicide: preventing the continuing toll of overdose deaths. QJM - Monthly Journal of the Association of Physicians, 2005, 98, 159-170.	0.5	36
126	Longer term management of self harm: summary of NICE guidance. BMJ: British Medical Journal, 2011, 343, d7073-d7073.	2.3	36

#	Article	IF	Citations
127	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. Lancet Public Health, The, 2018, 3, e498-e507.	10.0	35
128	Contacts with primary and secondary healthcare prior to suicide: case–control whole-population-based study using person-level linked routine data in Wales, UK, 2000–2017. British Journal of Psychiatry, 2020, 217, 717-724.	2.8	35
129	Suicide by Gunshot in the United Kingdom: A review of the literature. Medicine, Science and the Law, 2004, 44, 295-310.	1.0	34
130	Mental illness in people who kill strangers: longitudinal study and national clinical survey. BMJ: British Medical Journal, 2004, 328, 734-737.	2.3	34
131	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. Journal of Affective Disorders, 2016, 190, 522-528.	4.1	34
132	Psychiatric morbidity and suicidal behaviour in psoriasis: a primary care cohort study. British Journal of Dermatology, 2019, 180, 108-115.	1.5	34
133	Primary care consultation predictors in men and women: a cohort study. British Journal of General Practice, 2005, 55, 108-13.	1.4	34
134	Service provision and outcome for deliberate self-poisoning in adults. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 390-395.	3.1	33
135	Trends in prescribing and selfâ€poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in underâ€18â€yearâ€olds. British Journal of Clinical Pharmacology, 2009, 68, 618-629.	2.4	33
136	Coroners' verdicts and suicide statistics in England and Wales. BMJ: British Medical Journal, 2011, 343, d6030-d6030.	2.3	33
137	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. Psychological Medicine, 2018, 48, 315-326.	4.5	33
138	Suicide prevention in primary care: General practitioners' views on service availability. BMC Research Notes, 2010, 3, 246.	1.4	32
139	Impact of the growing use of narrative verdicts by coroners on geographic variations in suicide: analysis of coroners' inquest data. Journal of Public Health, 2012, 34, 447-453.	1.8	32
140	The use of the Internet by people who die by suicide in England: A cross sectional study. Journal of Affective Disorders, 2012, 141, 480-483.	4.1	32
141	Switching methods of self-harm at repeat episodes: Findings from a multicentre cohort study. Journal of Affective Disorders, 2015, 180, 44-51.	4.1	32
142	GPs' experiences of dealing with parents bereaved by suicide: a qualitative study. British Journal of General Practice, 2016, 66, e737-e746.	1.4	32
143	â€~Relieved to be seen'— patient and carer experiences of psychosocial assessment in the emergency department following self-harm: qualitative analysis of 102 free-text survey responses. BMJ Open, 2021, 11, e044434.	1.9	31
144	Management of self-harm in adults: which way now?. British Journal of Psychiatry, 2005, 187, 497-499.	2.8	30

#	Article	IF	CITATIONS
145	Self-poisoning suicides in England: a multicentre study. QJM - Monthly Journal of the Association of Physicians, 2005, 98, 589-597.	0.5	30
146	Safety of patients under the care of crisis resolution home treatment services in England: a retrospective analysis of suicide trends from 2003 to 2011. Lancet Psychiatry, the, 2014, 1, 135-141.	7.4	30
147	General practitioners' perspectives on primary care consultations for suicidal patients. Health and Social Care in the Community, 2016, 24, 260-269.	1.6	30
148	â€When You're in the Hospital, You're in a Sort of Bubble.― Crisis, 2014, 35, 154-160.	1,2	30
149	Trends in rates of mental illness in homicide perpetrators. British Journal of Psychiatry, 2011, 198, 485-489.	2.8	29
150	Suicide in patients suffering from late-life anxiety disorders; a comparison with younger patients. International Psychogeriatrics, 2015, 27, 1197-1205.	1.0	29
151	Factors influencing coroners' verdicts: an analysis of verdicts given in 12 coroners' districts to researcher-defined suicides in England in 2005. Journal of Public Health, 2015, 37, 157-165.	1.8	29
152	Clinical management following self-harm in a UK-wide primary care cohort. Journal of Affective Disorders, 2016, 197, 182-188.	4.1	29
153	Making Sense of an Unknown Terrain. Qualitative Health Research, 2017, 27, 215-225.	2.1	29
154	A comparison between clinicians' assessment and the Manchester Self-Harm Rule: a cohort study. Emergency Medicine Journal, 2007, 24, 720-721.	1.0	28
155	Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and for England & Trends in national suicide rates for Scotland and Foreign in national suicide rates for suicide	2.8	28
156	Patients with mental illness as victims of homicide: a national consecutive case series. Lancet Psychiatry,the, 2014, 1, 129-134.	7.4	28
157	Self-harm and life problems: findings from the Multicentre Study of Self-harm in England. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 183-192.	3.1	28
158	The timing of general population and patient suicide in England, 1997–2012. Journal of Affective Disorders, 2016, 197, 175-181.	4.1	27
159	Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. BMJ Open, 2016, 6, e009074.	1.9	27
160	Premature Death Among Primary Care Patients With a History of Self-Harm. Annals of Family Medicine, 2017, 15, 246-254.	1.9	27
161	Effects of the COVID-19 pandemic on self-harm. Lancet Psychiatry, the, 2021, 8, e4.	7.4	27
162	Self-harm and attempted suicide among UK Armed Forces personnel: Results of a cross-sectional survey. International Journal of Social Psychiatry, 2012, 58, 433-439.	3.1	26

#	Article	IF	CITATIONS
163	Children and young people who die by suicide: childhood-related antecedents, gender differences and service contact. BJPsych Open, 2020, 6, e49.	0.7	26
164	Translating promise into practice: a review of machine learning in suicide research and prevention. Lancet Psychiatry, the, 2022, 9, 243-252.	7.4	26
165	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. Journal of Advanced Nursing, 2011, 67, 127-139.	3.3	25
166	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. British Journal of Psychiatry, 2012, 201, 233-238.	2.8	25
167	Risk of self-harm in physically ill patients in UK primary care. Journal of Psychosomatic Research, 2012, 73, 92-97.	2.6	25
168	Suicide risk linked with clinical consultation frequency, psychiatric diagnoses and psychotropic medication prescribing in a national study of primary-care patients. Psychological Medicine, 2016, 46, 3407-3417.	4.5	25
169	Suicide by mental health in-patients under observation. Psychological Medicine, 2017, 47, 2238-2245.	4.5	25
170	Experiences of support from primary care and perceived needs of parents bereaved by suicide: a qualitative study. British Journal of General Practice, 2020, 70, e102-e110.	1.4	25
171	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. EClinicalMedicine, 2021, 41, 101175.	7.1	25
172	Suicide in the homeless within 12Âmonths of contact with mental health services. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 686-691.	3.1	24
173	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. Journal of Psychopharmacology, 2018, 32, 654-662.	4.0	24
174	Working patterns and the quality of training of medical house officers: evaluating the effect of the `new deal'. Medical Education, 1998, 32, 432-438.	2.1	23
175	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. BMC Psychiatry, 2018, 18, 399.	2.6	23
176	Incidence and general hospital costs of self-harm across England: estimates based on the multicentre study of self-harm. Epidemiology and Psychiatric Sciences, 2020, 29, e108.	3.9	23
177	Gunshot suicides in England. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 324-328.	3.1	22
178	Health services and suicide prevention. Journal of Mental Health, 2009, 18, 1-5.	1.9	22
179	Suicide by burning barbecue charcoal in England. Journal of Public Health, 2013, 35, 223-227.	1.8	22
180	Assessing risk of suicide or self harm in adults. BMJ, The, 2013, 347, f4572-f4572.	6.0	22

#	Article	IF	CITATIONS
181	Why does Scotland have a higher suicide rate than England? An area-level investigation of health and social factors. Journal of Epidemiology and Community Health, 2013, 67, 63-70.	3.7	22
182	Unnatural Deaths in a National Cohort of People Diagnosed With Diabetes. Diabetes Care, 2014, 37, 2276-2283.	8.6	22
183	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. Journal of Affective Disorders, 2015, 174, 101-105.	4.1	22
184	Seeking help in times of economic hardship: access, experiences of services and unmet need. BMC Psychiatry, 2017, 17, 84.	2.6	22
185	Ligature Points and Ligature Types Used by Psychiatric Inpatients Who Die by Hanging. Crisis, 2012, 33, 87-94.	1.2	22
186	The Usefulness of Coroners' Data on Suicides for Providing Information Relevant to Prevention. Suicide and Life-Threatening Behavior, 2005, 35, 607-614.	1.9	21
187	Metaâ€analysis of suicide rates among people discharged from nonâ€psychiatric settings after presentation with suicidal thoughts or behaviours. Acta Psychiatrica Scandinavica, 2019, 139, 472-483.	4.5	21
188	Navigating an unfamiliar world: how parents of young people who selfâ€harm experience support and treatment. Child and Adolescent Mental Health, 2018, 23, 78-84.	3.5	20
189	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 415-421.	3.1	20
190	Examining the mechanisms by which adverse life events affect having a history of self-harm, and the protective effect of social support. Journal of Affective Disorders, 2020, 263, 621-628.	4.1	20
191	Suicide in later life: A comparison between cases with early-onset and late-onset depression. Journal of Affective Disorders, 2011, 132, 185-191.	4.1	19
192	Suicide and accidental deaths in children and adolescents in England and Wales, 2001–2010. Archives of Disease in Childhood, 2013, 98, 945-950.	1.9	19
193	Suicide risk in people with chronic fatigue syndrome. Lancet, The, 2016, 387, 1596-1597.	13.7	19
194	â€~We're the First Port of Call' – Perspectives of Ambulance Staff on Responding to Deaths by Suicide: Qualitative Study. Frontiers in Psychology, 2020, 11, 722.	A _{2.1}	19
195	Predictors of Outcome Following Brief Psychodynamic-Interpersonal Therapy for Deliberate Self-Poisoning. Australian and New Zealand Journal of Psychiatry, 2003, 37, 532-536.	2.3	18
196	Factors that influence emergency department doctors?? assessment of suicide risk in deliberate self-harm patients. European Journal of Emergency Medicine, 2003, 10, 283-287.	1,1	18
197	A Prospective Study of Noncompliance With Medication, Suicidal Ideation, and Suicidal Behavior in Recently Discharged Psychiatric Inpatients. Archives of Suicide Research, 2006, 10, 61-67.	2.3	18
198	Introduction to suicide and self-harm. Psychiatry (Abingdon, England), 2009, 8, 233-236.	0.2	18

#	Article	IF	Citations
199	The incidence and associated risk factors for sudden unexplained death in psychiatric in-patients in England and Wales. Journal of Psychopharmacology, 2011, 25, 1533-1542.	4.0	18
200	Changes in parenting strategies after a young person's self-harm: a qualitative study. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 20.	2.5	18
201	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. Psychological Medicine, 2020, 50, 293-302.	4.5	18
202	Patient safety and suicide prevention in mental health services: time for a new paradigm?. Journal of Mental Health, 2020, 29, 1-5.	1.9	18
203	Birthday Blues. Crisis, 2011, 32, 134-142.	1.2	18
204	Evaluating risks. Advances in Psychiatric Treatment, 2000, 6, 399-406.	0.5	17
205	Nonresident Suicides in England: A National Study. Suicide and Life-Threatening Behavior, 2010, 40, 151-158.	1.9	17
206	Risk of dying unnaturally among people aged 15–35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. Lancet Public Health, The, 2019, 4, e220-e228.	10.0	17
207	Assessment and Management of Suicide Risk in Primary Care. Crisis, 2014, 35, 415-425.	1.2	17
208	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. British Journal of Psychiatry, 2022, 221, 603-612.	2.8	17
209	Suicide, unemployment, and the effect of economic recession. Lancet Psychiatry, the, 2015, 2, 196-197.	7.4	16
210	Impact of Withdrawal of the Analgesic Co-proxamol on Nonfatal Self-Poisoning in the UK. Crisis, 2011, 32, 81-87.	1.2	16
211	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. F1000Research, 0, 9, 644.	1.6	16
212	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. Journal of Affective Disorders Reports, 2021, 6, 100271.	1.7	16
213	Suicide pacts in the mentally ill: A national clinical survey. Psychiatry Research, 2009, 167, 131-138.	3.3	15
214	Electroconvulsive therapy and suicide among the mentally ill in England: A national clinical survey. Psychiatry Research, 2011, 187, 145-149.	3.3	15
215	What can be done to reduce mortality from paracetamol overdoses? A patient interview study. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 41-51.	0.5	15
216	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. PLoS ONE, 2018, 13, e0204670.	2.5	15

#	Article	IF	CITATIONS
217	Self-harm in midlife: analysis using data from the Multicentre Study of Self-harm in England. British Journal of Psychiatry, 2019, 215, 600-607.	2.8	15
218	Recession, recovery and suicide in mental health patients in England: time trend analysis. British Journal of Psychiatry, 2019, 215, 608-614.	2.8	15
219	Suicide in children and young people: Can it happen without warning?. Journal of Affective Disorders, 2020, 275, 307-310.	4.1	15
220	Paracetamol self-poisoning: Epidemiological study of trends and patient characteristics from the multicentre study of self-harm in England. Journal of Affective Disorders, 2020, 276, 699-706.	4.1	15
221	Healthcare professionals' implementation of national guidelines with patients who self-harm. Journal of Psychiatric Research, 2020, 130, 405-411.	3.1	15
222	Sources of job satisfaction and psychological distress in GPs and medical house officers. Family Practice, 1999, 16, 600-601.	1.9	14
223	Method of Suicide in the Mentally Ill: A National Clinical Survey. Suicide and Life-Threatening Behavior, 2010, 40, 22-34.	1.9	14
224	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: A multi-centre cohort study. Journal of Affective Disorders, 2013, 148, 435-439.	4.1	14
225	Self-harm in bipolar disorder: Findings from a prospective clinical database. Journal of Affective Disorders, 2015, 173, 113-119.	4.1	14
226	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. Journal of Affective Disorders, 2019, 246, 814-819.	4.1	14
227	The typology of parricide and the role of mental illness: Dataâ€driven approach. Aggressive Behavior, 2020, 46, 516-522.	2.4	14
228	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive) Tj ETQq0 0 0 20, 306.	rgBT /Over 2.6	rlock 10 Tf 50 14
229	Job satisfaction and psychological morbidity in medical house officers. Journal of the Royal College of Physicians of London, 1997, 31, 162-7.	0.2	14
230	Self-poisoning suicide deaths in England: could improved medical management contribute to suicide prevention?. QJM - Monthly Journal of the Association of Physicians, 2010, 103, 765-775.	0.5	13
231	A Contact-Based Intervention for People Recently Discharged from Inpatient Psychiatric Care: A Pilot Study. Archives of Suicide Research, 2014, 18, 131-143.	2.3	13
232	Do GPs want or need formal support following a patient suicide?: a mixed methods study. Family Practice, 2016, 33, 414-420.	1.9	13
233	Psychosocial, psychiatric and work-related risk factors associated with suicide in Ireland: optimised methodological approach of a case-control psychological autopsy study. BMC Psychiatry, 2019, 19, 275.	2.6	13
234	â€Wasn't offered one, too poorly to ask for one' – Reasons why some patients do not receive a psychosocial assessment following self-harm: Qualitative patient and carer survey. Australian and New Zealand Journal of Psychiatry, 2022, 56, 398-407.	2.3	13

#	Article	IF	CITATIONS
235	The Hospital Management of Fatal Self-Poisoning in Industrialized Countries: An Opportunity for Suicide Prevention?. Suicide and Life-Threatening Behavior, 2006, 36, 302-312.	1.9	12
236	A comparative study of non-fatal self-poisoning with antidepressants relative to prescribing in three centres in England. Journal of Affective Disorders, 2010, 123, 95-101.	4.1	12
237	Assessment Rates and Compliance With Assertive Follow-up After Self-Harm: Cohort Study. Archives of Suicide Research, 2010, 14, 120-134.	2.3	12
238	Suicide after absconding from inpatient care in England: an exploration of mental health professionals' experiences. Journal of Mental Health, 2016, 25, 245-253.	1.9	12
239	Services for self-harm: progress and promise?. British Journal of Psychiatry, 2020, 217, 663-664.	2.8	12
240	Cautions, concerns, and future directions for using machine learning in relation to mental health problems and clinical and forensic risks: A brief comment on "Model complexity improves the prediction of nonsuicidal self-injury―(Fox et al., 2019) Journal of Consulting and Clinical Psychology, 2020, 88, 384-387.	2.0	12
241	First Episode of Self-Harm in Older Age. Journal of Clinical Psychiatry, 2011, 72, 737-743.	2.2	12
242	Childhood experience and health care use in adulthood. British Journal of Psychiatry, 2004, 185, 134-139.	2.8	11
243	Suicide under crisis resolution home treatment – a key setting for patient safety. BJPsych Bulletin, 2016, 40, 172-174.	1.1	11
244	New standard of proof for suicide at inquests in England and Wales. BMJ: British Medical Journal, 2019, 366, 14745.	2.3	11
245	Thinking about suicidal thinking. Lancet Psychiatry,the, 2020, 7, 997-1000.	7.4	11
246	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People—"Dual Harm― International Journal of Environmental Research and Public Health, 2020, 17, 9409.	2.6	11
247	Spatial patterning and correlates of self-harm in Manchester, England. Epidemiology and Psychiatric Sciences, 2020, 29, e72.	3.9	11
248	Mental disorder in people convicted of homicide: long-term national trends in rates and court outcome. British Journal of Psychiatry, 2021, 218, 210-216.	2.8	11
249	Evaluating the impact of patient and carer involvement in suicide and selfâ€harm research: A mixedâ€methods, longitudinal study protocol. Health Expectations, 2021, 24, 47-53.	2.6	11
250	Advance directives and suicidal behaviour. BMJ: British Medical Journal, 2010, 341, c4557-c4557.	2.3	11
251	Against a high-risk strategy in the prevention of suicide. Psychiatric Bulletin, 1998, 22, 534-536.	0.3	11
252	Management and costs of deliberate self-poisoning in the general hospital: A multi-centre study. Journal of Mental Health, 2002, 11, 223-230.	1.9	10

#	Article	IF	Citations
253	Learning from clinicians' views of good quality practice in mental healthcare services in the context of suicide prevention: a qualitative study. BMC Psychiatry, 2019, 19, 346.	2.6	10
254	The personality disorder patient pathway: Service user and clinical perspectives. Personality and Mental Health, 2019, 13, 134-143.	1.2	10
255	Management of patients with an advance decision and suicidal behaviour: a systematic review. BMJ Open, 2019, 9, e023978.	1.9	10
256	Early Post-Discharge Suicide in Mental Health Patients: Findings From a National Clinical Survey. Frontiers in Psychiatry, 2020, 11, 502.	2.6	10
257	Clinical characteristics and care pathways of patients with personality disorder who died by suicide. BJPsych Open, 2020, 6, e29.	0.7	10
258	The significance of site of cut in self-harm in young people. Journal of Affective Disorders, 2020, 266, 603-609.	4.1	10
259	Suicide rates amongst individuals from ethnic minority backgrounds: A systematic review and meta-analysis. EClinicalMedicine, 2022, 47, 101399.	7.1	10
260	Methods of homicide in England and Wales: a comparison by diagnostic group. Journal of Forensic Psychiatry and Psychology, 2009, 20, 286-305.	1.0	9
261	Homicide convictions in different age-groups: a national clinical survey. Journal of Forensic Psychiatry and Psychology, 2010, 21, 321-335.	1.0	9
262	Support for Relatives Bereaved by Psychiatric Patient Suicide: National Confidential Inquiry Into Suicide and Homicide Findings. Psychiatric Services, 2017, 68, 337-344.	2.0	9
263	GPsâ \in ™ views and perspectives on patient non-adherence to treatment in primary care prior to suicide. Journal of Mental Health, 2018, 27, 112-119.	1.9	9
264	Do homicide rates increase during weekends and national holidays?. Journal of Forensic Psychiatry and Psychology, 2019, 30, 367-380.	1.0	9
265	High-Volume Repeaters of Self-Harm. Crisis, 2016, 37, 427-437.	1.2	9
266	Alcohol-related mortality following self-harm: a multicentre cohort study. JRSM Open, 2014, 5, 205427041453332.	0.5	8
267	Mental health services, suicide and 7-day working. British Journal of Psychiatry, 2016, 209, 334-339.	2.8	8
268	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. Journal of Affective Disorders, 2019, 249, 208-215.	4.1	8
269	Self-harm in children and adolescents by ethnic group: an observational cohort study from the Multicentre Study of Self-Harm in England. The Lancet Child and Adolescent Health, 2021, 5, 782-791.	5.6	8
270	Suicide in the mentally ill. Psychiatry (Abingdon, England), 2009, 8, 257-260.	0.2	7

#	Article	IF	CITATIONS
271	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. BMC Psychiatry, 2015, 15, 254.	2.6	7
272	The help for people with money, employment or housing problems (HOPE) intervention: pilot randomised trial with mixed methods feasibility research. Pilot and Feasibility Studies, 2018, 4, 172.	1.2	7
273	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care – the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme. Programme Grants for Applied Research, 2018, 6, 1-296.	1.0	7
274	Online harms? Suicide-related online experience: a UK-wide case series study of young people who die by suicide. Psychological Medicine, 2023, 53, 4434-4445.	4.5	7
275	Self-harm in the general hospital. Clinical Medicine, 2006, 6, 529-532.	1.9	6
276	Psychiatric recommendations to the court as regards homicide perpetrators. Journal of Forensic Psychiatry and Psychology, 2009, 20, 366-377.	1.0	6
277	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. Psychological Medicine, 2020, 50, 1156-1163.	4.5	6
278	Treatment of Mental Illness Prior to Suicide: A National Investigation of 12,909 patients, 2001–2016. Psychiatric Services, 2020, 71, 772-778.	2.0	6
279	Suicide in England in the COVID-19 Pandemic: Early Figures from Real Time Surveillance. SSRN Electronic Journal, 0, , .	0.4	6
280	Evaluation of the Impact of the PABBS Suicide Bereavement Training on Clinicians' Knowledge and Skills. Crisis, 2020, 41, 351-358.	1.2	6
281	Costs of antidepressant overdose: a preliminary study. British Journal of General Practice, 1999, 49, 733-4.	1.4	6
282	Life problems in children and adolescents who selfâ€harm: findings from the multicentre study of selfâ€harm in England. Child and Adolescent Mental Health, 2022, 27, 352-360.	3.5	6
283	Self-harm in people experiencing homelessness: investigation of incidence, characteristics and outcomes using data from the Multicentre Study of Self-Harm in England. BJPsych Open, 2022, 8, e74.	0.7	6
284	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. British Journal of Psychiatry, 2022, 221, 468-475.	2.8	6
285	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. BMJ Open, 2020, 10, e036046.	1.9	5
286	Suicide prevention and COVID-19: the role of primary care during the pandemic and beyond. British Journal of General Practice, 2021, 71, 200-201.	1.4	5
287	CHOICE: Choosing Health Options In Chronic Care Emergencies. Programme Grants for Applied Research, 2017, 5, 1-272.	1.0	5
288	Mental health services: quality, safety and suicide. BMJ Quality and Safety, 2021, , bmjqs-2021-013532.	3.7	5

#	Article	IF	CITATIONS
289	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. BJPsych Open, 2021, 7, e2.	0.7	5
290	Suicide rates by ethnic group among patients in contact with mental health services: an observational cohort study in England and Wales. Lancet Psychiatry,the, 2021, 8, 1083-1093.	7.4	5
291	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: A model-based retrospective analysis. European Psychiatry, 2022, 65, 1-32.	0.2	5
292	Risk factors for nonfatal selfâ€harm and suicide among adolescents: two nested case–control studies conducted in the UK Clinical Practice Research Datalink. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1078-1088.	5.2	5
293	The temporal relationships between defeat, entrapment and suicidal ideation: ecological momentary assessment study. BJPsych Open, 2022, 8, .	0.7	5
294	Hospital management and costs of antidepressant overdose: multicentre comparison of tricyclic antidepressants and selective serotonin reuptake inhibitors. Journal of Medical Economics, 2001, 4, 193-197.	2.1	4
295	Self-harm in the general hospital. Psychiatry (Abingdon, England), 2006, 5, 76-80.	0.2	4
296	Suicide and self-harm., 2008,, 451-476.		4
297	HOPE: Help fOr People with money, employment, benefit or housing problems: study protocol for a randomised controlled trial. Pilot and Feasibility Studies, 2017, 3, 44.	1.2	4
298	National study comparing the characteristics of patients diagnosed with schizophrenia who committed homicide vs. those who died by suicide. Journal of Forensic Psychiatry and Psychology, 2018, 29, 674-689.	1.0	4
299	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. BJPsych Open, 2020, 6, e57.	0.7	4
300	Suicide rates among patients subject to community treatment orders in England during 2009–2018. BJPsych Open, 2021, 7, .	0.7	4
301	Suicide in a National Student Mental Health Patient Population, 1997–2012. Crisis, 2017, 38, 82-88.	1.2	4
302	Primary Care Contact for Mental Illness and Self-Harm Before, During and After the Peak of the COVID-19 Pandemic in the UK: Cohort Study of 13 Million Individuals. SSRN Electronic Journal, 0, , .	0.4	4
303	A multicentre programme of clinical and public health research in support of the National Suicide Prevention Strategy for England. Programme Grants for Applied Research, 2013, 1, 1-216.	1.0	4
304	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. BMJ Open, 2022, 12, e052613.	1.9	4
305	Self-harm in the general hospital. Psychiatry (Abingdon, England), 2009, 8, 189-193.	0.2	3
306	The use of the care programme approach in perpetrators of homicide. Journal of Forensic Psychiatry and Psychology, 2010, 21, 649-659.	1.0	3

#	Article	IF	CITATIONS
307	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. British Journal of Psychiatry, 2018, 213, 600-608.	2.8	3
308	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. Journal of Affective Disorders, 2019, 257, 173-179.	4.1	3
309	Risk of suicide in patients who present to hospital after self-cutting according to site of injury: findings from the Multicentre Study of Self-harm in England. Psychological Medicine, 2023, 53, 1400-1408.	4.5	3
310	Examining drivers of selfâ€harm guideline implementation by general practitioners: A qualitative analysis using the theoretical domains framework. British Journal of Health Psychology, 2022, , .	3. 5	3
311	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. BMC Psychiatry, 2015, 15, 79.	2.6	2
312	Psychiatric beds and increased suicide rates in England – Authors' reply. Lancet Psychiatry,the, 2016, 3, 604-605.	7.4	2
313	Advance decisions to refuse treatment and suicidal behaviour in emergency care: â€it's very much a step into the unknown'. BJPsych Open, 2019, 5, e50.	0.7	2
314	Qualitative investigation of relatives' and service users' experience of mental healthcare for suicidal behaviour in bipolar disorder. BMJ Open, 2019, 9, e030335.	1.9	2
315	Improving 'new deal' shifts for junior house officers. British Journal of Hospital Medicine, 1998, 59, 960-2, 964, 966.	0.2	2
316	Suicide and death by other causes among patients with a severe mental illness: cohort study comparing risks among patients discharged from inpatient care $\langle i \rangle v \langle i \rangle$. those treated in the community. Epidemiology and Psychiatric Sciences, 2022, 31, e32.	3.9	2
317	Authors' reply. British Journal of Psychiatry, 2017, 211, 183-184.	2.8	1
318	Spatial distribution and temporal trends in social fragmentation in England, 2001â^2011: a national study. BMJ Open, 2019, 9, e025881.	1.9	1
319	Exploring characteristics and risk of repetition in people who fail to report previous hospital presentations for self-harm: A case-control study using data from The Manchester Self-Harm Project. Journal of Affective Disorders, 2020, 262, 77-82.	4.1	1
320	Spatial patterning and correlates of self-harm in Manchester, England – CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2020, 29, .	3.9	1
321	Self-harm in children 12Âyears and younger: characteristics and outcomes based on the Multicentre Study of Self-harm in England. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 139-148.	3.1	1
322	Are psychiatric wards becoming safer?. British Journal of Hospital Medicine (London, England: 2005), 2007, 68, 518-519.	0.5	0
323	Transfer of suicide risk versus looking at suicides outside hospital in general – a Reply. Psychological Medicine, 2012, 42, 2685-2686.	4.5	0
324	Authors' reply to Ellis and Yates. BMJ: British Medical Journal, 2012, 344, e144-e144.	2.3	0

#	Article	IF	CITATIONS
325	Psychosocial therapy after self-harm associated with reduced repetition, suicide, and all-cause mortality in Denmark. Evidence-Based Mental Health, 2015, 18, 91-91.	4.5	O
326	Self harm attempt in the older population of the UK \hat{a} \in "Author's reply. Lancet Psychiatry,the, 2019, 6, 92-93.	7.4	0
327	OUP accepted manuscript. Journal of Public Health, 2021, , .	1.8	0
328	Prevalence of Comorbid Mental and Physical Illnesses and Risks for Self-Harm and Premature Death Among Primary Care Patients Diagnosed with Fatigue Syndromes. SSRN Electronic Journal, 0, , .	0.4	0
329	Children and Young People Who Die by Suicide: Childhood-Related Antecedents, Gender Differences and Service Contact. SSRN Electronic Journal, 0, , .	0.4	0
330	Bereavement and suicide bereavement as an antecedent of suicide in children and young people: Prevalence and characteristics. Journal of Affective Disorders, 2022, 300, 280-288.	4.1	0
331	Management of anxiety disorders among children and adolescents in UK primary care: A cohort study. Journal of Affective Disorders, 2022, 313, 270-277.	4.1	0