
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3880061/publications.pdf Version: 2024-02-01



ΝΛΛΛΚΛΟΠΟ

#	Article	IF	CITATIONS
1	Risk of suicide in patients who present to hospital after self-cutting according to site of injury: findings from the Multicentre Study of Self-harm in England. Psychological Medicine, 2023, 53, 1400-1408.	4.5	3
2	Online harms? Suicide-related online experience: a UK-wide case series study of young people who die by suicide. Psychological Medicine, 2023, 53, 4434-4445.	4.5	7
3	†Wasn't offered one, too poorly to ask for one' – Reasons why some patients do not receive a psychosocial assessment following self-harm: Qualitative patient and carer survey. Australian and New Zealand Journal of Psychiatry, 2022, 56, 398-407.	2.3	13
4	Self-harm in children 12Âyears and younger: characteristics and outcomes based on the Multicentre Study of Self-harm in England. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 139-148.	3.1	1
5	Bereavement and suicide bereavement as an antecedent of suicide in children and young people: Prevalence and characteristics. Journal of Affective Disorders, 2022, 300, 280-288.	4.1	0
6	Life problems in children and adolescents who selfâ€harm: findings from the multicentre study of selfâ€harm in England. Child and Adolescent Mental Health, 2022, 27, 352-360.	3.5	6
7	Cost-effectiveness of psychosocial assessment for individuals who present to hospital following self-harm in England: A model-based retrospective analysis. European Psychiatry, 2022, 65, 1-32.	0.2	5
8	Risk factors for nonfatal selfâ€harm and suicide among adolescents: two nested case–control studies conducted in the UK Clinical Practice Research Datalink. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2022, 63, 1078-1088.	5.2	5
9	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. BMJ Open, 2022, 12, e052613.	1.9	4
10	Self-harm in people experiencing homelessness: investigation of incidence, characteristics and outcomes using data from the Multicentre Study of Self-Harm in England. BJPsych Open, 2022, 8, e74.	0.7	6
11	Translating promise into practice: a review of machine learning in suicide research and prevention. Lancet Psychiatry,the, 2022, 9, 243-252.	7.4	26
12	Suicide and other causes of death among working-age and older adults in the year after discharge from in-patient mental healthcare in England: matched cohort study. British Journal of Psychiatry, 2022, 221, 468-475.	2.8	6
13	Examining drivers of selfâ€harm guideline implementation by general practitioners: A qualitative analysis using the theoretical domains framework. British Journal of Health Psychology, 2022, , .	3.5	3
14	Suicide and death by other causes among patients with a severe mental illness: cohort study comparing risks among patients discharged from inpatient care <i>v</i> . those treated in the community. Epidemiology and Psychiatric Sciences, 2022, 31, e32.	3.9	2
15	Suicide rates amongst individuals from ethnic minority backgrounds: A systematic review and meta-analysis. EClinicalMedicine, 2022, 47, 101399.	7.1	10
16	Suicide and self-harm. Lancet, The, 2022, 399, 1903-1916.	13.7	90
17	The temporal relationships between defeat, entrapment and suicidal ideation: ecological momentary assessment study. BJPsych Open, 2022, 8, .	0.7	5
18	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. British Journal of Psychiatry, 2022, 221, 603-612.	2.8	17

#	Article	IF	CITATIONS
19	Management of anxiety disorders among children and adolescents in UK primary care: A cohort study. Journal of Affective Disorders, 2022, 313, 270-277.	4.1	0
20	Mental disorder in people convicted of homicide: long-term national trends in rates and court outcome. British Journal of Psychiatry, 2021, 218, 210-216.	2.8	11
21	Effects of the COVID-19 pandemic on self-harm. Lancet Psychiatry,the, 2021, 8, e4.	7.4	27
22	Evaluating the impact of patient and carer involvement in suicide and selfâ€harm research: A mixedâ€methods, longitudinal study protocol. Health Expectations, 2021, 24, 47-53.	2.6	11
23	OUP accepted manuscript. Journal of Public Health, 2021, , .	1.8	0
24	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. Lancet Public Health, The, 2021, 6, e124-e135.	10.0	201
25	Suicide prevention and COVID-19: the role of primary care during the pandemic and beyond. British Journal of General Practice, 2021, 71, 200-201.	1.4	5
26	Temporal trends in annual incidence rates for psychiatric disorders and self-harm among children and adolescents in the UK, 2003–2018. BMC Psychiatry, 2021, 21, 229.	2.6	54
27	Suicide in England in the COVID-19 pandemic: Early observational data from real time surveillance. Lancet Regional Health - Europe, The, 2021, 4, 100110.	5.6	48
28	â€~Relieved to be seen'—patient and carer experiences of psychosocial assessment in the emergency department following self-harm: qualitative analysis of 102 free-text survey responses. BMJ Open, 2021, 11, e044434.	1.9	31
29	Suicide trends in the early months of the COVID-19 pandemic: an interrupted time-series analysis of preliminary data from 21 countries. Lancet Psychiatry,the, 2021, 8, 579-588.	7.4	455
30	Self-harm in children and adolescents by ethnic group: an observational cohort study from the Multicentre Study of Self-Harm in England. The Lancet Child and Adolescent Health, 2021, 5, 782-791.	5.6	8
31	Suicide rates among patients subject to community treatment orders in England during 2009–2018. BJPsych Open, 2021, 7, .	0.7	4
32	Mental health services: quality, safety and suicide. BMJ Quality and Safety, 2021, , bmjqs-2021-013532.	3.7	5
33	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. EClinicalMedicine, 2021, 41, 101175.	7.1	25
34	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. BJPsych Open, 2021, 7, e2.	0.7	5
35	Suicide rates by ethnic group among patients in contact with mental health services: an observational cohort study in England and Wales. Lancet Psychiatry,the, 2021, 8, 1083-1093.	7.4	5
36	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. JAMA Network Open, 2021, 4, e2134803.	5.9	39

#	Article	IF	CITATIONS
37	Systematic review of the impact of the COVID-19 pandemic on suicidal behaviour amongst health and social care workers across the world. Journal of Affective Disorders Reports, 2021, 6, 100271.	1.7	16
38	Prevalence of comorbid mental and physical illnesses and risks for self-harm and premature death among primary care patients diagnosed with fatigue syndromes. Psychological Medicine, 2020, 50, 1156-1163.	4.5	6
39	Prevalence of mental illness in primary care and its association with deprivation and social fragmentation at the small-area level in England. Psychological Medicine, 2020, 50, 293-302.	4.5	18
40	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 415-421.	3.1	20
41	Mortality in children and adolescents following presentation to hospital after non-fatal self-harm in the Multicentre Study of Self-harm: a prospective observational cohort study. The Lancet Child and Adolescent Health, 2020, 4, 111-120.	5.6	87
42	Exploring characteristics and risk of repetition in people who fail to report previous hospital presentations for self-harm: A case-control study using data from The Manchester Self-Harm Project. Journal of Affective Disorders, 2020, 262, 77-82.	4.1	1
43	Examining the mechanisms by which adverse life events affect having a history of self-harm, and the protective effect of social support. Journal of Affective Disorders, 2020, 263, 621-628.	4.1	20
44	Diagnosis of physical and mental health conditions in primary care during the COVID-19 pandemic: a retrospective cohort study. Lancet Public Health, The, 2020, 5, e543-e550.	10.0	159
45	Thinking about suicidal thinking. Lancet Psychiatry,the, 2020, 7, 997-1000.	7.4	11
46	Suicide in children and young people: Can it happen without warning?. Journal of Affective Disorders, 2020, 275, 307-310.	4.1	15
47	Suicide risk assessment in UK mental health services: a national mixed-methods study. Lancet Psychiatry,the, 2020, 7, 1046-1053.	7.4	40
48	Contacts with primary and secondary healthcare prior to suicide: case–control whole-population-based study using person-level linked routine data in Wales, UK, 2000–2017. British Journal of Psychiatry, 2020, 217, 717-724.	2.8	35
49	Paracetamol self-poisoning: Epidemiological study of trends and patient characteristics from the multicentre study of self-harm in England. Journal of Affective Disorders, 2020, 276, 699-706.	4.1	15
50	Impact of a national primary care pay-for-performance scheme on ambulatory care sensitive hospital admissions: a small-area analysis in England. BMJ Open, 2020, 10, e036046.	1.9	5
51	The typology of parricide and the role of mental illness: Dataâ€driven approach. Aggressive Behavior, 2020, 46, 516-522.	2.4	14
52	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People—"Dual Harm― International Journal of Environmental Research and Public Health, 2020, 17, 9409.	2.6	11
53	Healthcare professionals' implementation of national guidelines with patients who self-harm. Journal of Psychiatric Research, 2020, 130, 405-411.	3.1	15
54	Treatment of Mental Illness Prior to Suicide: A National Investigation of 12,909 patients, 2001–2016. Psychiatric Services, 2020, 71, 772-778.	2.0	6

#	Article	IF	CITATIONS
55	Children and young people who die by suicide: childhood-related antecedents, gender differences and service contact. BJPsych Open, 2020, 6, e49.	0.7	26
56	†We're the First Port of Call' – Perspectives of Ambulance Staff on Responding to Deaths by Suicide: Qualitative Study. Frontiers in Psychology, 2020, 11, 722.	A _{2.1}	19
57	Spatial patterning and correlates of self-harm in Manchester, England – CORRIGENDUM. Epidemiology and Psychiatric Sciences, 2020, 29, .	3.9	1
58	Services for self-harm: progress and promise?. British Journal of Psychiatry, 2020, 217, 663-664.	2.8	12
59	A psychological intervention for suicide applied to non-affective psychosis: the CARMS (Cognitive) Tj ETQq1 1 0. 20, 306.	784314 rg 2.6	BT /Overloci 14
60	Early Post-Discharge Suicide in Mental Health Patients: Findings From a National Clinical Survey. Frontiers in Psychiatry, 2020, 11, 502.	2.6	10
61	Clinical characteristics and care pathways of patients with personality disorder who died by suicide. BJPsych Open, 2020, 6, e29.	0.7	10
62	Incidence and general hospital costs of self-harm across England: estimates based on the multicentre study of self-harm. Epidemiology and Psychiatric Sciences, 2020, 29, e108.	3.9	23
63	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. BJPsych Open, 2020, 6, e57.	0.7	4
64	Spatial patterning and correlates of self-harm in Manchester, England. Epidemiology and Psychiatric Sciences, 2020, 29, e72.	3.9	11
65	Patient safety and suicide prevention in mental health services: time for a new paradigm?. Journal of Mental Health, 2020, 29, 1-5.	1.9	18
66	The significance of site of cut in self-harm in young people. Journal of Affective Disorders, 2020, 266, 603-609.	4.1	10
67	Suicide risk and prevention during the COVID-19 pandemic. Lancet Psychiatry,the, 2020, 7, 468-471.	7.4	1,054
68	Experiences of support from primary care and perceived needs of parents bereaved by suicide: a qualitative study. British Journal of General Practice, 2020, 70, e102-e110.	1.4	25
69	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: update of living systematic review. F1000Research, 2020, 9, 1097.	1.6	123
70	Evaluation of the Impact of the PABBS Suicide Bereavement Training on Clinicians' Knowledge and Skills. Crisis, 2020, 41, 351-358.	1.2	6
71	Suicide Research, Prevention, and COVID-19. Crisis, 2020, 41, 321-330.	1.2	93
72	Cautions, concerns, and future directions for using machine learning in relation to mental health problems and clinical and forensic risks: A brief comment on "Model complexity improves the prediction of nonsuicidal self-injury―(Fox et al., 2019) Journal of Consulting and Clinical Psychology, 2020, 88, 384-387.	2.0	12

#	Article	IF	CITATIONS
73	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: a living systematic review. F1000Research, 2020, 9, 1097.	1.6	141
74	Psychiatric morbidity and suicidal behaviour in psoriasis: a primary care cohort study. British Journal of Dermatology, 2019, 180, 108-115.	1.5	34
75	Access to means of lethal overdose among psychiatric patients with co-morbid physical health problems: Analysis of national suicide case series data from the United Kingdom. Journal of Affective Disorders, 2019, 257, 173-179.	4.1	3
76	New standard of proof for suicide at inquests in England and Wales. BMJ: British Medical Journal, 2019, 366, l4745.	2.3	11
77	Psychiatric morbidity and suicidal behaviour in low- and middle-income countries: A systematic review and meta-analysis. PLoS Medicine, 2019, 16, e1002905.	8.4	92
78	Suicide following presentation to hospital for non-fatal self-harm in the Multicentre Study of Self-harm: a long-term follow-up study. Lancet Psychiatry,the, 2019, 6, 1021-1030.	7.4	112
79	Learning from clinicians' views of good quality practice in mental healthcare services in the context of suicide prevention: a qualitative study. BMC Psychiatry, 2019, 19, 346.	2.6	10
80	Self harm attempt in the older population of the UK – Author's reply. Lancet Psychiatry,the, 2019, 6, 92-93.	7.4	0
81	Psychosocial, psychiatric and work-related risk factors associated with suicide in Ireland: optimised methodological approach of a case-control psychological autopsy study. BMC Psychiatry, 2019, 19, 275.	2.6	13
82	Spatial distribution and temporal trends in social fragmentation in England, 2001â^'2011: a national study. BMJ Open, 2019, 9, e025881.	1.9	1
83	Advance decisions to refuse treatment and suicidal behaviour in emergency care: â€~it's very much a step into the unknown'. BJPsych Open, 2019, 5, e50.	0.7	2
84	Self-harm in midlife: analysis using data from the Multicentre Study of Self-harm in England. British Journal of Psychiatry, 2019, 215, 600-607.	2.8	15
85	Recession, recovery and suicide in mental health patients in England: time trend analysis. British Journal of Psychiatry, 2019, 215, 608-614.	2.8	15
86	The personality disorder patient pathway: Service user and clinical perspectives. Personality and Mental Health, 2019, 13, 134-143.	1.2	10
87	Do homicide rates increase during weekends and national holidays?. Journal of Forensic Psychiatry and Psychology, 2019, 30, 367-380.	1.0	9
88	Risk of dying unnaturally among people aged 15–35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. Lancet Public Health, The, 2019, 4, e220-e228.	10.0	17
89	Metaâ€analysis of suicide rates among people discharged from nonâ€psychiatric settings after presentation with suicidal thoughts or behaviours. Acta Psychiatrica Scandinavica, 2019, 139, 472-483.	4.5	21
90	Management of patients with an advance decision and suicidal behaviour: a systematic review. BMJ Open, 2019, 9, e023978.	1.9	10

#	Article	IF	CITATIONS
91	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. Journal of Affective Disorders, 2019, 249, 208-215.	4.1	8
92	Qualitative investigation of relatives' and service users' experience of mental healthcare for suicidal behaviour in bipolar disorder. BMJ Open, 2019, 9, e030335.	1.9	2
93	Relative toxicity of analgesics commonly used for intentional self-poisoning: A study of case fatality based on fatal and non-fatal overdoses. Journal of Affective Disorders, 2019, 246, 814-819.	4.1	14
94	Accuracy of Clinician Predictions of Future Selfâ€Harm: A Systematic Review and Metaâ€Analysis of Predictive Studies. Suicide and Life-Threatening Behavior, 2019, 49, 23-40.	1.9	52
95	Relative toxicity of benzodiazepines and hypnotics commonly used for self-poisoning: An epidemiological study of fatal toxicity and case fatality. Journal of Psychopharmacology, 2018, 32, 654-662.	4.0	24
96	National study comparing the characteristics of patients diagnosed with schizophrenia who committed homicide vs. those who died by suicide. Journal of Forensic Psychiatry and Psychology, 2018, 29, 674-689.	1.0	4
97	Incidence of suicide, hospital-presenting non-fatal self-harm, and community-occurring non-fatal self-harm in adolescents in England (the iceberg model of self-harm): a retrospective study. Lancet Psychiatry,the, 2018, 5, 167-174.	7.4	181
98	Psychiatric hospitalisation and the risk of suicide. British Journal of Psychiatry, 2018, 212, 269-273.	2.8	41
99	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. Psychological Medicine, 2018, 48, 315-326.	4.5	33
100	GPs' views and perspectives on patient non-adherence to treatment in primary care prior to suicide. Journal of Mental Health, 2018, 27, 112-119.	1.9	9
101	Navigating an unfamiliar world: how parents of young people who selfâ€harm experience support and treatment. Child and Adolescent Mental Health, 2018, 23, 78-84.	3.5	20
102	The help for people with money, employment or housing problems (HOPE) intervention: pilot randomised trial with mixed methods feasibility research. Pilot and Feasibility Studies, 2018, 4, 172.	1.2	7
103	Relative toxicity of mood stabilisers and antipsychotics: case fatality and fatal toxicity associated with self-poisoning. BMC Psychiatry, 2018, 18, 399.	2.6	23
104	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. PLoS ONE, 2018, 13, e0204670.	2.5	15
105	Family income inequalities and trajectories through childhood and self-harm and violence in young adults: a population-based, nested case-control study. Lancet Public Health, The, 2018, 3, e498-e507.	10.0	35
106	Self-harm in a primary care cohort of older people: incidence, clinical management, and risk of suicide and other causes of death. Lancet Psychiatry,the, 2018, 5, 905-912.	7.4	57
107	Association between a national primary care pay-for-performance scheme and suicide rates in England: spatial cohort study. British Journal of Psychiatry, 2018, 213, 600-608.	2.8	3
108	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. BMC Psychiatry, 2018, 18, 113.	2.6	59

#	Article	IF	CITATIONS
109	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care – the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme. Programme Grants for Applied Research, 2018, 6, 1-296.	1.0	7
110	Making Sense of an Unknown Terrain. Qualitative Health Research, 2017, 27, 215-225.	2.1	29
111	Suicide by mental health in-patients under observation. Psychological Medicine, 2017, 47, 2238-2245.	4.5	25
112	Premature Death Among Primary Care Patients With a History of Self-Harm. Annals of Family Medicine, 2017, 15, 246-254.	1.9	27
113	New policy and evidence on suicide prevention. Lancet Psychiatry,the, 2017, 4, 658-660.	7.4	51
114	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. British Journal of Psychiatry, 2017, 210, 429-436.	2.8	95
115	Predicting suicidal behaviours using clinical instruments: Systematic review and meta-analysis of positive predictive values for risk scales. British Journal of Psychiatry, 2017, 210, 387-395.	2.8	251
116	Support for Relatives Bereaved by Psychiatric Patient Suicide: National Confidential Inquiry Into Suicide and Homicide Findings. Psychiatric Services, 2017, 68, 337-344.	2.0	9
117	Interventions to reduce the impact of unemployment and economic hardship on mental health in the general population: a systematic review. Psychological Medicine, 2017, 47, 1062-1084.	4.5	70
118	Can we usefully stratify patients according to suicide risk?. BMJ: British Medical Journal, 2017, 359, j4627.	2.3	61
119	Authors' reply. British Journal of Psychiatry, 2017, 211, 183-184.	2.8	1
120	Seeking help in times of economic hardship: access, experiences of services and unmet need. BMC Psychiatry, 2017, 17, 84.	2.6	22
121	Incidence, clinical management, and mortality risk following self harm among children and adolescents: cohort study in primary care. BMJ: British Medical Journal, 2017, 359, j4351.	2.3	240
122	HOPE: Help fOr People with money, employment, benefit or housing problems: study protocol for a randomised controlled trial. Pilot and Feasibility Studies, 2017, 3, 44.	1.2	4
123	Suicide in a National Student Mental Health Patient Population, 1997–2012. Crisis, 2017, 38, 82-88.	1.2	4
124	CHOICE: Choosing Health Options In Chronic Care Emergencies. Programme Grants for Applied Research, 2017, 5, 1-272.	1.0	5
125	Suicide under crisis resolution home treatment – a key setting for patient safety. BJPsych Bulletin, 2016, 40, 172-174.	1.1	11
126	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. PLoS ONE, 2016, 11, e0149713.	2.5	43

#	Article	IF	CITATIONS
127	General practitioners' perspectives on primary care consultations for suicidal patients. Health and Social Care in the Community, 2016, 24, 260-269.	1.6	30
128	Understanding vulnerability to self-harm in times of economic hardship and austerity: a qualitative study: TableÂ1. BMJ Open, 2016, 6, e010131.	1.9	42
129	Which are the most useful scales for predicting repeat self-harm? A systematic review evaluating risk scales using measures of diagnostic accuracy. BMJ Open, 2016, 6, e009297.	1.9	65
130	Suicide risk linked with clinical consultation frequency, psychiatric diagnoses and psychotropic medication prescribing in a national study of primary-care patients. Psychological Medicine, 2016, 46, 3407-3417.	4.5	25
131	Mechanisms of brief contact interventions in clinical populations: a systematic review. BMC Psychiatry, 2016, 16, 194.	2.6	37
132	The timing of general population and patient suicide in England, 1997–2012. Journal of Affective Disorders, 2016, 197, 175-181.	4.1	27
133	Do GPs want or need formal support following a patient suicide?: a mixed methods study. Family Practice, 2016, 33, 414-420.	1.9	13
134	Mental health service changes, organisational factors, and patient suicide in England in 1997–2012: a before-and-after study. Lancet Psychiatry,the, 2016, 3, 526-534.	7.4	79
135	Changes in parenting strategies after a young person's self-harm: a qualitative study. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 20.	2.5	18
136	Suicide after absconding from inpatient care in England: an exploration of mental health professionals' experiences. Journal of Mental Health, 2016, 25, 245-253.	1.9	12
137	Mental health services, suicide and 7-day working. British Journal of Psychiatry, 2016, 209, 334-339.	2.8	8
138	Predicting suicide following self-harm: systematic review of risk factors and risk scales. British Journal of Psychiatry, 2016, 209, 277-283.	2.8	355
139	Parental Psychiatric Disease and Risks of Attempted Suicide and Violent Criminal Offending in Offspring. JAMA Psychiatry, 2016, 73, 1015.	11.0	49
140	Psychiatric beds and increased suicide rates in England – Authors' reply. Lancet Psychiatry,the, 2016, 3, 604-605.	7.4	2
141	GPs' experiences of dealing with parents bereaved by suicide: a qualitative study. British Journal of General Practice, 2016, 66, e737-e746.	1.4	32
142	Rates of self-harm presenting to general hospitals: a comparison of data from the Multicentre Study of Self-Harm in England and Hospital Episode Statistics. BMJ Open, 2016, 6, e009749.	1.9	70
143	Epidemiology and trends in non-fatal self-harm in three centres in England, 2000–2012: findings from the Multicentre Study of Self-harm in England. BMJ Open, 2016, 6, e010538.	1.9	159
144	Suicide in late-life depression with and without comorbid anxiety disorders. International Journal of Geriatric Psychiatry, 2016, 31, 146-152.	2.7	42

#	Article	IF	CITATIONS
145	Self-harm and life problems: findings from the Multicentre Study of Self-harm in England. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 183-192.	3.1	28
146	Suicide in children and young people in England: a consecutive case series. Lancet Psychiatry,the, 2016, 3, 751-759.	7.4	106
147	Clinical management following self-harm in a UK-wide primary care cohort. Journal of Affective Disorders, 2016, 197, 182-188.	4.1	29
148	Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. BMJ Open, 2016, 6, e009074.	1.9	27
149	The impact of self-harm by young people on parents and families: a qualitative study. BMJ Open, 2016, 6, e009631.	1.9	68
150	Suicide risk in people with chronic fatigue syndrome. Lancet, The, 2016, 387, 1596-1597.	13.7	19
151	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. Journal of Affective Disorders, 2016, 191, 132-138.	4.1	39
152	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001–2013. BMC Psychiatry, 2016, 16, 53.	2.6	69
153	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. Journal of Affective Disorders, 2016, 190, 522-528.	4.1	34
154	Depression predicts future emergency hospital admissions in primary care patients with chronic physical illness. Journal of Psychosomatic Research, 2016, 82, 54-61.	2.6	40
155	High-Volume Repeaters of Self-Harm. Crisis, 2016, 37, 427-437.	1.2	9
156	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. BMC Psychiatry, 2015, 15, 254.	2.6	7
157	Psychosocial therapy after self-harm associated with reduced repetition, suicide, and all-cause mortality in Denmark. Evidence-Based Mental Health, 2015, 18, 91-91.	4.5	0
158	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. BMC Psychiatry, 2015, 15, 79.	2.6	2
159	Characteristics of people dying by suicide after job loss, financial difficulties and other economic stressors during a period of recession (2010–2011): A review of coroners׳ records. Journal of Affective Disorders, 2015, 183, 98-105.	4.1	117
160	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. Emergency Medicine Journal, 2015, 32, 793-799.	1.0	48
161	Suicide following self-harm: Findings from the Multicentre Study of self-harm in England, 2000–2012. Journal of Affective Disorders, 2015, 175, 147-151.	4.1	261
162	Suicide in patients suffering from late-life anxiety disorders; a comparison with younger patients. International Psychogeriatrics, 2015, 27, 1197-1205.	1.0	29

#	Article	IF	CITATIONS
163	Self-harm in bipolar disorder: Findings from a prospective clinical database. Journal of Affective Disorders, 2015, 173, 113-119.	4.1	14
164	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. Lancet Psychiatry,the, 2015, 2, 809-816.	7.4	55
165	Factors influencing coroners' verdicts: an analysis of verdicts given in 12 coroners' districts to researcher-defined suicides in England in 2005. Journal of Public Health, 2015, 37, 157-165.	1.8	29
166	Switching methods of self-harm at repeat episodes: Findings from a multicentre cohort study. Journal of Affective Disorders, 2015, 180, 44-51.	4.1	32
167	Suicide, unemployment, and the effect of economic recession. Lancet Psychiatry,the, 2015, 2, 196-197.	7.4	16
168	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. Journal of Affective Disorders, 2015, 174, 101-105.	4.1	22
169	Suicide by gases in England and Wales 2001–2011: Evidence of the emergence of new methods of suicide. Journal of Affective Disorders, 2015, 170, 190-195.	4.1	54
170	Quality of risk assessment prior to suicide and homicide. Psychiatric Bulletin (2014), 2014, 38, 46-47.	0.3	38
171	A Contact-Based Intervention for People Recently Discharged from Inpatient Psychiatric Care: A Pilot Study. Archives of Suicide Research, 2014, 18, 131-143.	2.3	13
172	Alcohol-related mortality following self-harm: a multicentre cohort study. JRSM Open, 2014, 5, 205427041453332.	0.5	8
173	Suicide and the 2008 economic recession: Who is most at risk? Trends in suicide rates in England and Wales 2001–2011. Social Science and Medicine, 2014, 117, 76-85.	3.8	125
174	Scales for predicting risk following self-harm: an observational study in 32 hospitals in England. BMJ Open, 2014, 4, e004732.	1.9	53
175	Unnatural Deaths in a National Cohort of People Diagnosed With Diabetes. Diabetes Care, 2014, 37, 2276-2283.	8.6	22
176	Safety of patients under the care of crisis resolution home treatment services in England: a retrospective analysis of suicide trends from 2003 to 2011. Lancet Psychiatry,the, 2014, 1, 135-141.	7.4	30
177	Patients with mental illness as victims of homicide: a national consecutive case series. Lancet Psychiatry,the, 2014, 1, 129-134.	7.4	28
178	â€When You're in the Hospital, You're in a Sort of Bubble.― Crisis, 2014, 35, 154-160.	1.2	30
179	Assessment and Management of Suicide Risk in Primary Care. Crisis, 2014, 35, 415-425.	1.2	17
180	Suicide in recently admitted psychiatric in-patients: A case-control study. Journal of Affective Disorders, 2013, 144, 123-128.	4.1	41

#	Article	IF	CITATIONS
181	Hospitalization for physical illness and risk of subsequent suicide: a population study. Journal of Internal Medicine, 2013, 273, 48-58.	6.0	81
182	Qualitative interviewing with vulnerable populations: Individuals' experiences of participating in suicide and self-harm based research. Journal of Affective Disorders, 2013, 145, 356-362.	4.1	110
183	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: A multi-centre cohort study. Journal of Affective Disorders, 2013, 148, 435-439.	4.1	14
184	Service user perspectives on psychosocial assessment following self-harm and its impact on further help-seeking: A qualitative study. Journal of Affective Disorders, 2013, 145, 315-323.	4.1	73
185	Suicide and accidental deaths in children and adolescents in England and Wales, 2001–2010. Archives of Disease in Childhood, 2013, 98, 945-950.	1.9	19
186	Suicide Within Two Weeks of Discharge From Psychiatric Inpatient Care: A Case-Control Study. Psychiatric Services, 2013, 64, 653-659.	2.0	94
187	Long term effect of reduced pack sizes of paracetamol on poisoning deaths and liver transplant activity in England and Wales: interrupted time series analyses. BMJ, The, 2013, 346, f403-f403.	6.0	191
188	Suicide by burning barbecue charcoal in England. Journal of Public Health, 2013, 35, 223-227.	1.8	22
189	Psychiatric in-patient care and suicide in England, 1997 to 2008: a longitudinal study. Psychological Medicine, 2013, 43, 61-71.	4.5	55
190	Assessing risk of suicide or self harm in adults. BMJ, The, 2013, 347, f4572-f4572.	6.0	22
191	Why does Scotland have a higher suicide rate than England? An area-level investigation of health and social factors. Journal of Epidemiology and Community Health, 2013, 67, 63-70.	3.7	22
192	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990–2005. Psychological Medicine, 2013, 43, 1415-1422.	4.5	88
193	Suicide in bipolar disorder in a national English sample, 1996–2009: frequency, trends and characteristics. Psychological Medicine, 2013, 43, 2593-2602.	4.5	41
194	Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. BMJ Open, 2013, 3, e003444.	1.9	102
195	Messages from Manchester: pilot randomised controlled trial following self-harm. British Journal of Psychiatry, 2013, 203, 73-74.	2.8	40
196	Non-suicidal self-injury <i>v.</i> attempted suicide: new diagnosis or false dichotomy?. British Journal of Psychiatry, 2013, 202, 326-328.	2.8	325
197	Does Clinical Management Improve Outcomes following Self-Harm? Results from the Multicentre Study of Self-Harm in England. PLoS ONE, 2013, 8, e70434.	2.5	101
198	A multicentre programme of clinical and public health research in support of the National Suicide Prevention Strategy for England. Programme Grants for Applied Research, 2013, 1, 1-216.	1.0	4

#	Article	IF	CITATIONS
199	Six-Year Follow-Up of Impact of Co-proxamol Withdrawal in England and Wales on Prescribing and Deaths: Time-Series Study. PLoS Medicine, 2012, 9, e1001213.	8.4	60
200	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. Psychological Medicine, 2012, 42, 727-741.	4.5	51
201	What can be done to reduce mortality from paracetamol overdoses? A patient interview study. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 41-51.	0.5	15
202	Impact of the growing use of narrative verdicts by coroners on geographic variations in suicide: analysis of coroners' inquest data. Journal of Public Health, 2012, 34, 447-453.	1.8	32
203	Self-harm and attempted suicide among UK Armed Forces personnel: Results of a cross-sectional survey. International Journal of Social Psychiatry, 2012, 58, 433-439.	3.1	26
204	The development of a population-level clinical screening tool for self-harm repetition and suicide: the ReACT Self-Harm Rule. Psychological Medicine, 2012, 42, 2383-2394.	4.5	63
205	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. British Journal of Psychiatry, 2012, 200, 399-404.	2.8	93
206	Suicide Risk in Primary Care Patients With Major Physical Diseases. Archives of General Psychiatry, 2012, 69, 256.	12.3	184
207	Impact of national policy initiatives on fatal and non-fatal self-harm after psychiatric hospital discharge: time series analysis. British Journal of Psychiatry, 2012, 201, 233-238.	2.8	25
208	Transfer of suicide risk versus looking at suicides outside hospital in general – a Reply. Psychological Medicine, 2012, 42, 2685-2686.	4.5	0
209	Implementation of mental health service recommendations in England and Wales and suicide rates, 1997–2006: a cross-sectional and before-and-after observational study. Lancet, The, 2012, 379, 1005-1012.	13.7	250
210	Premature death after self-harm: a multicentre cohort study. Lancet, The, 2012, 380, 1568-1574.	13.7	246
211	The use of the Internet by people who die by suicide in England: A cross sectional study. Journal of Affective Disorders, 2012, 141, 480-483.	4.1	32
212	Repetition of selfâ€harm and suicide following selfâ€harm in children and adolescents: findings from the Multicentre Study of Selfâ€harm in England. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 1212-1219.	5.2	226
213	Risk of self-harm in physically ill patients in UK primary care. Journal of Psychosomatic Research, 2012, 73, 92-97.	2.6	25
214	Authors' reply to Ellis and Yates. BMJ: British Medical Journal, 2012, 344, e144-e144.	2.3	0
215	Trends in national suicide rates for Scotland and for England & Wales, 1960–2008. British Journal of Psychiatry, 2012, 200, 245-251.	2.8	28
216	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. European Child and Adolescent Psychiatry, 2012, 21, 369-377.	4.7	89

#	Article	IF	CITATIONS
217	Information sources used by the suicidal to inform choice of method. Journal of Affective Disorders, 2012, 136, 702-709.	4.1	55
218	How do methods of non-fatal self-harm relate to eventual suicide?. Journal of Affective Disorders, 2012, 136, 526-533.	4.1	100
219	Ligature Points and Ligature Types Used by Psychiatric Inpatients Who Die by Hanging. Crisis, 2012, 33, 87-94.	1.2	22
220	The incidence and associated risk factors for sudden unexplained death in psychiatric in-patients in England and Wales. Journal of Psychopharmacology, 2011, 25, 1533-1542.	4.0	18
221	Electroconvulsive therapy and suicide among the mentally ill in England: A national clinical survey. Psychiatry Research, 2011, 187, 145-149.	3.3	15
222	Longer term management of self harm: summary of NICE guidance. BMJ: British Medical Journal, 2011, 343, d7073-d7073.	2.3	36
223	Trends in rates of mental illness in homicide perpetrators. British Journal of Psychiatry, 2011, 198, 485-489.	2.8	29
224	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. Journal of Advanced Nursing, 2011, 67, 127-139.	3.3	25
225	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. BMC Public Health, 2011, 11, 460.	2.9	38
226	Suicide in later life: A comparison between cases with early-onset and late-onset depression. Journal of Affective Disorders, 2011, 132, 185-191.	4.1	19
227	"Well it's like someone at the other end cares about you.―A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. General Hospital Psychiatry, 2011, 33, 166-176.	2.4	47
228	Emergency department contact prior to suicide in mental health patients. Emergency Medicine Journal, 2011, 28, 467-471.	1.0	108
229	Suicide and mental illness: a clinical review of 15 years findings from the UK National Confidential Inquiry into Suicide. British Medical Bulletin, 2011, 100, 101-121.	6.9	116
230	Coroners' verdicts and suicide statistics in England and Wales. BMJ: British Medical Journal, 2011, 343, d6030-d6030.	2.3	33
231	Impact of Withdrawal of the Analgesic Co-proxamol on Nonfatal Self-Poisoning in the UK. Crisis, 2011, 32, 81-87.	1.2	16
232	Birthday Blues. Crisis, 2011, 32, 134-142.	1.2	18
233	First Episode of Self-Harm in Older Age. Journal of Clinical Psychiatry, 2011, 72, 737-743.	2.2	12
234	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. British Journal of Psychiatry, 2010, 196, 354-358.	2.8	155

#	Article	IF	CITATIONS
235	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. British Journal of Psychiatry, 2010, 197, 5-7.	2.8	43
236	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. British Journal of Psychiatry, 2010, 197, 212-218.	2.8	70
237	Method of Suicide in the Mentally Ill: A National Clinical Survey. Suicide and Life-Threatening Behavior, 2010, 40, 22-34.	1.9	14
238	Nonresident Suicides in England: A National Study. Suicide and Life-Threatening Behavior, 2010, 40, 151-158.	1.9	17
239	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000–2007. British Journal of Psychiatry, 2010, 197, 493-498.	2.8	131
240	Suicide prevention in primary care: General practitioners' views on service availability. BMC Research Notes, 2010, 3, 246.	1.4	32
241	A comparative study of non-fatal self-poisoning with antidepressants relative to prescribing in three centres in England. Journal of Affective Disorders, 2010, 123, 95-101.	4.1	12
242	Psychosocial assessment and repetition of self-harm: The significance of single and multiple repeat episode analyses. Journal of Affective Disorders, 2010, 127, 257-265.	4.1	71
243	Suicide amongst psychiatric in-patients who abscond from the ward: a national clinical survey. BMC Psychiatry, 2010, 10, 14.	2.6	50
244	Factors influencing the decision to use hanging as a method of suicide: qualitative study. British Journal of Psychiatry, 2010, 197, 320-325.	2.8	77
245	Homicide convictions in different age-groups: a national clinical survey. Journal of Forensic Psychiatry and Psychology, 2010, 21, 321-335.	1.0	9
246	Assessment Rates and Compliance With Assertive Follow-up After Self-Harm: Cohort Study. Archives of Suicide Research, 2010, 14, 120-134.	2.3	12
247	Self-poisoning suicide deaths in England: could improved medical management contribute to suicide prevention?. QJM - Monthly Journal of the Association of Physicians, 2010, 103, 765-775.	0.5	13
248	The use of the care programme approach in perpetrators of homicide. Journal of Forensic Psychiatry and Psychology, 2010, 21, 649-659.	1.0	3
249	Advance directives and suicidal behaviour. BMJ: British Medical Journal, 2010, 341, c4557-c4557.	2.3	11
250	Primary care contact prior to suicide in individuals with mental illness. British Journal of General Practice, 2009, 59, 825-832.	1.4	97
251	Suicide after Leaving the UK Armed Forces —A Cohort Study. PLoS Medicine, 2009, 6, e1000026.	8.4	86
252	Methods of homicide in England and Wales: a comparison by diagnostic group. Journal of Forensic Psychiatry and Psychology, 2009, 20, 286-305.	1.0	9

4

#	Article	IF	CITATIONS
253	Effect of withdrawal of co-proxamol on prescribing and deaths from drug poisoning in England and Wales: time series analysis. BMJ: British Medical Journal, 2009, 338, b2270-b2270.	2.3	69
254	Psychiatric recommendations to the court as regards homicide perpetrators. Journal of Forensic Psychiatry and Psychology, 2009, 20, 366-377.	1.0	6
255	Health services and suicide prevention. Journal of Mental Health, 2009, 18, 1-5.	1.9	22
256	Suicide in recently discharged psychiatric patients: a case-control study. Psychological Medicine, 2009, 39, 443-449.	4.5	171
257	Attitudes towards clinical services among people who self-harm: systematic review. British Journal of Psychiatry, 2009, 194, 104-110.	2.8	203
258	Self-harm in the general hospital. Psychiatry (Abingdon, England), 2009, 8, 189-193.	0.2	3
259	Suicide in the mentally ill. Psychiatry (Abingdon, England), 2009, 8, 257-260.	0.2	7
260	Introduction to suicide and self-harm. Psychiatry (Abingdon, England), 2009, 8, 233-236.	0.2	18
261	Risk factors for suicide in Hungary: a case-control study. BMC Psychiatry, 2009, 9, 45.	2.6	65
262	Trends in prescribing and selfâ€poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in underâ€18â€yearâ€olds. British Journal of Clinical Pharmacology, 2009, 68, 618-629.	2.4	33
263	Suicide pacts in the mentally ill: A national clinical survey. Psychiatry Research, 2009, 167, 131-138.	3.3	15
264	Homicide followed by suicide: a cross-sectional study. Journal of Forensic Psychiatry and Psychology, 2009, 20, 306-321.	1.0	72
265	Suicide in dementia: 9-year national clinical survey in England and Wales. British Journal of Psychiatry, 2009, 194, 175-180.	2.8	61
266	Suicide in juveniles and adolescents in the United Kingdom. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2008, 49, 1155-1165.	5.2	136
267	Psychosocial assessment following self-harm: Results from the Multi-Centre Monitoring of Self-Harm Project. Journal of Affective Disorders, 2008, 106, 285-293.	4.1	97
268	Suicide and the internet. BMJ: British Medical Journal, 2008, 336, 800-802.	2.3	186
269	Hospital care and repetition following self-harm: Multicentre comparison of self-poisoning and self-injury. British Journal of Psychiatry, 2008, 192, 440-445.	2.8	117

270 Suicide and self-harm. , 2008, , 451-476.

#	Article	IF	CITATIONS
271	Hospital admissions for self harm after discharge from psychiatric inpatient care: cohort study. BMJ: British Medical Journal, 2008, 337, a2278-a2278.	2.3	71
272	A comparison between clinicians' assessment and the Manchester Self-Harm Rule: a cohort study. Emergency Medicine Journal, 2007, 24, 720-721.	1.0	28
273	Are psychiatric wards becoming safer?. British Journal of Hospital Medicine (London, England: 2005), 2007, 68, 518-519.	0.5	0
274	Suicide in current psychiatric in-patients: a case-control study The National Confidential Inquiry into Suicide and Homicide. Psychological Medicine, 2007, 37, 831-837.	4.5	90
275	Self-harm in England: a tale of three cities. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 513-521.	3.1	325
276	The Hospital Management of Fatal Self-Poisoning in Industrialized Countries: An Opportunity for Suicide Prevention?. Suicide and Life-Threatening Behavior, 2006, 36, 302-312.	1.9	12
277	Individual- and area-level predictors of self-harm repetition. British Journal of Psychiatry, 2006, 189, 416-421.	2.8	38
278	Suicide within 12 months of mental health service contact in different age and diagnostic groups. British Journal of Psychiatry, 2006, 188, 135-142.	2.8	118
279	Suicide in Schizophrenia: Findings from a National Clinical Survey. Journal of Psychiatric Practice, 2006, 12, 139-147.	0.7	63
280	Self-harm in the general hospital. Clinical Medicine, 2006, 6, 529-532.	1.9	6
281	Suicide in psychiatric in-patients in England, 1997 to 2003. Psychological Medicine, 2006, 36, 1485-1492.	4.5	37
282	Perpetrators of Homicide With Schizophrenia: A National Clinical Survey in England and Wales. Psychiatric Services, 2006, 57, 1648-1651.	2.0	89
283	Rates of mental disorder in people convicted of homicide. British Journal of Psychiatry, 2006, 188, 143-147.	2.8	114
284	The role of alcohol and drugs in homicides in England and Wales. Addiction, 2006, 101, 1117-1124.	3.3	76
285	A Clinical Tool for Assessing Risk After Self-Harm. Annals of Emergency Medicine, 2006, 48, 459-466.	0.6	101
286	Suicide in the homeless within 12Âmonths of contact with mental health services. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 686-691.	3.1	24
287	Self-harm in the UK. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 782-788.	3.1	65
288	Self-harm in the general hospital. Psychiatry (Abingdon, England), 2006, 5, 76-80.	0.2	4

#	Article	IF	CITATIONS
289	Suicide in mental health in-patients and within 3 months of discharge. British Journal of Psychiatry, 2006, 188, 129-134.	2.8	214
290	A Prospective Study of Noncompliance With Medication, Suicidal Ideation, and Suicidal Behavior in Recently Discharged Psychiatric Inpatients. Archives of Suicide Research, 2006, 10, 61-67.	2.3	18
291	The Repetition of Suicidal Behavior. Journal of Clinical Psychiatry, 2006, 67, 1599-1609.	2.2	142
292	Suicide by hanging: multicentre study based on coroners' records in England. British Journal of Psychiatry, 2005, 186, 260-261.	2.8	37
293	Management of self-harm in adults: which way now?. British Journal of Psychiatry, 2005, 187, 497-499.	2.8	30
294	A multicentre study of coproxamol poisoning suicides based on coroners' records in England. British Journal of Clinical Pharmacology, 2005, 59, 207-212.	2.4	40
295	Gunshot suicides in England. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 324-328.	3.1	22
296	Clustering of suicides among people with mental illness. British Journal of Psychiatry, 2005, 187, 476-480.	2.8	48
297	The epidemiology and prevention of suicide by hanging: a systematic review. International Journal of Epidemiology, 2005, 34, 433-442.	1.9	275
298	Suicide After Deliberate Self-Harm: A 4-Year Cohort Study. American Journal of Psychiatry, 2005, 162, 297-303.	7.2	549
299	Predicting the risk of repetition after self harm: cohort study. BMJ: British Medical Journal, 2005, 330, 394-395.	2.3	58
300	Co-proxamol and suicide: preventing the continuing toll of overdose deaths. QJM - Monthly Journal of the Association of Physicians, 2005, 98, 159-170.	0.5	36
301	Self-poisoning suicides in England: a multicentre study. QJM - Monthly Journal of the Association of Physicians, 2005, 98, 589-597.	0.5	30
302	The Usefulness of Coroners' Data on Suicides for Providing Information Relevant to Prevention. Suicide and Life-Threatening Behavior, 2005, 35, 607-614.	1.9	21
303	Primary care consultation predictors in men and women: a cohort study. British Journal of General Practice, 2005, 55, 108-13.	1.4	34
304	Childhood experience and health care use in adulthood. British Journal of Psychiatry, 2004, 185, 134-139.	2.8	11
305	Suicide by Gunshot in the United Kingdom: A review of the literature. Medicine, Science and the Law, 2004, 44, 295-310.	1.0	34
306	Mental illness in people who kill strangers: longitudinal study and national clinical survey. BMJ: British Medical Journal, 2004, 328, 734-737.	2.3	34

#	Article	IF	CITATIONS
307	Emergency department management and outcome for self-poisoning: a cohort study. General Hospital Psychiatry, 2004, 26, 36-41.	2.4	65
308	Psychosocial and illness related predictors of consultation rates in primary care – a cohort study. Psychological Medicine, 2004, 34, 719-728.	4.5	51
309	Service provision and outcome for deliberate self-poisoning in adults. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 390-395.	3.1	33
310	Predictors of Outcome Following Brief Psychodynamic-Interpersonal Therapy for Deliberate Self-Poisoning. Australian and New Zealand Journal of Psychiatry, 2003, 37, 532-536.	2.3	18
311	Factors that influence emergency department doctors?? assessment of suicide risk in deliberate self-harm patients. European Journal of Emergency Medicine, 2003, 10, 283-287.	1.1	18
312	Suicides in ethnic minorities within 12 months of contact with mental health services. British Journal of Psychiatry, 2003, 183, 155-160.	2.8	44
313	Effect of general hospital management on repeat episodes of deliberate self poisoning: cohort study. BMJ: British Medical Journal, 2002, 325, 866-867.	2.3	57
314	Management and costs of deliberate self-poisoning in the general hospital: A multi-centre study. Journal of Mental Health, 2002, 11, 223-230.	1.9	10
315	Hospital management and costs of antidepressant overdose: multicentre comparison of tricyclic antidepressants and selective serotonin reuptake inhibitors. Journal of Medical Economics, 2001, 4, 193-197.	2.1	4
316	Randomised controlled trial of brief psychological intervention after deliberate self poisoning Commentary: Another kind of talk that works?. BMJ: British Medical Journal, 2001, 323, 135-135.	2.3	331
317	Evaluating risks. Advances in Psychiatric Treatment, 2000, 6, 399-406.	0.5	17
318	Sources of job satisfaction and psychological distress in GPs and medical house officers. Family Practice, 1999, 16, 600-601.	1.9	14
319	General hospital services for deliberate self-poisoning: an expensive road to nowhere?. Postgraduate Medical Journal, 1999, 75, 599-602.	1.8	43
320	Costs of antidepressant overdose: a preliminary study. British Journal of General Practice, 1999, 49, 733-4.	1.4	6
321	Working patterns and the quality of training of medical house officers: evaluating the effect of the `new deal'. Medical Education, 1998, 32, 432-438.	2.1	23
322	Management of deliberate self poisoning in adults in four teaching hospitals: descriptive study. BMJ: British Medical Journal, 1998, 316, 831-832.	2.3	140
323	Psychological morbidity and job satisfaction in hospital consultants and junior house officers: multicentre, cross sectional survey. BMJ: British Medical Journal, 1998, 317, 511-512.	2.3	50
324	Against a high-risk strategy in the prevention of suicide. Psychiatric Bulletin, 1998, 22, 534-536.	0.3	11

#	Article	IF	CITATIONS
325	Improving 'new deal' shifts for junior house officers. British Journal of Hospital Medicine, 1998, 59, 960-2, 964, 966.	0.2	2
326	Job satisfaction and psychological morbidity in medical house officers. Journal of the Royal College of Physicians of London, 1997, 31, 162-7.	0.2	14
327	Suicide in England in the COVID-19 Pandemic: Early Figures from Real Time Surveillance. SSRN Electronic Journal, 0, , .	0.4	6
328	The impact of the COVID-19 pandemic on self-harm and suicidal behaviour: protocol for a living systematic review. F1000Research, 0, 9, 644.	1.6	16
329	Primary Care Contact for Mental Illness and Self-Harm Before, During and After the Peak of the COVID-19 Pandemic in the UK: Cohort Study of 13 Million Individuals. SSRN Electronic Journal, 0, , .	0.4	4
330	Prevalence of Comorbid Mental and Physical Illnesses and Risks for Self-Harm and Premature Death Among Primary Care Patients Diagnosed with Fatigue Syndromes. SSRN Electronic Journal, 0, , .	0.4	0
331	Children and Young People Who Die by Suicide: Childhood-Related Antecedents, Gender Differences and Service Contact. SSRN Electronic Journal, 0, , .	0.4	0