List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/388031/publications.pdf Version: 2024-02-01



LUISA V DEIVE

#	Article	IF	CITATIONS
1	NDM-1 Introduction in Portugal through a ST11 KL105 Klebsiella pneumoniae Widespread in Europe. Antibiotics, 2022, 11, 92.	3.7	16
2	Update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA 15: suitability of taxonomic units notified to EFSA until September 2021. EFSA Journal, 2022, 20, e07045.	1.8	31
3	High-Resolution Genotyping Unveils Identical Ampicillin-Resistant Enterococcus faecium Strains in Different Sources and Countries: A One Health Approach. Microorganisms, 2022, 10, 632.	3.6	6
4	The efficacy and safety of highâ€pressure processing of food. EFSA Journal, 2022, 20, e07128.	1.8	12
5	The Darkest Place Is under the Candlestick-Healthy Urogenital Tract as a Source of Worldwide Disseminated Extraintestinal Pathogenic Escherichia coli Lineages. Microorganisms, 2022, 10, 27.	3.6	0
6	Evaluation of the safety and efficacy of lactic acid to reduce microbiological surface contamination on carcases from kangaroos, wild pigs, goats and sheep. EFSA Journal, 2022, 20, e07265.	1.8	4
7	Evolution of Chlorhexidine Susceptibility and of the EfrEF Operon among Enterococcus faecalis from Diverse Environments, Clones, and Time Spans. Microbiology Spectrum, 2022, 10, .	3.0	0
8	Genomic diversity of genus Limosilactobacillus. Microbial Genomics, 2022, 8, .	2.0	4
9	The success of particular <i>Acinetobacter baumannii</i> clones: accumulating resistance and virulence inside a sugary shield. Journal of Antimicrobial Chemotherapy, 2021, 76, 305-311.	3.0	13
10	Multidrug-resistant high-risk Enterococcus faecium clones: can we really define them?. International Journal of Antimicrobial Agents, 2021, 57, 106227.	2.5	24
11	Citrobacter telavivum sp. nov. with chromosomal mcr-9 from hospitalized patients. European Journal of Clinical Microbiology and Infectious Diseases, 2021, 40, 123-131.	2.9	28
12	The use of the soâ€called â€~superchilling' technique for the transport of fresh fishery products. EFSA Journal, 2021, 19, e06378.	1.8	4
13	Long-term stability of the urogenital microbiota of asymptomatic European women. BMC Microbiology, 2021, 21, 64.	3.3	18
14	MicroMundo@UPorto: an experimental microbiology project fostering student's antimicrobial resistance awareness and personal and social development. FEMS Microbiology Letters, 2021, 368, .	1.8	3
15	Apparent nosocomial adaptation of Enterococcus faecalis predates the modern hospital era. Nature Communications, 2021, 12, 1523.	12.8	69
16	Evaluation of the application for new alternative biodiesel production process for rendered fat including Category 1 animal byâ€products (BDIâ€RepCatî process, AT). EFSA Journal, 2021, 19, e06511.	1.8	1
17	Guidance on date marking and related food information: part 2 (food information). EFSA Journal, 2021, 19, e06510.	1.8	4
18	Industrial dog food is a vehicle of multidrug-resistant enterococci carrying virulence genes often linked to human infections. International Journal of Food Microbiology, 2021, 358, 109284.	4.7	13

#	Article	IF	CITATIONS
19	Role played by the environment in the emergence and spread of antimicrobial resistance (AMR) through the food chain. EFSA Journal, 2021, 19, e06651.	1.8	68
20	Phylogenomic analysis of a highly virulent Escherichia coli ST83 lineage with potential animal-human transmission. Microbial Pathogenesis, 2021, 155, 104920.	2.9	4
21	Update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA 14: suitability of taxonomic units notified to EFSA until March 2021. EFSA Journal, 2021, 19, e06689.	1.8	26
22	Fitness cost of vancomycin-resistant <i>Enterococcus faecium</i> plasmids associated with hospital infection outbreaks. Journal of Antimicrobial Chemotherapy, 2021, 76, 2757-2764.	3.0	6
23	Linezolid- and Multidrug-Resistant Enterococci in Raw Commercial Dog Food, Europe, 2019–2020. Emerging Infectious Diseases, 2021, 27, 2221-2224.	4.3	17
24	From farm to fork: Colistin voluntary withdrawal in Portuguese farms reflected in decreasing occurrence of <i>mcrâ€lâ€</i> carrying <i>Enterobacteriaceae</i> from chicken meat. Environmental Microbiology, 2021, 23, 7563-7577.	3.8	15
25	Diversity of metal and antibiotic resistance genes in Enterococcus spp. from the last century reflects multiple pollution and genetic exchange among phyla from overlapping ecosystems. Science of the Total Environment, 2021, 787, 147548.	8.0	13
26	Fourier Transform Infrared Spectroscopy (FT-IR) for Food and Water Microbiology. , 2021, , 191-217.		2
27	Update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA 13: suitability of taxonomic units notified to EFSA until September 2020. EFSA Journal, 2021, 19, e06377.	1.8	127
28	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed. Part 8: Pleuromutilins: tiamulin and valnemulin. EFSA Journal, 2021, 19, e06860.	1.8	8
29	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed.†Part 10: Quinolones: flumequine and oxolinic acid. EFSA Journal, 2021, 19, e06862.	1.8	8
30	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed. Part 1: Methodology, general data gaps and uncertainties. EFSA Journal, 2021, 19, e06852.	1.8	11
31	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 13: Diaminopyrimidines: trimethoprim. EFSA Journal, 2021, 19, e06865.	1.8	12
32	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed.†Part 9: Polymyxins: colistin. EFSA Journal, 2021, 19, e06861.	1.8	10
33	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€ŧarget feed. Part 7: Amphenicols: florfenicol and thiamphenicol. EFSA Journal, 2021, 19, e06859.	1.8	4
34	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed. Part 11: Sulfonamides. EFSA Journal, 2021, 19, e06863.	1.8	13
35	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed. Part 12: Tetracyclines: tetracycline, chlortetracycline, oxytetracycline, and doxycycline. EFSA Journal, 2021, 19, e06864.	1.8	5
36	Maximum levels of cross ontamination for 24 antimicrobial active substances in nonâ€ŧarget feed.†Part 6: Macrolides: tilmicosin, tylosin and tylvalosin. EFSA Journal, 2021, 19, e06858.	1.8	8

#	ARTICLE	IF	CITATIONS
37	Enterococcus spp. as a Producer and Target of Bacteriocins: A Double-Edged Sword in the Antimicrobial Resistance Crisis Context. Antibiotics, 2021, 10, 1215.	3.7	23
38	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed.†Part 2: Aminoglycosides/aminocyclitols: apramycin, paromomycin, neomycin and spectinomycin. EFSA Journal, 2021, 19, e06853.	1.8	9
39	Maximum levels of crossâ€contamination for 24 antimicrobial active substances in nonâ€target feed.†Part 4: βâ€Lactams: amoxicillin and penicillin V. EFSA Journal, 2021, 19, e06855.	1.8	3
40	Inactivation of indicator microorganisms and biological hazards by standard and/or alternative processing methods in Category 2 and 3 animal byâ€products and derived products to be used as organic fertilisers and/or soil improvers. EFSA Journal, 2021, 19, e06932.	1.8	2
41	From farm to fork: identical clones and Tn6674-like elements in linezolid-resistant Enterococcus faecalis from food-producing animals and retail meat. Journal of Antimicrobial Chemotherapy, 2020, 75, 30-35.	3.0	28
42	Comment on: Emergence of plasmid-mediated oxazolidinone resistance gene poxtA from CC17 Enterococcus faecium of pig origin. Journal of Antimicrobial Chemotherapy, 2020, 75, 1358-1359.	3.0	1
43	Update and review of control options for Campylobacter in broilers at primary production. EFSA Journal, 2020, 18, e06090.	1.8	62
44	Multiplicity of Carbapenemase-Producers Three Years after a KPC-3-Producing K. pneumoniae ST147-K64 Hospital Outbreak. Antibiotics, 2020, 9, 806.	3.7	16
45	ICEs Are the Main Reservoirs of the Ciprofloxacin-Modifying crpP Gene in Pseudomonas aeruginosa. Genes, 2020, 11, 889.	2.4	13
46	Evaluation of Alternative Methods of Tunnel Composting (submitted by the European Composting) Tj ETQq0 0 () rgBT /Ov 1.8	erlock 10 Tf 5
47	Atypical Non-H2S-Producing Monophasic Salmonella Typhimurium ST3478 Strains from Chicken Meat at Processing Stage Are Adapted to Diverse Stresses. Pathogens, 2020, 9, 701.	2.8	10
48	Evaluation of an alternative method for production of biodiesel from processed fats derived from Category 1, 2 and 3 animal byâ€products (submitted by College Proteins). EFSA Journal, 2020, 18, e06089.	1.8	3
49	Guidance on date marking and related food information: part 1 (date marking). EFSA Journal, 2020, 18, e06306.	1.8	17
50	Potential BSE risk posed by the use of ruminant collagen and gelatine in feed for nonâ€ruminant farmed animals. EFSA Journal, 2020, 18, e06267.	1.8	8
51	The use of the soâ€called â€~tubs' for transporting and storing fresh fishery products. EFSA Journal, 2020, 18, e06091.	1.8	5
52	Pathogenicity assessment of Shiga toxinâ€producing Escherichia coli (STEC) and the public health risk posed by contamination of food with STEC. EFSA Journal, 2020, 18, e05967.	1.8	111
53	Linezolid-resistant (Tn <i>6246</i> :: <i>fexB</i> - <i>poxtA</i>) <i>Enterococcus faecium</i> strains colonizing humans and bovines on different continents: similarity without epidemiological link. Journal of Antimicrobial Chemotherapy, 2020, 75, 2416-2423.	3.0	34
54	Update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA 12: suitability of taxonomic units notified to EFSA until March 2020. EFSA Journal, 2020, 18, e06174.	1.8	76

#	Article	IF	CITATIONS
55	Fourier transform infrared (FT-IR) spectroscopy typing: a real-time analysis of an outbreak by carbapenem-resistant Klebsiella pneumoniae. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 2471-2475.	2.9	15
56	Escherichia coli resistant to fosfomycin from urinary tract infections: Detection of the fosA3 gene in Spain. Journal of Global Antimicrobial Resistance, 2020, 21, 414-416.	2.2	16
57	Silent clonal spread of vancomycin-resistant <i>Enterococcus faecalis</i> ST6 and ST525 colonizing patients at hospital admission in Natal, Brazil. Infection Control and Hospital Epidemiology, 2020, 41, 485-487.	1.8	2
58	Food-to-Humans Bacterial Transmission. Microbiology Spectrum, 2020, 8, .	3.0	27
59	A Front Line on Klebsiella pneumoniae Capsular Polysaccharide Knowledge: Fourier Transform Infrared Spectroscopy as an Accurate and Fast Typing Tool. MSystems, 2020, 5, .	3.8	32
60	Acquired AmpC β-Lactamases among Enterobacteriaceae from Healthy Humans and Animals, Food, Aquatic and Trout Aquaculture Environments in Portugal. Pathogens, 2020, 9, 273.	2.8	8
61	The public health risk posed by Listeria monocytogenes in frozen fruit and vegetables including herbs, blanched during processing. EFSA Journal, 2020, 18, e06092.	1.8	24
62	Tolerance to arsenic contaminant among multidrugâ€resistant and copperâ€tolerant <scp><i>Salmonella</i></scp> successful clones is associated with diverse <scp><i>ars</i></scp> operons and genetic contexts. Environmental Microbiology, 2020, 22, 2829-2842.	3.8	17
63	Lactobacillus mulieris sp. nov., a new species of Lactobacillus delbrueckii group. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1522-1527.	1.7	36
64	Comparative genomics of global optrA-carrying Enterococcus faecalis uncovers a common chromosomal hotspot for optrA acquisition within a diversity of core and accessory genomes. Microbial Genomics, 2020, 6, .	2.0	31
65	Comprehensive genome data analysis establishes a triple whammy of carbapenemases, ICEs and multiple clinically relevant bacteria. Microbial Genomics, 2020, 6, .	2.0	17
66	Update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA 11: suitability of taxonomic units notified to EFSA until September 2019. EFSA Journal, 2020, 18, e05965.	1.8	34
67	Scientific Opinion on the update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA (2017–2019). EFSA Journal, 2020, 18, e05966.	1.8	178
68	The status of the species Lactobacillus fornicalis Dicks et al. 2000. Request for an opinion. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 3953-3954.	1.7	5
69	Evaluation of public and animal health risks in case of a delayed postâ€mortem inspection in ungulates. EFSA Journal, 2020, 18, e06307.	1.8	6
70	Isolation and Visualization of Plasmids from Gram-Positive Bacteria of Interest in Public Health. Methods in Molecular Biology, 2020, 2075, 21-38.	0.9	3
71	Methods to Quantify DNA Transfer in Enterococcus. Methods in Molecular Biology, 2020, 2075, 111-122.	0.9	0
72	Combining sequencing approaches to fully resolve a carbapenemase-encoding megaplasmid in a <i>Pseudomonas shirazica</i> clinical strain. Emerging Microbes and Infections, 2019, 8, 1186-1194.	6.5	16

#	Article	IF	CITATIONS
73	Commonality of Multidrug-Resistant Klebsiella pneumoniae ST348 Isolates in Horses and Humans in Portugal. Frontiers in Microbiology, 2019, 10, 1657.	3.5	14
74	Antibiotic resistance in Pseudomonas aeruginosa – Mechanisms, epidemiology and evolution. Drug Resistance Updates, 2019, 44, 100640.	14.4	269
75	Dispersal of linezolid-resistant enterococci carrying poxtA or optrA in retail meat and food-producing animals from Tunisia. Journal of Antimicrobial Chemotherapy, 2019, 74, 2865-2869.	3.0	65
76	2CS-CHX ^T Operon Signature of Chlorhexidine Tolerance among Enterococcus faecium Isolates. Applied and Environmental Microbiology, 2019, 85, .	3.1	10
77	Phylogenomics of <i>Enterococcus faecalis</i> from wild birds: new insights into hostâ€associated differences in core and accessory genomes of the species. Environmental Microbiology, 2019, 21, 3046-3062.	3.8	14
78	Update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA 9: suitability of taxonomic units notified to EFSA until September 2018. EFSA Journal, 2019, 17, e05555.	1.8	37
79	Salmonella control in poultry flocks and its public health impact. EFSA Journal, 2019, 17, e05596.	1.8	93
80	Non-typhoidal Salmonella in the Pig Production Chain: A Comprehensive Analysis of Its Impact on Human Health. Pathogens, 2019, 8, 19.	2.8	92
81	Food-to-Humans Bacterial Transmission. , 2019, , 161-193.		3
82	Whole genome sequencing and metagenomics for outbreak investigation, source attribution and risk assessment of foodâ€borne microorganisms. EFSA Journal, 2019, 17, e05898.	1.8	83
83	A large self-transmissible resistance plasmid from Nigeria contains genes that ameliorate a carrying cost. Scientific Reports, 2019, 9, 19624.	3.3	8
84	Update on chronic wasting disease (CWD) III. EFSA Journal, 2019, 17, e05863.	1.8	28
85	Fourier transform infrared spectroscopy: unlocking fundamentals and prospects for bacterial strain typing. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 427-448.	2.9	92
86	Limosilactobacillus urinaemulieris sp. nov. and Limosilactobacillus portuensis sp. nov. isolated from urine of healthy women. International Journal of Systematic and Evolutionary Microbiology, 2019, 71, .	1.7	10
87	Dissemination of <i>Staphylococcus epidermidis</i> ST22 With Stable, High-Level Resistance to Linezolid and Tedizolid in the Greek-Turkish Region (2008–2016). Infection Control and Hospital Epidemiology, 2018, 39, 492-494.	1.8	8
88	Two decades of blaVIM-2-producing Pseudomonas aeruginosa dissemination: an interplay between mobile genetic elements and successful clones. Journal of Antimicrobial Chemotherapy, 2018, 73, 873-882.	3.0	38
89	Water supply and feed as sources of antimicrobial-resistant Enterococcus spp. in aquacultures of rainbow trout (Oncorhyncus mykiss), Portugal. Science of the Total Environment, 2018, 625, 1102-1112.	8.0	29
90	Virulence genes, capsular and plasmid types of multidrug-resistant CTX-M(-2, -8, -15) and KPC-2-producing Klebsiella pneumoniae isolates from four major hospitals in Brazil. Diagnostic Microbiology and Infectious Disease, 2018, 91, 164-168.	1.8	22

#	Article	IF	CITATIONS
91	Distribution of putative virulence markers in Enterococcus faecium: towards a safety profile review. Journal of Antimicrobial Chemotherapy, 2018, 73, 306-319.	3.0	40
92	Uncommon carbapenemase-encoding plasmids in the clinically emergent Acinetobacter pittii. Journal of Antimicrobial Chemotherapy, 2018, 73, 52-56.	3.0	23
93	Unravelling the genome of a Pseudomonas aeruginosa isolate belonging to the high-risk clone ST235 reveals an integrative conjugative element housing a blaCES-6 carbapenemase. Journal of Antimicrobial Chemotherapy, 2018, 73, 77-83.	3.0	35
94	Imported poultry meat as a source of extended-spectrum cephalosporin-resistant CMY-2-producing Salmonella Heidelberg and Salmonella Minnesota in the European Union, 2014–2015. International Journal of Antimicrobial Agents, 2018, 51, 151-154.	2.5	47
95	High rates of colonisation by ampicillin-resistant enterococci in residents of long-term care facilities in Porto, Portugal. International Journal of Antimicrobial Agents, 2018, 51, 503-507.	2.5	11
96	Hazard analysis approaches for certain small retail establishments and food donations: second scientific opinion. EFSA Journal, 2018, 16, e05432.	1.8	5
97	Public health risks associated with foodâ€borne parasites. EFSA Journal, 2018, 16, e05495.	1.8	61
98	Evaluation of the safety and efficacy of the organic acids lactic and acetic acids to reduce microbiological surface contamination on pork carcasses and pork cuts. EFSA Journal, 2018, 16, e05482.	1.8	17
99	Update on prevalence and mechanisms of resistance to linezolid, tigecycline and daptomycin in enterococci in Europe: Towards a common nomenclature. Drug Resistance Updates, 2018, 40, 25-39.	14.4	165
100	Carbapenemases on the move: itâ \in ^M s good to be on ICEs. Mobile DNA, 2018, 9, 37.	3.6	39
101	Occurrence of mcr-1 in Escherichia coli from rabbits of intensive farming. Veterinary Microbiology, 2018, 227, 78-81.	1.9	13
102	New fluorescent rosamine chelator showing promising antibacterial activity against Gram-positive bacteria. Bioorganic Chemistry, 2018, 79, 341-349.	4.1	8
103	Inflow water is a major source of trout farming contamination with Salmonella and multidrug resistant bacteria. Science of the Total Environment, 2018, 642, 1163-1171.	8.0	27
104	Discrimination of non-typhoid Salmonella serogroups and serotypes by Fourier Transform Infrared Spectroscopy: A comprehensive analysis. International Journal of Food Microbiology, 2018, 285, 34-41.	4.7	28
105	<i>mcr-1</i> in Carbapenemase-Producing <i>Klebsiella pneumoniae</i> with Hospitalized Patients, Portugal, 2016–2017. Emerging Infectious Diseases, 2018, 24, 762-766.	4.3	48
106	Wild corvid birds colonized with vancomycin-resistant Enterococcus faecium of human origin harbor epidemic vanA plasmids. Environment International, 2018, 118, 125-133.	10.0	13
107	Characterization of the pJB12 Plasmid from Pseudomonas aeruginosa Reveals Tn <i>6352</i> , a Novel Putative Transposon Associated with Mobilization of the <i>bla</i> _{VIM-2} -Harboring In58 Integron. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	23
108	The complete nucleotide sequence of an IncP-2 megaplasmid unveils a mosaic architecture comprising a putative novel blaVIM-2-harbouring transposon in Pseudomonas aeruginosa. Journal of Antimicrobial Chemotherapy, 2017, 72, 2225-2229.	3.0	36

#	Article	IF	CITATIONS
109	Update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSA 5: suitability of taxonomic units notified to EFSA until September 2016. EFSA Journal, 2017, 15, e04663.	1.8	56
110	Scientific Opinion on the update of the list of QPSâ€recommended biological agents intentionally added to food or feed as notified to EFSAâ€. EFSA Journal, 2017, 15, e04664.	1.8	185
111	CES-14-Producing Acinetobacter baumannii Isolates in a Neonatal Intensive Care Unit in Tunisia Are Associated with a Typical Middle East Clone and a Transferable Plasmid. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	14
112	Rapid detection of high-risk Enterococcus faecium clones by matrix-assisted laser desorption ionization time-of-flight mass spectrometry. Diagnostic Microbiology and Infectious Disease, 2017, 87, 299-307.	1.8	14
113	Detection of optrA in the African continent (Tunisia) within a mosaic Enterococcus faecalis plasmid from urban wastewaters. Journal of Antimicrobial Chemotherapy, 2017, 72, 3245-3251.	3.0	61
114	Long-Term Care Facility (LTCF) Residents Colonized With Multidrug-Resistant (MDR) Klebsiella pneumoniae Lineages Frequently Causing Infections in Portuguese Clinical Institutions. Infection Control and Hospital Epidemiology, 2017, 38, 1127-1130.	1.8	7
115	Biofilm-Forming Ability and Clonality in Acinetobacter baumannii Strains Isolated from Urine Samples and Urinary Catheters in Different European Hospitals. Advances in Experimental Medicine and Biology, 2017, 1057, 73-83.	1.6	5
116	Citrobacter europaeus sp. nov., isolated from water and human faecal samples. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 170-173.	1.7	30
117	Citrobacter portucalensis sp. nov., isolated from an aquatic sample. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3513-3517.	1.7	40
118	KPC-3-Producing Klebsiella pneumoniae in Portugal Linked to Previously Circulating Non-CG258 Lineages and Uncommon Genetic Platforms (Tn4401d-IncFIA and Tn4401d-IncN). Frontiers in Microbiology, 2016, 7, 1000.	3.5	54
119	Co-diversification of Enterococcus faecium Core Genomes and PBP5: Evidences of pbp5 Horizontal Transfer. Frontiers in Microbiology, 2016, 7, 1581.	3.5	34
120	Importation of Fosfomycin Resistance <i>fosA3</i> Gene to Europe. Emerging Infectious Diseases, 2016, 22, 346-348.	4.3	25
121	Efficient transmission of IncFIIY and IncL plasmids and Klebsiella pneumoniae ST101 clone producing OXA-48, NDM-1 or OXA-181 in Bucharest hospitals. International Journal of Antimicrobial Agents, 2016, 48, 223-224.	2.5	14
122	Tolerance to multiple metal stressors in emerging non-typhoidal MDR <i>Salmonella</i> serotypes: a relevant role for copper in anaerobic conditions. Journal of Antimicrobial Chemotherapy, 2016, 71, 2147-2157.	3.0	48
123	Co-infection with three linezolid-resistant Enterococcus faecium ST117 strain variants: what are we missing in diagnosis?. International Journal of Antimicrobial Agents, 2016, 47, 500-501.	2.5	5
124	Multilevel population genetic analysis of <i>vanA</i> and <i>vanB Enterococcus faecium</i> causing nosocomial outbreaks in 27 countries (1986–2012). Journal of Antimicrobial Chemotherapy, 2016, 71, 3351-3366.	3.0	129
125	Exploring non-hospital-related settings in Angola reveals new Acinetobacter reservoirs for blaOXA-23 and blaOXA-58. International Journal of Antimicrobial Agents, 2016, 48, 228-230.	2.5	3
126	An update on faecal carriage of ESBL-producing Enterobacteriaceae by Portuguese healthy humans: detection of theH30 subclone of B2-ST131Escherichia coliproducing CTX-M-27: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 1120-1122.	3.0	35

#	Article	IF	CITATIONS
127	Clinical <i>Salmonella</i> Typhimurium ST34 with metal tolerance genes and an IncHI2 plasmid carrying <i>oqxAB-aac(6′)-lb-cr</i> from Europe. Journal of Antimicrobial Chemotherapy, 2016, 71, 843-845.	3.0	27
128	Atypical epidemiology of CTX-M-15 among Enterobacteriaceae from a high diversity of non-clinical niches in Angola: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 1169-1173.	3.0	28
129	Salmonellosis: the role of poultry meat. Clinical Microbiology and Infection, 2016, 22, 110-121.	6.0	398
130	Diversity and Evolution of the Tn <i>5801-tet</i> (M)-Like Integrative and Conjugative Elements among Enterococcus, Streptococcus, and Staphylococcus. Antimicrobial Agents and Chemotherapy, 2016, 60, 1736-1746.	3.2	51
131	Relevance of <i>tcrYAZB</i> operon acquisition for <i>Enterococcus</i> survival at high copper concentrations under anaerobic conditions: TableÂ1 Journal of Antimicrobial Chemotherapy, 2016, 71, 560-563.	3.0	10
132	MCR-1 in multidrug-resistant and copper-tolerant clinically relevant Salmonella 1,4,[5],12:i:- and S. Rissen clones in Portugal, 2011 to 2015. Eurosurveillance, 2016, 21, .	7.0	103
133	Unsuitability of MALDI-TOF MS to discriminate Acinetobacter baumannii clones under routine experimental conditions. Frontiers in Microbiology, 2015, 6, 481.	3.5	35
134	The status of the species Bacillus aerophilus and Bacillus stratosphericus. Request for an Opinion. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1101-1101.	1.7	26
135	Snapshot on carbapenemase-producing <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter baumannii</i> in Bucharest hospitals reveals unusual clones and novel genetic surroundings for <i>bla</i> OXA-23. Journal of Antimicrobial Chemotherapy, 2015, 70, 1016-1020.	3.0	27
136	Metal tolerance in emerging clinically relevant multidrug-resistant Salmonella enterica serotype 4,[5],12:i:â^ clones circulating in Europe. International Journal of Antimicrobial Agents, 2015, 45, 610-616.	2.5	85
137	Filling the map for antimicrobial resistance in sub-Saharan Africa: ampicillin-resistant <i>Enterococcus</i> from non-clinical sources in Angola: Table 1 Journal of Antimicrobial Chemotherapy, 2015, 70, 2914-2916.	3.0	16
138	Increase of widespread A, B1 and D Escherichia coli clones producing a high diversity of CTX-M-types in a Portuguese hospital. Future Microbiology, 2015, 10, 1125-1131.	2.0	18
139	Phylogeny and Comparative Genomics Unveil Independent Diversification Trajectories of <i>qnrB</i> and Genetic Platforms within Particular Citrobacter Species. Antimicrobial Agents and Chemotherapy, 2015, 59, 5951-5958.	3.2	55
140	Evaluation of the Recently Launched Rapid Carb Blue Kit for Detection of Carbapenemase-Producing Gram-Negative Bacteria. Journal of Clinical Microbiology, 2015, 53, 3105-3107.	3.9	22
141	A hospital sewage ST17 Enterococcus faecium with a transferable Inc18-like plasmid carrying genes coding for resistance to antibiotics and quaternary ammonium compounds (qacZ). Journal of Global Antimicrobial Resistance, 2015, 3, 49-51.	2.2	9
142	Ready-to-eat street-vended food as a potential vehicle of bacterial pathogens and antimicrobial resistance: An exploratory study in Porto region, Portugal. International Journal of Food Microbiology, 2015, 206, 1-6.	4.7	63
143	Extending the reservoir of <i>bla</i> _{IMP-5} : the emerging pathogen <i>Acinetobacter bereziniae</i> . Future Microbiology, 2015, 10, 1609-1613.	2.0	11
144	Characterization of a new genetic environment associated with GES-6 carbapenemase from a Pseudomonas aeruginosa isolate belonging to the high-risk clone ST235. Journal of Antimicrobial Chemotherapy, 2015, 70, 615-617.	3.0	17

#	Article	IF	CITATIONS
145	Linezolid-ResistantStaphylococcus epidermidis,Portugal, 2012. Emerging Infectious Diseases, 2014, 20, 903-905.	4.3	23
146	Characterization of the emerging clinically-relevant multidrug-resistant Salmonella enterica serotype 4,[5],12:i:- (monophasic variant of S. Typhimurium) clones. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 2249-2257.	2.9	39
147	Identification of carbapenemâ€resistant <i>Acinetobacter baumannii</i> clones using infrared spectroscopy. Journal of Biophotonics, 2014, 7, 287-294.	2.3	26
148	Phylogenetic and clonality analysis ofBacillus pumilusisolates uncovered a highly heterogeneous population of different closely related species and clones. FEMS Microbiology Ecology, 2014, 90, 689-698.	2.7	24
149	MALDI-TOF MS and chemometric based identification of the Acinetobacter calcoaceticus-Acinetobacter baumannii complex species. International Journal of Medical Microbiology, 2014, 304, 669-677.	3.6	53
150	Discrimination of the Acinetobacter calcoaceticus–Acinetobacter baumannii complex species by Fourier transform infrared spectroscopy. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1345-1353.	2.9	18
151	Detection of VIM-34, a novel VIM-1 variant identified in the intercontinental ST15 Klebsiella pneumoniae clone. Journal of Antimicrobial Chemotherapy, 2014, 69, 274-275.	3.0	10
152	Development of a FTIR-ATR based model for typing clinically relevant Acinetobacter baumannii clones belonging to ST98, ST103, ST208 and ST218. Journal of Photochemistry and Photobiology B: Biology, 2014, 133, 108-114.	3.8	39
153	MALDI-TOF mass spectrometry as a tool for the discrimination of high-risk Escherichia coli clones from phylogenetic groups B2 (ST131) and D (ST69, ST405, ST393). European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 1391-1399.	2.9	48
154	Co-transfer of resistance to high concentrations of copper and first-line antibiotics among Enterococcus from different origins (humans, animals, the environment and foods) and clonal lineages. Journal of Antimicrobial Chemotherapy, 2014, 69, 899-906.	3.0	68
155	Bacillus invictae sp. nov., isolated from a health product. International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 3867-3876.	1.7	20
156	Expansion of ESBL-producing Klebsiella pneumoniae in hospitalized patients: A successful story of international clones (ST15, ST147, ST336) and epidemic plasmids (IncR, IncFIIK). International Journal of Medical Microbiology, 2014, 304, 1100-1108.	3.6	120
157	Clinically relevant multidrug resistant Salmonella enterica in swine and meat handlers at the abattoir. Veterinary Microbiology, 2014, 168, 229-233.	1.9	36
158	Long-term dissemination of acquired AmpC β-lactamases among Klebsiella spp. and Escherichia coli in Portuguese clinical settings. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 551-558.	2.9	17
159	Optimization of preservation and processing of sea anemones for microbial community analysis using molecular tools. Scientific Reports, 2014, 4, 6986.	3.3	13
160	Differentiation of Bacillus pumilus and Bacillus safensis Using MALDI-TOF-MS. PLoS ONE, 2014, 9, e110127.	2.5	44
161	Diversity and biofilm-production ability among isolates of Escherichia coli phylogroup D belonging to ST69, ST393 and ST405 clonal groups. BMC Microbiology, 2013, 13, 144.	3.3	35
162	Incl1/ST3 and IncN/ST1 plasmids drive the spread of blaTEM-52 and blaCTX-M-1/-32 in diverse Escherichia coli clones from different piggeries. Journal of Antimicrobial Chemotherapy, 2013, 68, 2245-8.	3.0	30

#	Article	IF	CITATIONS
163	Microbiological quality of ready-to-eat salads: An underestimated vehicle of bacteria and clinically relevant antibiotic resistance genes. International Journal of Food Microbiology, 2013, 166, 464-470.	4.7	94
164	Salmonella enterica serotype Bovismorbificans, a new host for CTX-M-9. International Journal of Antimicrobial Agents, 2013, 41, 91-93.	2.5	5
165	Blue-Carba, an Easy Biochemical Test for Detection of Diverse Carbapenemase Producers Directly from Bacterial Cultures. Journal of Clinical Microbiology, 2013, 51, 4281-4283.	3.9	172
166	Spread of multidrug-resistant Enterococcus to animals and humans: an underestimated role for the pig farm environment. Journal of Antimicrobial Chemotherapy, 2013, 68, 2746-2754.	3.0	74
167	Public Health Risks of Enterobacterial Isolates Producing Extended-Spectrum Â-Lactamases or AmpC Â-Lactamases in Food and Food-Producing Animals: An EU Perspective of Epidemiology, Analytical Methods, Risk Factors, and Control Options. Clinical Infectious Diseases, 2013, 56, 1030-1037.	5.8	225
168	Diverse high-risk B2 and D Escherichia coli clones depicted by Fourier Transform Infrared Spectroscopy. Scientific Reports, 2013, 3, 3278.	3.3	39
169	Microevolutionary Events Involving Narrow Host Plasmids Influences Local Fixation of Vancomycin-Resistance in Enterococcus Populations. PLoS ONE, 2013, 8, e60589.	2.5	56
170	Commensal Enterobacteriaceae as reservoirs of extended-spectrum beta-lactamases, integrons, and sul genes in Portugal. Frontiers in Microbiology, 2013, 4, 80.	3.5	29
171	Role of Common bla OXA-24/OXA-40 -Carrying Platforms and Plasmids in the Spread of OXA-24/OXA-40 among Acinetobacter Species Clinical Isolates. Antimicrobial Agents and Chemotherapy, 2012, 56, 3969-3972.	3.2	59
172	Characterization of Globally Spread Escherichia coli ST131 Isolates (1991 to 2010). Antimicrobial Agents and Chemotherapy, 2012, 56, 3973-3976.	3.2	49
173	Different Genetic Supports for the <i>tet</i> (S) Gene in Enterococci. Antimicrobial Agents and Chemotherapy, 2012, 56, 6014-6018.	3.2	15
174	Characterization of extended-spectrum beta-lactamases, antimicrobial resistance genes, and plasmid content in Escherichia coli isolates from different sources in Rio de Janeiro, Brazil. Diagnostic Microbiology and Infectious Disease, 2012, 74, 91-94.	1.8	12
175	Spread of an OmpK36-modified ST15 Klebsiella pneumoniae variant during an outbreak involving multiple carbapenem-resistant Enterobacteriaceae species and clones. European Journal of Clinical Microbiology and Infectious Diseases, 2012, 31, 3057-3063.	2.9	54
176	Salmonella cross-contamination in swine abattoirs in Portugal: Carcasses, meat and meat handlers. International Journal of Food Microbiology, 2012, 157, 82-87.	4.7	53
177	A tet(S/M) hybrid from CTn6000 and CTn916 recombination. Microbiology (United Kingdom), 2012, 158, 2710-2711.	1.8	8
178	Non-susceptibility to tigecycline in enterococci from hospitalised patients, food products and community sources. International Journal of Antimicrobial Agents, 2011, 38, 174-176.	2.5	23
179	First description of qnrS1-IncN plasmid in a ST11 Salmonella Enteritidis clinical isolate from Portugal. Diagnostic Microbiology and Infectious Disease, 2011, 69, 463-465.	1.8	14
180	Optimization of processing conditions for the quantification of enterococci biofilms using microtitre-plates. Journal of Microbiological Methods, 2011, 84, 167-173.	1.6	49

#	Article	IF	CITATIONS
181	Cnidarians as a Source of New Marine Bioactive Compounds—An Overview of the Last Decade and Future Steps for Bioprospecting. Marine Drugs, 2011, 9, 1860-1886.	4.6	210
182	Understanding the dynamics of imipenem-resistant Acinetobacter baumannii lineages within Portugal. Clinical Microbiology and Infection, 2011, 17, 1275-1279.	6.0	42
183	Characterization of antibiotic resistant enterococci isolated from untreated waters for human consumption in Portugal. International Journal of Food Microbiology, 2011, 145, 315-319.	4.7	30
184	Unraveling Cyanobacteria Ecology in Wastewater Treatment Plants (WWTP). Microbial Ecology, 2011, 62, 241-256.	2.8	49
185	OXA-23-producing Acinetobacter baumannii: a new hotspot of diversity in Rio de Janeiro?. Journal of Antimicrobial Chemotherapy, 2011, 66, 62-65.	3.0	61
186	Human and Swine Hosts Share Vancomycin-Resistant Enterococcus faecium CC17 and CC5 and Enterococcus faecalis CC2 Clonal Clusters Harboring Tn <i>1546</i> on Indistinguishable Plasmids. Journal of Clinical Microbiology, 2011, 49, 925-931.	3.9	126
187	Characterization of the Novel CMT Enzyme TEM-154. Antimicrobial Agents and Chemotherapy, 2011, 55, 1262-1265.	3.2	5
188	Leakage of emerging clinically relevant multidrug-resistant Salmonella clones from pig farms. Journal of Antimicrobial Chemotherapy, 2011, 66, 2028-2032.	3.0	78
189	Isolation and characterization of an imported extremely-resistant Pseudomonas aeruginosa producing three different extended-spectrum β-lactamases and hyperproducing two multidrug-efflux pumps. Journal of Infection, 2010, 61, 511-512.	3.3	1
190	Emergence of an extreme-drug-resistant (XDR) Acinetobacter baumannii carrying blaOXA-23 in a patient with acute necrohaemorrhagic pancreatitis. Journal of Hospital Infection, 2010, 75, 82-83.	2.9	22
191	Acquired carbapenemases in Gram-negative bacterial pathogens: detection and surveillance issues. Clinical Microbiology and Infection, 2010, 16, 112-122.	6.0	287
192	Global Spread of the <i>hyl</i> _{Efm} Colonization-Virulence Gene in Megaplasmids of the <i>Enterococcus faecium</i> CC17 Polyclonal Subcluster. Antimicrobial Agents and Chemotherapy, 2010, 54, 2660-2665.	3.2	67
193	Emergence of an Incl plasmid encoding CMY-2 Â-lactamase associated with the international ST19 OXA-30-producing Â-lactamase Salmonella Typhimurium multidrug-resistant clone. Journal of Antimicrobial Chemotherapy, 2010, 65, 2097-2100.	3.0	22
194	International Spread and Persistence of TEM-24 Is Caused by the Confluence of Highly Penetrating <i>Enterobacteriaceae</i> Clones and an IncA/C ₂ Plasmid Containing Tn <i>1696</i> ::Tn <i>1</i> and IS <i>5075</i> -Tn <i>21</i> . Antimicrobial Agents and Chemotherapy, 2010, 54, 825-834.	3.2	41
195	Cyanobacteria and bacteria co-occurrence in a wastewater treatment plant: absence of allelopathic effects. Water Science and Technology, 2010, 62, 1954-1962.	2.5	28
196	Successful application of the DiversiLab repetitive-sequence-based PCR typing system for confirmation of the circulation of a multiresistant Pseudomonas aeruginosa clone in different hospital wards. Diagnostic Microbiology and Infectious Disease, 2010, 67, 202-206.	1.8	19
197	Dispersion of Multidrug-Resistant <i>Enterococcus faecium</i> Isolates Belonging to Major Clonal Complexes in Different Portuguese Settings. Applied and Environmental Microbiology, 2009, 75, 4904-4908.	3.1	52
198	Leakage into Portuguese aquatic environments of extended-spectrum-Â-lactamase-producing Enterobacteriaceae. Journal of Antimicrobial Chemotherapy, 2009, 63, 616-618.	3.0	26

#	Article	IF	CITATIONS
199	Clonal expansion within clonal complex 2 and spread of vancomycin-resistant plasmids among different genetic lineages of Enterococcus faecalis from Portugal. Journal of Antimicrobial Chemotherapy, 2009, 63, 1104-1111.	3.0	76
200	Controlling for false positives: interpreting MBL Etest and MBL combined disc test for the detection of metallo-Â-lactamases. Journal of Antimicrobial Chemotherapy, 2009, 64, 657-658.	3.0	19
201	Prevalence and spread of extended-spectrum β-lactamase-producing Enterobacteriaceae in Europe. Clinical Microbiology and Infection, 2008, 14, 144-153.	6.0	495
202	Diversity of Tn <i>1546</i> and Its Role in the Dissemination of Vancomycin-Resistant Enterococci in Portugal. Antimicrobial Agents and Chemotherapy, 2008, 52, 1001-1008.	3.2	64
203	Antibiotic resistance integrons and extended-spectrum Â-lactamases among Enterobacteriaceae isolates recovered from chickens and swine in Portugal. Journal of Antimicrobial Chemotherapy, 2008, 62, 296-302.	3.0	147
204	Dissemination of Clonally Related <i>Escherichia coli</i> Strains Expressing Extended-Spectrum β-Lactamase CTX-M-15. Emerging Infectious Diseases, 2008, 14, 195-200.	4.3	672
205	Dissemination of sul3 -Containing Elements Linked to Class 1 Integrons with an Unusual 3′ Conserved Sequence Region among Salmonella Isolates. Antimicrobial Agents and Chemotherapy, 2007, 51, 1545-1548.	3.2	113
206	Emergence and Dissemination of Enterobacteriaceae Isolates Producing CTX-M-1-Like Enzymes in Spain Are Associated with IncFII (CTX-M-15) and Broad-Host-Range (CTX-M-1, -3, and -32) Plasmids. Antimicrobial Agents and Chemotherapy, 2007, 51, 796-799.	3.2	110
207	Preservation of Integron Types among <i>Enterobacteriaceae</i> Producing Extended-Spectrum β-Lactamases in a Spanish Hospital over a 15-Year Period (1988 to 2003). Antimicrobial Agents and Chemotherapy, 2007, 51, 2201-2204.	3.2	42
208	Molecular Epidemiology of Imipenem-Resistant <i>Acinetobacter haemolyticus</i> and <i>Acinetobacter baumannii</i> Isolates Carrying Plasmid-Mediated OXA-40 from a Portuguese Hospital. Antimicrobial Agents and Chemotherapy, 2007, 51, 3465-3466.	3.2	37
209	High diversity of extended-spectrum Â-lactamases among clinical isolates of Enterobacteriaceae from Portugal. Journal of Antimicrobial Chemotherapy, 2007, 60, 1370-1374.	3.0	53
210	Metallo-β-lactamases as emerging resistance determinants in Gram-negative pathogens: open issues. International Journal of Antimicrobial Agents, 2007, 29, 380-388.	2.5	134
211	Characterization of antimicrobial resistance and class 1 and 2 integrons in Salmonella enterica isolates from different sources in Portugal. Journal of Antimicrobial Chemotherapy, 2006, 58, 297-304.	3.0	100
212	Illegal use of nitrofurans in food animals: contribution to human salmonellosis?. Clinical Microbiology and Infection, 2006, 12, 1047-1049.	6.0	55
213	Antimicrobial resistance among faecal enterococci from healthy individuals in Portugal. Clinical Microbiology and Infection, 2006, 12, 1131-1134.	6.0	34
214	β-Nitrostyrene derivatives as potential antibacterial agents: A structure–property–activity relationship study. Bioorganic and Medicinal Chemistry, 2006, 14, 4078-4088.	3.0	73
215	Multiniche Screening Reveals the Clinically Relevant Metallo-β-Lactamase VIM-2 in Pseudomonas aeruginosa Far from the Hospital Setting: an Ongoing Dispersion Process?. Applied and Environmental Microbiology, 2006, 72, 3743-3745.	3.1	42
216	Dissemination and Persistence of bla CTX-M-9 Are Linked to Class 1 Integrons Containing CR1 Associated with Defective Transposon Derivatives from Tn 402 Located in Early Antibiotic Resistance Plasmids of IncHI2, IncP1-α, and IncFI Groups. Antimicrobial Agents and Chemotherapy, 2006, 50, 2741-2750.	3.2	108

#	Article	IF	CITATIONS
217	Dissemination in Portugal of CTX-M-15-, OXA-1-, and TEM-1-Producing Enterobacteriaceae Strains Containing the aac(6 â€ ²)-Ib-cr Gene, Which Encodes an Aminoglycoside- and Fluoroquinolone-Modifying Enzyme. Antimicrobial Agents and Chemotherapy, 2006, 50, 3220-3221.	3.2	95
218	Vancomycin-resistant <i>Enterococcus faecium</i> Clone in Swine, Europe. Emerging Infectious Diseases, 2005, 11, 1985-1987.	4.3	15
219	Characterization of In 100 , a New Integron Carrying a Metallo-β-Lactamase and a Carbenicillinase, from Pseudomonas aeruginosa. Antimicrobial Agents and Chemotherapy, 2005, 49, 451-453.	3.2	27
220	Integron Content of Extended-Spectrum-β-Lactamase-Producing Escherichia coli Strains over 12 Years in a Single Hospital in Madrid, Spain. Antimicrobial Agents and Chemotherapy, 2005, 49, 1823-1829.	3.2	174
221	Environmental Contamination with Vancomycin-Resistant Enterococci from Hospital Sewage in Portugal. Applied and Environmental Microbiology, 2005, 71, 3364-3368.	3.1	85
222	Molecular Characterization of Glycopeptide-Resistant Enterococcus faecium Isolates from Portuguese Hospitals. Antimicrobial Agents and Chemotherapy, 2005, 49, 3073-3079.	3.2	24
223	High occurrence and persistence of antibiotic-resistant enterococci in poultry food samples in Portugal. Journal of Antimicrobial Chemotherapy, 2005, 56, 1139-1143.	3.0	86
224	Dissemination of Sulfonamide Resistance Genes (sul1 , sul2 , and sul3) in Portuguese Salmonella enterica Strains and Relation with Integrons. Antimicrobial Agents and Chemotherapy, 2005, 49, 836-839.	3.2	235
225	First Isolation of bla VIM-2 in an Environmental Isolate of Pseudomonas pseudoalcaligenes. Antimicrobial Agents and Chemotherapy, 2005, 49, 2140-2141.	3.2	36
226	In vitro activity of daptomycin against enterococci from nosocomial and community environments in Portugal. Journal of Antimicrobial Chemotherapy, 2004, 54, 964-966.	3.0	5
227	Long-term dissemination of an OXA-40 carbapenemase-producing Acinetobacter baumannii clone in the Iberian Peninsula. Journal of Antimicrobial Chemotherapy, 2004, 54, 255-258.	3.0	64
228	Local Genetic Patterns within a Vancomycin-Resistant Enterococcus faecalis Clone Isolated in Three Hospitals in Portugal. Antimicrobial Agents and Chemotherapy, 2004, 48, 3613-3617.	3.2	35
229	Antibiotic residues in edible tissues and antibiotic resistance of faecalEscherichia coliin pigs from Portugal. Food Additives and Contaminants, 2004, 21, 749-755.	2.0	17
230	Emergence of CTX-M β-lactamase-producing Enterobacteriaceae in Portugal: report of an Escherichia coli isolate harbouring blaCTX-M-14. Clinical Microbiology and Infection, 2004, 10, 755-757.	6.0	17
231	Dissemination amongst humans and food products of animal origin of a Salmonella typhimurium clone expressing an integron-borne OXA-30 Â-lactamase. Journal of Antimicrobial Chemotherapy, 2004, 54, 429-434.	3.0	47
232	Incidence of Salmonella from poultry products and their susceptibility to antimicrobial agents. International Journal of Food Microbiology, 2003, 82, 97-103.	4.7	173
233	First report of the activity of linezolid against Portuguese enterococci from human, animal and environmental sources. Journal of Antimicrobial Chemotherapy, 2003, 51, 1314-1315.	3.0	3
234	Sfh-I, a Subclass B2 Metallo-β-Lactamase from a Serratia fonticola Environmental Isolate. Antimicrobial Agents and Chemotherapy, 2003, 47, 2330-2333.	3.2	71

#	Article	IF	CITATIONS
235	Metallo-β-Lactamase VIM-2 in Clinical Isolates ofPseudomonas aeruginosafrom Portugal. Microbial Drug Resistance, 2002, 8, 93-97.	2.0	51
236	Molecular characterization of blaIMP-5, a new integron-borne metallo-β-lactamase gene from an Acinetobacter baumannii nosocomial isolate in Portugal. FEMS Microbiology Letters, 2002, 215, 33-39.	1.8	37
237	First characterization of vancomycin-resistant enterococci from a Portuguese hospital. Journal of Antimicrobial Chemotherapy, 2002, 49, 215-217.	3.0	6
238	Incidence and Susceptibility to Antimicrobial Agents of Listeria spp. and Listeria monocytogenes Isolated from Poultry Carcasses in Porto, Portugal. Journal of Food Protection, 2002, 65, 1888-1893.	1.7	34
239	Molecular characterization ofblaIMP-5, a new integron-borne metallo-ÃŽÂ2-lactamase gene from anAcinetobacter baumanniinosocomial isolate in Portugal. FEMS Microbiology Letters, 2002, 215, 33-39.	1.8	95
240	Carbapenem-hydrolysing β-lactamase from clinical isolates of Pseudomonas aeruginosa in Portugal. Journal of Antimicrobial Chemotherapy, 1999, 44, 135-135.	3.0	15
241	Emergence of Carbapenem-Hydrolyzing Enzymes in <i>Acinetobacter baumannii</i> Clinical Isolates . Journal of Clinical Microbiology, 1999, 37, 2109-2110.	3.9	32
242	A bla(TEM-1b)-derived TEM-6 beta-lactamase: a case of convergent evolution. Antimicrobial Agents and Chemotherapy, 1997, 41, 1206-1206.	3.2	6
243	Characterization of β-lactamases encoded by pathogenic strains of Escherichia coli from Portugal. Journal of Antimicrobial Chemotherapy, 1991, 27, 437-440.	3.0	16