

# Bernard J Hanseeuw

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3881175/publications.pdf>

Version: 2024-02-01

134  
papers

4,521  
citations

136885

32  
h-index

114418

63  
g-index

141  
all docs

141  
docs citations

141  
times ranked

6056  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2019, 76, 915.	4.5	512
2	Phases of Hyperconnectivity and Hypoconnectivity in the Default Mode and Salience Networks Track with Amyloid and Tau in Clinically Normal Individuals. <i>Journal of Neuroscience</i> , 2017, 37, 4323-4331.	1.7	237
3	Defining face perception areas in the human brain: A large-scale factorial fMRI face localizer analysis. <i>Brain and Cognition</i> , 2012, 79, 138-157.	0.8	236
4	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 542.	4.5	201
5	Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <i>American Journal of Psychiatry</i> , 2018, 175, 530-537.	4.0	175
6	The impact of amyloid $\beta$ and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019, 85, 181-193.	2.8	171
7	Sex, amyloid, and <i>APOE</i> $\epsilon$ 4 and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three well-characterized cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 1193-1203.	0.4	169
8	Immune-mediated neurological syndromes in SARS-CoV-2-infected patients. <i>Journal of Neurology</i> , 2021, 268, 751-757.	1.8	154
9	Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid $\beta$ . <i>Alzheimer's and Dementia</i> , 2017, 13, 1004-1012.	0.4	139
10	Neurogenetic contributions to amyloid beta and tau spreading in the human cortex. <i>Nature Medicine</i> , 2018, 24, 1910-1918.	15.2	135
11	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global $\beta$ -Amyloid Burden. <i>JAMA Neurology</i> , 2017, 74, 1455.	4.5	119
12	The cortical origin and initial spread of medial temporal tauopathy in Alzheimer's disease assessed with positron emission tomography. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	111
13	Fluorodeoxyglucose metabolism associated with tau $\beta$ amyloid interaction predicts memory decline. <i>Annals of Neurology</i> , 2017, 81, 583-596.	2.8	110
14	Functional network integrity presages cognitive decline in preclinical Alzheimer disease. <i>Neurology</i> , 2017, 89, 29-37.	1.5	106
15	Mild Cognitive Impairment: Differential Atrophy in the Hippocampal Subfields. <i>American Journal of Neuroradiology</i> , 2011, 32, 1658-1661.	1.2	100
16	PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018, 14, 1281-1292.	0.4	93
17	Cerebral lateralization of face-sensitive areas in left-handers: Only the FFA does not get it right. <i>Cortex</i> , 2013, 49, 2583-2589.	1.1	81
18	Alzheimer's Disease Biomarkers and Future Decline in Cognitive Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1451-1459.	1.2	80

#	ARTICLE	IF	CITATIONS
19	Vascular Risk and $\beta$ -Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019, 85, 272-279.	2.8	75
20	Tau Accumulation in Clinically Normal Older Adults Is Associated with Hippocampal Hyperactivity. <i>Journal of Neuroscience</i> , 2019, 39, 548-556.	1.7	75
21	Memory self-awareness in the preclinical and prodromal stages of Alzheimer's disease. <i>Neuropsychologia</i> , 2017, 99, 343-349.	0.7	67
22	Sex Mediates Relationships Between Regional Tau Pathology and Cognitive Decline. <i>Annals of Neurology</i> , 2020, 88, 921-932.	2.8	63
23	Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. <i>NeuroImage: Clinical</i> , 2017, 15, 408-414.	1.4	61
24	Hierarchical Organization of Tau and Amyloid Deposits in the Cerebral Cortex. <i>JAMA Neurology</i> , 2017, 74, 813.	4.5	61
25	Unmasking selective path integration deficits in Alzheimer's disease risk carriers. <i>Science Advances</i> , 2020, 6, eaba1394.	4.7	55
26	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019, 78, 178-185.	1.5	54
27	Heterogeneity in Suspected Non-Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. <i>JAMA Neurology</i> , 2016, 73, 1185.	4.5	52
28	Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. <i>Neurology</i> , 2017, 88, 1759-1767.	1.5	50
29	The elusive tau molecular structures: can we translate the recent breakthroughs into new targets for intervention?. <i>Acta Neuropathologica Communications</i> , 2019, 7, 31.	2.4	49
30	Regional tau pathology and loneliness in cognitively normal older adults. <i>Translational Psychiatry</i> , 2018, 8, 282.	2.4	46
31	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021, 96, e619-e631.	1.5	45
32	Linking APOE- $\mu$ 4, blood-brain barrier dysfunction, and inflammation to Alzheimer's pathology. <i>Neurobiology of Aging</i> , 2020, 85, 96-103.	1.5	41
33	Evolution of anosognosia in alzheimer's disease and its relationship to amyloid. <i>Annals of Neurology</i> , 2020, 87, 267-280.	2.8	39
34	Associative encoding deficits in amnesic mild cognitive impairment: A volumetric and functional MRI study. <i>NeuroImage</i> , 2011, 56, 1743-1748.	2.1	34
35	Analytical and clinical performances of the automated Lumipulse cerebrospinal fluid A $\beta$ <sup>242</sup> and T-Tau assays for Alzheimer's disease diagnosis. <i>Journal of Neurology</i> , 2019, 266, 2304-2311.	1.8	34
36	Longitudinal amyloid and tau accumulation in autosomal dominant Alzheimer's disease: findings from the Colombia-Boston (COLBOS) biomarker study. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 27.	3.0	34

#	ARTICLE	IF	CITATIONS
37	Variant-dependent heterogeneity in amyloid $\beta^2$ burden in autosomal dominant Alzheimer's disease: cross-sectional and longitudinal analyses of an observational study. <i>Lancet Neurology</i> , The, 2022, 21, 140-152.	4.9	34
38	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 757-768.	1.2	32
39	Inferior temporal tau is associated with accelerated prospective cortical thinning in clinically normal older adults. <i>NeuroImage</i> , 2020, 220, 116991.	2.1	31
40	Classification of Non-Demented Patients Attending a Memory Clinic using the New Diagnostic Criteria for Alzheimer's Disease with Disease-Related Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 835-847.	1.2	29
41	Association of anxiety with subcortical amyloidosis in cognitively normal older adults. <i>Molecular Psychiatry</i> , 2020, 25, 2599-2607.	4.1	28
42	Striatal amyloid is associated with tauopathy and memory decline in familial Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 17.	3.0	26
43	Decreased hippocampal metabolism in high amyloid mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2016, 12, 1288-1296.	0.4	23
44	Defining a Centiloid scale threshold predicting long-term progression to dementia in patients attending the memory clinic: an [18F] flutemetamol amyloid PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 302-310.	3.3	23
45	Targretin Improves Cognitive and Biological Markers in a Patient with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015, 49, 271-276.	1.2	22
46	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>EClinicalMedicine</i> , 2021, 35, 100848.	3.2	22
47	CSF1R inhibition rescues tau pathology and neurodegeneration in an A/T/N model with combined AD pathologies, while preserving plaque associated microglia. <i>Acta Neuropathologica Communications</i> , 2021, 9, 108.	2.4	22
48	Trajectory of Unawareness of Memory Decline in Individuals With Autosomal Dominant Alzheimer Disease. <i>JAMA Network Open</i> , 2020, 3, e2027472.	2.8	22
49	Association of Emerging $\beta^2$ -Amyloid and Tau Pathology With Early Cognitive Changes in Clinically Normal Older Adults. <i>Neurology</i> , 2022, 98, .	1.5	20
50	Biomarker counseling, disclosure of diagnosis and follow-up in patients with mild cognitive impairment: A European Alzheimer's disease consortium survey. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 324-333.	1.3	19
51	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021, 96, .	1.5	18
52	A Retrospective Belgian Multi-Center MRI Biomarker Study in Alzheimer's Disease (REMEMBER). <i>Journal of Alzheimer's Disease</i> , 2018, 63, 1509-1522.	1.2	17
53	Association of cortical microstructure with amyloid- $\beta^2$ and tau: impact on cognitive decline, neurodegeneration, and clinical progression in older adults. <i>Molecular Psychiatry</i> , 2021, 26, 7813-7822.	4.1	17
54	A multisite analysis of the concordance between visual image interpretation and quantitative analysis of [18F]flutemetamol amyloid PET images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2183-2199.	3.3	16

#	ARTICLE	IF	CITATIONS
55	Alzheimer's disease and driving: review of the literature and consensus guideline from Belgian dementia experts and the Belgian road safety institute endorsed by the Belgian Medical Association. <i>Acta Neurologica Belgica</i> , 2017, 117, 811-819.	0.5	15
56	Dementia, End of Life, and Euthanasia: A Survey Among Dementia Specialists Organized by the Belgian Dementia Council. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 989-1001.	1.2	14
57	Increased sensitivity to proactive interference in amnesic mild cognitive impairment is independent of associative and semantic impairment. <i>Brain and Cognition</i> , 2010, 72, 325-331.	0.8	13
58	Excessive Worrying as a Central Feature of Anxiety during the First COVID-19 Lockdown-Phase in Belgium: Insights from a Network Approach. <i>Psychologica Belgica</i> , 2021, 61, 401.	1.0	13
59	Performance on the RI-48 Cued Recall Test Best Predicts Conversion to Dementia at the 5- and 10-Year Follow-Ups. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2011, 1, 258-266.	0.6	12
60	Unirhinal Olfactory Testing for the Diagnostic Workup of Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 253-270.	1.2	12
61	Prediction of Free and Cued Selective Reminding Test Performance Using Volumetric and Amyloid-Based Biomarkers of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 991-1004.	1.2	11
62	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 121-129.	1.2	11
63	Interdisciplinary and Transdisciplinary Perspectives: On the Road to a Holistic Approach to Dementia Prevention and Care. <i>Journal of Alzheimer's Disease Reports</i> , 2020, 4, 39-48.	1.2	10
64	Premature termination codon mutations in ABCA7 contribute to Alzheimer's disease risk in Belgian patients. <i>Neurobiology of Aging</i> , 2021, 106, 307.e1-307.e7.	1.5	10
65	Increased sensitivity to proactive and retroactive interference in amnesic mild cognitive impairment: New insights. <i>Brain and Cognition</i> , 2012, 80, 104-110.	0.8	9
66	Patients with Amyloid-Negative Mild Cognitive Impairment have Cortical Hypometabolism but the Hippocampus is Preserved. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 651-660.	1.2	9
67	Interactive versus additive relationships between regional cortical thinning and amyloid burden in predicting clinical decline in mild AD and MCI individuals. <i>NeuroImage: Clinical</i> , 2018, 17, 388-396.	1.4	8
68	Mechanism of Cellular Formation and In Vivo Seeding Effects of Hexameric $\beta$ -Amyloid Assemblies. <i>Molecular Neurobiology</i> , 2021, 58, 6647-6669.	1.9	8
69	A Pragmatic, Data-Driven Method to Determine Cutoffs for CSF Biomarkers of Alzheimer Disease Based on Validation Against PET Imaging. <i>Neurology</i> , 2022, 99, .	1.5	8
70	Decreased meta-memory is associated with early tauopathy in cognitively unimpaired older adults. <i>NeuroImage: Clinical</i> , 2019, 24, 102097.	1.4	7
71	Functional and Pathological Correlates of Judgments of Learning in Cognitively Unimpaired Older Adults. <i>Cerebral Cortex</i> , 2020, 30, 1974-1983.	1.6	7
72	Pathological correlates of impaired self-awareness of memory function in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 118.	3.0	7

#	ARTICLE	IF	CITATIONS
73	Diagnostic Performance of Automated MRI Volumetry by icobrain dm for Alzheimer's Disease in a Clinical Setting: A REMEMBER Study. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 623-639.	1.2	7
74	Investigating Associative Learning Effects in Patients with Prodromal Alzheimer's Disease Using the Temporal Context Model. <i>Journal of the International Neuropsychological Society</i> , 2015, 21, 699-708.	1.2	5
75	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1161-1170.	1.2	5
76	Frontotemporal Lobar Degeneration Case with an N-Terminal TUBA4A Mutation Exhibits Reduced TUBA4A Levels in the Brain and TDP-43 Pathology. <i>Biomolecules</i> , 2022, 12, 440.	1.8	5
77	Spouse-Appraised Memory Functioning Predicts Memory Decline Better Than Subjective Memory Complaints in Community Dwelling Older Adults at Genetic Risk for Alzheimer's Disease. <i>Frontiers in Psychiatry</i> , 2021, 12, 633102.	1.3	4
78	Disclosing tau tangles using PET imaging: a pharmacological review of the radiotracers available in 2021. <i>Acta Neurologica Belgica</i> , 2022, 122, 263-272.	0.5	4
79	Practices and opinions about disclosure of the diagnosis of Alzheimer's disease to patients with MCI or dementia: a survey among Belgian medical experts in the field of dementia. <i>Acta Neurologica Belgica</i> , 2020, 120, 1157-1163.	0.5	3
80	[ICP181]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P134.	0.4	2
81	IC013: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. <i>Alzheimer's and Dementia</i> , 2016, 12, P20.	0.4	1
82	IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P36-P37.		1
83	[P337]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1103.	0.4	1
84	[IC03]: TAU AND HIPPOCAMPAL VOLUME REFLECT DISTINCT PROCESSES IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P5.	0.4	1
85	[O105]: GENOTYPIC VARIANCE MAY EXPLAIN THE BALANCE OF EARLY CORTICAL VERSUS STRIATAL AMYLOID DEPOSITION IN AUTOSOMAL DOMINANT AD. <i>Alzheimer's and Dementia</i> , 2017, 13, P187.	0.4	1
86	[P4500]: SPATIAL PATTERNS OF FLORTAUCIPIR (FTP) SIGNAL IN COGNITIVELY NORMAL ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1530.	0.4	1
87	IC04: REGIONAL ASYMMETRIES IN AMYLOID AND TAU GO TOGETHER: EVIDENCE FOR LOCAL INTERACTION. <i>Alzheimer's and Dementia</i> , 2018, 14, P4.	0.4	1
88	Multivariate prediction of rate of decline in memory functioning over six years using imaging biomarkers. <i>Alzheimer's and Dementia</i> , 2020, 16, e045645.	0.4	1
89	Longitudinal hippocampal atrophy is associated with an amyloid-independent entorhinal tauopathy and an amyloid-independent neocortical tauopathy. <i>Alzheimer's and Dementia</i> , 2020, 16, e045733.	0.4	1
90	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	1

#	ARTICLE	IF	CITATIONS
91	O2-03-02: REGIONAL BRAIN METABOLISM AND CORTICAL THICKNESS IN F18-FLUTEMETAMOL AMYLOID-POSITIVE VERSUS -NEGATIVE MILD COGNITIVE IMPAIRMENT PATIENTS. , 2014, 10, P167-P168.		0
92	P4-083: Hippocampal metabolism is decreased in high-amyloid mild cognitive impairment but not in high-amyloid clinically normal elders. , 2015, 11, P802-P803.		0
93	O4-01-03: Entorhinal tau deposition is associated with parietal association cortex hypometabolism in clinically normal older individuals. , 2015, 11, P266-P267.		0
94	F3-04-01: In Vivo Cortical Distribution of Tau and Amyloid Deposits in Cognitively Normal Elderly. , 2016, 12, P274-P274.		0
95	O4-01-06: Ab+ Clinically Normal Participants with Elevated Tau Show Greatest Decline in the Preclinical Alzheimer's Disease Cognitive Composite. Alzheimer's and Dementia, 2016, 12, P333.	0.4	0
96	O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P345-P346.		0
97	O4-07-05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. Alzheimer's and Dementia, 2016, 12, P349.	0.4	0
98	P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of $\beta$ -Amyloid Burden in Preclinical ad. , 2016, 12, P1158-P1159.		0
99	[P3-461]: IMPROVED PREDICTION OF COGNITIVE PERFORMANCE USING A WEIGHTED LINEAR COMPOSITE OF BIOMARKERS OF ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2017, 13, P1149.	0.4	0
100	[P4-228]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY. Alzheimer's and Dementia, 2017, 13, P1357.	0.4	0
101	[P1-398]: TAU ACCUMULATION IS DETECTABLE AND CORRELATED TO AMYLOID BURDEN IN NORMAL AND IMPAIRED OLDER INDIVIDUALS USING SERIAL PET. Alzheimer's and Dementia, 2017, 13, P423.	0.4	0
102	[O2-10-03]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2017, 13, P577.	0.4	0
103	O3-12-01: DECREASED META-MEMORY FOR EPISODIC BUT NOT SEMANTIC INFORMATION IS ASSOCIATED WITH EARLY TAUOPATHY IN CLINICALLY NORMAL OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P1050.	0.4	0
104	P3-290: AMYLOID PATHOLOGY EXPLAINS UNAWARENESS OF MEMORY DEFICITS ABOVE AND BEYOND CORTICAL THICKNESS IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2018, 14, P1191.	0.4	0
105	O3-04-03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS. Alzheimer's and Dementia, 2018, 14, P1019.	0.4	0
106	P1-443: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU IN YOUNGER, NON-DEMENTED INDIVIDUALS IN THE FRAMINGHAM HEART STUDY. Alzheimer's and Dementia, 2018, 14, P482.	0.4	0
107	IC-P-138: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU WITHIN YOUNGER, NON-DEMENTED INDIVIDUALS OF THE FRAMINGHAM HEART STUDY. Alzheimer's and Dementia, 2018, 14, P115.	0.4	0
108	O1-10-03: SEX AND <i>APOE</i> GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY. Alzheimer's and Dementia, 2018, 14, P243.	0.4	0



#	ARTICLE	IF	CITATIONS
109	ICâ€Pâ€140: TAU ACCUMULATION AND MEMORY DECLINE ARE MORE CLOSELY RELATED TO STRIATAL THAN CORTICAL AMYLOIDOSIS IN INDIVIDUALS WITH EARLYâ€ONSET AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P117.	0.4	0
110	ICâ€Pâ€008: ANATOMICAL STAGING OF BETAâ€AMYLOID ACCUMULATION BASED ON LONGITUDINAL ASSESSMENT OF GLOBALLY PIB NEGATIVE ADULTS. Alzheimer's and Dementia, 2019, 15, P18.	0.4	0
111	Association of tau tangle burden with depressive symptoms in communityâ€dwelling older adults: A longitudinal study. Alzheimer's and Dementia, 2020, 16, e038867.	0.4	0
112	Evolution of unawareness of memory decline in individuals with autosomal dominant Alzheimerâ€™s disease. Alzheimer's and Dementia, 2020, 16, e039921.	0.4	0
113	The relationship between cortical microstructural changes and in vivo amyloidâ€ <sup>12</sup> and tau in aging and preclinical Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, e041626.	0.4	0
114	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tauâ€PET. Alzheimer's and Dementia, 2020, 16, e043566.	0.4	0
115	Faster rates of tau accumulation in FTPâ€PET in females relative to males, and a crossâ€sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. Alzheimer's and Dementia, 2020, 16, e043620.	0.4	0
116	Associations of peak width of skeletonized mean diffusivity with cardiovascular disease risk and cognitive decline in clinically normal older adults. Alzheimer's and Dementia, 2020, 16, e043812.	0.4	0
117	Alzheimerâ€™like glucose hypometabolism predicts subsequent dementia in amyloidâ€negative mild cognitive impairment. Alzheimer's and Dementia, 2020, 16, e044541.	0.4	0
118	Current status and quantitative results of the AMYPAD prognostic and natural history study. Alzheimer's and Dementia, 2020, 16, e044711.	0.4	0
119	Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. Alzheimer's and Dementia, 2020, 16, e046075.	0.4	0
120	Depressive symptoms are associated with hippocampal neurodegeneration in preclinical autosomal dominant Alzheimerâ€™s disease. Alzheimer's and Dementia, 2020, 16, e046495.	0.4	0
121	Association of tau tangle burden with depressive symptoms in communityâ€dwelling older adults: A longitudinal study. Alzheimer's and Dementia, 2020, 16, e046549.	0.4	0
122	CSF biomarkers within a Belgian allochthonous population. Alzheimer's and Dementia, 2020, 16, e047125.	0.4	0
123	Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. Alzheimer's and Dementia, 2020, 16, e047321.	0.4	0
124	Pathological correlates of impaired selfâ€awareness of memory function in dementia. Alzheimer's and Dementia, 2020, 16, e047694.	0.4	0
125	Correlation between MKâ€240 tauâ€PET and CSF tau, Pâ€tau and amyloid proteins. Alzheimer's and Dementia, 2021, 17, .	0.4	0
126	Increased intraâ€network functional connectivity in MCI patients progressing towards dementia compared to stable MCI. Alzheimer's and Dementia, 2021, 17, .	0.4	0



#	ARTICLE	IF	CITATIONS
127	Brainstem volume is negatively associated with amyloid deposition in the Framingham Heart Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
128	Cortical microstructure is associated with tau burden and predicts cognitive decline and clinical progression in healthy older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
129	Sequential early cognitive changes sensitive to rising beta-amyloid and tau pathology in preclinical AD. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
130	Longitudinal associations between amyloid and tau-PET: Impact for prevention trials. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
131	Regional beta-amyloid and tau deposition: Results from the Framingham Heart Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
132	Pattern separation and pattern completion for human face identity recognition in prodromal Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
133	The location of <i>PSEN1</i> pathogenic variants in transmembrane vs. cytoplasmic domains may alter neurodegenerative and cognitive trajectories: Findings from the DIAN study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
134	Associations Between Brainstem Volume and Alzheimer's Disease Pathology in Middle-Aged Individuals of the Framingham Heart Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1603-1609.	1.2	0