

Bernard J Hanseeuw

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3881175/publications.pdf>

Version: 2024-02-01

134
papers

4,521
citations

136950

32
h-index

114465

63
g-index

141
all docs

141
docs citations

141
times ranked

6056
citing authors

#	ARTICLE	IF	CITATIONS
1	Disclosing tau tangles using PET imaging: a pharmacological review of the radiotracers available in 2021. <i>Acta Neurologica Belgica</i> , 2022, 122, 263-272.	1.1	4
2	Variant-dependent heterogeneity in amyloid β^2 burden in autosomal dominant Alzheimer's disease: cross-sectional and longitudinal analyses of an observational study. <i>Lancet Neurology</i> , The, 2022, 21, 140-152.	10.2	34
3	Frontotemporal Lobar Degeneration Case with an N-Terminal TUBA4A Mutation Exhibits Reduced TUBA4A Levels in the Brain and TDP-43 Pathology. <i>Biomolecules</i> , 2022, 12, 440.	4.0	5
4	Association of Emerging β^2 -Amyloid and Tau Pathology With Early Cognitive Changes in Clinically Normal Older Adults. <i>Neurology</i> , 2022, 98, .	1.1	20
5	Associations Between Brainstem Volume and Alzheimer's Disease Pathology in Middle-Aged Individuals of the Framingham Heart Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1603-1609.	2.6	0
6	A Pragmatic, Data-Driven Method to Determine Cutoffs for CSF Biomarkers of Alzheimer Disease Based on Validation Against PET Imaging. <i>Neurology</i> , 2022, 99, .	1.1	8
7	Defining a Centiloid scale threshold predicting long-term progression to dementia in patients attending the memory clinic: an [18F] flutemetamol amyloid PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 302-310.	6.4	23
8	Immune-mediated neurological syndromes in SARS-CoV-2-infected patients. <i>Journal of Neurology</i> , 2021, 268, 751-757.	3.6	154
9	Defining the Lowest Threshold for Amyloid-PET to Predict Future Cognitive Decline and Amyloid Accumulation. <i>Neurology</i> , 2021, 96, e619-e631.	1.1	45
10	Biomarker counseling, disclosure of diagnosis and follow-up in patients with mild cognitive impairment: A European Alzheimer's disease consortium survey. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 324-333.	2.7	19
11	Longitudinal amyloid and tau accumulation in autosomal dominant Alzheimer's disease: findings from the Colombia-Boston (COLBOS) biomarker study. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 27.	6.2	34
12	Spouse-Appraised Memory Functioning Predicts Memory Decline Better Than Subjective Memory Complaints in Community Dwelling Older Adults at Genetic Risk for Alzheimer's Disease. <i>Frontiers in Psychiatry</i> , 2021, 12, 633102.	2.6	4
13	A multisite analysis of the concordance between visual image interpretation and quantitative analysis of [18F]flutemetamol amyloid PET images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2183-2199.	6.4	16
14	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>EClinicalMedicine</i> , 2021, 35, 100848.	7.1	22
15	Comparing PET and MRI Biomarkers Predicting Cognitive Decline in Preclinical Alzheimer Disease. <i>Neurology</i> , 2021, 96, .	1.1	18
16	CSF1R inhibition rescues tau pathology and neurodegeneration in an A/T/N model with combined AD pathologies, while preserving plaque associated microglia. <i>Acta Neuropathologica Communications</i> , 2021, 9, 108.	5.2	22
17	Pathological correlates of impaired self-awareness of memory function in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 118.	6.2	7
18	Association of cortical microstructure with amyloid- β^2 and tau: impact on cognitive decline, neurodegeneration, and clinical progression in older adults. <i>Molecular Psychiatry</i> , 2021, 26, 7813-7822.	7.9	17

#	ARTICLE	IF	CITATIONS
19	Diagnostic Performance of Automated MRI Volumetry by icobrain dm for Alzheimer's Disease in a Clinical Setting: A REMEMBER Study. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 623-639.	2.6	7
20	Premature termination codon mutations in ABCA7 contribute to Alzheimer's disease risk in Belgian patients. <i>Neurobiology of Aging</i> , 2021, 106, 307.e1-307.e7.	3.1	10
21	The cortical origin and initial spread of medial temporal tauopathy in Alzheimer's disease assessed with positron emission tomography. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	111
22	Mechanism of Cellular Formation and In Vivo Seeding Effects of Hexameric β -Amyloid Assemblies. <i>Molecular Neurobiology</i> , 2021, 58, 6647-6669.	4.0	8
23	Correlation between MK-6240 tau-PET and CSF tau, β -tau and amyloid proteins. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
24	Increased intra-network functional connectivity in MCI patients progressing towards dementia compared to stable MCI. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
25	Brainstem volume is negatively associated with amyloid deposition in the Framingham Heart Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
26	Cortical microstructure is associated with tau burden and predicts cognitive decline and clinical progression in healthy older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
27	Excessive Worrying as a Central Feature of Anxiety during the First COVID-19 Lockdown-Phase in Belgium: Insights from a Network Approach. <i>Psychologica Belgica</i> , 2021, 61, 401.	1.9	13
28	Sequential early cognitive changes sensitive to rising β -amyloid and tau pathology in preclinical AD. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
29	Longitudinal associations between amyloid and tau-PET: Impact for prevention trials. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
30	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
31	Regional β -amyloid and tau deposition: Results from the Framingham Heart Study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
32	Pattern separation and pattern completion for human face identity recognition in prodromal Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
33	The location of <i>PSEN1</i> pathogenic variants in transmembrane vs. cytoplasmic domains may alter neurodegenerative and cognitive trajectories: Findings from the DIAN study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
34	Association of anxiety with subcortical amyloidosis in cognitively normal older adults. <i>Molecular Psychiatry</i> , 2020, 25, 2599-2607.	7.9	28
35	Linking APOE- μ 4, blood-brain barrier dysfunction, and inflammation to Alzheimer's pathology. <i>Neurobiology of Aging</i> , 2020, 85, 96-103.	3.1	41
36	Functional and Pathological Correlates of Judgments of Learning in Cognitively Unimpaired Older Adults. <i>Cerebral Cortex</i> , 2020, 30, 1974-1983.	2.9	7

#	ARTICLE	IF	CITATIONS
37	Evolution of anosognosia in alzheimer's disease and its relationship to amyloid. <i>Annals of Neurology</i> , 2020, 87, 267-280.	5.3	39
38	Sex Mediates Relationships Between Regional Tau Pathology and Cognitive Decline. <i>Annals of Neurology</i> , 2020, 88, 921-932.	5.3	63
39	Unmasking selective path integration deficits in Alzheimer's disease risk carriers. <i>Science Advances</i> , 2020, 6, eaba1394.	10.3	55
40	Practices and opinions about disclosure of the diagnosis of Alzheimer's disease to patients with MCI or dementia: a survey among Belgian medical experts in the field of dementia. <i>Acta Neurologica Belgica</i> , 2020, 120, 1157-1163.	1.1	3
41	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020, 16, e038867.	0.8	0
42	Evolution of unawareness of memory decline in individuals with autosomal dominant Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e039921.	0.8	0
43	The relationship between cortical microstructural changes and in vivo amyloid- β^2 and tau in aging and preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e041626.	0.8	0
44	Estimating an individual's placement on a theoretical continuum using longitudinal cognitive trajectories: Relationships with longitudinal amyloid and Tau-PET. <i>Alzheimer's and Dementia</i> , 2020, 16, e043566.	0.8	0
45	Faster rates of tau accumulation in FTP-PET in females relative to males, and a cross-sectional influence on faster cognitive decline: Preliminary findings from HABS and ADNI. <i>Alzheimer's and Dementia</i> , 2020, 16, e043620.	0.8	0
46	Associations of peak width of skeletonized mean diffusivity with cardiovascular disease risk and cognitive decline in clinically normal older adults. <i>Alzheimer's and Dementia</i> , 2020, 16, e043812.	0.8	0
47	Alzheimer's-like glucose hypometabolism predicts subsequent dementia in amyloid-negative mild cognitive impairment. <i>Alzheimer's and Dementia</i> , 2020, 16, e044541.	0.8	0
48	Current status and quantitative results of the AMYPAD prognostic and natural history study. <i>Alzheimer's and Dementia</i> , 2020, 16, e044711.	0.8	0
49	Multivariate prediction of rate of decline in memory functioning over six years using imaging biomarkers. <i>Alzheimer's and Dementia</i> , 2020, 16, e045645.	0.8	1
50	Longitudinal hippocampal atrophy is associated with an amyloid-independent entorhinal tauopathy and an amyloid-dependent neocortical tauopathy. <i>Alzheimer's and Dementia</i> , 2020, 16, e045733.	0.8	1
51	Distinct contributions of longitudinal tau and amyloid to decline in various cognitive domains in preclinical AD. <i>Alzheimer's and Dementia</i> , 2020, 16, e046075.	0.8	0
52	Depressive symptoms are associated with hippocampal neurodegeneration in preclinical autosomal dominant Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e046495.	0.8	0
53	Association of tau tangle burden with depressive symptoms in community-dwelling older adults: A longitudinal study. <i>Alzheimer's and Dementia</i> , 2020, 16, e046549.	0.8	0
54	CSF biomarkers within a Belgian allochthonous population. <i>Alzheimer's and Dementia</i> , 2020, 16, e047125.	0.8	0

#	ARTICLE	IF	CITATIONS
55	Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. <i>Alzheimer's and Dementia</i> , 2020, 16, e047321.	0.8	0
56	Pathological correlates of impaired self-awareness of memory function in dementia. <i>Alzheimer's and Dementia</i> , 2020, 16, e047694.	0.8	0
57	Inferior temporal tau is associated with accelerated prospective cortical thinning in clinically normal older adults. <i>NeuroImage</i> , 2020, 220, 116991.	4.2	31
58	Interdisciplinary and Transdisciplinary Perspectives: On the Road to a Holistic Approach to Dementia Prevention and Care. <i>Journal of Alzheimer's Disease Reports</i> , 2020, 4, 39-48.	2.2	10
59	Trajectory of Unawareness of Memory Decline in Individuals With Autosomal Dominant Alzheimer Disease. <i>JAMA Network Open</i> , 2020, 3, e2027472.	5.9	22
60	The impact of amyloid β and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019, 85, 181-193.	5.3	171
61	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 757-768.	2.6	32
62	Sex Differences in the Association of Global Amyloid and Regional Tau Deposition Measured by Positron Emission Tomography in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 542.	9.0	201
63	Analytical and clinical performances of the automated Lumipulse cerebrospinal fluid A β 42 and T-Tau assays for Alzheimer's disease diagnosis. <i>Journal of Neurology</i> , 2019, 266, 2304-2311.	3.6	34
64	Dementia, End of Life, and Euthanasia: A Survey Among Dementia Specialists Organized by the Belgian Dementia Council. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 989-1001.	2.6	14
65	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2019, 76, 915.	9.0	512
66	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 1161-1170.	2.6	5
67	Associations between baseline amyloid, sex, and APOE on subsequent tau accumulation in cerebrospinal fluid. <i>Neurobiology of Aging</i> , 2019, 78, 178-185.	3.1	54
68	The elusive tau molecular structures: can we translate the recent breakthroughs into new targets for intervention?. <i>Acta Neuropathologica Communications</i> , 2019, 7, 31.	5.2	49
69	Striatal amyloid is associated with tauopathy and memory decline in familial Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 17.	6.2	26
70	ICAPO08: ANATOMICAL STAGING OF BETA β -AMYLOID ACCUMULATION BASED ON LONGITUDINAL ASSESSMENT OF GLOBALLY PIB NEGATIVE ADULTS. <i>Alzheimer's and Dementia</i> , 2019, 15, P18.	0.8	0
71	Decreased meta-memory is associated with early tauopathy in cognitively unimpaired older adults. <i>NeuroImage: Clinical</i> , 2019, 24, 102097.	2.7	7
72	Vascular Risk and β -Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019, 85, 272-279.	5.3	75

#	ARTICLE	IF	CITATIONS
73	Tau Accumulation in Clinically Normal Older Adults Is Associated with Hippocampal Hyperactivity. <i>Journal of Neuroscience</i> , 2019, 39, 548-556.	3.6	75
74	The relationship between recall of recently versus remotely encoded famous faces and amyloidosis in clinically normal older adults. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 121-129.	2.4	11
75	Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <i>American Journal of Psychiatry</i> , 2018, 175, 530-537.	7.2	175
76	Interactive versus additive relationships between regional cortical thinning and amyloid burden in predicting clinical decline in mild AD and MCI individuals. <i>NeuroImage: Clinical</i> , 2018, 17, 388-396.	2.7	8
77	O3â€12â€01: DECREASED METAâ€MEMORY FOR EPISODIC BUT NOT SEMANTIC INFORMATION IS ASSOCIATED WITH EARLY TAUOPATHY IN CLINICALLY NORMAL OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1050.	0.8	0
78	P3â€290: AMYLOID PATHOLOGY EXPLAINS UNAWARENESS OF MEMORY DEFICITS ABOVE AND BEYOND CORTICAL THICKNESS IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2018, 14, P1191.	0.8	0
79	O3â€04â€03: AMYLOID IS ASSOCIATED WITH GREATER TAU BURDEN IN CLINICALLY NORMAL FEMALES RELATIVE TO MALES: FINDINGS FROM TWO INDEPENDENT COHORTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1019.	0.8	0
80	P1â€443: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU IN YOUNGER, NONâ€DEMENTED INDIVIDUALS IN THE FRAMINGHAM HEART STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P482.	0.8	0
81	ICâ€Pâ€138: ASSOCIATION BETWEEN REGIONAL AMYLOID AND REGIONAL TAU WITHIN YOUNGER, NONâ€DEMENTED INDIVIDUALS OF THE FRAMINGHAM HEART STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P115.	0.8	0
82	O1â€10â€03: SEX AND <i>APOE</i> GENOTYPE INFLUENCE THE ASSOCIATION BETWEEN AMYLOID AND LONGITUDINAL TAU PATHOLOGY IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE ADNI STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P243.	0.8	0
83	ICâ€02â€04: REGIONAL ASYMMETRIES IN AMYLOID AND TAU GO TOGETHER: EVIDENCE FOR LOCAL INTERACTION. <i>Alzheimer's and Dementia</i> , 2018, 14, P4.	0.8	1
84	ICâ€Pâ€140: TAU ACCUMULATION AND MEMORY DECLINE ARE MORE CLOSELY RELATED TO STRIATAL THAN CORTICAL AMYLOIDOSIS IN INDIVIDUALS WITH EARLYâ€ONSET AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P117.	0.8	0
85	Regional tau pathology and loneliness in cognitively normal older adults. <i>Translational Psychiatry</i> , 2018, 8, 282.	4.8	46
86	Neurogenetic contributions to amyloid beta and tau spreading in the human cortex. <i>Nature Medicine</i> , 2018, 24, 1910-1918.	30.7	135
87	Sex, amyloid, and <i>APOE</i> Î¼4 and risk of cognitive decline in preclinical Alzheimer's disease: Findings from three wellâ€characterized cohorts. <i>Alzheimer's and Dementia</i> , 2018, 14, 1193-1203.	0.8	169
88	PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018, 14, 1281-1292.	0.8	93
89	A Retrospective Belgian Multi-Center MRI Biomarker Study in Alzheimerâ€™s Disease (REMEMBER). <i>Journal of Alzheimer's Disease</i> , 2018, 63, 1509-1522.	2.6	17
90	Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid Î². <i>Alzheimer's and Dementia</i> , 2017, 13, 1004-1012.	0.8	139

#	ARTICLE	IF	CITATIONS
91	Fluorodeoxyglucose metabolism associated with tau-amyloid interaction predicts memory decline. <i>Annals of Neurology</i> , 2017, 81, 583-596.	5.3	110
92	Functional network integrity presages cognitive decline in preclinical Alzheimer disease. <i>Neurology</i> , 2017, 89, 29-37.	1.1	106
93	Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. <i>NeuroImage: Clinical</i> , 2017, 15, 408-414.	2.7	61
94	Hierarchical Organization of Tau and Amyloid Deposits in the Cerebral Cortex. <i>JAMA Neurology</i> , 2017, 74, 813.	9.0	61
95	Memory self-awareness in the preclinical and prodromal stages of Alzheimer's disease. <i>Neuropsychologia</i> , 2017, 99, 343-349.	1.6	67
96	Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. <i>Neurology</i> , 2017, 88, 1759-1767.	1.1	50
97	Phases of Hyperconnectivity and Hypoconnectivity in the Default Mode and Salience Networks Track with Amyloid and Tau in Clinically Normal Individuals. <i>Journal of Neuroscience</i> , 2017, 37, 4323-4331.	3.6	237
98	Region-Specific Association of Subjective Cognitive Decline With Tauopathy Independent of Global β -Amyloid Burden. <i>JAMA Neurology</i> , 2017, 74, 1455.	9.0	119
99	Alzheimer's disease and driving: review of the literature and consensus guideline from Belgian dementia experts and the Belgian road safety institute endorsed by the Belgian Medical Association. <i>Acta Neurologica Belgica</i> , 2017, 117, 811-819.	1.1	15
100	Alzheimer's Disease Biomarkers and Future Decline in Cognitive Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 1451-1459.	2.6	80
101	[P3-376]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1103.	0.8	1
102	[P3-461]: IMPROVED PREDICTION OF COGNITIVE PERFORMANCE USING A WEIGHTED LINEAR COMPOSITE OF BIOMARKERS OF ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1149.	0.8	0
103	[P4-228]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1357.	0.8	0
104	[ICAP-181]: LONGITUDINAL TAU ACCUMULATION IS ASSOCIATED WITH COGNITIVE DECLINE IN NORMAL ELDERLY. <i>Alzheimer's and Dementia</i> , 2017, 13, P134.	0.8	2
105	[IC-02-03]: TAU AND HIPPOCAMPAL VOLUME REFLECT DISTINCT PROCESSES IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P5.	0.8	1
106	[P1-398]: TAU ACCUMULATION IS DETECTABLE AND CORRELATED TO AMYLOID BURDEN IN NORMAL AND IMPAIRED OLDER INDIVIDUALS USING SERIAL PET. <i>Alzheimer's and Dementia</i> , 2017, 13, P423.	0.8	0
107	[O1-02-05]: GENOTYPIC VARIANCE MAY EXPLAIN THE BALANCE OF EARLY CORTICAL VERSUS STRIATAL AMYLOID DEPOSITION IN AUTOSOMAL DOMINANT AD. <i>Alzheimer's and Dementia</i> , 2017, 13, P187.	0.8	1
108	[O2-10-03]: SEVERITY OF SUBJECTIVE COGNITIVE DECLINE ALIGNS WITH REGIONAL AMYLOID SEVERITY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P577.	0.8	0

#	ARTICLE	IF	CITATIONS
109	[P4â€“500]: SPATIAL PATTERNS OF FLORTAUCIPIR (FTP) SIGNAL IN COGNITIVELY NORMAL ELDERLY. Alzheimer's and Dementia, 2017, 13, P1530.	0.8	1
110	Patients with Amyloid-Negative Mild Cognitive Impairment have Cortical Hypometabolism but the Hippocampus is Preserved. Journal of Alzheimer's Disease, 2016, 53, 651-660.	2.6	9
111	Prediction of Free and Cued Selective Reminding Test Performance Using Volumetric and Amyloid-Based Biomarkers of Alzheimerâ€™s Disease. Journal of the International Neuropsychological Society, 2016, 22, 991-1004.	1.8	11
112	ICâ€“Pâ€“013: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. Alzheimer's and Dementia, 2016, 12, P20.	0.8	1
113	IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P36-P37.		1
114	F3-04-01: In Vivo Cortical Distribution of Tau and Amyloid Deposits in Cognitively Normal Elderly. , 2016, 12, P274-P274.		0
115	O4â€“01â€“06: Ab+ Clinically Normal Participants with Elevated Tau Show Greatest Decline in the Preclinical Alzheimerâ€™s Disease Cognitive Composite. Alzheimer's and Dementia, 2016, 12, P333.	0.8	0
116	O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P345-P346.		0
117	O4â€“07â€“05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. Alzheimer's and Dementia, 2016, 12, P349.	0.8	0
118	P4-325: TAU BURDEN is Associated with Subjective Cognitive Concerns in the Context of Î²2-Amyloid Burden in Preclinical ad. , 2016, 12, P1158-P1159.		0
119	Decreased hippocampal metabolism in highâ€“amyloid mild cognitive impairment. Alzheimer's and Dementia, 2016, 12, 1288-1296.	0.8	23
120	Heterogeneity in Suspected Nonâ€“Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. JAMA Neurology, 2016, 73, 1185.	9.0	52
121	Investigating Associative Learning Effects in Patients with Prodromal Alzheimerâ€™s Disease Using the Temporal Context Model. Journal of the International Neuropsychological Society, 2015, 21, 699-708.	1.8	5
122	P4-083: Hippocampal metabolism is decreased in high-amyloid mild cognitive impairment but not in high-amyloid clinically normal elders. , 2015, 11, P802-P803.		0
123	Unirhinal Olfactory Testing for the Diagnostic Workup of Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2015, 47, 253-270.	2.6	12
124	O4-01-03: Entorhinal tau deposition is associated with parietal association cortex hypometabolism in clinically normal older individuals. , 2015, 11, P266-P267.		0
125	Targretin Improves Cognitive and Biological Markers in a Patient with Alzheimerâ€™s Disease. Journal of Alzheimer's Disease, 2015, 49, 271-276.	2.6	22
126	Classification of Non-Demented Patients Attending a Memory Clinic using the New Diagnostic Criteria for Alzheimer's Disease with Disease-Related Biomarkers. Journal of Alzheimer's Disease, 2014, 43, 835-847.	2.6	29

#	ARTICLE	IF	CITATIONS
127	O2-03-02: REGIONAL BRAIN METABOLISM AND CORTICAL THICKNESS IN F18-FLUTEMETAMOL AMYLOID-POSITIVE VERSUS -NEGATIVE MILD COGNITIVE IMPAIRMENT PATIENTS. , 2014, 10, P167-P168.		0
128	Cerebral lateralization of face-sensitive areas in left-handers: Only the FFA does not get it right. Cortex, 2013, 49, 2583-2589.	2.4	81
129	Defining face perception areas in the human brain: A large-scale factorial fMRI face localizer analysis. Brain and Cognition, 2012, 79, 138-157.	1.8	236
130	Increased sensitivity to proactive and retroactive interference in amnesic mild cognitive impairment: New insights. Brain and Cognition, 2012, 80, 104-110.	1.8	9
131	Associative encoding deficits in amnesic mild cognitive impairment: A volumetric and functional MRI study. NeuroImage, 2011, 56, 1743-1748.	4.2	34
132	Performance on the RI-48 Cued Recall Test Best Predicts Conversion to Dementia at the 5- and 10-Year Follow-Ups. Dementia and Geriatric Cognitive Disorders Extra, 2011, 1, 258-266.	1.3	12
133	Mild Cognitive Impairment: Differential Atrophy in the Hippocampal Subfields. American Journal of Neuroradiology, 2011, 32, 1658-1661.	2.4	100
134	Increased sensitivity to proactive interference in amnesic mild cognitive impairment is independent of associative and semantic impairment. Brain and Cognition, 2010, 72, 325-331.	1.8	13