

Elisabetta Barberio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3885212/publications.pdf>

Version: 2024-02-01

609
papers

40,935
citations

4831

87
h-index

4983

173
g-index

638
all docs

638
docs citations

638
times ranked

13022
citing authors

#	ARTICLE	IF	CITATIONS
1	Emulating the impact of additional proton-proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	1.3	5
2	Performance of the ATLAS Level-1 topological trigger in Run-2. European Physical Journal C, 2022, 82, 1.	1.4	6
3	Measurement of the c-jet mistagging efficiency in $\sqrt{s}=13$ TeV events using pp collision data at $\sqrt{s}=13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
4	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
5	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	1.4	8
6	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
7	AtlFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	1.3	23
8	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \mu \nu$ events in Run-2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
9	The ATLAS inner detector trigger performance in pp collisions at $\sqrt{s}=13$ TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
10	Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	1.5	8
11	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	7
12	A search for an unexpected asymmetry in the production of e^+e^- and e^+e^- pairs in proton-proton collisions recorded by the ATLAS detector at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	1.5	1
13	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s}=13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
14	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
15	Search for long-lived charginos based on a disappearing-track signature using 136 fb^{-1} of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	13
16	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13$ TeV measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	1.4	3
17	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
18	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	1.5	61

#	ARTICLE	IF	CITATIONS
19	Medium-Induced Modification of Z -Tagged Charged Particle Yields in $Pb-Pb$ Collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 072301.	2.9	7
20	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
21	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
22	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
23	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
24	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
25	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb ⁻¹ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
26	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	6
27	Search for Z boson production in association with a dark Higgs boson decaying into W bosons or Z bosons in Fully Hadronic Final States. Longitudinal Flow Decorrelations in $Pb-Pb$ Collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2021, 126, 122301.	2.9	6
28	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	2.9	17
29	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
30	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
31	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	18
32	Measurement of the CP-violating phase ϕ_s in $B_s^0 \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. European Physical Journal C, 2021, 81, .	1.4	13
33	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
34	Search for heavy resonances decaying into a pair of Z bosons in the W^+W^- and $W^+W^- + \nu\bar{\nu}$ final states using 139 fb ⁻¹ of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
35	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
36	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the W^+W^- and $W^+W^- + \nu\bar{\nu}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26

#	ARTICLE	IF	CITATIONS
55	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
56	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. Journal of Instrumentation, 2021, 16, P08025.	0.5	3
57	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
58	Exclusive dimuon production in ultraperipheral collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review C, 2021, 104, .	1.1	11
59	Search for New Phenomena in Final States with Two Leptons and One or No b-Tagged Jets at $s=13$ TeV Using the ATLAS Detector. Physical Review Letters, 2021, 127, 141801.	2.9	14
60	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
61	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
62	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
63	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
64	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. European Physical Journal C, 2021, 81, 1.	1.4	7
65	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
66	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
67	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
68	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
69	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
70	Configuration and performance of the ATLAS b-jet triggers in Run 2. European Physical Journal C, 2021, 81, 1.	1.4	7
71	Search for Lepton-Flavor Violation in Z -Boson Decays with $\tilde{l}_\alpha \tilde{l}_\beta$ Leptons with the ATLAS Detector. Physical Review Letters, 2021, 127, 271801.	2.9	8
72	Measurement of b-quark fragmentation properties in jets using the decay $B_{\pm} \rightarrow J/\psi K_{\pm}$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3

#	ARTICLE	IF	CITATIONS
73	Performance Search with Weak Supervision Using \sqrt{s} Collisions in the ATLAS $\sqrt{s} = 13 \text{ TeV}$	2.9	67
74	Measurements of inclusive and differential cross-sections of combined $\overline{\gamma}$ and $t\bar{W}^3$ production in the $e\bar{1}/4$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
75	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
76	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
77	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	1.4	32
78	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
79	Performance of the ATLAS muon triggers in Run 2. Journal of Instrumentation, 2020, 15, P09015-P09015.	0.5	62
80	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
81	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
82	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
83	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	2.9	40
84	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
85	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
86	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
87	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
88	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using $\sqrt{s} = 13 \text{ TeV}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	2.9	97
89	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
90	Measurements of top-quark pair spin correlations in the $e\bar{e}$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22

#	ARTICLE	IF	CITATIONS
91	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	0.5	4
92	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
93	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	2.9	20
94	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
95	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
96	ATLAS data quality operations and performance for 2015–2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	0.5	68
97	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	2.9	28
98	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in $\sqrt{s} = 13$ TeV pp Collisions at the ATLAS Detector. Physical Review Letters, 2020, 124, 082301.	2.9	17
99	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
100	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
101	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.	2.9	25
102	Measurement of the $Z(\tau^+\tau^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
103	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
104	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
105	Measurement of J/ψ production in association with a W^{\pm} boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
106	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
107	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
108	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8

#	ARTICLE	IF	CITATIONS
109	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physics Letters, Section B, Nuclear, Elementary Particle and High Energy Physics, 2020, 125, 251802.	1.5	9
110	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2020, 125, 251802.	2.9	6
111	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. Physical Review Letters, 2020, 125, 261801.	2.9	22
112	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
113	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
114	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
115	Evidence for $\tau\tau$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
116	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
117	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
118	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
119	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
120	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
121	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
122	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp Collisions in ATLAS. Physical Review Letters, 2019, 123, 042001.	2.9	23
123	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
124	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
125	Observation of Light-by-Light Scattering in Ultraperipheral Pb-Pb Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	2.9	75
126	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8

#	ARTICLE	IF	CITATIONS
127	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
128	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	2.9	133
129	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
130	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
131	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
132	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
133	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
134	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
135	Observation of Electroweak Production of a Same-Sign $W^{\pm}W^{\pm}$ Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	2.9	53
136	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
137	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	77
138	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
139	Observation of electroweak $W^{\pm}Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	1.5	38
140	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 499-519.	1.6	38
141	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
142	Combinations of single-top-quark production cross-section measurements and $ f_{LVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	1.6	9
143	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
144	Measurement of VH , $\text{H} \rightarrow \text{b}\bar{\text{b}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14

#	ARTICLE	IF	CITATIONS
145	Measurements of inclusive and differential fiducial cross-sections of $\overline{t}t$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
146	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
147	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
148	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
149	Measurements of inclusive and differential fiducial cross-sections of γ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
150	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13$ TeV. Physical Review Letters, 2019, 2, 9 122, 151801.		12
151	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
152	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
153	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
154	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
155	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
156	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
157	Measurement of the top quark mass in the $t \rightarrow t \tilde{\chi}^0$. European Physical Journal C, 2019, 79, 1.	1.4	47
158	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
159	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 508–529.	1.5	46
160	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
161	Measurement of the top-quark mass in $t\bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
162	Measurement of fiducial and differential W^+W^- production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24

#	ARTICLE	IF	CITATIONS
163	Measurement of ZZ production in the $\hat{a}, \hat{a}, \hat{1}/2 \hat{1}/2$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
164	Measurement of W^{\pm} -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
165	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
166	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	0.5	124
167	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
168	Measurement of W^{\pm} boson production in Pb+Pb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
169	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
170	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
171	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
172	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
173	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb^{-1} of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
174	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
175	Search for high-mass resonances decaying to $\hat{1}, \hat{1}/2$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	2.9	50
176	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
177	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s} = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
178	Measurement of the W-boson mass in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
179	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 102.	1.4	13
180	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52

#	ARTICLE	IF	CITATIONS
181	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.0 TeV. European Physical Journal C, 2018, 78, 142.	1.4	59
182	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
183	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20
184	Search for heavy ZZ resonances in the $e^+e^-e^+e^-$, $e^+e^-e^+e^-$ and $e^+e^-e^+e^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
185	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
186	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
187	Search for heavy resonances decaying into WW in the $e^+e^-e^+e^-$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
188	Direct top-quark decay width measurement in the $t \rightarrow \text{lepton} + \text{jets}$ channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
189	Search for W/Z resonance production in e^+e^-qq final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
190	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
191	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	1.5	19
192	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
193	Measurement of the $Z \rightarrow \gamma \gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
194	Prompt and non-prompt $\psi(2S)$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
195	Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
196	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
197	Angular analysis of $B \rightarrow D^* \ell^+ \ell^-$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
198	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	2.9	145

#	ARTICLE	IF	CITATIONS
199	Observation of Centrality-Dependent Anaplanarity for Muon Pairs Produced via Two-Photon Scattering in $\sqrt{s}=13$ TeV Pb-Pb collisions at the ATLAS detector. Physical Review Letters, 2018, 121, 212301.	2.9	41
200	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions at the ATLAS detector. European Physical Journal C, 2018, 78, 401.	1.4	50
201	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $\sqrt{s}=13$ TeV Decay Channel in $\sqrt{s}=13$ TeV pp collisions at the ATLAS detector. Physical Review Letters, 2018, 121, 191801.	2.9	70
202	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
203	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
204	Search for Higgs boson pair production in the $\sqrt{s}=13$ TeV final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
205	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
206	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
207	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
208	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
209	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
210	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
211	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
212	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
213	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
214	Combined measurement of differential and total cross sections in the $H \rightarrow \tau^+ \tau^-$ and the $H \rightarrow \tau^+ \tau^- Z$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 114-133.	1.6	42
215	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
216	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15

#	ARTICLE	IF	CITATIONS
217	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \tilde{\nu}_{\tau}$, in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.5	138
218	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ\gamma\gamma$, $ZZ\gamma\gamma$, and $ZZ\gamma\gamma$ final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 223-244.	1.5	43
219	Search for charged Higgs bosons decaying via $H^{\pm} \rightarrow \tau^{\pm} \tilde{\nu}_{\tau}$, in the $\tau^{\pm} + \text{jets}$ and $\tau^{\pm} + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
220	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
221	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	2.9	16
222	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
223	Measurement of the Higgs boson mass in the $H \rightarrow \tau\tau$ and $H \rightarrow \tau\tau$ channels with $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	1.6	16
224	Search for exclusive Higgs and Z boson decays to $\tau^{\pm}\tau^{\mp}$ and $\tau^{\pm}\tau^{\mp}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
225	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
226	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
227	Measurement of the inclusive and fiducial $t\bar{t}Z$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
228	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review Letters, 2018, 121, 081801.	2.9	41
229	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
230	Measurement of the Soft-Drop Jet Mass in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	2.9	33
231	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
232	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	2.9	53
233	Search for a Structure in the $B \rightarrow s\gamma$ Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007.	2.9	39
234	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136

#	ARTICLE	IF	CITATIONS
235	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
236	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
237	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
238	Measurement of σ_{pol} , polarisation in $Z/\gamma \rightarrow \mu\mu$. European Physical Journal C, 2018, 78, 163.	1.4	7
239	Searches for heavy ZZ and ZW resonances in the $\mu\mu$, qq and $\ell\ell/2qq$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
240	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
241	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	1.5	169
242	Measurement of differential cross sections and W^+/\bar{W}^+ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
243	Combination of inclusive and differential $\overline{\text{charge asymmetry}}$ measurements using ATLAS and CMS data at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	7
244	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
245	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7$, $\sqrt{s}=8$ TeV) with the ATLAS detector. , 2018, 78, 1.		1
246	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13$, $\sqrt{s}=8$ TeV). , 2018, 78, 1.		1
247	Measurement of the $\sigma(\bar{t}Z)$ and $\sigma(\bar{t}W)$ cross sections in multilepton final states using 3.2 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
248	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
249	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
250	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
251	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s}=8$ TeV in the lepton+ \bar{t} jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
252	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87

#	ARTICLE	IF	CITATIONS
253	Measurements of top-quark pair differential cross-sections in the e^+e^- channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
254	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
255	Measurement of the prompt J/ψ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
256	Search for triboson $W^+W^-W^0$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
257	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
258	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
259	Measurements of electroweak Wj production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
260	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
261	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
262	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	2.9	36
263	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$. Using $b\bar{b}$ production in association with a Higgs boson decaying to $b\bar{b}$. Physical Review Letters, 2017, 119, 181804.	2.9	49
264	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	2.9	74
265	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
266	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	1.6	15
267	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	1.4	28
268	Measurement of the $\overline{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
269	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
270	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75

#	ARTICLE	IF	CITATIONS
289	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
290	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	38
291	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 580.	1.4	35
292	Measurement of $WW/WZ \rightarrow \ell u q \bar{q}'$ and $WW/WZ \rightarrow \ell \bar{q} q'$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s} = 8$ TeV with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017, 77, 563.	1.4	28
293	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	12
294	Searches for the $Z\bar{3}$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	30
295	Studies of $Z\bar{3}$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	14
296	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	16
297	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow Z\bar{3}$, in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	18
298	Study of $WW\gamma$ and $WZ\gamma$ production. <i>European Physical Journal C</i> , 2017, 77, 646.	1.4	30
299	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	20
300	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	11
301	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	16
302	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	28
303	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	45
304	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	31
305	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	36
306	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017, 12, P12009-P12009.	0.5	29

#	ARTICLE	IF	CITATIONS
307	Measurement of the k_t splitting scales in $Z \hat{\nu} \bar{\nu}, \gamma \nu \bar{\nu}$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
308	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
309	Evidence for the $H \rightarrow b \bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
310	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
311	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
312	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	0.5	10
313	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	0.5	10
314	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
315	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
316	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^- Z \hat{\nu} \bar{\nu}, \gamma \nu \bar{\nu}$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
317	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
318	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
319	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
320	Search for minimal supersymmetric standard model Higgs Bosons H/\tilde{A} and for a Z^{\prime} boson in the $\tau^+ \tau^- \ell^+ \ell^-$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
321	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
322	Measurement of the $b \bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
323	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
324	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23

#	ARTICLE	IF	CITATIONS
325	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
326	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 292.	1.4	453
327	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
328	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
329	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
330	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
331	Search for flavour-changing neutral current top-quark decays to qZ in pp collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 12.	1.4	39
332	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 87.	1.4	39
333	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
334	Search for charged Higgs bosons in the $H^{\pm} \rightarrow tb$ decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
335	Measurement of $W\Delta^{\pm}$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	1.6	88
336	Study of the rare decays of $B^0 \rightarrow B^0 \mu \mu$ and $B^0 \rightarrow B^0 \mu \mu$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
337	Search for supersymmetry in a final state containing two photons and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 517.	1.4	24
338	Search for resonances in diphoton events at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
339	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
340	Measurement of the top quark mass in the $t \rightarrow bW$ decay channel from pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 622-631.	1.5	52
341	Measurement of the relative width difference of the $B^0 \rightarrow B^0 \mu \mu$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
342	Search for Higgs and Z boson decays to $\tau^+ \tau^-$ with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	2.9	13

#	ARTICLE	IF	CITATIONS
343	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review Letters, 2016, 116, 172301.	2.9	31
344	Observation of Long-Range Elliptic Azimuthal Anisotropies in pp collisions with the ATLAS Detector. Physical Review Letters, 2016, 116, 172301.	2.9	228
345	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
346	Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
347	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 8$ TeV with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	2.9	185
348	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $s = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	473
349	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
350	Measurement of jet activity in top quark events using the e^+e^- final state with two b-tagged jets in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
351	Measurement of the transverse momentum and ϕ^*_{η} distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
352	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-$ with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
353	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
354	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
355	Identification of high transverse momentum top quarks in pp collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
356	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
357	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
358	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
359	Measurement of the differential cross-sections of prompt and non-prompt production of J/ψ and $\psi(2S)$ in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
360	Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279

#	ARTICLE	IF	CITATIONS
361	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
362	Addendum to "Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and $8\sqrt{s}=8$ TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
363	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
364	Searches for heavy diboson resonances in pp collisions at $s=13\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
365	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s=8\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
366	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
367	Measurement of the CP-violating phase $\arg(\lambda)$ and the B_s^0 meson decay width difference with B_s^0 decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
368	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
369	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
370	A search for prompt lepton-jets in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
371	Search for new phenomena with photon+jet events in proton-proton collisions at $s=13\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
372	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
373	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
374	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s=8\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
375	Search for strong gravity in multijet final states produced in pp collisions at $s=13\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
376	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
377	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
378	Probing lepton flavour violation via neutrinoless $\mu\rightarrow 3e$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19

#	ARTICLE	IF	CITATIONS
379	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
380	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
381	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49
382	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
383	Searches for scalar leptoquarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.4	109
384	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7$ and 8 TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
385	Measurements of fiducial cross-sections for $t\bar{t}\hat{A}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
386	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
387	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s}=8$ TeV with the ATLAS detector. 2016, 76, 1		1
388	Measurements of the Total and Differential Higgs Boson Production Cross Sections Combining the ATLAS and CMS Results. European Physical Journal C, 2016, 76, 1	2.9	48
389	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	27
390	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay to $t\bar{t}$ in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	27
391	Evidence of $W\tau\nu$ Production in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	20
392	Measurement of the Ratio of $W\tau\nu$ to $W\mu\nu$ Production in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	30
393	Determination of the Ratio of $W\tau\nu$ to $W\mu\nu$ Production in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 114, 221802.	2.9	49
394	Quark Fragmentation Fractions in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2015, 115, 262001.	2.9	23
395	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
396	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}^*, \tilde{a}^*$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23

#	ARTICLE	IF	CITATIONS
397	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
398	Search for lepton-flavour-violating $H \rightarrow \tau \mu$, decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
399	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
400	A search for $t \bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
401	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
402	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
403	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
404	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
405	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
406	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $\sqrt{s} = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
407	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
408	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
409	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
410	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
411	Determination of the top-quark pole mass using $t \bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
412	Measurement of the $t \bar{t} W$ and $t \bar{t} Z$ production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
413	Search for flavour-changing neutral current top quark decays $t \rightarrow q \gamma$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
414	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36

#	ARTICLE	IF	CITATIONS
415	Continued Measurement of the Higgs Boson Mass in $pp \rightarrow \gamma\gamma$ Collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	2.9	1,062
416	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	42
417	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	116
418	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	17
419	Search for $W' \rightarrow tb$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 165.	1.4	35
420	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 158.	1.4	17
421	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.	1.4	67
422	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
423	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015, 75, 407.	1.4	27
424	Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 23.	1.4	41
425	Boson Decays to J/ψ and Υ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.		

#	ARTICLE	IF	CITATIONS
433	Measurements of the W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
434	Search for dark matter in events with heavy quarks and missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
435	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
436	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $s = 7 \sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
437	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8 \sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
438	Search for the $b\bar{b}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
439	Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7 \sqrt{s} = 7$ TeV using 4.5 fb^{-1} of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
440	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s = 8 \sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
441	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \nu_\tau, \tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
442	Search for production of WW/WZ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
443	Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 120.	1.4	62
444	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	1.4	39
445	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
446	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
447	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
448	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
449	Measurement of three-jet production cross-sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
450	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95

#	ARTICLE	IF	CITATIONS
451	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
452	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.	1.4	174
453	Observation and measurements of the production of prompt and non-prompt Υ mesons in association with a Z boson in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
454	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
455	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
456	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
457	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s}=0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
458	Measurement of the top quark mass in the $t \rightarrow \text{lepton} + \text{jets}$ and $t \rightarrow \text{dilepton} + \text{jets}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
459	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb ⁻¹ of data with the ATLAS detector. , 2015, 2015, 1.		3
460	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		1
461	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
462	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
463	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
464	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
465	A measurement of the ratio of the production cross sections for WW and ZZ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
466	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
467	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fb ⁻¹ of $s=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
468	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128

#	ARTICLE	IF	CITATIONS
469	Measurement of the $t\bar{t}$ production cross-section using e^+e^- events with b -tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. Search for Quantum Black Hole Production in High-Invariant-Mass	1.4	143
470	Lepton+Jet Final States Using	2.9	35
471	Collisions at Z Resonance in	2.9	51
472	Evidence for Electroweak Production of W Collisions at W	2.9	123
473	Collision Data at \sqrt{s}	2.9	168
474	Search for Invisible Decays of a Higgs Boson Produced in Association with a Z Boson in ATLAS. Physical Review Letters, 2014, 112, .	2.9	130
475	Search for Dark Matter in Events with a Hadronically Decaying Z Boson and Missing Transverse Momentum in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. Physical Review Letters, 2014, 112, 041802.	2.9	129
476	Observation of an Excited B_c State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	2.9	112
477	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $s\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
478	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. European Physical Journal C, 2014, 74, 3034.	1.4	58
479	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
480	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
481	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
482	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
483	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
484	Measurement of the production cross-section of $\tilde{t}(2S) \tilde{t}' / \tilde{t}'(\hat{t}^{1/4} + \hat{t}^{1/4} \hat{a}^{\sim}) \tilde{t} + \tilde{t} \hat{a}^{\sim}$ in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21
485	Measurement of the Z/\tilde{t}^* boson transverse momentum distribution in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
486	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b -jets at $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38

#	ARTICLE	IF	CITATIONS
487	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
488	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
489	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
490	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
491	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
492	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
493	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
494	Measurement of the underlying event in jet events from 7 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
495	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
496	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
497	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
498	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
499	Measurement of the production cross section of prompt J/ψ mesons in association with a W^{\pm} boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
500	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
501	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
502	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
503	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
504	Measurement of the low-mass Drell-Yan differential cross section at $s = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25

#	ARTICLE	IF	CITATIONS
505	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
506	Measurement of $\tilde{t}c_1$ and $\tilde{t}c_2$ production with $\sqrt{s} = 7$ TeV pp collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
507	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
508	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
509	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
510	Measurement of the \tilde{t} production cross-section using (em) events with (b)-tagged jets in (pp) collisions at ($\sqrt{s}=7$) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
511	Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
512	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
513	Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
514	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
515	Measurement of ZZ production in pp collisions at $\sqrt{s}=7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
516	Search for charged Higgs bosons through the violation of lepton universality in \tilde{t} events using pp collision data at $\sqrt{s}=7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	19
517	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
518	Measurement of k T splitting scales in $W\tilde{a}, \tilde{\chi}^{0, \pm 1/2}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.4	19
519	Search for a light charged Higgs boson in the decay channel $H^+ \rightarrow c\bar{s}$ in \tilde{t} events using pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.	1.4	119
520	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	1.5	307
521	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	102
522	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s}=8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.6	71

#	ARTICLE	IF	CITATIONS
523	Measurement of the differential cross-section of B + meson production in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2013, 2013, 1.	1.6	31
524	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
525	Improved luminosity determination in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
526	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s}=2.76 \text{ TeV}$ and comparison to the inclusive jet cross-section at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.4	105
527	Multi-channel search for squarks and gluinos in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34

528

#	ARTICLE	IF	CITATIONS
541	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ recorded in 2010 with the ATLAS detector. European Physical Journal C, 2013, 73, 2306.	1.4	209
542	Measurement of the $\text{Star}\{t\}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
543	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2013, 111, 232002.	2.9	57
544	Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2013, 15, 043009.	1.2	15
545	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7, \text{ TeV}$ with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
546	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7, \text{ TeV}$ pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
547	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
548	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb^{-1} of $\sqrt{s} = 7, \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
549	A search for $\overline{t}t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	40
550	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+\tau^-$ decay mode in $\sqrt{s} = 7, \text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
551	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7, \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
552	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7\text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
553	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
554	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
555	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7, \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
556	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7, \text{ TeV}$ pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	48
557	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7, \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
558	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	1.5	6,386

#	ARTICLE	IF	CITATIONS
559	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
560	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	100
561	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	13
562	Measurement of $t\bar{t}$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
563	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb^{-1} of proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2083.	1.4	25
564	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	37
565	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
566	Measurement of $W \hat{\Delta} Z$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
567	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
568	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	22
569	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
570	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s} = 7$ TeV proton-proton collisions. European Physical Journal C, 2012, 72, 1.	1.4	31
571	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	36
572			

#	ARTICLE	IF	CITATIONS
577	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	57
578	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
579	Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.5	231
580	Measurement of the pseudorapidity and transverse momentum dependence of the elliptic flow of charged particles in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 72, 1.	1.4	15
581	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	36
582	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
583			

#	ARTICLE	IF	CITATIONS
595	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s}=7\text{-TeV}$ proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
596	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
597	Search for diphoton events with large missing transverse energy with 36 pb^{-1} of 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	15
598	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
599	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
600	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb^{-1} of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
601	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7\text{-TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
602	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
603	Measurement of $W\bar{t}$ and $Z\bar{t}$ production in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
604	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
605	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
606	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
607	Performance of the ATLAS detector using first collision data. Journal of High Energy Physics, 2010, 2010, 1.	1.6	18
608	Measurement of the $W\bar{t}$, $W\bar{t}/2$ and $Z\bar{t}$ production cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
609	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	0.5	1,752