

# Morten Aagaard Petersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3888374/publications.pdf>

Version: 2024-02-01

68  
papers

2,728  
citations

257450

24  
h-index

182427

51  
g-index

72  
all docs

72  
docs citations

72  
times ranked

3524  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | The development of the EORTC QLQ-C15-PAL: A shortened questionnaire for cancer patients in palliative care. <i>European Journal of Cancer</i> , 2006, 42, 55-64.  | 2.8 | 502       |
| 2  | Replication and validation of higher order models demonstrated that a summary score for the EORTC QLQ-C30 is robust. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 79-88.   | 5.0 | 306       |
| 3  | Thresholds for clinical importance were established to improve interpretation of the EORTC QLQ-C30 in clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 118, 1-8.                                 | 5.0 | 184       |
| 4  | Health related quality of life in a nationally representative sample of haematological patients. <i>European Journal of Haematology</i> , 2009, 83, 139-148.  | 2.2 | 176       |
| 5  | Assessing health-related quality of life in palliative care: Comparing patient and physician assessments. <i>European Journal of Cancer</i> , 2006, 42, 1159-1166.  | 2.8 | 120       |
| 6  | Self-assessment in cancer patients referred to palliative care. <i>Cancer</i> , 2002, 94, 512-520.  | 4.1 | 119       |
| 7  | Use of differential item functioning analysis to assess the equivalence of translations of a questionnaire. <i>Quality of Life Research</i> , 2003, 12, 373-385.  | 3.1 | 115       |
| 8  | The use of EORTC measures in daily clinical practice—A synopsis of a newly developed manual. <i>European Journal of Cancer</i> , 2016, 68, 73-81.   | 2.8 | 75        |
| 9  | A longitudinal study of palliative care. <i>Cancer</i> , 2005, 103, 1747-1755.  | 4.1 | 73        |
| 10 | The EORTC CAT Core—The computer adaptive version of the EORTC QLQ-C30 questionnaire. <i>European Journal of Cancer</i> , 2018, 100, 8-16.   | 2.8 | 68        |
| 11 | Randomised clinical trial of early specialist palliative care plus standard care versus standard care alone in patients with advanced cancer: The Danish Palliative Care Trial. <i>Palliative Medicine</i> , 2017, 31, 814-824. | 3.1 | 67        |
| 12 | Multidimensional Computerized Adaptive Testing of the EORTC QLQ-C30: Basic Developments and Evaluations. <i>Quality of Life Research</i> , 2006, 15, 315-329.   | 3.1 | 61        |
| 13 | Development of computerised adaptive testing (CAT) for the EORTC QLQ-C30 dimensions — General approach and initial results for physical functioning. <i>European Journal of Cancer</i> , 2010, 46, 1352-1358.                   | 2.8 | 58        |
| 14 | Preoperative prediction of potentially preventable morbidity after fast-track hip and knee arthroplasty: a detailed descriptive cohort study. <i>BMJ Open</i> , 2016, 6, e009813.   | 1.9 | 54        |
| 15 | Comparing higher order models for the EORTC QLQ-C30. <i>Quality of Life Research</i> , 2012, 21, 1607-1617.   | 3.1 | 52        |
| 16 | Letter to the Editor. <i>Palliative Medicine</i> , 2006, 20, 59-61.   | 3.1 | 45        |
| 17 | Item response theory was used to shorten EORTC QLQ-C30 scales for use in palliative care. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 36-44.  | 5.0 | 40        |
| 18 | Development of computerized adaptive testing (CAT) for the EORTC QLQ-C30 physical functioning dimension. <i>Quality of Life Research</i> , 2011, 20, 479-490.   | 3.1 | 38        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Effects of melatonin on physical fatigue and other symptoms in patients with advanced cancer receiving palliative care: A double-blind placebo-controlled crossover trial. <i>Cancer</i> , 2015, 121, 3727-3736.  | 4.1 | 37        |
| 20 | The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 330-339.  | 5.0 | 33        |
| 21 | Updated EORTC QLQ-C30 general population norm data for Germany. <i>European Journal of Cancer</i> , 2020, 137, 161-170.   | 2.8 | 32        |
| 22 | Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). <i>Health and Quality of Life Outcomes</i> , 2016, 14, 72.  | 2.4 | 29        |
| 23 | Development of an item bank for computerized adaptive test (CAT) measurement of pain. <i>Quality of Life Research</i> , 2016, 25, 1-11.   | 3.1 | 29        |
| 24 | The EORTC emotional functioning computerized adaptive test: phases I-III of a cross-cultural item bank development. <i>Psycho-Oncology</i> , 2014, 23, 397-403.   | 2.3 | 27        |
| 25 | Cross-cultural development of an item list for computer-adaptive testing of fatigue in oncological patients. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 19.  | 2.4 | 24        |
| 26 | Psychometric evaluation of the EORTC computerized adaptive test (CAT) fatigue item pool. <i>Quality of Life Research</i> , 2013, 22, 2443-2454.   | 3.1 | 22        |
| 27 | Is specialized palliative cancer care associated with use of antineoplastic treatment at the end of life? A population-based cohort study. <i>Palliative Medicine</i> , 2018, 32, 1509-1517.  | 3.1 | 22        |
| 28 | International validation of the EORTC CAT Core: a new adaptive instrument for measuring core quality of life domains in cancer. <i>Quality of Life Research</i> , 2020, 29, 1405-1417.  | 3.1 | 21        |
| 29 | An emotional functioning item bank of 24 items for computerized adaptive testing (CAT) was established. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 90-100.   | 5.0 | 20        |
| 30 | Early, integrated palliative rehabilitation improves quality of life of patients with newly diagnosed advanced cancer: The Pal-Rehab randomized controlled trial. <i>Palliative Medicine</i> , 2021, 35, 1344-1355.   | 3.1 | 19        |
| 31 | Detailed statistical analysis plan for the Danish Palliative Care Trial (DanPaCT). <i>Trials</i> , 2014, 15, 376.   | 1.6 | 18        |
| 32 | A randomised, multicentre clinical trial of specialised palliative care plus standard treatment versus standard treatment alone for cancer patients with palliative care needs: the Danish palliative care trial (DanPaCT) protocol. <i>BMC Palliative Care</i> , 2013, 12, 37. | 1.8 | 17        |
| 33 | A parallel-group randomized clinical trial of individually tailored, multidisciplinary, palliative rehabilitation for patients with newly diagnosed advanced cancer: the Pal-Rehab study protocol. <i>BMC Cancer</i> , 2017, 17, 560.   | 2.6 | 17        |
| 34 | A cross-cultural convergent parallel mixed methods study of what makes a cancer-related symptom or functional health problem clinically important. <i>Psycho-Oncology</i> , 2018, 27, 548-555.  | 2.3 | 16        |
| 35 | Age, cancer site and gender associations with symptoms and problems in specialised palliative care: a large, nationwide, register-based study. <i>BMJ Supportive and Palliative Care</i> , 2019, , bmjspcare-2019-001880.   | 1.6 | 16        |
| 36 | Development of a lack of appetite item bank for computer-adaptive testing (CAT). <i>Supportive Care in Cancer</i> , 2015, 23, 1541-1548.  | 2.2 | 14        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Exploratory analyses of the Danish Palliative Care Trial (DanPaCT): a randomized trial of early specialized palliative care plus standard care versus standard care in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 2145-2155.   | 2.2 | 13        |
| 38 | Scoring based on item response theory did not alter the measurement ability of EORTC QLQ-C30 scales. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 902-908.  | 5.0 | 12        |
| 39 | Thresholds for clinical importance were defined for the European Organisation for Research and Treatment of Cancer Computer Adaptive Testing Core™ an adaptive measure of core quality of life domains in oncology clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 117-125. | 5.0 | 12        |
| 40 | Psychometric evaluation of an item bank for computerized adaptive testing of the EORTC QLQ-C30 cognitive functioning dimension in cancer patients. <i>Quality of Life Research</i> , 2017, 26, 2919-2929.  | 3.1 | 11        |
| 41 | Does the agreement of patient and physician assessments of health related quality of life in palliative care depend on patient characteristics?. <i>Palliative Medicine</i> , 2007, 21, 289-294.   | 3.1 | 10        |
| 42 | Measuring the quality of end-of-life care: Development, testing, and cultural validation of the Danish version of Views of Informal Carers™ Evaluation of Services™ Short Form. <i>Palliative Medicine</i> , 2018, 32, 804-814.  | 3.1 | 10        |
| 43 | Which symptoms and problems do advanced cancer patients admitted to specialized palliative care report in addition to those included in the EORTC QLQ-C15-PAL? A register-based national study. <i>Supportive Care in Cancer</i> , 2020, 28, 1725-1735.  | 2.2 | 10        |
| 44 | Do patients consider computer-adaptive measures more appropriate than static questionnaires?. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 7.  | 1.9 | 9         |
| 45 | Evaluating the Thresholds for Clinical Importance of the EORTC QLQ-C15-PAL in Patients Receiving Palliative Treatment. <i>Journal of Palliative Medicine</i> , 2021, 24, 397-404.  | 1.1 | 9         |
| 46 | Effect of the Carer Support Needs Assessment Tool intervention (CSNAT-I) in the Danish specialised palliative care setting: a stepped-wedge cluster randomised controlled trial. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-002467.  | 1.6 | 8         |
| 47 | A randomised pilot trial of virtual reality-based relaxation for enhancement of perioperative well-being, mood and quality of life. <i>Scientific Reports</i> , 2022, 12, .  | 3.3 | 6         |
| 48 | Development of an item bank for computerized adaptive testing of self-reported cognitive difficulty in cancer patients. <i>Neuro-Oncology Practice</i> , 2017, 4, 189-196.   | 1.6 | 5         |
| 49 | High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design. <i>PLoS ONE</i> , 2020, 15, e0242169.   | 2.5 | 5         |
| 50 | Predictors of the Extent of Agreements between Terminally ill Cancer Patients and their Family Caregivers in Taiwan. <i>Quality of Life Research</i> , 2006, 15, 405-406.  | 3.1 | 4         |
| 51 | Change in health-related quality of life over 1Âmonth in cancer patients with high initial levels of symptoms and problems. <i>Quality of Life Research</i> , 2016, 25, 2669-2674.   | 3.1 | 4         |
| 52 | Improving information to caregivers of cancer patients: the Herlev Hospital Empowerment of Relatives through More and Earlier information Supply (HERMES) randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 939-950.   | 2.2 | 4         |
| 53 | Virtual reality-based relaxation for enhancement of perioperative well-being and quality of life: protocol for a randomised pilot trial. <i>BMJ Open</i> , 2021, 11, e044193.  | 1.9 | 4         |
| 54 | Symptoms of advanced cancer in palliative medicine: a longitudinal study. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e415-e427.   | 1.6 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Process, content, and experiences of delivering the Carer Support Needs Assessment Tool Intervention (CSNAT-I) in the Danish specialised palliative care setting. <i>Supportive Care in Cancer</i> , 2022, 30, 377-387.  | 2.2 | 4         |
| 56 | Assessing Emotional Functioning with Increased Power: Relative Validity of a Customized EORTC Short Form in the International ACTION Trial. <i>Value in Health</i> , 2019, 22, 92-98.  | 0.3 | 3         |
| 57 | Content validation of the EORTC QLQ-C15-PAL with advanced cancer patients and health care professionals from palliative care services in Chile. <i>BMC Palliative Care</i> , 2020, 19, 81.   | 1.8 | 3         |
| 58 | Outcomes of a 12-week ecologically valid observational study of first treatment with methylphenidate in a representative clinical sample of drug naïve children with ADHD. <i>PLoS ONE</i> , 2021, 16, e0253727.   | 2.5 | 3         |
| 59 | Response to Letter to the Editor: Improving information to caregivers of cancer patients: the Herlev Hospital Empowerment of Relatives through More and Earlier information Supply (HERMES) randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 417-417. | 2.2 | 1         |
| 60 | Development and Psychometric Evaluation of an Item Bank for Computerized Adaptive Testing of the EORTC Insomnia Dimension in Cancer Patients (EORTC CAT-SL). <i>Applied Research in Quality of Life</i> , 2021, 16, 827-844.   | 2.4 | 1         |
| 61 | Brazilian Validation of the European Organisation for Research and Treatment of Cancer (EORTC) Quality of Life Group (QLG) Computerised Adaptive Tests (CAT) Core. <i>Current Oncology</i> , 2021, 28, 3373-3383.  | 2.2 | 1         |
| 62 | The quality of end of life care for Danish cancer patients who have received specialized palliative: a national survey using the Danish version of VOICES-SF. <i>Supportive Care in Cancer</i> , 2022, 30, 3593.   | 2.2 | 1         |
| 63 | Similar levels of symptoms and problems were found among patients referred to specialized palliative care by general practitioners and hospital physicians: A nationwide register-based study of 31,139 cancer patients. <i>Palliative Medicine</i> , 2020, 34, 1118-1126.     | 3.1 | 0         |
| 64 | Should analyses of large, national palliative care data sets with patient reported outcomes (PROs) be restricted to services with high patient participation? A register-based study. <i>BMC Palliative Care</i> , 2020, 19, 89.   | 1.8 | 0         |
| 65 | Title is missing!. , 2020, 15, e0242169.   |     | 0         |
| 66 | Title is missing!. , 2020, 15, e0242169.   |     | 0         |
| 67 | Title is missing!. , 2020, 15, e0242169.   |     | 0         |
| 68 | Title is missing!. , 2020, 15, e0242169.   |     | 0         |