

Morten Aagaard Petersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3888374/publications.pdf>

Version: 2024-02-01

68
papers

2,728
citations

257450

24
h-index

182427

51
g-index

72
all docs

72
docs citations

72
times ranked

3524
citing authors

#	ARTICLE	IF	CITATIONS
1	Symptoms of advanced cancer in palliative medicine: a longitudinal study. <i>BMJ Supportive and Palliative Care</i> , 2023, 13, e415-e427.	1.6	4
2	Process, content, and experiences of delivering the Carer Support Needs Assessment Tool Intervention (CSNAT-I) in the Danish specialised palliative care setting. <i>Supportive Care in Cancer</i> , 2022, 30, 377-387.	2.2	4
3	The quality of end of life care for Danish cancer patients who have received specialized palliative: a national survey using the Danish version of VOICES-SF. <i>Supportive Care in Cancer</i> , 2022, 30, 3593.	2.2	1
4	A randomised pilot trial of virtual reality-based relaxation for enhancement of perioperative well-being, mood and quality of life. <i>Scientific Reports</i> , 2022, 12, .	3.3	6
5	Evaluating the Thresholds for Clinical Importance of the EORTC QLQ-C15-PAL in Patients Receiving Palliative Treatment. <i>Journal of Palliative Medicine</i> , 2021, 24, 397-404.	1.1	9
6	Development and Psychometric Evaluation of an Item Bank for Computerized Adaptive Testing of the EORTC Insomnia Dimension in Cancer Patients (EORTC CAT-SL). <i>Applied Research in Quality of Life</i> , 2021, 16, 827-844.	2.4	1
7	Virtual reality-based relaxation for enhancement of perioperative well-being and quality of life: protocol for a randomised pilot trial. <i>BMJ Open</i> , 2021, 11, e044193.	1.9	4
8	Early, integrated palliative rehabilitation improves quality of life of patients with newly diagnosed advanced cancer: The Pal-Rehab randomized controlled trial. <i>Palliative Medicine</i> , 2021, 35, 1344-1355.	3.1	19
9	Brazilian Validation of the European Organisation for Research and Treatment of Cancer (EORTC) Quality of Life Group (QLG) Computerised Adaptive Tests (CAT) Core. <i>Current Oncology</i> , 2021, 28, 3373-3383.	2.2	1
10	Outcomes of a 12-week ecologically valid observational study of first treatment with methylphenidate in a representative clinical sample of drug naïve children with ADHD. <i>PLoS ONE</i> , 2021, 16, e0253727.	2.5	3
11	Improving information to caregivers of cancer patients: the Herlev Hospital Empowerment of Relatives through More and Earlier information Supply (HERMES) randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 939-950.	2.2	4
12	Thresholds for clinical importance were defined for the European Organisation for Research and Treatment of Cancer Computer Adaptive Testing Core – an adaptive measure of core quality of life domains in oncology clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 117, 117-125.	5.0	12
13	Exploratory analyses of the Danish Palliative Care Trial (DanPaCT): a randomized trial of early specialized palliative care plus standard care versus standard care in advanced cancer patients. <i>Supportive Care in Cancer</i> , 2020, 28, 2145-2155.	2.2	13
14	Which symptoms and problems do advanced cancer patients admitted to specialized palliative care report in addition to those included in the EORTC QLQ-C15-PAL? A register-based national study. <i>Supportive Care in Cancer</i> , 2020, 28, 1725-1735.	2.2	10
15	Thresholds for clinical importance were established to improve interpretation of the EORTC QLQ-C30 in clinical practice and research. <i>Journal of Clinical Epidemiology</i> , 2020, 118, 1-8.	5.0	184
16	Response to Letter to the Editor: Improving information to caregivers of cancer patients: the Herlev Hospital Empowerment of Relatives through More and Earlier information Supply (HERMES) randomized controlled trial. <i>Supportive Care in Cancer</i> , 2020, 28, 417-417.	2.2	1
17	Updated EORTC QLQ-C30 general population norm data for Germany. <i>European Journal of Cancer</i> , 2020, 137, 161-170.	2.8	32
18	Similar levels of symptoms and problems were found among patients referred to specialized palliative care by general practitioners and hospital physicians: A nationwide register-based study of 31,139 cancer patients. <i>Palliative Medicine</i> , 2020, 34, 1118-1126.	3.1	0

#	ARTICLE	IF	CITATIONS
19	Content validation of the EORTC QLQ-C15-PAL with advanced cancer patients and health care professionals from palliative care services in Chile. <i>BMC Palliative Care</i> , 2020, 19, 81.	1.8	3
20	Should analyses of large, national palliative care data sets with patient reported outcomes (PROs) be restricted to services with high patient participation? A register-based study. <i>BMC Palliative Care</i> , 2020, 19, 89.	1.8	0
21	International validation of the EORTC CAT Core: a new adaptive instrument for measuring core quality of life domains in cancer. <i>Quality of Life Research</i> , 2020, 29, 1405-1417.	3.1	21
22	Effect of the Carer Support Needs Assessment Tool intervention (CSNAT-I) in the Danish specialised palliative care setting: a stepped-wedge cluster randomised controlled trial. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-002467.	1.6	8
23	High-dose naloxone: Effects by late administration on pain and hyperalgesia following a human heat injury model. A randomized, double-blind, placebo-controlled, crossover trial with an enriched enrollment design. <i>PLoS ONE</i> , 2020, 15, e0242169.	2.5	5
24	Title is missing!. , 2020, 15, e0242169.		0
25	Title is missing!. , 2020, 15, e0242169.		0
26	Title is missing!. , 2020, 15, e0242169.		0
27	Title is missing!. , 2020, 15, e0242169.		0
28	Do patients consider computer-adaptive measures more appropriate than static questionnaires?. <i>Journal of Patient-Reported Outcomes</i> , 2019, 3, 7.	1.9	9
29	Assessing Emotional Functioning with Increased Power: Relative Validity of a Customized EORTC Short Form in the International ACTION Trial. <i>Value in Health</i> , 2019, 22, 92-98.	0.3	3
30	Age, cancer site and gender associations with symptoms and problems in specialised palliative care: a large, nationwide, register-based study. <i>BMJ Supportive and Palliative Care</i> , 2019, , bmjspcare-2019-001880.	1.6	16
31	A cross-cultural convergent parallel mixed methods study of what makes a cancer-related symptom or functional health problem clinically important. <i>Psycho-Oncology</i> , 2018, 27, 548-555.	2.3	16
32	Measuring the quality of end-of-life care: Development, testing, and cultural validation of the Danish version of Views of Informal Carers™ Evaluation of Services Short Form. <i>Palliative Medicine</i> , 2018, 32, 804-814.	3.1	10
33	The EORTC CAT Core™ The computer adaptive version of the EORTC QLQ-C30 questionnaire. <i>European Journal of Cancer</i> , 2018, 100, 8-16.	2.8	68
34	Is specialized palliative cancer care associated with use of antineoplastic treatment at the end of life? A population-based cohort study. <i>Palliative Medicine</i> , 2018, 32, 1509-1517.	3.1	22
35	Randomised clinical trial of early specialist palliative care plus standard care versus standard care alone in patients with advanced cancer: The Danish Palliative Care Trial. <i>Palliative Medicine</i> , 2017, 31, 814-824.	3.1	67
36	Psychometric evaluation of an item bank for computerized adaptive testing of the EORTC QLQ-C30 cognitive functioning dimension in cancer patients. <i>Quality of Life Research</i> , 2017, 26, 2919-2929.	3.1	11

#	ARTICLE	IF	CITATIONS
37	Development of an item bank for computerized adaptive testing of self-reported cognitive difficulty in cancer patients. <i>Neuro-Oncology Practice</i> , 2017, 4, 189-196.	1.6	5
38	A parallel-group randomized clinical trial of individually tailored, multidisciplinary, palliative rehabilitation for patients with newly diagnosed advanced cancer: the Pal-Rehab study protocol. <i>BMC Cancer</i> , 2017, 17, 560.	2.6	17
39	Preoperative prediction of potentially preventable morbidity after fast-track hip and knee arthroplasty: a detailed descriptive cohort study. <i>BMJ Open</i> , 2016, 6, e009813.	1.9	54
40	The use of EORTC measures in daily clinical practice—A synopsis of a newly developed manual. <i>European Journal of Cancer</i> , 2016, 68, 73-81.	2.8	75
41	Change in health-related quality of life over 1 month in cancer patients with high initial levels of symptoms and problems. <i>Quality of Life Research</i> , 2016, 25, 2669-2674.	3.1	4
42	Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT). <i>Health and Quality of Life Outcomes</i> , 2016, 14, 72.	2.4	29
43	An emotional functioning item bank of 24 items for computerized adaptive testing (CAT) was established. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 90-100.	5.0	20
44	Replication and validation of higher order models demonstrated that a summary score for the EORTC QLQ-C30 is robust. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 79-88.	5.0	306
45	Development of an item bank for computerized adaptive test (CAT) measurement of pain. <i>Quality of Life Research</i> , 2016, 25, 1-11.	3.1	29
46	Effects of melatonin on physical fatigue and other symptoms in patients with advanced cancer receiving palliative care: A double-blind placebo-controlled crossover trial. <i>Cancer</i> , 2015, 121, 3727-3736.	4.1	37
47	Development of a lack of appetite item bank for computer-adaptive testing (CAT). <i>Supportive Care in Cancer</i> , 2015, 23, 1541-1548.	2.2	14
48	Detailed statistical analysis plan for the Danish Palliative Care Trial (DanPaCT). <i>Trials</i> , 2014, 15, 376.	1.6	18
49	The EORTC emotional functioning computerized adaptive test: phases I-III of a cross-cultural item bank development. <i>Psycho-Oncology</i> , 2014, 23, 397-403.	2.3	27
50	Psychometric evaluation of the EORTC computerized adaptive test (CAT) fatigue item pool. <i>Quality of Life Research</i> , 2013, 22, 2443-2454.	3.1	22
51	The EORTC computer-adaptive tests measuring physical functioning and fatigue exhibited high levels of measurement precision and efficiency. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 330-339.	5.0	33
52	A randomised, multicentre clinical trial of specialised palliative care plus standard treatment versus standard treatment alone for cancer patients with palliative care needs: the Danish palliative care trial (DanPaCT) protocol. <i>BMC Palliative Care</i> , 2013, 12, 37.	1.8	17
53	Comparing higher order models for the EORTC QLQ-C30. <i>Quality of Life Research</i> , 2012, 21, 1607-1617.	3.1	52
54	Development of computerized adaptive testing (CAT) for the EORTC QLQ-C30 physical functioning dimension. <i>Quality of Life Research</i> , 2011, 20, 479-490.	3.1	38

#	ARTICLE	IF	CITATIONS
55	Cross-cultural development of an item list for computer-adaptive testing of fatigue in oncological patients. <i>Health and Quality of Life Outcomes</i> , 2011, 9, 19.	2.4	24
56	Development of computerised adaptive testing (CAT) for the EORTC QLQ-C30 dimensions – General approach and initial results for physical functioning. <i>European Journal of Cancer</i> , 2010, 46, 1352-1358.	2.8	58
57	Health related quality of life in a nationally representative sample of haematological patients. <i>European Journal of Haematology</i> , 2009, 83, 139-148.	2.2	176
58	Does the agreement of patient and physician assessments of health related quality of life in palliative care depend on patient characteristics?. <i>Palliative Medicine</i> , 2007, 21, 289-294.	3.1	10
59	The development of the EORTC QLQ-C15-PAL: A shortened questionnaire for cancer patients in palliative care. <i>European Journal of Cancer</i> , 2006, 42, 55-64.	2.8	502
60	Assessing health-related quality of life in palliative care: Comparing patient and physician assessments. <i>European Journal of Cancer</i> , 2006, 42, 1159-1166.	2.8	120
61	Item response theory was used to shorten EORTC QLQ-C30 scales for use in palliative care. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 36-44.	5.0	40
62	Multidimensional Computerized Adaptive Testing of the EORTC QLQ-C30: Basic Developments and Evaluations. <i>Quality of Life Research</i> , 2006, 15, 315-329.	3.1	61
63	Predictors of the Extent of Agreements between Terminally ill Cancer Patients and their Family Caregivers in Taiwan. <i>Quality of Life Research</i> , 2006, 15, 405-406.	3.1	4
64	Letter to the Editor. <i>Palliative Medicine</i> , 2006, 20, 59-61.	3.1	45
65	A longitudinal study of palliative care. <i>Cancer</i> , 2005, 103, 1747-1755.	4.1	73
66	Scoring based on item response theory did not alter the measurement ability of EORTC QLQ-C30 scales. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 902-908.	5.0	12
67	Use of differential item functioning analysis to assess the equivalence of translations of a questionnaire. <i>Quality of Life Research</i> , 2003, 12, 373-385.	3.1	115
68	Self-assessment in cancer patients referred to palliative care. <i>Cancer</i> , 2002, 94, 512-520.	4.1	119