

Daniela M Correia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3888770/publications.pdf>

Version: 2024-02-01

88
papers

3,652
citations

136950

32
h-index

138484

58
g-index

90
all docs

90
docs citations

90
times ranked

4086
citing authors

#	ARTICLE	IF	CITATIONS
1	Luminescent Poly(vinylidene fluoride)-Based Inks for Anticounterfeiting Applications. <i>Advanced Photonics Research</i> , 2022, 3, 2100151.	3.6	3
2	Tuning magnetic response and ionic conductivity of electrospun hybrid membranes for tissue regeneration strategies. <i>Polymers for Advanced Technologies</i> , 2022, 33, 1233-1243.	3.2	4
3	Environmentally friendly carrageenan-based ionic-liquid driven soft actuators. <i>Materials Advances</i> , 2022, 3, 937-945.	5.4	4
4	Solution processing of piezoelectric unconventional structures. , 2022, , 375-439.		3
5	Ionic liquid modified electroactive polymer-based microenvironments for tissue engineering. <i>Polymer</i> , 2022, 246, 124731.	3.8	4
6	Poly(lactic-co-glycolide) based biodegradable electrically and magnetically active microenvironments for tissue regeneration applications. <i>European Polymer Journal</i> , 2022, , 111197.	5.4	2
7	Tailoring physicochemical properties of collagen-based composites with ionic liquids and wool for advanced applications. <i>Polymer</i> , 2022, 252, 124943.	3.8	7
8	Structural organization of ionic liquids embedded in fluorinated polymers. <i>Journal of Molecular Liquids</i> , 2022, 360, 119385.	4.9	8
9	Carrageenan-Based Hybrid Materials with Ionic Liquids for Sustainable and Recyclable Printable Pressure Sensors. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 8631-8640.	6.7	6
10	Lithium-Ion Battery Solid Electrolytes Based on Poly(vinylidene Fluoride)-Metal Thiocyanate Ionic Liquid Blends. <i>ACS Applied Polymer Materials</i> , 2022, 4, 5909-5919.	4.4	5
11	Ionic-triggered magnetoelectric coupling for magnetic sensing applications. <i>Applied Materials Today</i> , 2022, 29, 101590.	4.3	0
12	Enhanced ionic conductivity in poly(vinylidene fluoride) electrospun separator membranes blended with different ionic liquids for lithium ion batteries. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 376-386.	9.4	63
13	Magnetoelectric Polymer-Based Nanocomposites with Magnetically Controlled Antimicrobial Activity. <i>ACS Applied Bio Materials</i> , 2021, 4, 559-570.	4.6	20
14	All printed soft actuators based on ionic liquid/polymer hybrid materials. <i>Applied Materials Today</i> , 2021, 22, 100928.	4.3	16
15	Photocurable temperature activated humidity hybrid sensing materials for multifunctional coatings. <i>Polymer</i> , 2021, 221, 123635.	3.8	3
16	Comparative Assessment of Ionic Liquid-Based Soft Actuators Prepared by Film Casting Versus Direct Ink Writing. <i>Advanced Engineering Materials</i> , 2021, 23, 2100411.	3.5	9
17	Crystallization Monitoring of Semicrystalline Poly(vinylidene fluoride)/1-Ethyl-3-methylimidazolium Hexafluorophosphate [Emim][PF ₆] Ionic Liquid Blends. <i>Crystal Growth and Design</i> , 2021, 21, 4406-4416.	3.0	8
18	Thermal degradation behavior of ionic liquid/ fluorinated polymer composites: Effect of polymer type and ionic liquid anion and cation. <i>Polymer</i> , 2021, 229, 123995.	3.8	7

#	ARTICLE	IF	CITATIONS
19	Highly sensitive transparent piezoionic materials and their applicability as printable pressure sensors. <i>Composites Science and Technology</i> , 2021, 214, 108976.	7.8	18
20	Ionic Liquid-Based Materials for Biomedical Applications. <i>Nanomaterials</i> , 2021, 11, 2401.	4.1	52
21	Nanostructured Cr(N,O) based thin films for relative humidity sensing. <i>Vacuum</i> , 2021, 191, 110333.	3.5	2
22	Multifunctional hard coatings based on CrNx for temperature sensing applications. <i>Sensors and Actuators A: Physical</i> , 2021, 329, 112794.	4.1	4
23	Influence of cellulose nanocrystal surface functionalization on the bending response of cellulose nanocrystal/ionic liquid soft actuators. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 6710-6716.	2.8	3
24	High-Performance Room Temperature Lithium-Ion Battery Solid Polymer Electrolytes Based on Poly(vinylidene fluoride-co-hexafluoropropylene) Combining Ionic Liquid and Zeolite. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 48889-48900.	8.0	21
25	Tailoring electroactive poly(vinylidene fluoride-co-trifluoroethylene) microspheres by a nanoprecipitation method. <i>Materials Letters</i> , 2020, 261, 127018.	2.6	8
26	Lithium-ion battery separator membranes based on poly(L-lactic acid) biopolymer. <i>Materials Today Energy</i> , 2020, 18, 100494.	4.7	18
27	Poly(vinylidene) fluoride membranes coated by heparin/collagen layer-by-layer, smart biomimetic approaches for mesenchymal stem cell culture. <i>Materials Science and Engineering C</i> , 2020, 117, 111281.	7.3	22
28	Design of Ionic-Liquid-Based Hybrid Polymer Materials with a Magnetoactive and Electroactive Multifunctional Response. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 42089-42098.	8.0	14
29	Biodegradable Hydrogels Loaded with Magnetically Responsive Microspheres as 2D and 3D Scaffolds. <i>Nanomaterials</i> , 2020, 10, 2421.	4.1	8
30	Cellulose Nanocrystal and Water-Soluble Cellulose Derivative Based Electromechanical Bending Actuators. <i>Materials</i> , 2020, 13, 2294.	2.9	16
31	Development of Poly(L-Lactic Acid)-Based Bending Actuators. <i>Polymers</i> , 2020, 12, 1187.	4.5	7
32	Plasma-treated Bombyx mori cocoon separators for high-performance and sustainable lithium-ion batteries. <i>Materials Today Sustainability</i> , 2020, 9, 100041.	4.1	9
33	Polymer-based actuators: back to the future. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 15163-15182.	2.8	41
34	Ionic Liquid-Polymer Composites: A New Platform for Multifunctional Applications. <i>Advanced Functional Materials</i> , 2020, 30, 1909736.	14.9	197
35	Effect of Ionic Liquid Content on the Crystallization Kinetics and Morphology of Semicrystalline Poly(vinylidene Fluoride)/Ionic Liquid Blends. <i>Crystal Growth and Design</i> , 2020, 20, 4967-4979.	3.0	12
36	Electroactive poly(vinylidene fluoride)-based materials: recent progress, challenges, and opportunities. , 2020, , 1-43.		7

#	ARTICLE	IF	CITATIONS
37	The role of CNC surface modification on the structural, thermal and electrical properties of poly(vinylidene fluoride) nanocomposites. <i>Cellulose</i> , 2020, 27, 3821-3834.	4.9	16
38	Hydrophobic modification of bacterial cellulose using oxygen plasma treatment and chemical vapor deposition. <i>Cellulose</i> , 2020, 27, 10733-10746.	4.9	33
39	Silica nanoparticles surface charge modulation of the electroactive phase content and physical-chemical properties of poly(vinylidene fluoride) nanocomposites. <i>Composites Part B: Engineering</i> , 2020, 185, 107786.	12.0	14
40	Morphology Dependence Degradation of Electro- and Magnetoactive Poly(3-hydroxybutyrate-co-hydroxyvalerate) for Tissue Engineering Applications. <i>Polymers</i> , 2020, 12, 953.	4.5	18
41	Ionic liquid based Fluoropolymer solid electrolytes for Lithium-ion batteries. <i>Sustainable Materials and Technologies</i> , 2020, 25, e00176.	3.3	26
42	Silk Fibroin Bending Actuators as an Approach Toward Natural Polymer Based Active Materials. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 30197-30206.	8.0	34
43	Influence of Cation and Anion Type on the Formation of the Electroactive β -Phase and Thermal and Dynamic Mechanical Properties of Poly(vinylidene fluoride)/Ionic Liquids Blends. <i>Journal of Physical Chemistry C</i> , 2019, 123, 27917-27926.	3.1	50
44	Magnetic ionic liquid/polymer composites: Tailoring physico-chemical properties by ionic liquid content and solvent evaporation temperature. <i>Composites Part B: Engineering</i> , 2019, 178, 107516.	12.0	20
45	Bioinspired Three-Dimensional Magnetoactive Scaffolds for Bone Tissue Engineering. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 45265-45275.	8.0	101
46	Ionic-Liquid-Based Electroactive Polymer Composites for Muscle Tissue Engineering. <i>ACS Applied Polymer Materials</i> , 2019, 1, 2649-2658.	4.4	46
47	Highly Sensitive Humidity Sensor Based on Ionic Liquid-Polymer Composites. <i>ACS Applied Polymer Materials</i> , 2019, 1, 2723-2730.	4.4	46
48	Development of bio-hybrid piezoresistive nanocomposites using silk-elastin protein copolymers. <i>Composites Science and Technology</i> , 2019, 172, 134-142.	7.8	14
49	Ionic-Liquid-Based Printable Materials for Thermochromic and Thermoresistive Applications. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 20316-20324.	8.0	33
50	Molecular relaxation and ionic conductivity of ionic liquids confined in a poly(vinylidene fluoride) polymer matrix: Influence of anion and cation type. <i>Polymer</i> , 2019, 171, 58-69.	3.8	17
51	Ionic Liquid Cation Size-Dependent Electromechanical Response of Ionic Liquid/Poly(vinylidene fluoride) Nanocomposites. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 10723-10730.	3.1	72
52	Surface wettability modification of poly(vinylidene fluoride) and copolymer films and membranes by plasma treatment. <i>Polymer</i> , 2019, 169, 138-147.	3.8	51
53	Improved response of ionic liquid-based bending actuators by tailored interaction with the polar fluorinated polymer matrix. <i>Electrochimica Acta</i> , 2019, 296, 598-607.	5.2	49
54	Piezo- and Magnetoelectric Polymers as Biomaterials for Novel Tissue Engineering Strategies. <i>MRS Advances</i> , 2018, 3, 1671-1676.	0.9	26

#	ARTICLE	IF	CITATIONS
55	Ionic and conformational mobility in poly(vinylidene fluoride)/ionic liquid blends: Dielectric and electrical conductivity behavior. <i>Polymer</i> , 2018, 143, 164-172.	3.8	32
56	Silk fibroin-magnetic hybrid composite electrospun fibers for tissue engineering applications. <i>Composites Part B: Engineering</i> , 2018, 141, 70-75.	12.0	88
57	Electroactive poly(vinylidene fluoride)-based structures for advanced applications. <i>Nature Protocols</i> , 2018, 13, 681-704.	12.0	466
58	Multifunctional Platform Based on Electroactive Polymers and Silica Nanoparticles for Tissue Engineering Applications. <i>Nanomaterials</i> , 2018, 8, 933.	4.1	16
59	Multifunctional magnetically responsive biocomposites based on genetically engineered silk-elastin-like protein. <i>Composites Part B: Engineering</i> , 2018, 153, 413-419.	12.0	17
60	Tailored Biodegradable and Electroactive Poly(Hydroxybutyrate-Co-Hydroxyvalerate) Based Morphologies for Tissue Engineering Applications. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2149.	4.1	23
61	Fluorinated Polymers as Smart Materials for Advanced Biomedical Applications. <i>Polymers</i> , 2018, 10, 161.	4.5	196
62	Low-field giant magneto-ionic response in polymer-based nanocomposites. <i>Nanoscale</i> , 2018, 10, 15747-15754.	5.6	31
63	Kinetic study of thermal degradation of chitosan as a function of deacetylation degree. <i>Carbohydrate Polymers</i> , 2017, 167, 52-58.	10.2	58
64	Chitosan patterning on titanium implants. <i>Progress in Organic Coatings</i> , 2017, 111, 23-28.	3.9	21
65	In vivo demonstration of the suitability of piezoelectric stimuli for bone repairation. <i>Materials Letters</i> , 2017, 209, 118-121.	2.6	75
66	Electrospun Polymeric Smart Materials for Tissue Engineering Applications. , 2017, , 251-282.		2
67	Human Mesenchymal Stem Cells Growth and Osteogenic Differentiation on Piezoelectric Poly(vinylidene fluoride) Microsphere Substrates. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2391.	4.1	34
68	Poly(vinylidene fluoride-hexafluoropropylene)/bayerite composite membranes for efficient arsenic removal from water. <i>Materials Chemistry and Physics</i> , 2016, 183, 430-438.	4.0	41
69	Magnetically Controlled Drug Release System through Magnetomechanical Actuation. <i>Advanced Healthcare Materials</i> , 2016, 5, 3027-3034.	7.6	25
70	Processing and size range separation of pristine and magnetic poly(L-lactic acid) based microspheres for biomedical applications. <i>Journal of Colloid and Interface Science</i> , 2016, 476, 79-86.	9.4	23
71	Superhydrophilic poly(L-lactic acid) electrospun membranes for biomedical applications obtained by argon and oxygen plasma treatment. <i>Applied Surface Science</i> , 2016, 371, 74-82.	6.1	44
72	Strategies for the development of three dimensional scaffolds from piezoelectric poly(vinylidene) Tj ETQq0 0 0 rgBT, /Overlock, 10 Tf 50 6	7.0	52

#	ARTICLE	IF	CITATIONS
73	Piezoelectric poly(vinylidene fluoride) microstructure and poling state in active tissue engineering. <i>Engineering in Life Sciences</i> , 2015, 15, 351-356.	3.6	91
74	Influence of oxygen plasma treatment parameters on poly(vinylidene fluoride) electrospun fiber mats wettability. <i>Progress in Organic Coatings</i> , 2015, 85, 151-158.	3.9	79
75	Development of magnetoelectric CoFe_2O_4 /poly(vinylidene fluoride) microspheres. <i>RSC Advances</i> , 2015, 5, 35852-35857.	3.6	88
76	Piezoelectric polymers as biomaterials for tissue engineering applications. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 136, 46-55.	5.0	364
77	Physicochemical properties of poly(vinylidene fluoride-trifluoroethylene)/poly(ethylene oxide) blend membranes for lithium ion battery applications: Influence of poly(ethylene oxide) molecular weight. <i>Solid State Ionics</i> , 2014, 268, 54-67.	2.7	32
78	Influence of electrospinning parameters on poly(hydroxybutyrate) electrospun membranes fiber size and distribution. <i>Polymer Engineering and Science</i> , 2014, 54, 1608-1617.	3.1	35
79	Processing and characterization of \pm -elastin electrospun membranes. <i>Applied Physics A: Materials Science and Processing</i> , 2014, 115, 1291-1298.	2.3	12
80	Electrosprayed poly(vinylidene fluoride) microparticles for tissue engineering applications. <i>RSC Advances</i> , 2014, 4, 33013-33021.	3.6	77
81	Effect of neutralization and cross-linking on the thermal degradation of chitosan electrospun membranes. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 117, 123-130.	3.6	14
82	PHB-PEO electrospun fiber membranes containing chlorhexidine for drug delivery applications. <i>Polymer Testing</i> , 2014, 34, 64-71.	4.8	87
83	Electrical properties of intrinsically conductive core-shell polypyrrole/poly(vinylidene fluoride) electrospun fibers. <i>Synthetic Metals</i> , 2014, 197, 198-203.	3.9	14
84	Thermal and hydrolytic degradation of electrospun fish gelatin membranes. <i>Polymer Testing</i> , 2013, 32, 995-1000.	4.8	66
85	Physical-chemical properties of cross-linked chitosan electrospun fiber mats. <i>Polymer Testing</i> , 2012, 31, 1062-1069.	4.8	52
86	Determination of the parameters affecting electrospun chitosan fiber size distribution and morphology. <i>Carbohydrate Polymers</i> , 2012, 87, 1295-1301.	10.2	90
87	Sustainable lithium-ion battery separators based on poly(3-hydroxybutyrate-co-3-hydroxyvalerate) pristine and composite electrospun membranes. <i>Energy Technology</i> , 0, , 2100761.	3.8	4
88	Piezoelectric biodegradable poly(3-hydroxybutyrate-co-3-hydroxyvalerate) based electrospun fiber mats with tailored porosity. <i>Polymers for Advanced Technologies</i> , 0, , .	3.2	4