

Victoria Vickerstaff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3889349/publications.pdf>

Version: 2024-02-01

90
papers

2,670
citations

201658

27
h-index

214788

47
g-index

96
all docs

96
docs citations

96
times ranked

3312
citing authors

#	ARTICLE	IF	CITATIONS
1	Selective laser trabeculoplasty versus eye drops for first-line treatment of ocular hypertension and glaucoma (LiGHT): a multicentre randomised controlled trial. <i>Lancet</i> , The, 2019, 393, 1505-1516.	13.7	338
2	How accurate is the "Surprise Question"™ at identifying patients at the end of life? A systematic review and meta-analysis. <i>BMC Medicine</i> , 2017, 15, 139.	5.5	211
3	Living and dying with advanced dementia: A prospective cohort study of symptoms, service use and care at the end of life. <i>Palliative Medicine</i> , 2018, 32, 668-681.	3.1	162
4	Pain, agitation, and behavioural problems in people with dementia admitted to general hospital wards. <i>Pain</i> , 2015, 156, 675-683.	4.2	138
5	A brief intervention for weight control based on habit-formation theory delivered through primary care: results from a randomised controlled trial. <i>International Journal of Obesity</i> , 2017, 41, 246-254.	3.4	112
6	Methods to adjust for multiple comparisons in the analysis and sample size calculation of randomised controlled trials with multiple primary outcomes. <i>BMC Medical Research Methodology</i> , 2019, 19, 129.	3.1	93
7	Advance Care Planning in Dementia: Do Family Carers Know the Treatment Preferences of People with Early Dementia?. <i>PLoS ONE</i> , 2016, 11, e0159056.	2.5	80
8	Primary Selective Laser Trabeculoplasty for Open-Angle Glaucoma and Ocular Hypertension. <i>Ophthalmology</i> , 2019, 126, 1238-1248.	5.2	71
9	The role of self-regulatory skills and automaticity on the effectiveness of a brief weight loss habit-based intervention: secondary analysis of the 10 top tips randomised trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 119.	4.6	70
10	Pain and delirium in people with dementia in the acute general hospital setting. <i>Age and Ageing</i> , 2018, 47, 841-846.	1.6	68
11	Clinical outcomes of staff training in positive behaviour support to reduce challenging behaviour in adults with intellectual disability: cluster randomised controlled trial. <i>British Journal of Psychiatry</i> , 2018, 212, 161-168.	2.8	61
12	Implementing the compassion intervention, a model for integrated care for people with advanced dementia towards the end of life in nursing homes: a naturalistic feasibility study. <i>BMJ Open</i> , 2017, 7, e015515.	1.9	58
13	Experiences of end of life amongst family carers of people with advanced dementia: longitudinal cohort study with mixed methods. <i>BMC Geriatrics</i> , 2017, 17, 135.	2.7	50
14	Advanced chronic liver disease in the last year of life: a mixed methods study to understand how care in a specialist liver unit could be improved. <i>BMJ Open</i> , 2017, 7, e016887.	1.9	46
15	Selective laser trabeculoplasty versus drops for newly diagnosed ocular hypertension and glaucoma: the LiGHT RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-102.	2.8	42
16	Interventions for sexual dysfunction following treatments for cancer in women. <i>The Cochrane Library</i> , 2022, 2022, CD005540.	2.8	41
17	The under reporting of recruitment strategies in research with children with life-threatening illnesses: A systematic review. <i>Palliative Medicine</i> , 2017, 31, 419-436.	3.1	38
18	Decision aids to support decision-making in dementia care: a systematic review. <i>International Psychogeriatrics</i> , 2019, 31, 1403-1419.	1.0	38

#	ARTICLE	IF	CITATIONS
19	Description of complex interventions: analysis of changes in reporting in randomised trials since 2002. <i>Trials</i> , 2018, 19, 110.	1.6	37
20	Clinical and cost effectiveness of staff training in Positive Behaviour Support (PBS) for treating challenging behaviour in adults with intellectual disability: a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2014, 14, 219.	2.6	36
21	Key components of the delirium syndrome and mortality: greater impact of acute change and disorganised thinking in a prospective cohort study. <i>BMC Geriatrics</i> , 2018, 18, 24.	2.7	35
22	Acceptance and commitment therapy for adults with advanced cancer (CanACT): A feasibility randomised controlled trial. <i>Psycho-Oncology</i> , 2019, 28, 488-496.	2.3	35
23	Are multiple primary outcomes analysed appropriately in randomised controlled trials? A review. <i>Contemporary Clinical Trials</i> , 2015, 45, 8-12.	1.8	34
24	Development of a model for integrated care at the end of life in advanced dementia: A whole systems UK-wide approach. <i>Palliative Medicine</i> , 2016, 30, 279-295.	3.1	34
25	The effectiveness of aromatherapy, massage and reflexology in people with palliative care needs: A systematic review. <i>Palliative Medicine</i> , 2020, 34, 179-194.	3.1	33
26	Palliative care for cirrhosis: a UK survey of health professionals'™ perceptions, current practice and future needs. <i>Frontline Gastroenterology</i> , 2016, 7, 4-9.	1.8	32
27	“Worried to death”™: the assessment and management of anxiety in patients with advanced life-limiting disease, a national survey of palliative medicine physicians. <i>BMC Palliative Care</i> , 2017, 16, 69.	1.8	31
28	Laxatives for the management of constipation in people receiving palliative care. <i>The Cochrane Library</i> , 2020, 2020, CD003448.	2.8	30
29	Prognostic tools or clinical predictions: Which are better in palliative care?. <i>PLoS ONE</i> , 2021, 16, e0249763.	2.5	29
30	Improving the care of people with dementia in general hospitals: evaluation of a whole-system train-the-trainer model. <i>International Psychogeriatrics</i> , 2017, 29, 605-614.	1.0	27
31	Efficacy of Repeat Selective Laser Trabeculoplasty in Medication-Naive Open-Angle Glaucoma and Ocular Hypertension during the LiGHT Trial. <i>Ophthalmology</i> , 2020, 127, 467-476.	5.2	27
32	Acceptance and commitment therapy for adults with advanced cancer (CanACT): study protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2016, 17, 77.	1.6	26
33	Temporal Trends in Analgesic Use in Long-Term Care Facilities: A Systematic Review of International Prescribing. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 376-382.	2.6	24
34	Mu-opioid antagonists for opioid-induced bowel dysfunction in people with cancer and people receiving palliative care. <i>The Cochrane Library</i> , 2018, 2018, CD006332.	2.8	24
35	The Laser in Glaucoma and Ocular Hypertension (LiGHT) trial. A multicentre randomised controlled trial: baseline patient characteristics. <i>British Journal of Ophthalmology</i> , 2018, 102, 599-603.	3.9	22
36	Positive behaviour support training for staff for treating challenging behaviour in people with intellectual disabilities: a cluster RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-110.	2.8	20

#	ARTICLE	IF	CITATIONS
37	Is preparation for end of life associated with pre-death grief in caregivers of people with dementia?. International Psychogeriatrics, 2020, 32, 753-763.	1.0	18
38	Enteral tube feeding for people with severe dementia. The Cochrane Library, 2021, 2021, CD013503.	2.8	18
39	CoMPASs: IO n programme (Care Of Memory Problems in Advanced Stages of dementia: Improving Our Tj ETQq1 1 0.784314 rgBT /O	1.9	16
40	How do palliative care doctors recognise imminently dying patients? A judgement analysis. BMJ Open, 2018, 8, e024996.	1.9	15
41	Oral health and orofacial pain in people with dementia admitted to acute hospital wards: observational cohort study. BMC Geriatrics, 2018, 18, 121.	2.7	15
42	A comparison of methods for analysing multiple outcome measures in randomised controlled trials using a simulation study. Biometrical Journal, 2021, 63, 599-615.	1.0	15
43	The Prognosis in Palliative care Study II (PiPS2): A prospective observational validation study of a prognostic tool with an embedded qualitative evaluation. PLoS ONE, 2021, 16, e0249297.	2.5	15
44	Pharmacological interventions for pain in children and adolescents with life-limiting conditions. The Cochrane Library, 2017, 2017, CD010750.	2.8	14
45	Psychometric evaluation of the Cohen&Mansfield Agitation Inventory in an acute general hospital setting. International Journal of Geriatric Psychiatry, 2018, 33, e158-e165.	2.7	14
46	Prevalence and associations of orofacial pain and oral health factors in nursing home residents with and without dementia. Age and Ageing, 2020, 49, 418-424.	1.6	14
47	Specialist palliative medicine physicians and nurses accuracy at predicting imminent death (within 72) Tj ETQq1 1 0.784314 rgBT /Over	1.6	14
48	A protocol for an exploratory phase I mixed-methods study of enhanced integrated care for care home residents with advanced dementia: the Compassion Intervention. BMJ Open, 2014, 4, e005661-e005661.	1.9	13
49	Statistical analysis plan for the Laser-1st versus Drops-1st for Glaucoma and Ocular Hypertension Trial (LiGHT): a multi-centre randomised controlled trial. Trials, 2015, 16, 517.	1.6	13
50	Healthcare utilization and monetary costs associated with agitation in UK care home residents with advanced dementia: a prospective cohort study. International Psychogeriatrics, 2020, 32, 359-370.	1.0	13
51	A mixed-methods feasibility study of a goal-focused manualised intervention to support people with dementia to stay living independently at home with support from family carers: NIDUS (New) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.0	10
52	Comparing the performance of the palliative prognostic (PaP) score with clinical predictions of survival: A systematic review. European Journal of Cancer, 2021, 158, 27-35.	2.8	11
53	The Prognosis in Palliative care Study II (PiPS2): study protocol for a multi-centre, prospective, observational, cohort study. BMC Palliative Care, 2018, 17, 101.	1.8	9
54	Clinical and cost effectiveness of staff training in the delivery of Positive Behaviour Support (PBS) for adults with intellectual disabilities, autism spectrum disorder and challenging behaviour - randomised trial. BMC Psychiatry, 2020, 20, 161.	2.6	9

#	ARTICLE	IF	CITATIONS
55	Oral function and its association with nutrition and quality of life in nursing home residents with and without dementia: A cross-sectional study. <i>Gerodontology</i> , 2021, 38, 404-413.	2.0	9
56	Prognostic models of survival in patients with advanced incurable cancer: the PiPS2 observational study. <i>Health Technology Assessment</i> , 2021, 25, 1-118.	2.8	9
57	UK quality statements on end of life care in dementia: a systematic review of research evidence. <i>BMC Palliative Care</i> , 2015, 14, 51.	1.8	8
58	A pragmatic approach to measuring adherence in treatment delivery in psychotherapy. <i>Cognitive Behaviour Therapy</i> , 2020, 49, 347-360.	3.5	8
59	Factors influencing prescription and administration of analgesic medication: A longitudinal study of people with dementia living in care homes. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1354-1361.	2.7	8
60	SP707VALIDATION OF THE DISTRESS THERMOMETER IN A UK RENAL POPULATION. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii612-iii612.	0.7	6
61	Exploring the costs, consequences and efficiency of three types of palliative care day services in the UK: a pragmatic before-and-after descriptive cohort study. <i>BMC Palliative Care</i> , 2020, 19, 119.	1.8	6
62	An Exploratory Factor Analysis and Construct Validity of the Resident Choice Assessment Scale With Paid Carers of Adults With Intellectual Disabilities and Challenging Behavior in Community Settings. <i>Journal of Mental Health Research in Intellectual Disabilities</i> , 2017, 10, 198-216.	2.0	5
63	Orofacial Pain During Rest and Chewing in Dementia Patients Admitted to Acute Hospital Wards: Validity Testing of the Orofacial Pain Scale for Non-Verbal Individuals. <i>Journal of Oral and Facial Pain and Headache</i> , 2019, 33, 247-253.	1.4	5
64	Staff training in positive behaviour support for behaviour that challenges in people with intellectual disability: cost-utility analysis of a cluster randomised controlled trial. <i>BJPsych Open</i> , 2020, 6, e15.	0.7	5
65	Do screening tools assess palliative care needs and 12-month mortality in patients admitted to hepatology in-patient wards?. <i>Frontline Gastroenterology</i> , 2022, 13, 211-217.	1.8	5
66	Imminent death: clinician certainty and accuracy of prognostic predictions. <i>BMJ Supportive and Palliative Care</i> , 2019, , bmjspcare-2018-001761.	1.6	4
67	Challenging behaviour, epilepsy and intellectual disability: A secondary analysis of findings from a randomised controlled trial. <i>Journal of Intellectual and Developmental Disability</i> , 2019, 44, 457-463.	1.6	4
68	An online international comparison of thresholds for triggering a negative response to the ‘Surprise Question’ a study protocol. <i>BMC Palliative Care</i> , 2019, 18, 36.	1.8	4
69	Anticholinergic Burden Does Not Influence Delirium Subtype or the Delirium-Mortality Association in Hospitalized Older Adults: Results from a Prospective Cohort Study. <i>Drugs and Aging</i> , 2021, 38, 233-242.	2.7	4
70	The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PiPS2): A prospective observational study. <i>PLoS ONE</i> , 2022, 17, e0267050.	2.5	4
71	Longitudinal Outcomes of Gender Identity in Children (LOGIC): protocol for a prospective longitudinal cohort study of children referred to the UK gender identity development service. <i>BMJ Open</i> , 2021, 11, e045628.	1.9	3
72	Cross-sectional questionnaire study to gather the teaching preferences and expectations of UK undergraduate medical students for culinary medicine learning. <i>BMJ Open</i> , 2020, 10, e036410.	1.9	3

#	ARTICLE	IF	CITATIONS
73	WHY IS INTEGRATED CARE NOT WORKING IN END OF LIFE CARE FOR THOSE WITH ADVANCED DEMENTIA? FROM THE HEALTH CARE PROFESSIONAL PERSPECTIVE. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 113.1-113.	1.6	2
74	Study recruitment factors in advanced cancer: the Prognosis in Palliative care Study II (PiPS2) - a multicentre, prospective, observational cohort project. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjspcare-2020-002670.	1.6	2
75	An online international comparison of palliative care identification in primary care using the Surprise Question. <i>Palliative Medicine</i> , 2022, 36, 142-151.	3.1	2
76	Longitudinal Outcomes of Gender Identity in Children (LOGIC): study protocol for a retrospective analysis of the characteristics and outcomes of children referred to specialist gender services in the UK and the Netherlands. <i>BMJ Open</i> , 2021, 11, e054895.	1.9	2
77	SP714HAEMODIALYSIS PATIENTS EXPERIENCE HIGHER LEVELS OF PSYCHOSOCIAL DISTRESS THAN EQUIVALENT CKD PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii614-iii615.	0.7	1
78	A QUALITATIVE ANALYSIS OF BARRIERS TO FUTURE CARE DISCUSSIONS WITH FAMILY MEMBERS OF CARE HOME RESIDENTS WITH ADVANCED DEMENTIA. <i>BMJ Supportive and Palliative Care</i> , 2015, 5, 112.2-113.	1.6	1
79	[O4â€“05â€“05]: ARE CARE HOME RESIDENTS WITH UNDIAGNOSED DEMENTIA MORE AT RISK OF ANTIPSYCHOTIC OVERUSE?. <i>Alzheimer's and Dementia</i> , 2017, 13, P1240.	0.8	1
80	Psychotropic prescribing for English care home residents with dementia compared with national guidance: findings from the MARQUE national longitudinal study. <i>BJPsych Open</i> , 2021, 7, .	0.7	1
81	44â€“...An evidenced-based heuristics model (or rule of thumb) to improve doctorsâ€™ intuition about when patients are imminently dying. <i>BMJ Supportive and Palliative Care</i> , 2018, 8, 376.2-376.	1.6	1
82	6â€“...Effectiveness of mu-opioid antagonists for opioid-induced bowel dysfunction: findings from a systematic review. , 2022, , .		1
83	SATISFACTION OF CARERS OF PEOPLE WITH ADVANCED DEMENTIA: THEIR EXPERIENCES AT THE OF END OF LIFE. <i>BMJ Supportive and Palliative Care</i> , 2014, 4, 108.1-108.	1.6	0
84	PTH-133ÂˆUnderstanding the care pathway of patients with cirrhosis in the last year of life. <i>Gut</i> , 2015, 64, A467.1-A467.	12.1	0
85	PTH-125ÂˆA national survey of palliative care in end stage liver disease in the UK. <i>Gut</i> , 2015, 64, A463.1-A463.	12.1	0
86	The potential of the multivariate multilevel model for analysing correlated multiple outcomes: a simulation study. <i>Trials</i> , 2015, 16, .	1.6	0
87	Why do we offer palliative care so late to patients with liver disease?. <i>The Lancet Gastroenterology and Hepatology</i> , 2018, 3, 225-226.	8.1	0
88	Enteral tube feeding for people with severe dementia. <i>The Cochrane Library</i> , 2019, , .	2.8	0
89	Laser treatment for glaucoma â€“ Authors' reply. <i>Lancet, The</i> , 2020, 396, 754-755.	13.7	0
90	Milestones: a mixed methods study of an educational intervention to improve care of the dying. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-002212.	1.6	0