

Richard W Bohannon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3891443/publications.pdf>

Version: 2024-02-01

410
papers

28,569
citations

10956

71
h-index

6113

159
g-index

424
all docs

424
docs citations

424
times ranked

22574
citing authors

#	ARTICLE	IF	CITATIONS
1	Forward flexed posture: reliability and determinants of tragus-to-wall measurement. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 579-586.	0.6	2
2	Measurement of trunk muscle strength after stroke: An integrative review. <i>Topics in Stroke Rehabilitation</i> , 2022, 29, 173-180.	1.0	2
3	Predicting the handgrip strength across the age span: Cross-validating reference equations from the 2011 NIH toolbox norming study. <i>Journal of Hand Therapy</i> , 2022, 35, 131-141.	0.7	3
4	Neurologic and musculoskeletal effects of tilt-table standing on adults: a systematic review. <i>Journal of Physical Therapy Science</i> , 2021, 33, 700-706.	0.2	4
5	2021 Carole B Lewis Distinguished Lecture Address to the APTA Geriatrics Membership at the Combined Sections Meeting, February 4, 2021. <i>Journal of Geriatric Physical Therapy</i> , 2021, 44, 63-67.	0.6	0
6	Correlation of grip and knee extension strength in mature adults. <i>Isokinetics and Exercise Science</i> , 2021, , 1-5.	0.2	0
7	Characterization of muscle strength using the strength domain of the stroke impact scale: An integrative review. <i>Isokinetics and Exercise Science</i> , 2021, 29, 219-231.	0.2	0
8	Correlation between the strength of muscle actions of the paretic lower-limb and gait speed after Stroke: Results of a meta-analysis of six studies. <i>Isokinetics and Exercise Science</i> , 2021, , 1-4.	0.2	0
9	Performance and Clinimetric Properties of the Timed Up From Floor Test Completed by Apparently Healthy Community-Dwelling Older Women. <i>Journal of Geriatric Physical Therapy</i> , 2021, 44, 159-164.	0.6	6
10	Feasibility and informativeness of the Patient-Specific Functional Scale with patients with Parkinson's disease. <i>Physiotherapy Theory and Practice</i> , 2020, 36, 1241-1244.	0.6	6
11	Validity and Reliability of Jump Height Measurements Obtained From Nonathletic Populations With the VERT Device. <i>Journal of Geriatric Physical Therapy</i> , 2020, 43, 20-23.	0.6	4
12	Isokinetic testing of muscle strength of older individuals post-stroke: An integrative review. <i>Isokinetics and Exercise Science</i> , 2020, 28, 303-316.	0.2	4
13	Isokinetic testing of muscle strength of older individuals with chronic obstructive pulmonary disease: An integrative review. <i>Isokinetics and Exercise Science</i> , 2020, , 1-7.	0.2	0
14	Kinematics of shoulder, trunk, pelvis, and hip while reaching forward to progressively distant targets. <i>Journal of Bodywork and Movement Therapies</i> , 2020, 24, 221-226.	0.5	2
15	Developing and Implementing Performance Outcome Assessments: Evidentiary, Methodologic, and Operational Considerations. <i>Therapeutic Innovation and Regulatory Science</i> , 2019, 53, 146-153.	0.8	24
16	Effects of Intensive Versus Standard Ambulatory Blood Pressure Control on Cerebrovascular Outcomes in Older People (INFINITY). <i>Circulation</i> , 2019, 140, 1626-1635.	1.6	84
17	<p>Grip Strength: An Indispensable Biomarker For Older Adults</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1681-1691.	1.3	407
18	Considerations and Practical Options for Measuring Muscle Strength: A Narrative Review. <i>BioMed Research International</i> , 2019, 2019, 1-10.	0.9	57

#	ARTICLE	IF	CITATIONS
19	Patient-report as an option for describing muscle weakness: An integrative review. <i>Isokinetics and Exercise Science</i> , 2019, 27, 79-82.	0.2	1
20	Relationships between grip strength, dexterity, and fine hand use are attenuated by age in children 3 to 13 years-of-age. <i>Journal of Physical Therapy Science</i> , 2019, 31, 382-386.	0.2	5
21	Between-side differences in hand-grip strength across the age span: Findings from 2011-2014 NHANES and 2011 NIH Toolbox studies. <i>Laterality</i> , 2019, 24, 697-706.	0.5	10
22	Reliability and validity of measurements of cervical retraction strength obtained with a hand-held dynamometer. <i>Journal of Manual and Manipulative Therapy</i> , 2019, 27, 222-228.	0.7	10
23	Minimal clinically important difference for grip strength: a systematic review. <i>Journal of Physical Therapy Science</i> , 2019, 31, 75-78.	0.2	119
24	1-Minute Sit-to-Stand Test. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2019, 39, 2-8.	1.2	132
25	Four-Meter Gait Speed: Normative Values and Reliability Determined for Adults Participating in the NIH Toolbox Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 509-513.	0.5	96
26	Tragus-to-wall: A systematic review of procedures, measurements obtained, and clinimetric properties. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2019, 32, 179-189.	0.4	4
27	Two-Minute Step Test of Exercise Capacity: Systematic Review of Procedures, Performance, and Clinimetric Properties. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, 105-112.	0.6	76
28	Summary of grip strength measurements obtained in the 2011-2012 and 2013-2014 National Health and Nutrition Examination Surveys. <i>Journal of Hand Therapy</i> , 2019, 32, 489-496.	0.7	23
29	Handgrip Strength: A Comparison of Values Obtained From the NHANES and NIH Toolbox Studies. <i>American Journal of Occupational Therapy</i> , 2019, 73, 7302205080p1-7302205080p9.	0.1	37
30	Unipedal balance test for older adults: a systematic review and meta-analysis of studies providing normative data. <i>Physiotherapy</i> , 2018, 104, 376-382.	0.2	24
31	Timed mobility: description of measurement, performance, and dimensionality among older adults. <i>Disability and Rehabilitation</i> , 2018, 40, 2011-2014.	0.9	13
32	Normative Two-Minute Walk Test Distances for Boys and Girls 3 to 17 Years of Age. <i>Physical and Occupational Therapy in Pediatrics</i> , 2018, 38, 39-45.	0.8	22
33	The prone bridge test: Performance, validity, and reliability among older and younger adults. <i>Journal of Bodywork and Movement Therapies</i> , 2018, 22, 385-389.	0.5	25
34	Grip strength measured by manual muscle testing lacks diagnostic accuracy. <i>Isokinetics and Exercise Science</i> , 2018, 26, 253-256.	0.2	4
35	Reliability of manual muscle testing: A systematic review. <i>Isokinetics and Exercise Science</i> , 2018, 26, 245-252.	0.2	14
36	Hand-Grip Strength: Normative Reference Values and Equations for Individuals 18 to 85 Years of Age Residing in the United States. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 685-693.	1.7	137

#	ARTICLE	IF	CITATIONS
37	Relationships among clinic, home, and ambulatory blood pressures with small vessel disease of the brain and functional status in older people with hypertension. <i>American Heart Journal</i> , 2018, 205, 21-30.	1.2	14
38	Reliability and Validity of Nonradiologic Measures of Forward Flexed Posture in Parkinson Disease. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 508-516.	0.5	12
39	Functional reach of older adults: normative reference values based on new and published data. <i>Physiotherapy</i> , 2017, 103, 387-391.	0.2	30
40	The PhyStat 7. <i>Topics in Geriatric Rehabilitation</i> , 2017, 33, 84-88.	0.2	4
41	Handgrip Strength: A Population-Based Study of Norms and Age Trajectories for 3- to 17-Year-Olds. <i>Pediatric Physical Therapy</i> , 2017, 29, 118-123.	0.3	55
42	Acute Effects of Moderate Alcohol Consumption on Postural Stability in Older Adults. <i>Perceptual and Motor Skills</i> , 2017, 124, 912-931.	0.6	6
43	Inclinometric measurement of kyphotic curvature: Description and clinimetric properties. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 797-804.	0.6	6
44	Acute Care and Beyond: Stories and Lessons Learned. <i>Journal of Acute Care Physical Therapy</i> , 2017, 8, 115-123.	0.0	0
45	Minimal clinically important difference for change in 6-minute walk test distance of adults with pathology: a systematic review. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 377-381.	0.9	398
46	Decrease in grip and knee extension strength with age in American women. <i>Isokinetics and Exercise Science</i> , 2017, 25, 259-261.	0.2	0
47	Relationship between sarcopenia and physical activity in older people: a systematic review and meta-analysis. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 835-845.	1.3	321
48	Research describing pelvifemoral rhythm: a systematic review. <i>Journal of Physical Therapy Science</i> , 2017, 29, 2039-2043.	0.2	13
49	Hip extension strength measured using hand-held dynamometry in a rehabilitation setting. <i>Isokinetics and Exercise Science</i> , 2017, 25, 157-160.	0.2	2
50	Normative reference values for the two-minute walk test derived by meta-analysis. <i>Journal of Physical Therapy Science</i> , 2017, 29, 2224-2227.	0.2	37
51	Test-Retest Reliability of Measurements of Hand-Grip Strength Obtained by Dynamometry from Older Adults: A Systematic Review of Research in the PubMed Database. <i>Journal of Frailty & Aging, the</i> , 2017, 6, 83-87.	0.8	52
52	REFERENCE VALUES FOR KNEE EXTENSION STRENGTH OBTAINED BY HAND-HELD DYNAMOMETRY FROM APPARENTLY HEALTHY OLDER ADULTS: A META-ANALYSIS. <i>Journal of Frailty & Aging, the</i> , 2017, 6, 1-3.	0.8	7
53	Association of older women's limb circumferences and muscle mass as estimated with bioelectrical impedance. <i>Journal of Physical Therapy Science</i> , 2016, 28, 1016-1019.	0.2	1
54	Alcohol consumption as a risk factor for sarcopenia - a meta-analysis. <i>BMC Geriatrics</i> , 2016, 16, 99.	1.1	65

#	ARTICLE	IF	CITATIONS
55	Measurement of anteriorly flexed trunk posture in Parkinson's disease (PD): a systematic review. <i>Physical Therapy Reviews</i> , 2015, 20, 225-232.	0.3	6
56	Daily sit-to-stands performed by adults: a systematic review. <i>Journal of Physical Therapy Science</i> , 2015, 27, 939-942.	0.2	43
57	Six-Minute Walk Test Vs. Three-Minute Step Test for Measuring Functional Endurance. <i>Journal of Strength and Conditioning Research</i> , 2015, 29, 3240-3244.	1.0	40
58	Muscle strength. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2015, 18, 465-470.	1.3	382
59	Measurement of hip extension strength with a portable device: Description, reliability and validity of a procedure. <i>Isokinetics and Exercise Science</i> , 2015, 23, 271-274.	0.2	4
60	Two-Minute Walk Test Performance by Adults 18 to 85 Years: Normative Values, Reliability, and Responsiveness. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015, 96, 472-477.	0.5	156
61	Association between clinical measures of sarcopenia in a sample of community-dwelling women. <i>Isokinetics and Exercise Science</i> , 2015, 23, 41-44.	0.2	5
62	Dexterity as measured with the 9-Hole Peg Test (9-HPT) across the age span. <i>Journal of Hand Therapy</i> , 2015, 28, 53-60.	0.7	101
63	Measurement of Distance Walked by Older Adults Participating in Subacute Rehabilitation. <i>PM and R</i> , 2015, 7, 130-134.	0.9	3
64	Identification of dynapenia in older adults through the use of grip strength scores. <i>Muscle and Nerve</i> , 2015, 51, 102-105.	1.0	33
65	ASSOCIATION OF GRIP AND KNEE EXTENSION STRENGTH WITH WALKING SPEED OF OLDER WOMEN RECEIVING HOME-CARE PHYSICAL THERAPY. <i>Journal of Frailty & Aging, the</i> , 2015, 4, 1-3.	0.8	14
66	Relation Between Cigarette Smoking and Sarcopenia: Meta-Analysis. <i>Physiological Research</i> , 2015, 64, 419-426.	0.4	98
67	Hip extension strength: Description and validity of a new procedure applied to older women. <i>Isokinetics and Exercise Science</i> , 2014, 22, 211-215.	0.2	5
68	Minimal clinically important difference for change in comfortable gait speed of adults with pathology: a systematic review. <i>Journal of Evaluation in Clinical Practice</i> , 2014, 20, 295-300.	0.9	247
69	Overweight and obesity. , 2014, , 461-463.		0
70	GRIP STRENGTH AND GAIT SPEED OF OLDER WOMEN RECEIVING PHYSICAL THERAPY IN A HOME-CARE SETTING. <i>Journal of Frailty & Aging, the</i> , 2014, 3, 1-3.	0.8	1
71	Intensive versus Standard Ambulatory Blood Pressure Lowering to Prevent Functional Decline In The Elderly (INFINITY). <i>American Heart Journal</i> , 2013, 165, 258-265.e1.	1.2	38
72	Portable belt-stabilized hand-held dynamometry set-up for measuring knee extension force. <i>Isokinetics and Exercise Science</i> , 2013, 21, 325-329.	0.2	10

#	ARTICLE	IF	CITATIONS
73	Motor assessment using the NIH Toolbox. <i>Neurology</i> , 2013, 80, S65-75.	1.5	167
74	Responsiveness of measurements of lower-limb muscle strength obtained with a hand-held dynamometer from patients with stroke. <i>Isokinetics and Exercise Science</i> , 2013, 21, 129-134.	0.2	1
75	Minimal Clinically Important Difference for Comfortable Speed as a Measure of Gait Performance in Patients Undergoing Inpatient Rehabilitation after Stroke. <i>Journal of Physical Therapy Science</i> , 2013, 25, 1223-1225.	0.2	55
76	Limitations in Gait Speed Persist at Discharge from Subacute Rehabilitation. <i>Journal of Physical Therapy Science</i> , 2013, 25, 891-893.	0.2	3
77	Are Hand-Grip and Knee Extension Strength Reflective of a Common Construct?. <i>Perceptual and Motor Skills</i> , 2012, 114, 514-518.	0.6	61
78	Measurement of Sit-to-Stand Among Older Adults. <i>Topics in Geriatric Rehabilitation</i> , 2012, 28, 11-16.	0.2	65
79	Gait Speed Is Limited but Improves Over the Course of Acute Care Physical Therapy. <i>Journal of Geriatric Physical Therapy</i> , 2012, 35, 140-144.	0.6	17
80	Impairments in Static Standing Balance Are Highly Prevalent Among Older Adults Receiving Home-Based Physical Therapy. <i>Journal of Geriatric Physical Therapy</i> , 2012, 35, 145-147.	0.6	1
81	Minimal Detectable Change of Knee Extension Force Measurements Obtained by Handheld Dynamometry From Older Patients in 2 Settings. <i>Journal of Geriatric Physical Therapy</i> , 2012, 35, 79-81.	0.6	9
82	Distribution and progression of muscle weakness in two cases of polymyositis. <i>Isokinetics and Exercise Science</i> , 2012, 20, 1-4.	0.2	2
83	Hand-held dynamometry: A practicable alternative for obtaining objective measures of muscle strength. <i>Isokinetics and Exercise Science</i> , 2012, 20, 301-315.	0.2	25
84	Isometric knee extension force measured using a handheld dynamometer with and without belt-stabilization. <i>Physiotherapy Theory and Practice</i> , 2012, 28, 562-568.	0.6	55
85	Responsiveness of the single-limb stance test. <i>Gait and Posture</i> , 2012, 35, 173.	0.6	10
86	Gait speed is a responsive measure of physical performance for patients undergoing short-term rehabilitation. <i>Gait and Posture</i> , 2012, 36, 61-64.	0.6	50
87	Grip and Knee extension muscle strength reflect a common construct among adults. <i>Muscle and Nerve</i> , 2012, 46, 555-558.	1.0	202
88	Body mass index and mobility of older home care patients. <i>Physiotherapy Theory and Practice</i> , 2011, 27, 460-462.	0.6	13
89	Test-Retest Reliability of the Five-Repetition Sit-to-Stand Test: A Systematic Review of the Literature Involving Adults. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 3205-3207.	1.0	152
90	Adequacy of Belt-Stabilized Testing of Knee Extension Strength. <i>Journal of Strength and Conditioning Research</i> , 2011, 25, 1963-1967.	1.0	49

#	ARTICLE	IF	CITATIONS
91	Relative reliability of three objective tests of limb muscle strength. <i>Isokinetics and Exercise Science</i> , 2011, 19, 77-81.	0.2	34
92	Testing of knee extension muscle strength: A comparison of two portable alternatives for the NIH toolbox study. <i>Isokinetics and Exercise Science</i> , 2011, 19, 163-168.	0.2	8
93	Literature reporting normative data for muscle strength measured by hand-held dynamometry: A systematic review. <i>Isokinetics and Exercise Science</i> , 2011, 19, 143-147.	0.2	13
94	Assessing Dexterity Function: A Comparison of Two Alternatives for the NIH Toolbox. <i>Journal of Hand Therapy</i> , 2011, 24, 313-321.	0.7	154
95	Normal walking speed: a descriptive meta-analysis. <i>Physiotherapy</i> , 2011, 97, 182-189.	0.2	618
96	Hand Grip Strength: age and gender stratified normative data in a population-based study. <i>BMC Research Notes</i> , 2011, 4, 127.	0.6	497
97	Use of a Standard Cane Increases Unipedal Stance Time during Static Testing. <i>Perceptual and Motor Skills</i> , 2011, 112, 726-728.	0.6	1
98	Five-Repetition Sit-to-Stand Test: Usefulness for Older Patients in a Home-Care Setting. <i>Perceptual and Motor Skills</i> , 2011, 112, 803-806.	0.6	25
99	Sit-to-stand test: Performance and determinants across the age-span. <i>Isokinetics and Exercise Science</i> , 2010, 18, 235-240.	0.2	215
100	Pelvifemoral Kinematics while Ascending Single Steps of Different Heights. <i>Journal of Applied Biomechanics</i> , 2010, 26, 290-294.	0.3	4
101	Manual muscle testing overlooks many knee extension strength deficits among older adults. <i>Isokinetics and Exercise Science</i> , 2010, 18, 185-187.	0.2	2
102	Minimal detectable change of measures of knee extension force obtained by hand-held dynamometry from five patient groups: A systematic review. <i>Isokinetics and Exercise Science</i> , 2010, 18, 133-135.	0.2	8
103	Grip Strength Impairments among Older Adults Receiving Physical Therapy in a Home-Care Setting. <i>Perceptual and Motor Skills</i> , 2010, 111, 761-764.	0.6	8
104	Physical Functioning Scale of the Short-Form (SF) 36: internal consistency and validity with older adults. <i>Journal of Geriatric Physical Therapy</i> , 2010, 33, 16-8.	0.6	60
105	How informative are manual muscle test scores obtained from home-care patients?. <i>Isokinetics and Exercise Science</i> , 2009, 17, 15-17.	0.2	5
106	Clinical examination tools for lateropulsion or pusher syndrome following stroke: a systematic review of the literature. <i>Clinical Rehabilitation</i> , 2009, 23, 639-650.	1.0	54
107	Responsiveness of measurements of knee extension force obtained by hand-held dynamometry: A preliminary analysis. <i>Isokinetics and Exercise Science</i> , 2009, 17, 169-172.	0.2	8
108	Responsiveness of hand-held dynamometry to changes in limb muscle strength: A retrospective investigation of published research. <i>Isokinetics and Exercise Science</i> , 2009, 17, 221-225.	0.2	6

#	ARTICLE	IF	CITATIONS
109	Positioning to prevent or reduce shoulder range of motion impairments after stroke: a meta-analysis. <i>Clinical Rehabilitation</i> , 2009, 23, 681-686.	1.0	23
110	Dynamometer Measurements of Grip and Knee Extension Strength: Are They Indicative of Overall Limb and Trunk Muscle Strength?. <i>Perceptual and Motor Skills</i> , 2009, 108, 339-342.	0.6	46
111	Hip and knee flexion of lead and trail limbs during ascent of a step of different heights by normal adults. <i>Physiotherapy</i> , 2009, 95, 289-293.	0.2	0
112	Reliability and validity of pendulum test measures of spasticity obtained with the Polhemus tracking system from patients with chronic stroke. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2009, 6, 30.	2.4	38
113	Measurement of Gait Speed of Older Adults is Feasible and Informative in a Home-care Setting. <i>Journal of Geriatric Physical Therapy</i> , 2009, 32, 22-23.	0.6	39
114	Body Weight-Normalized Knee Extension Strength Explains Sit-to-Stand Independence: A Validation Study. <i>Journal of Strength and Conditioning Research</i> , 2009, 23, 309-311.	1.0	30
115	Documentation of daily sit-to-stands performed by community-dwelling adults. <i>Physiotherapy Theory and Practice</i> , 2008, 24, 437-442.	0.6	19
116	Population Representative Gait Speed and Its Determinants. <i>Journal of Geriatric Physical Therapy</i> , 2008, 31, 49-52.	0.6	124
117	Hand-Grip Dynamometry Predicts Future Outcomes in Aging Adults. <i>Journal of Geriatric Physical Therapy</i> , 2008, 31, 3-10.	0.6	650
118	Knee Extension Strength and Adiposity Explain Some of Older Adults' Self-reported Difficulty with Mobility. <i>Journal of Geriatric Physical Therapy</i> , 2008, 31, 101-104.	0.6	3
119	Is it Legitimate to Characterize Muscle Strength Using a Limited Number of Measures?. <i>Journal of Strength and Conditioning Research</i> , 2008, 22, 166-173.	1.0	65
120	Hip external and internal rotation strength: Consistency over time and between sides. <i>Isokinetics and Exercise Science</i> , 2008, 16, 107-111.	0.2	6
121	Knee extension strength and body weight determine sit-to-stand independence after stroke. <i>Physiotherapy Theory and Practice</i> , 2007, 23, 291-297.	0.6	58
122	Number of Pedometer-Assessed Steps Taken Per Day by Adults: A Descriptive Meta-Analysis. <i>Physical Therapy</i> , 2007, 87, 1642-1650.	1.1	147
123	Muscle strength and muscle training after stroke. <i>Acta Dermato-Venereologica</i> , 2007, 39, 14-20.	0.6	243
124	Average Grip Strength. <i>Journal of Geriatric Physical Therapy</i> , 2007, 30, 28-30.	0.6	94
125	Six-Minute Walk Test. <i>Topics in Geriatric Rehabilitation</i> , 2007, 23, 155-160.	0.2	62
126	Five-repetition sit-to-stand test performance by community-dwelling adults: A preliminary investigation of times, determinants, and relationship with self-reported physical performance. <i>Isokinetics and Exercise Science</i> , 2007, 15, 77-81.	0.2	84

#	ARTICLE	IF	CITATIONS
127	Orthotic aided training of the paretic upper limb in chronic stroke: Results of a phase 1 trial. <i>NeuroRehabilitation</i> , 2007, 22, 99-103.	0.5	46
128	Overweight and obesity. , 2007, , 439-441.		0
129	Average grip strength: a meta-analysis of data obtained with a Jamar dynamometer from individuals 75 years or more of age. <i>Journal of Geriatric Physical Therapy</i> , 2007, 30, 28-30.	0.6	36
130	Reference Values for the Five-Repetition Sit-to-Stand Test: A Descriptive Meta-Analysis of Data from Elders. <i>Perceptual and Motor Skills</i> , 2006, 103, 215-222.	0.6	339
131	Consolidated reference values for grip strength of adults 20 to 49 years: A descriptive meta-analysis. <i>Isokinetics and Exercise Science</i> , 2006, 14, 221-224.	0.2	10
132	Single Limb Stance Times. <i>Topics in Geriatric Rehabilitation</i> , 2006, 22, 70-77.	0.2	96
133	Reference Values for the Timed Up and Go Test. <i>Journal of Geriatric Physical Therapy</i> , 2006, 29, 64-68.	0.6	795
134	Reference values for adult grip strength measured with a Jamar dynamometer: a descriptive meta-analysis. <i>Physiotherapy</i> , 2006, 92, 11-15.	0.2	430
135	Grip strength predicts outcome. <i>Age and Ageing</i> , 2006, 35, 320-320.	0.7	12
136	Hand-Held Dynamometry: Adoption 1900â€“2005. <i>Perceptual and Motor Skills</i> , 2006, 103, 3-4.	0.6	11
137	Test-retest reliability of the MicroFET 4 hand-grip dynamometer. <i>Physiotherapy Theory and Practice</i> , 2006, 22, 219-221.	0.6	17
138	REFERENCE VALUES FOR THE FIVE-REPETITION SIT-TO-STAND TEST: A DESCRIPTIVE META-ANALYSIS OF DATA FROM ELDERS. <i>Perceptual and Motor Skills</i> , 2006, 103, 215.	0.6	56
139	HAND-HELD DYNAMOMETRY: ADOPTION 1900-2005. <i>Perceptual and Motor Skills</i> , 2006, 103, 3.	0.6	3
140	RELIABILITY AND VALIDITY OF THREE STRENGTH MEASURES OBTAINED FROM COMMUNITY-DWELLING ELDERLY PERSONS. <i>Journal of Strength and Conditioning Research</i> , 2005, 19, 717-720.	1.0	9
141	Relationships Between Perceived Limitations in Stair Climbing and Lower Limb Strength, Body Mass Index, and Self-reported Stair Climbing Activity. <i>Topics in Geriatric Rehabilitation</i> , 2005, 21, 350-355.	0.2	6
142	Adiposity of Elderly Women and Its Relationship with Self-reported and Observed Physical Performance. <i>Journal of Geriatric Physical Therapy</i> , 2005, 28, 10-13.	0.6	23
143	Reliability of the sit-to-stand test over dispersed test sessions. <i>Isokinetics and Exercise Science</i> , 2005, 13, 119-122.	0.2	21
144	Effectiveness of the Easy-Up Handle in acute rehabilitation. <i>Clinical Rehabilitation</i> , 2005, 19, 381-386.	1.0	4

#	ARTICLE	IF	CITATIONS
145	June 2005 Letter to the Editor-in-Chief. Journal of Orthopaedic and Sports Physical Therapy, 2005, 35, 388-388.	1.7	0
146	Parallel Comparison of Grip Strength Measures Obtained with a Microfet 4 and a Jamar Dynamometer. Perceptual and Motor Skills, 2005, 100, 795-798.	0.6	19
147	Response to Article by Netz and Coworkers, vol 50, pp 121-126. Gerontology, 2005, 51, 285-285.	1.4	1
148	Test-Retest Reliability of Grip-strength Measures Obtained over a 12-week Interval from Community-dwelling Elders. Journal of Hand Therapy, 2005, 18, 426-428.	0.7	198
149	Manual muscle testing: does it meet the standards of an adequate screening test?. Clinical Rehabilitation, 2005, 19, 662-667.	1.0	195
150	Intrinsic and imposed hamstring length influence posterior pelvic rotation during hip flexion. Clinical Biomechanics, 2005, 20, 947-951.	0.5	56
151	Reliability and Validity of Three Strength Measures Obtained From Community-Dwelling Elderly Persons. Journal of Strength and Conditioning Research, 2005, 19, 717.	1.0	182
152	Adequacy of hand-grip dynamometry for characterizing upper limb strength after stroke. Isokinetics and Exercise Science, 2004, 12, 263-265.	0.2	24
153	Adequacy of Simple Measures for Characterizing Impairment in Upper Limb Strength following Stroke. Perceptual and Motor Skills, 2004, 99, 813-817.	0.6	12
154	Re: Estimating total Barthel scores from just three items. Age and Ageing, 2004, 33, 321-322.	0.7	3
155	Getting up from the floor. Determinants and techniques among healthy older adults. Physiotherapy Theory and Practice, 2004, 20, 233-241.	0.6	20
156	Mortality and readmission of the elderly one year after hospitalization for pneumonia. Aging Clinical and Experimental Research, 2004, 16, 22-25.	1.4	25
157	Short-term outcomes and their predictors for patients hospitalized with community-acquired pneumonia. Heart and Lung: Journal of Acute and Critical Care, 2004, 33, 301-307.	0.8	49
158	Measurement properties of the short form (SF)-12 applied to patients with stroke. International Journal of Rehabilitation Research, 2004, 27, 151-154.	0.7	34
159	Test-retest reliability of short form (SF)-12 component scores of patients with stroke. International Journal of Rehabilitation Research, 2004, 27, 149-150.	0.7	35
160	Association of Physical Functioning with Same-Hospital Readmission After Stroke. American Journal of Physical Medicine and Rehabilitation, 2004, 83, 434-438.	0.7	28
161	ADEQUACY OF SIMPLE MEASURES FOR CHARACTERIZING IMPAIRMENT IN UPPER LIMB STRENGTH FOLLOWING STROKE. Perceptual and Motor Skills, 2004, 99, 813.	0.6	5
162	GRIP STRENGTH NORMS FOR ELDERLY WOMEN. Perceptual and Motor Skills, 2004, 99, 899.	0.6	4

#	ARTICLE	IF	CITATIONS
163	Physical impairments related to kinetic energy during sit-to-stand and curb-climbing following stroke. <i>Clinical Biomechanics</i> , 2003, 18, 332-340.	0.5	51
164	Pelvic and femoral contributions to bilateral hip flexion by subjects suspended from a bar. <i>Clinical Biomechanics</i> , 2003, 18, 494-499.	0.5	32
165	Short-term recovery of limb muscle strength after acute stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 125-130.	0.5	60
166	Grip Strength: A Summary of Studies Comparing Dominant and Nondominant Limb Measurements. <i>Perceptual and Motor Skills</i> , 2003, 96, 728-730.	0.6	96
167	Functional Gains During Acute Hospitalization for Stroke. <i>Neurorehabilitation and Neural Repair</i> , 2003, 17, 192-195.	1.4	10
168	Treatment Interventions for the Paretic Upper Limb of Stroke Survivors: A Critical Review. <i>Neurorehabilitation and Neural Repair</i> , 2003, 17, 220-226.	1.4	307
169	Screening for Depression in Clinical Practice: Reliability and Validity of a Five-Item Subset of the CES-Depression. <i>Perceptual and Motor Skills</i> , 2003, 97, 855-861.	0.6	47
170	Strategies Community Dwelling Elderly Women Employ to Ease the Task of Standing Up From Household Surfaces. <i>Topics in Geriatric Rehabilitation</i> , 2003, 19, 137-144.	0.2	15
171	Evaluation and Treatment of Sensory and Perceptual Impairments Following Stroke. <i>Topics in Geriatric Rehabilitation</i> , 2003, 19, 87-97.	0.2	9
172	Documentation of prestroke ambulation. <i>International Journal of Rehabilitation Research</i> , 2003, 26, 71-72.	0.7	3
173	Nurse Caring Behaviors and Patient Satisfaction. <i>Journal of Nursing Administration</i> , 2003, 33, 434-436.	0.7	23
174	Relationship of Knee Extension Force to Independence in Sit-to-Stand Performance in Patients Receiving Acute Rehabilitation. <i>Physical Therapy</i> , 2003, 83, 544-551.	1.1	136
175	Effects of a 3-Minute Standing Stretch on Ankle-Dorsiflexion Range of Motion. <i>Journal of Sport Rehabilitation</i> , 2003, 12, 162-173.	0.4	7
176	Response to Evans's™ Comment on Pratt and Bohannon. <i>Journal of Sport Rehabilitation</i> , 2003, 12, 177-178.	0.4	0
177	Documentation of prestroke ambulation. <i>International Journal of Rehabilitation Research</i> , 2003, 26, 71-72.	0.7	4
178	Time Use by Inpatients Receiving Neurorehabilitation. <i>Perceptual and Motor Skills</i> , 2003, 97, 68-70.	0.6	3
179	Time to emergency department arrival and its determinants in patients with acute ischemic stroke. <i>Connecticut Medicine</i> , 2003, 67, 145-8.	0.2	23
180	Relationship of knee extension force to independence in sit-to-stand performance in patients receiving acute rehabilitation. <i>Physical Therapy</i> , 2003, 83, 544-51.	1.1	50

#	ARTICLE	IF	CITATIONS
181	Hospital readmissions and deaths during the first year after hospitalization for stroke. Connecticut Medicine, 2003, 67, 535-9.	0.2	12
182	Hospital readmissions of elderly patients hospitalized with pneumonia. Connecticut Medicine, 2003, 67, 599-603.	0.2	15
183	Rehabilitation therapy self-efficacy and functional recovery after hip fracture. International Journal of Rehabilitation Research, 2002, 25, 241-246.	0.7	58
184	Validity of Grip Strength Dynamometry in Acute Rehabilitation.. Journal of Physical Therapy Science, 2002, 14, 41-46.	0.2	16
185	Postadmission Function Best Predicts Acute Hospital Outcomes After Stroke. American Journal of Physical Medicine and Rehabilitation, 2002, 81, 726-730.	0.7	41
186	Quantitative Testing of Muscle Strength: Issues and Practical Options for the Geriatric Population. Topics in Geriatric Rehabilitation, 2002, 18, 1-17.	0.2	45
187	Kinematics of the Double-Leg-Lowering Test for Abdominal Muscle Strength. Journal of Orthopaedic and Sports Physical Therapy, 2002, 32, 432-436.	1.7	18
188	Pelvifemoral rhythm during unilateral hip flexion in standing. Clinical Biomechanics, 2002, 17, 147-151.	0.5	36
189	Muscle Strength is Impaired and Related to Acute Outcome in Patients with Community Acquired Pneumonia. Cardiopulmonary Physical Therapy Journal, 2002, 13, 3-6.	0.2	4
190	Dynamometer Measurements of Hand-Grip Strength Predict Multiple Outcomes. Perceptual and Motor Skills, 2001, 93, 323-328.	0.6	157
191	Ratings of physical function obtained by interview are legitimate for patients hospitalized after stroke. Journal of Stroke and Cerebrovascular Diseases, 2001, 10, 79-84.	0.7	11
192	Relationship between knee extension force and stand-up performance in community-dwelling elderly women. Archives of Physical Medicine and Rehabilitation, 2001, 82, 1666-1672.	0.5	93
193	Measuring Knee Extensor Muscle Strength. American Journal of Physical Medicine and Rehabilitation, 2001, 80, 13-18.	0.7	141
194	What Measure of Lower Extremity Muscle Strength Best Explains Walking Independence?. Journal of Physical Therapy Science, 2001, 13, 1-3.	0.2	11
195	Reliability, Responsiveness, and Validity of Timed, Large Amplitude, Rapid Alternating Movement Patterns among Patients with Stroke.. Journal of Physical Therapy Science, 2001, 13, 75-81.	0.2	3
196	Functional Independence Measure versus Short Form-36: relative responsiveness and validity. International Journal of Rehabilitation Research, 2001, 24, 65-68.	0.7	18
197	Discharge Function and Length of Stay for Patients with Stroke are Predicted by Lower Extremity Muscle Force on Admission to Rehabilitation. Neurorehabilitation and Neural Repair, 2001, 15, 93-97.	1.4	19
198	Adoption of Hand-Held Dynamometry. Perceptual and Motor Skills, 2001, 92, 150-150.	0.6	9

#	ARTICLE	IF	CITATIONS
199	DYNAMOMETER MEASUREMENTS OF HAND-GRIP STRENGTH PREDICT MULTIPLE OUTCOMES. Perceptual and Motor Skills, 2001, 93, 323.	0.6	40
200	Characterization of Isometric Limb Muscle Strength of Older Adults. Journal of Aging and Physical Activity, 2000, 8, 33-40.	0.5	9
201	Practical measure for evaluating functional outcomes post hip fracture. International Journal of Rehabilitation Research, 2000, 23, 135-137.	0.7	1
202	Distribution of muscle strength impairments following stroke. Clinical Rehabilitation, 2000, 14, 79-87.	1.0	133
203	Discriminant Validity of Temporomandibular Joint Range of Motion Measurements Obtained With a Ruler. Journal of Orthopaedic and Sports Physical Therapy, 2000, 30, 484-492.	1.7	66
204	A Broad Range of Forces is Encompassed by the Maximum Manual Muscle Test Grade of Five. Perceptual and Motor Skills, 2000, 90, 747-750.	0.6	32
205	Criterion validity of lower extremity Motricity Index scores. Clinical Rehabilitation, 2000, 14, 208-211.	1.0	95
206	Make tests and proper muscle strength measurement. Archives of Physical Medicine and Rehabilitation, 2000, 81, 1442-1443.	0.5	0
207	May 1999 Letter to the Editor-in-Chief. Journal of Orthopaedic and Sports Physical Therapy, 1999, 29, 300-301.	1.7	0
208	Standards for Judgments of Unilateral Impairments in Muscle Strength. Perceptual and Motor Skills, 1999, 89, 878-880.	0.6	7
209	Rivermead Mobility Index: a brief review of research to date. Clinical Rehabilitation, 1999, 13, 97-100.	1.0	66
210	Intertester Reliability of Hand-Held Dynamometry: A Concise Summary of Published Research. Perceptual and Motor Skills, 1999, 88, 899-902.	0.6	107
211	Observations of balance among elderly patients referred to physical therapy in an acute care hospital. Physiotherapy Theory and Practice, 1999, 15, 185-189.	0.6	5
212	Kinematic analysis of obstacle clearance during locomotion. Gait and Posture, 1999, 10, 109-120.	0.6	100
213	Title is missing!. Journal of Manipulative and Physiological Therapeutics, 1999, 22, 349-350.	0.4	0
214	Horizontal transfers between adjacent surfaces: Forces required using different methods. Archives of Physical Medicine and Rehabilitation, 1999, 80, 851-853.	0.5	17
215	Scoring transfer and locomotion independence of home care patients. International Journal of Rehabilitation Research, 1999, 22, 65-66.	0.7	4
216	Manual muscle test scores alone provide a limited indication of the functional independence of home care patients. International Journal of Rehabilitation Research, 1999, 22, 151-152.	0.7	5

#	ARTICLE	IF	CITATIONS
217	Motricity Index Scores are Valid Indicators of Paretic Upper Extremity Strength Following Stroke.. Journal of Physical Therapy Science, 1999, 11, 59-61.	0.2	77
218	Applying Research Findings to the Practice of Geriatric Rehabilitation. Topics in Geriatric Rehabilitation, 1999, 14, 22-28.	0.2	3
219	INTERTESTER RELIABILITY OF HAND-HELD DYNAMOMETRY: A CONCISE SUMMARY OF PUBLISHED RESEARCH. Perceptual and Motor Skills, 1999, 88, 899.	0.6	3
220	Selecting an Appropriate Statistical Test. Topics in Geriatric Rehabilitation, 1999, 14, 60-66.	0.2	0
221	Research Questions and Designs. Topics in Geriatric Rehabilitation, 1999, 14, 53-59.	0.2	1
222	Hand-grip dynamometry provides a valid indication of upper extremity strength impairment in home care patients. Journal of Hand Therapy, 1998, 11, 258-260.	0.7	129
223	Measurement of thumb abduction strength. Journal of Hand Surgery, 1998, 23, 761.	0.7	0
224	Research Incorporating Hand-Held Dynamometry: Publication Trends since 1948. Perceptual and Motor Skills, 1998, 86, 1177-1178.	0.6	10
225	Alternatives for measuring knee extension strength of the elderly at home. Clinical Rehabilitation, 1998, 12, 434-440.	1.0	83
226	Relationships between Impairments in Strength of Limb Muscle Actions following Stroke. Perceptual and Motor Skills, 1998, 87, 1327-1330.	0.6	31
227	Prediction of Walking Performance Six Months after Kidney Transplantation.. Journal of Physical Therapy Science, 1998, 10, 57-59.	0.2	0
228	Subjectivity of Forces Associated with Manual-Muscle Test Grades of 3+, 4-, and 4. Perceptual and Motor Skills, 1998, 87, 1123-1128.	0.6	43
229	Intercorrelations and Internal Consistency of Limb Muscle-Action Strengths of Patients with Renal Disease. Perceptual and Motor Skills, 1998, 86, 1249-1250.	0.6	9
230	Elbow and hand muscle strength are not affected by head-neck position. Isokinetics and Exercise Science, 1998, 7, 43-47.	0.2	9
231	Gait Performance with Wheeled and Standard Walkers. Perceptual and Motor Skills, 1997, 85, 1185-1186.	0.6	17
232	Internal Consistency of Manual Muscle Testing Scores. Perceptual and Motor Skills, 1997, 85, 736-738.	0.6	20
233	Lasting Effects of One Bout of Two 15-Second Passive Stretches on Ankle Dorsiflexion Range of Motion. Journal of Orthopaedic and Sports Physical Therapy, 1997, 26, 214-221.	1.7	35
234	Strength Associated Motor Deficits following Stroke. Perceptual and Motor Skills, 1997, 84, 393-394.	0.6	2

#	ARTICLE	IF	CITATIONS
235	Strength, balance and gait before and after kidney transplantation. International Journal of Rehabilitation Research, 1997, 20, 199-204.	0.7	12
236	Physical performance measures for the elderly rehabilitated at home. International Journal of Rehabilitation Research, 1997, 20, 107-109.	0.7	6
237	Discriminant Construct Validity of Hand-Held Dynamometry and Manual Muscle Testing in a Home Care Setting.. Journal of Physical Therapy Science, 1997, 9, 57-61.	0.2	5
238	Consistency of Physical Therapy Students' Academic Performance. Perceptual and Motor Skills, 1997, 84, 1040-1042.	0.6	0
239	Comfortable and maximum walking speed of adults aged 20â€™79 years: reference values and determinants. Age and Ageing, 1997, 26, 15-19.	0.7	1,842
240	Reference values for extremity muscle strength obtained by hand-held dynamometry from adults aged 20 to 79 years. Archives of Physical Medicine and Rehabilitation, 1997, 78, 26-32.	0.5	648
241	Isometric strength data. Archives of Physical Medicine and Rehabilitation, 1997, 78, 566-567.	0.5	5
242	Improving Ankle Dorsiflexion. Physical Therapy, 1997, 77, 982-983.	1.1	6
243	Trunk muscle performance in stroke patients. Physiotherapy Research International, 1997, 2, 197-198.	0.7	3
244	INTERNAL CONSISTENCY OF MANUAL MUSCLE TESTING SCORES. Perceptual and Motor Skills, 1997, 85, 736.	0.6	5
245	Ipsilateral pushing in stroke. Archives of Physical Medicine and Rehabilitation, 1996, 77, 524.	0.5	11
246	Hand-held dynamometer measurements obtained in a home environment are reliable but not correlated strongly with function. International Journal of Rehabilitation Research, 1996, 19, 345-348.	0.7	15
247	Normative Values for Isometric Muscle Force Measurements Obtained With Hand-held Dynamometers. Physical Therapy, 1996, 76, 248-259.	1.1	561
248	Correspondence. Disability and Rehabilitation, 1996, 18, 638-638.	0.9	4
249	Nature of Age-Related Changes in Muscle Strength of the Extremities of Women. Perceptual and Motor Skills, 1996, 83, 1155-1160.	0.6	7
250	Dynamic Pelvic Stabilization During Hip Flexion: A Comparison Study. Journal of Orthopaedic and Sports Physical Therapy, 1996, 24, 30-36.	1.7	34
251	Walking Speed: Reference Values and Correlates for Older Adults. Journal of Orthopaedic and Sports Physical Therapy, 1996, 24, 86-90.	1.7	241
252	Recovery and correlates of trunk muscle strength after stroke. International Journal of Rehabilitation Research, 1995, 18, 162-167.	0.7	73

#	ARTICLE	IF	CITATIONS
253	Independence in floor-to-stand transfers soon after stroke. Topics in Geriatric Rehabilitation, 1995, 11, 6-9.	0.2	4
254	Limb Muscle Strength is Impaired Bilaterally after Stroke.. Journal of Physical Therapy Science, 1995, 7, 1-7.	0.2	51
255	Balance Deficits Accompanying Renal Disease are Related to Diabetic Status. Perceptual and Motor Skills, 1995, 81, 528-530.	0.6	0
256	Stopwatch for Measuring Thumb-Movement Time. Perceptual and Motor Skills, 1995, 81, 211-216.	0.6	21
257	BALANCE DEFICITS ACCOMPANYING RENAL DISEASE ARE RELATED TO DIABETIC STATUS. Perceptual and Motor Skills, 1995, 81, 528-530.	0.6	2
258	Internal Consistency of Dynamometer Measurements in Healthy Subjects and Stroke Patients. Perceptual and Motor Skills, 1995, 81, 1113-1114.	0.6	15
259	Standing Balance, Lower Extremity Muscle Strength, and Walking Performance of Patients Referred for Physical Therapy. Perceptual and Motor Skills, 1995, 80, 379-385.	0.6	46
260	Measurement, nature, and implications of skeletal muscle strength in patients with neurological disorders. Clinical Biomechanics, 1995, 10, 283-292.	0.5	26
261	Sit-to-Stand Test for Measuring Performance of Lower Extremity Muscles. Perceptual and Motor Skills, 1995, 80, 163-166.	0.6	372
262	Deficits in lower extremity muscle and gait performance among renal transplant candidates. Archives of Physical Medicine and Rehabilitation, 1995, 76, 547-551.	0.5	77
263	Standing balance and function over the course of acute rehabilitation. Archives of Physical Medicine and Rehabilitation, 1995, 76, 994-996.	0.5	147
264	Trunk muscle strength is impaired multidirectionally after stroke. Clinical Rehabilitation, 1995, 9, 47-51.	1.0	66
265	Lateral Trunk Flexion Strength Measured by Hand-held Dynamometry. Isokinetics and Exercise Science, 1994, 4, 30-33.	0.2	2
266	Influence of Hip Position on Measurements of the Straight Leg Raise Test. Journal of Orthopaedic and Sports Physical Therapy, 1994, 19, 168-172.	1.7	25
267	ONE-LEGGED BALANCE TEST TIMES. Perceptual and Motor Skills, 1994, 78, 801-802.	0.6	31
268	Grip Strength in End Stage Renal Disease. Perceptual and Motor Skills, 1994, 79, 1523-1526.	0.6	24
269	Admission function portends discharge function and length of stay after stroke. Journal of Stroke and Cerebrovascular Diseases, 1994, 4, 235-237.	0.7	7
270	Muscle Strength Impairments and Gait Performance Deficits in Kidney Transplantation Candidates. American Journal of Kidney Diseases, 1994, 24, 480-485.	2.1	51

#	ARTICLE	IF	CITATIONS
271	One-Legged Balance Test Times. Perceptual and Motor Skills, 1994, 78, 801-802.	0.6	21
272	Development and Validation of a Physical Performance Instrument for the Functionally Impaired Elderly: The Physical Disability Index (PDI). Journal of Gerontology, 1993, 48, M33-M38.	2.0	51
273	Relationship Between Active Knee Extension and Active Straight Leg Raise Test Measurements. Journal of Orthopaedic and Sports Physical Therapy, 1993, 17, 257-260.	1.7	37
274	June 1993 Letters to the Editor-in-Chief. Journal of Orthopaedic and Sports Physical Therapy, 1993, 17, 320-322.	1.7	0
275	Biomedical Applications of Hand-Held Force Gauges: A Bibliography. Perceptual and Motor Skills, 1993, 77, 235-242.	0.6	8
276	Comparability of Force Measurements Obtained with Different Strain Gauge Hand-Held Dynamometers. Journal of Orthopaedic and Sports Physical Therapy, 1993, 18, 564-567.	1.7	20
277	Ordinal and timed balance measurements: reliability and validity in patients with stroke. Clinical Rehabilitation, 1993, 7, 9-13.	1.0	37
278	Measurement of Forearm Pronation and Supination Strength with a Hand-held Dynamometer. Isokinetics and Exercise Science, 1993, 3, 202-206.	0.2	6
279	Physical rehabilitation in neurologic diseases. Current Opinion in Neurology, 1993, 6, 765-772.	1.8	67
280	Comparability of Force Measurements Obtained with Different Hand-Held Dynamometers from Older Adults. Isokinetics and Exercise Science, 1993, 3, 148-151.	0.2	5
281	Tilt table standing for reducing spasticity after spinal cord injury. Archives of Physical Medicine and Rehabilitation, 1993, 74, 1121-1122.	0.5	60
282	Total knee arthroplasty: Evaluation of an acute care rehabilitation program. Archives of Physical Medicine and Rehabilitation, 1993, 74, 1091-1094.	0.5	27
283	Lateral trunk flexion strength. International Journal of Rehabilitation Research, 1992, 15, 249-251.	0.7	61
284	Measurements of Knee Extension Force Obtained by Two Examiners of Substantially Different Experience with a Hand-Held Dynamometer. Isokinetics and Exercise Science, 1992, 2, 5-8.	0.2	20
285	Shoulder Extension Strength Is Influenced by Elbow Position. Isokinetics and Exercise Science, 1992, 2, 129-132.	0.2	4
286	Spearman Correlations of .60 Are Not Poor. American Journal of Occupational Therapy, 1992, 46, 472-472.	0.1	13
287	Recovery and outcome of patients with stroke treated in an acute care hospital. Journal of Stroke and Cerebrovascular Diseases, 1991, 1, 190-195.	0.7	18
288	Correlation of knee extension force and torque with gait speed in patients with stroke. Physiotherapy Theory and Practice, 1991, 7, 185-190.	0.6	23

#	ARTICLE	IF	CITATIONS
289	Weightbearing during comfortable stance in patients with stroke: Accuracy and reliability of measurements. <i>Australian Journal of Physiotherapy</i> , 1991, 37, 19-22.	0.9	15
290	Relationship among paretic knee extension strength, maximum weight-bearing, and gait speed in patients with stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1991, 1, 65-69.	0.7	27
291	Association of paretic lower extremity muscle strength and standing balance with stair-climbing ability in patients with stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 1991, 1, 129-133.	0.7	69
292	Modified sphygmomanometer versus strain gauge hand-held dynamometer. <i>Archives of Physical Medicine and Rehabilitation</i> , 1991, 72, 911-914.	0.5	34
293	Integrating Movement Science and Physical Therapy. <i>Physical Therapy</i> , 1991, 71, 344-345.	1.1	0
294	Importance of four variables of walking to patients with stroke. <i>International Journal of Rehabilitation Research</i> , 1991, 14, 246-250.	0.7	231
295	Hand grip strength: Comparability of measurements obtained with a jamar dynamometer and a modified sphygmomanometer. <i>Journal of Hand Therapy</i> , 1991, 4, 117-122.	0.7	25
296	Relationship between active range of motion deficits and muscle strength and tone at the elbow in patients with hemiparesis. <i>Clinical Rehabilitation</i> , 1991, 5, 219-224.	1.0	5
297	Hand-held Dynamometer Measurements: Tester Strength Makes a Difference. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1991, 13, 191-198.	1.7	242
298	Accuracy of Weightbearing at Three Target Levels during Bilateral Upright Stance in Patients with Neuropathic Feet and Control Subjects. <i>Perceptual and Motor Skills</i> , 1991, 72, 19-24.	0.6	7
299	Accuracy of Weightbearing Estimation by Stroke versus Healthy Subjects. <i>Perceptual and Motor Skills</i> , 1991, 72, 935-941.	0.6	28
300	Head and Neck Position Does Not Influence Maximum Static Elbow Extension Force Measured in Healthy Individuals Tested While Prone. <i>Occupation Participation and Health</i> , 1991, 11, 121-126.	0.9	1
301	Influence of Shoulder Position on Maximum Voluntary Elbow Flexion Force in Stroke Patients. <i>Occupation Participation and Health</i> , 1991, 11, 73-79.	0.9	1
302	Interrelationships of Trunk and Extremity Muscle Strengths and Body Awareness following Unilateral Brain Lesions. <i>Perceptual and Motor Skills</i> , 1991, 73, 1016-1018.	0.6	10
303	Outcome of patients with hip fracture treated by physical therapy in an acute care hospital. <i>Topics in Geriatric Rehabilitation</i> , 1990, 6, 51-58.	0.2	8
304	Information accessing behaviour of physical therapists. <i>Physiotherapy Theory and Practice</i> , 1990, 6, 215-225.	0.6	37
305	Shoulder Position Influences Elbow Extension Force in Healthy Individuals. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1990, 12, 111-114.	1.7	6
306	Perception of Unilateral Weightbearing during Unilateral and Bilateral Upright Stance. <i>Perceptual and Motor Skills</i> , 1990, 71, 123-128.	0.6	6

#	ARTICLE	IF	CITATIONS
307	Significant relationships exist between muscle group strengths following stroke. <i>Clinical Rehabilitation</i> , 1990, 4, 27-31.	1.0	9
308	Hand-held compared with isokinetic dynamometry for measurement of static knee extension torque (parallel reliability of dynamometers). <i>Clinical Physics and Physiological Measurement: an Official Journal of the Hospital Physicists' Association, Deutsche Gesellschaft Fur Medizinische Physik and the European Federation of Organisations for Medical Physics</i> , 1990, 11, 217-222.	0.5	108
309	Electrically evoked knee flexion torque increases with increased pelvifemoral angles. <i>Clinical Biomechanics</i> , 1990, 5, 17-22.	0.5	4
310	Passive compliance and length of the hamstring muscles of healthy men and women. <i>Clinical Biomechanics</i> , 1990, 5, 23-29.	0.5	67
311	Shoulder Subluxation and Pain in Stroke Patients. <i>American Journal of Occupational Therapy</i> , 1990, 44, 507-509.	0.1	81
312	The Relationship of Symptom to Function Elaborated. <i>American Journal of Occupational Therapy</i> , 1990, 44, 83-83.	0.1	0
313	ADDITIONAL PERSPECTIVES ON SIMPLE QUANTITATIVE GAIT ANALYSIS. <i>Perceptual and Motor Skills</i> , 1990, 71, 210.	0.6	0
314	Perception of Unilateral Lower Extremity Weightbearing during Bilateral Upright Stance. <i>Perceptual and Motor Skills</i> , 1989, 69, 875-880.	0.6	11
315	Influence of Head-Neck Rotation on Static Elbow Flexion Force of Paretic Side in Patients with Hemiparesis. <i>Physical Therapy</i> , 1989, 69, 135-137.	1.1	8
316	Objective Measures. <i>Physical Therapy</i> , 1989, 69, 590-593.	1.1	14
317	Is the Measurement of Muscle Strength Appropriate in Patients with Brain Lesions? A Special Communication. <i>Physical Therapy</i> , 1989, 69, 225-230.	1.1	42
318	Letters Page. <i>Physiotherapy Practice</i> , 1989, 5, 99-100.	0.3	1
319	Weight distribution when standing: The influence of a single point cane in patients with stroke. <i>Physiotherapy Practice</i> , 1989, 5, 171-175.	0.3	1
320	Selected Measures of Ankle Dorsiflexion Range of Motion: Differences and Intercorrelations. <i>Foot & Ankle</i> , 1989, 10, 99-103.	0.6	34
321	How Accurately Can Elbow Flexion Force Be Estimated?. <i>Perceptual and Motor Skills</i> , 1989, 68, 1159-1162.	0.6	6
322	Effect of subtalar joint position on the measurement of maximum ankle dorsiflexion. <i>Clinical Biomechanics</i> , 1989, 4, 189-191.	0.5	44
323	Magnitude and reliability of hand-held dynamometer measurements within and between days. <i>Physiotherapy Practice</i> , 1989, 5, 177-181.	0.3	6
324	PERCEPTION OF UNILATERAL LOWER EXTREMITY WEIGHTBEARING DURING BILATERAL UPRIGHT STANCE. <i>Perceptual and Motor Skills</i> , 1989, 69, 875-880.	0.6	21

#	ARTICLE	IF	CITATIONS
325	Knee extension force measurements are reliable and indicative of walking speed in stroke patients. International Journal of Rehabilitation Research, 1989, 12, 193.	0.7	11
326	Calibration Study: Accuracy of Spring and Strain Gauge Hand-Held Dynamometers. Journal of Orthopaedic and Sports Physical Therapy, 1989, 10, 323-325.	1.7	24
327	Decreased Shoulder Range of Motion on Paretic Side After Stroke. Physical Therapy, 1989, 69, 768-772.	1.1	63
328	Differentiation of maximal and submaximal knee extension efforts by isokinetic testing. Clinical Biomechanics, 1988, 3, 219-221.	0.5	18
329	How to find relevant references for a publication. Physiotherapy Practice, 1988, 4, 41-44.	0.3	10
330	Rolling to the nonplegic side: influence of teaching and limb strength in hemiplegic stroke patients. Clinical Rehabilitation, 1988, 2, 215-218.	1.0	12
331	Rehabilitation goals of patients with hemiplegia. International Journal of Rehabilitation Research, 1988, 11, 181-184.	0.7	302
332	Relationship between Shoulder Pain and Selected Variables in Patients with Hemiplegia. Clinical Rehabilitation, 1988, 2, 111-117.	1.0	27
333	Open-Mindedness Urged. Physical Therapy, 1988, 68, 264-265.	1.1	1
334	Make Tests and Break Tests of Elbow Flexor Muscle Strength. Physical Therapy, 1988, 68, 193-194.	1.1	161
335	Importance of Physical Therapy Grows. Physical Therapy, 1988, 68, 584-584.	1.1	2
336	Core journals of physiotherapy. Physiotherapy Practice, 1987, 3, 126-128.	0.3	20
337	Relative Strength of Seven Upper Extremity Muscle Groups in Hemiparetic Stroke Patients. Neurorehabilitation and Neural Repair, 1987, 1, 161-165.	1.4	4
338	The relationship between static standing capacity and lower limb static strength in hemiparetic stroke patients. Clinical Rehabilitation, 1987, 1, 287-291.	1.0	10
339	Dear Editor:Hamstring flexibility. Physiotherapy Practice, 1987, 3, 185-186.	0.3	0
340	Clinical Measurement of Range of Motion. Physical Therapy, 1987, 67, 1867-1872.	1.1	710
341	Interrater Reliability of a Modified Ashworth Scale of Muscle Spasticity. Physical Therapy, 1987, 67, 206-207.	1.1	4,461
342	Relationship Between Static Muscle Strength Deficits and Spasticity in Stroke Patients with Hemiparesis. Physical Therapy, 1987, 67, 1068-1071.	1.1	69

#	ARTICLE	IF	CITATIONS
343	Interrater Reliability of Hand-Held Dynamometry. <i>Physical Therapy</i> , 1987, 67, 931-933.	1.1	289
344	Journals Relevant to Practice. <i>Physical Therapy</i> , 1987, 67, 435-436.	1.1	1
345	Variability and Reliability of the Pendulum Test for Spasticity Using a Cybex® II Isokinetic Dynamometer. <i>Physical Therapy</i> , 1987, 67, 659-661.	1.1	46
346	Assessment of Strength Deficits in Eight Paretic Upper Extremity Muscle Groups of Stroke Patients with Hemiplegia. <i>Physical Therapy</i> , 1987, 67, 522-525.	1.1	67
347	Reliability Discussion Required. <i>Physical Therapy</i> , 1987, 67, 501-501.	1.1	1
348	Velocity and cadence of gait in hemiparetic stroke patients. <i>International Journal of Rehabilitation Research</i> , 1987, 10, 73-74.	0.7	7
349	Relationship between strength and movement in the plegic lower limb following cerebrovascular accidents. <i>International Journal of Rehabilitation Research</i> , 1987, 10, 420-421.	0.7	2
350	DIFFERENTIATION OF MAXIMAL FROM SUBMAXIMAL STATIC ELBOW FLEXOR EFFORTS BY MEASUREMENT VARIABILITY. <i>American Journal of Physical Medicine and Rehabilitation</i> , 1987, 66, 213-218.	0.7	39
351	Hand-held dynamometry; stability of muscle strength over multiple measurements. <i>Clinical Biomechanics</i> , 1987, 2, 74-77.	0.5	27
352	Relative Decreases in Knee Extension Torque with Increased Knee Extension Velocities in Stroke Patients with Hemiparesis. <i>Physical Therapy</i> , 1987, 67, 1218-1220.	1.1	36
353	Spinal Nerve Root Compression—Some Clinical Implications. <i>Physical Therapy</i> , 1987, 67, 376-382.	1.1	7
354	Relative Dynamic Muscular Endurance of Patients with Neuromuscular Disorders and of Healthy Matched Control Subjects. <i>Physical Therapy</i> , 1987, 67, 18-20.	1.1	4
355	Statistical Analysis of Productivity in One Physical Therapy Department. <i>Physical Therapy</i> , 1987, 67, 1553-1557.	1.1	3
356	Simple Clinical Measures. <i>Physical Therapy</i> , 1987, 67, 1845-1850.	1.1	7
357	The clinical measurement of strength. <i>Clinical Rehabilitation</i> , 1987, 1, 5-16.	1.0	41
358	Inhibitive Casting for Cerebral Palsied Children. <i>Developmental Medicine and Child Neurology</i> , 1987, 29, 122-123.	1.1	2
359	Relationship between static strength and various other measures in hemiparetic stroke patients. <i>International Rehabilitation Medicine</i> , 1986, 8, 125-128.	0.6	15
360	Decreased Isometric Knee Flexion Torque with Hip Extension in Hemiparetic Patients. <i>Physical Therapy</i> , 1986, 66, 521-523.	1.1	19

#	ARTICLE	IF	CITATIONS
361	Results of Manual Resistance Exercise on a Manifesting Carrier of Duchenne Muscular Dystrophy. Physical Therapy, 1986, 66, 973-975.	1.1	11
362	Isokinetic Knee Flexion and Extension Torque in the Upright Sitting and Semireclined Sitting Positions. Physical Therapy, 1986, 66, 1083-1086.	1.1	44
363	Effectiveness of a Rolling Board Treatment for Improving Gait. Physical Therapy, 1986, 66, 349-350.	1.1	2
364	Adapting a Bicycle Ergometer for Arm Crank Ergometry. Physical Therapy, 1986, 66, 362-363.	1.1	4
365	Current Journal Article Provision for the Physical Therapy Clinicians of One Department. Physical Therapy, 1986, 66, 689-690.	1.1	5
366	Agreement Among Reviewers. Physical Therapy, 1986, 66, 1431-1432.	1.1	4
367	Documentation of Tremor in Patients with Central Nervous System Lesions. Physical Therapy, 1986, 66, 229-230.	1.1	3
368	Clinicians' Use of Research Findings. Physical Therapy, 1986, 66, 45-50.	1.1	47
369	Cybex® II Isokinetic Dynamometer for Passive Load Application and Measurement. Physical Therapy, 1986, 66, 1407-1407.	1.1	4
370	Citation Analysis of Physical Therapy. Physical Therapy, 1986, 66, 540-541.	1.1	29
371	Relationship Between Independent Sitting Balance and Side of Hemiparesis. Physical Therapy, 1986, 66, 944-945.	1.1	62
372	Test-Retest Reliability of Hand-Held Dynamometry During a Single Session of Strength Assessment. Physical Therapy, 1986, 66, 206-209.	1.1	519
373	Journal Citation Reports. Physical Therapy, 1986, 66, 1275-1275.	1.1	4
374	Effect of Resisted Knee Flexion on Knee Extension Torque. Physical Therapy, 1986, 66, 1239-1241.	1.1	20
375	Chi-Square Limitations and Alternatives. Physical Therapy, 1986, 66, 1002-1002.	1.1	4
376	Upper Extremity Strength and Strength Relationships Among Young Women. Journal of Orthopaedic and Sports Physical Therapy, 1986, 8, 128-133.	1.7	33
377	Hemiplegic shoulder pain measured with the Ritchie Articular Index. International Journal of Rehabilitation Research, 1986, 9, 379-380.	0.7	20
378	Strength of lower limb related to gait velocity and cadence in stroke patients. Physiotherapy Canada Physiotherapie Canada, 1986, 38, 204-206.	0.3	116

#	ARTICLE	IF	CITATIONS
379	Contribution of Pelvic and Lower Limb Motion to Increases in the Angle of Passive Straight Leg Raising. <i>Physical Therapy</i> , 1985, 65, 474-476.	1.1	82
380	Effect of Quadriceps Femoris Muscle Stretch on Knee Extension Torque. <i>Physical Therapy</i> , 1985, 65, 312-313.	1.1	2
381	Relationship of Pelvic and Thigh Motions During Unilateral and Bilateral Hip Flexion. <i>Physical Therapy</i> , 1985, 65, 1501-1504.	1.1	70
382	Measuring Spasticity with an Isokinetic Dynamometer. <i>Physical Therapy</i> , 1985, 65, 782-782.	1.1	3
383	Effectiveness of Repeated Prolonged Loading for Increasing Flexion in Knees Demonstrating Postoperative Stiffness. <i>Physical Therapy</i> , 1985, 65, 494-496.	1.1	13
384	Effects of Ankle Dorsiflexion on Active and Passive Unilateral Straight Leg Raising. <i>Physical Therapy</i> , 1985, 65, 1478-1482.	1.1	84
385	Lower Extremity Weight Bearing Under Various Standing Conditions in Independently Ambulatory Patients with Hemiparesis. <i>Physical Therapy</i> , 1985, 65, 1323-1325.	1.1	133
386	September 1985 Letters to the Editor-in-Chief. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 1985, 7, 79-81.	1.7	0
387	Device for Increasing Passive Ankle Dorsiflexion at Home. <i>Physical Therapy</i> , 1985, 65, 1521-1521.	1.1	1
388	Mentorship: A Relationship Important to Professional Development. <i>Physical Therapy</i> , 1985, 65, 920-923.	1.1	14
389	Knee Extension Torque During Repeated Knee Extension-Flexion Reversals and Separated Knee Extension-Flexion Dyads. <i>Physical Therapy</i> , 1985, 65, 1052-1054.	1.1	20
390	Device for Stretching the Hamstring Muscles. <i>Physical Therapy</i> , 1985, 65, 352-353.	1.1	2
391	Passive Ankle Dorsiflexion Increases in Patients After a Regimen of Tilt Table-Wedge Board Standing. <i>Physical Therapy</i> , 1985, 65, 1676-1678.	1.1	53
392	Cybex® II Isokinetic Dynamometer for the Documentation of Spasticity. <i>Physical Therapy</i> , 1985, 65, 46-47.	1.1	26
393	Compact Device for Positional Biofeedback. <i>Physical Therapy</i> , 1984, 64, 1692-1692.	1.1	0
394	Productivity Among Physical Therapists. <i>Physical Therapy</i> , 1984, 64, 1242-1244.	1.1	7
395	Rolling Board for Treatment and Evaluation of Neurologically Involved Patients. <i>Physical Therapy</i> , 1984, 64, 1543-1543.	1.1	2
396	Effect of Repeated Eight-Minute Muscle Loading on the Angle of Straight-Leg Raising. <i>Physical Therapy</i> , 1984, 64, 491-497.	1.1	52

#	ARTICLE	IF	CITATIONS
397	Decrease in Timed Balance Test Scores with Aging. <i>Physical Therapy</i> , 1984, 64, 1067-1070.	1.1	478
398	Documentation of the Resolution of Weakness in a Patient with Guillain-Barré Syndrome. <i>Physical Therapy</i> , 1984, 64, 1388-1389.	1.1	6
399	Knee Flexion Torque Data. <i>Physical Therapy</i> , 1984, 64, 959-960.	1.1	3
400	Results of Resistance Exercise on a Patient with Amyotrophic Lateral Sclerosis. <i>Physical Therapy</i> , 1983, 63, 965-968.	1.1	57
401	Documentation of Wound Surface Area from Tracings of Wound Perimeters. <i>Physical Therapy</i> , 1983, 63, 1622-1624.	1.1	75
402	Peripheral Arterial Pressures. <i>Physical Therapy</i> , 1983, 63, 1643-1643.	1.1	0
403	Taping for Positioning and Stabilizing the Ankle of Patients with Hemiparesis. <i>Physical Therapy</i> , 1983, 63, 524-525.	1.1	6
404	Shoulder Positioning Device for Patients with Hemiplegia. <i>Physical Therapy</i> , 1983, 63, 49-50.	1.1	8
405	Device for Stretching Spastic Hip Adductor Muscles. <i>Physical Therapy</i> , 1983, 63, 343-344.	1.1	1
406	Effect of Electrical Stimulation to the Vastus Medialis Muscle in a Patient with Chronically Dislocating Patellae. <i>Physical Therapy</i> , 1983, 63, 1445-1447.	1.1	29
407	Cinematographic Analysis of the Passive Straight-Leg-Raising Test for Hamstring Muscle Length. <i>Physical Therapy</i> , 1982, 62, 1269-1274.	1.1	81
408	Whirlpool Versus Whirlpool and Rinse for Removal of Bacteria from a Venous Stasis Ulcer. <i>Physical Therapy</i> , 1982, 62, 304-308.	1.1	14
409	Adoption of Hand-Held Dynamometry. , 0, .		1
410	Grip Strength: A Summary of Studies Comparing Dominant and Nondominant Limb Measurements. , 0, .		4