

Patrizia Azzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3894197/publications.pdf>

Version: 2024-02-01

1,063
papers

66,386
citations

1172
111
h-index

1900
208
g-index

1084
all docs

1084
docs citations

1084
times ranked

14053
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 30-61.	4.1	6,177
2	The CMS experiment at the CERN LHC. Journal of Instrumentation, 2008, 3, S08004-S08004.	1.2	2,192
3	Observation of Top Quark Production in $p\bar{p}$ Collisions with the Collider Detector at Fermilab. Physical Review Letters, 1995, 74, 2626-2631. Combined Measurement of the Higgs Boson Mass in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $p$$\times$$p$$\rightarrow$<math>\text{Collisions at } p\bar{p}\text{ and } 8\text{ TeV with the ATLAS and CMS Experiments. Physical Review Letters, 2015, 114, 191803.}	7.8	1,240
4	CMS Physics Technical Design Report, Volume II: Physics Performance. Journal of Physics G: Nuclear and Particle Physics, 2007, 34, 995-1579.	3.6	683
5	Measurement of the J/ψ meson and b -hadron production cross sections in $p\bar{p}$ collisions at $s=1960\text{ GeV}$. Physical Review D, 2005, 71, .	4.7	624
6	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
7	Observation of the Narrow State $X(3872)$ in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2004, 93, 072001.	7.8	531
8	Determination of jet energy calibration and transverse momentum resolution in CMS. Journal of Instrumentation, 2011, 6, P11002-P11002.	1.2	508
9	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	3.9	499
10	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1.	4.7	497
11	Combined results of searches for the standard model Higgs boson in pp collisions at $s=7\text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 26-48.	4.7	497
12	Performance of CMS muon reconstruction in pp collision events at $s=7\text{ TeV}$. Journal of Instrumentation, 2012, 7, P10002-P10002.	1.2	467
13	Observation and studies of jet quenching in PbPb collisions at $s_{\text{NN}}=2.76\text{ TeV}$. Physical Review C, 2011, 84, .	2.9	455
14	FCC-ee: The Lepton Collider. European Physical Journal: Special Topics, 2019, 228, 261-623.	2.6	424
15	Identification of b-quark jets with the CMS experiment. Journal of Instrumentation, 2013, 8, P04013-P04013.	1.2	418
16	Evidence for top quark production in $p\bar{p}$ collisions at $s=1.8\text{ TeV}$. Physical Review D, 1994, 50, 2966-3026. Transverse-Momentum and Pseudorapidity Distributions of Charged Hadrons in $p\bar{p}$ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2010, 105, 022002.	4.7	400
17	Transverse-Momentum and Pseudorapidity Distributions of Charged Hadrons in $p\bar{p}$ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2010, 105, 022002.	7.8	400

#	ARTICLE	IF	CITATIONS
19	Observation of the rare $B_s0 \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. <i>Nature</i> , 2015, 522, 68-72.	27.8	390
20	Description and performance of track and primary-vertex reconstruction with the CMS tracker. <i>Journal of Instrumentation</i> , 2014, 9, P10009-P10009.	1.2	380
21	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	369
22	FCC-hh: The Hadron Collider. <i>European Physical Journal: Special Topics</i> , 2019, 228, 755-1107.	2.6	367
23	Evidence for top quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1994, 73, 225-231.	7.8	363
24	Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 421.	3.9	355
25	FCC Physics Opportunities. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	346
26	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014, 74, 3076.	3.9	342
27	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	320
28	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 235.	3.9	320
29	Observation of $B_s0 \rightarrow B^- \bar{B}^0$ oscillations. <i>Physical Review Letters</i> , 2006, 97, 242003.	7.8	311
30	J/ψ and $\psi(2S)$ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1997, 79, 572-577.	7.8	305
31	Observation of the B_c Meson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1998, 81, 2432-2437.	7.8	285
32	Measurement of the $\mathcal{B}(B_c \rightarrow D_s^+ \ell^+ \ell^-)$ branching fraction and search for $B_c \rightarrow D_s^+ \ell^+ \ell^-$. <i>Physical Review Letters</i> , 1998, 81, 2432-2437.	7.8	282
33	First look at the physics case of TLEP. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	269
34	Double parton scattering in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review D</i> , 1997, 56, 3811-3832.	4.7	246
35	Inclusive J/ψ , $\psi(2S)$, and b -quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1992, 69, 3704-3708.	7.8	243
36	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z , and Higgs bosons in $p\bar{p}$ collisions at 8 TeV . <i>European Physical Journal C</i> , 2014, 74, 3036.	3.9	241

#	ARTICLE	IF	CITATIONS
37	Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ using lepton+jets events with secondary vertex b-tagging. Physical Review D, 2005, 71, .	4.7	231
38	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 2.36 TeV . Journal of High Energy Physics, 2010, 2010, 1.	4.7	230
39	Observation of Sequential Suppression in PbPb Collisions. Physical Review Letters, 2012, 109, 222301.	7.8	220
40	Observation of Higgs Boson Decay to Bottom Quarks. Physical Review Letters, 2018, 121, 121801.	7.8	219
41	Observation of Production. Physical Review Letters, 2018, 120, 231801.	7.8	209
42	Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy. Physical Review Letters, 2011, 107, 221804.	7.8	208
43	Inclusive Jet Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 1996, 77, 438-443.	7.8	201
44	Suppression of non-prompt J/ψ , prompt J/ψ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	200
45	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	3.9	198
46	Measurement of J/ψ and $(2S)$ Polarization in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 2000, 85, 2886-2891.	7.8	196
47	Analysis of the Quantum Numbers JPC of the $X(3872)$ Particle. Physical Review Letters, 2007, 98, 132002.	7.8	193
48	Polarizations of and $\langle \sin(\theta) \rangle$ and $\langle \cos(\theta) \rangle$ for J/ψ and $\psi(2S)$ production in $p\bar{p}$ collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physical Review Letters, 2007, 98, 132002.	7.8	192
49	Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 542.	3.9	191
50	Observation of B mesons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 1998, 58, .	4.7	189
51	Measurements of inclusive W and Z cross sections in poverline{p} collisions at $\sqrt{s} = 1 \text{ TeV}$. Journal of Physics G: Nuclear and Particle Physics, 2007, 34, 2457-2544.	3.6	188
52	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	181
53	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of Instrumentation, 2018, 13, P06015-P06015.	1.2	180
54	First Flavor-Tagged Determination of Bounds on Mixing-Induced Violation in $\langle \sin(\theta) \rangle$ and $\langle \cos(\theta) \rangle$ for J/ψ and $\psi(2S)$ production in $p\bar{p}$ collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physical Review Letters, 2008, 100, 161802.	7.8	179

#	ARTICLE	IF	CITATIONS
55	Search for heavy neutrinos and \mathcal{W} bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2014, 74, 3149.	3.9	179

- 56 Measurement of the antiproton-proton total cross section at $\sqrt{s}=546$ and 1800 GeV. Physical Review D, 1994, 50, 5550-5561. 4.7 178

- 57 Search for $B_s^0 \rightarrow l^+ l^-$ and $B^0 \rightarrow l^+ l^-$ Decays with 2% of $pp\bar{A}$ Collisions. Physical Review Letters, 2008, 100, 101802

58

#	ARTICLE	IF	CITATIONS
73	Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 403-425.	4.1	148
74	Search for New Gauge Bosons Decaying into Dileptons in $\sqrt{s} = 1.8 \text{ TeV}$ Collisions. Physical Review Letters, 1997, 79, 2192-2197.	7.8	147
75	Search for supersymmetry in hadronic final states with missing transverse energy using the variables T_{\pm} and b-quark multiplicity in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2013, 73, 2568.	3.9	147
76	Charged jet evolution and the underlying event in proton-antiproton collisions at 1.8 TeV. Physical Review D, 2002, 65, .	4.7	142
77	Measurement of the $B_s \rightarrow B^- \bar{s} \bar{0}$ Oscillation Frequency. Physical Review Letters, 2006, 97, 062003.	7.8	141
78	Energy calibration and resolution of the CMS electromagnetic calorimeter in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of Instrumentation, 2013, 8, P09009-P09009.	1.2	140
79	Measurement of small angle antiproton-proton elastic scattering at $\sqrt{s}=546$ and 1800 GeV. Physical Review D, 1994, 50, 5518-5534.	4.7	139
80	Strange particle production in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1. Measurement of Long-Range Near-Side Two-Particle Angular Correlations in $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV. Physical Review Letters, 2016, 116, 172302.	4.7	139
81	Measurements of p_T -differential distributions for J/ψ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	7.8	139
82	An advanced field prediction model including diffuse scattering. IEEE Transactions on Antennas and Propagation, 2004, 52, 1717-1728.	5.1	138
83	CMS Physics Technical Design Report: Addendum on High Density QCD with Heavy Ions. Journal of Physics G: Nuclear and Particle Physics, 2007, 34, 2307-2455.	3.6	136
84	Production and Polarization in $\sqrt{s} = 1.8 \text{ TeV}$ Collisions. Physical Review Letters, 2002, 88, 161802.	7.8	135
85	Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	3.9	135
86	Transverse Momentum and Total Cross Section of e+e- Pairs in the Z-Boson Region from $\sqrt{s} = 1.8 \text{ TeV}$ Collisions. Physical Review Letters, 2000, 84, 845-850.	7.8	131
87	A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	129
88	Search for Flavor-Changing Neutral Current Decays of the Top Quark in $\sqrt{s} = 1.8 \text{ TeV}$ Collisions. Physical Review Letters, 1998, 80, 2525-2530.	7.8	127
89	Search for Dijet Resonances in $\sqrt{s} = 7 \text{ TeV}$ Collisions at CMS. Physical Review Letters, 2010, 105, 211801.	7.8	126
90	Search for Dark Matter and Large Extra Dimensions in pp Collisions Yielding a Photon and Missing Transverse Energy. Physical Review Letters, 2012, 108, 261803.	7.8	126

#	ARTICLE	IF	CITATIONS
91	Dark Matter benchmark models for early LHC Run-2 Searches: Report of the ATLAS/CMS Dark Matter Forum. Physics of the Dark Universe, 2020, 27, 100371.	4.9	126
92	Intermediate silicon layers detector for the CDF experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 453, 84-88.	1.6	125
93	Measurement of the Inclusive Jet Cross Section in cm^2/GeV . Physical Review Letters, 2011, 107, 132001.	7.8	125
94	Measurement of differential top-quark-pair production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	125
95	Top quark mass measurement using the template method in the lepton+jets channel at CDF II. Physical Review D, 2006, 73, .	4.7	124
96	Measurement of the BMeson Differential Cross Section $d\sigma/dT_{\text{miss}}$ in $\text{pp}\bar{\nu}$ Collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 1995, 75, 1451-1455.	7.8	123
97	Evidence for the 125 GeV Higgs boson decaying to a pair of τ , leptons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	123
98	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
99	Measurements of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
100	Measurement of isolated photon production in pp and PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 256-277.	4.1	122
101	Measurement of the Dipion Mass Spectrum in $X(3872)$ Decays. Physical Review Letters, 2006, 96, 102002.	7.8	121
102	CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192.	3.9	120
103	Search for neutral Higgs bosons decaying to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 713, 68-90.	4.1	120
104	Diffractive Dijets with a Leading Antiproton in $\text{p}\bar{\nu}$ Collisions at $\sqrt{s} = 1800 \text{ GeV}$. Physical Review Letters, 2000, 84, 5043-5048.	7.8	119
105	The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ at the LHC. Journal of Instrumentation, 2013, 8, P11002-P11002.	1.2	119
106	Search for resonances in the dijet mass spectrum from 7 TeV pp collisions at CMS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142.	4.1	118
107	Search for New Physics in the Multijet and Missing Transverse Momentum Final State in Proton-Proton Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2012, 109, 171803.	7.8	118
108	Searches for long-lived charged particles in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118

#	ARTICLE	IF	CITATIONS
109	Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	117
110	Measurement of Double Parton Scattering in p-p Collisions at $\sqrt{s} = 1.8\text{TeV}$. Physical Review Letters, 1997, 79, 584-589.	7.8	114
111	Measurement of the inclusive jet cross section using the kT algorithm in p-p collisions at $\sqrt{s} = 1.96\text{TeV}$ with the CDF II detector. Physical Review D, 2007, 75, .	4.7	114
112	Evidence for the direct decay of the 125 GeV Higgs boson to fermions. Nature Physics, 2014, 10, 557-560. Observation of a peaking structure in the $\chi^2/\text{d.o.f.}$ distribution of the signal-to-noise ratio. Physical Review Letters, 2014, 112, 131801.	16.7	114
113	Production of $t\bar{t}(1S)$ Mesons from b-Decays in p-p Collisions at $\sqrt{s} = 1.8\text{TeV}$. Physical Review Letters, 2000, 84, 2094-2099.	4.1	112
114	First Measurements of Inclusive W and Z Cross Sections from Run II of the Fermilab Tevatron Collider. Physical Review Letters, 2005, 94, 091803.	7.8	111
115	Search for new particles decaying to dijets at CDF. Physical Review D, 1997, 55, R5263-R5268. Measurement of the rapidity and transverse momentum distributions of jets. Physical Review Letters, 1997, 78, 1560-1563.	4.7	108
116	Observation of the Associated Production of a Single Top Quark and a W Boson in p-p Collisions at $\sqrt{s} = 1.96\text{TeV}$. Physical Review Letters, 2004, 92, 041801.	4.7	108
117	Precision Measurement of the Prompt Photon Cross Section in p-p Collisions at $\sqrt{s} = 1.8\text{TeV}$. Physical Review Letters, 1994, 73, 2662-2666.	7.8	108
118	Azimuthal Anisotropy of Charged Particles at High Transverse Momenta in Pb-Pb Collisions. Physical Review Letters, 2005, 94, 142301.	2.6	108
119	Observation of Charge-Dependent Azimuthal Correlations in p-p Collisions and Its Implication for the Search for the Chiral Magnetic Effect. Physical Review Letters, 2013, 110, 132301.	7.8	107
120	Measurement of the 0.9, 2.36, and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	106
121	Measurement of p-p single diffraction dissociation at $\sqrt{s} = 546$ and 1800 GeV. Physical Review D, 1994, 50, 5535-5549.	4.7	105
122	Measurement of sin 2β from J/Psi to KS with the CDF detector. Physical Review D, 2000, 61, .	4.7	105

#	ARTICLE	IF	CITATIONS
127	Observation of the Heavy Baryons $\Lambda_c^0 \rightarrow p\Lambda$ and $\Lambda_c^+ \rightarrow p\eta$. Physical Review Letters, 2007, 99, 202001.	7.8	105
128	Search for Charged Higgs Bosons from Top Quark Decays in $p\bar{p}$ Collisions at $s = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 96, 042003.	7.8	103
129	Charged-particle nuclear modification factors in PbPb and pPb collisions at $s_N N = 5.02 \text{ GeV}$. $\sqrt{s} = 5.02 \text{ GeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	103
130	Missing transverse energy performance of the CMS detector. Journal of Instrumentation, 2011, 6, P09001-P09001.	1.2	102
131	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2019, 122, 121803.	7.8	102
132	Measurement of the bottom quark production cross section using semileptonic decay electrons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 1993, 71, 500-504.	7.8	101
133	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
134	Evidence for $t\bar{t}$ production in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. Mixing Using the CDF II Detector. Physical Review Letters, 2008, 100, 121802.	7.8	100
135	The Fast Simulation of the CMS Detector at LHC. Journal of Physics: Conference Series, 2011, 331, 032049.	0.4	100
136	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	100
137	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	99
138	Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 710.	3.9	98
139	Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7 \text{ TeV}$ and comparison with $\sqrt{s} = 0.9 \text{ TeV}$. Search for the Standard Model Higgs Boson in the Decay Channel $H \rightarrow \tau^+\tau^-$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	97
140	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters B, 2011, 700, 100.	7.8	97
141	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters B, 2011, 700, 100.	7.8	95
142	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	95
143	Searches for invisible decays of the Higgs boson in pp collisions at $\sqrt{s} = 7, 8, \text{ and } 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	95
144	Measurement of $W+W^{\pm}$ production and search for the Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47.	4.7	95

#	ARTICLE	IF	CITATIONS
145	ment of Inclusive W and Z boson Production Cross Sections in W^+ W^- Collisions at $\sqrt{s} = 13 \text{ TeV}$. Measurement of the W boson mass. Physical Review D, 1995, 52, 4784-4827.	7.8	94
146	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s} = 8 \text{ TeV}$. Journal of Instrumentation, 2015, 10, P02006-P02006.	4.7	93
147	Inclusive $t\bar{t}$ and $b\bar{b}$ production in pp collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 1993, 71, 2537-2541.	7.8	92
148	Search for Charged Higgs Boson Decays of the Top Quark using Hadronic Decays of the Tau Lepton. Physical Review Letters, 1997, 79, 357-362.	7.8	92
149	Search for Doubly Charged Higgs Bosons Decaying to Dileptons in pp Collisions at $\sqrt{s}=1.96 \text{ TeV}$. Physical Review Letters, 2004, 93, 221802.	7.8	92
150	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	4.7	92
151	Performance of ℓ_μ -lepton reconstruction and identification in CMS. Journal of Instrumentation, 2012, 7, P01001-P01001.	1.2	91
152	First measurement of the cross section for top-quark pair production in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 695, 424-443.	4.7	90
153	Searches for new physics using the $t\bar{t}$ -invariant mass distribution in pp collisions at $\sqrt{s}=8 \text{ TeV}$. Physical Review Letters, 2013, 111, 211804.	7.8	90
154	Upsilon production cross section in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Search for the standard model Higgs boson decaying to $\ell\ell$. European Physical Journal C, 2015, 75, 147.	4.7	88
155	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2015, 75, 147.	3.9	88
156	Observation and Mass Measurement of the Baryon $\tilde{\chi}_1^0$. Physical Review Letters, 2007, 99, 052002.	7.8	86
157	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
158	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s}=2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
159	A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider. Science, 2012, 338, 1569-1575.	12.6	85
160	Evidence of $b\bar{b}$ -jet Quenching in PbPb Collisions at $\sqrt{s}=2.76 \text{ TeV}$. Physical Review Letters, 2014, 113, 132301.	7.8	85

#	ARTICLE	IF	CITATIONS
163	Study of double parton scattering using $W + 2\text{-jet}$ events in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	85
164	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	85
165	Study of the production of charged pions, kaons, and protons in $p\text{Pb}$ collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 2847.	3.9	85
166	Reconstruction and identification of $\tilde{\ell}_i$, lepton decays to hadrons and $\tilde{l}_{1/2}^{\pm}$ at CMS. <i>Journal of Instrumentation</i> , 2016, 11, P01019-P01019.	1.2	85
167	Observation of Diffractive W -Boson Production at the Fermilab Tevatron. <i>Physical Review Letters</i> , 1997, 78, 2698-2703.	7.8	84
168	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2020, 15, P10017-P10017. Measurement of inclusive jet cross sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 112001.	1.2	84
169	Measurement of the single-top-quark t -channel cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	83
170	Measurement of the differential cross section and charge asymmetry for inclusive W production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 715, 56-87.	4.7	83
171	Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 469.	3.9	83
172	Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 509.	3.9	83
173	Production in pp collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1995, 75, 4358-4363.	7.8	82
174	Underlying event in hard interactions at the Fermilab Tevatron $p\bar{p}$ collider. <i>Physical Review D</i> , 2004, 70, 094001.	4.7	82
175	Measurement of Bottom-Quark Hadron Masses in Exclusive J/ψ Decays with the CDF Detector. <i>Physical Review Letters</i> , 2006, 96, 202001.	7.8	82
176	Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 252.	3.9	82
177	Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	82
178	Measurement of the Top Quark Mass. <i>Physical Review Letters</i> , 1998, 80, 2767-2772.	7.8	81
179	J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	81

#	ARTICLE	IF	CITATIONS
181	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	4.7	81
182	Search for a charged Higgs boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	81
183	Observation of Orbitally Excited Mesons. Physical Review Letters, 2008, 100, 082001.	7.8	80
184	Measurement of the Production Cross Section in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 212301.	7.8	80
185	Study on the Z -Boson Production in PbPb Collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. Physical Review Letters, 2011, 106, 212301.	7.8	80
186	Measurement of the W -Boson Mass. Physical Review Letters, 1995, 75, 11-16.	7.8	79
187	Observation of Exclusive Electron-Positron Production in Hadron-Hadron Collisions. Physical Review Letters, 2007, 98, 112001.	7.8	79
188	Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 709, 28-49.	4.1	79
189	SVX', the new CDF silicon vertex detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1995, 360, 137-140.	1.6	78
190	Measurement of the Lepton Charge Asymmetry in W -Boson Decays Produced in $p\bar{p}$ Collisions. Physical Review Letters, 1998, 81, 5754-5759.	7.8	78
191	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	78
192	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 75.	3.9	78
193	Search for Gluinos and Scalar Quarks in $p\bar{p}$ Collisions at $s = 1.8 \text{ TeV}$ Using the Missing Energy plus Multijets Signature. Physical Review Letters, 2002, 88, 041801.	7.8	77
194	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	77
195	Measurement of Dijet Angular Distributions by the Collider Detector at Fermilab. Physical Review Letters, 1996, 77, 5336-5341.	7.8	76
196	Study of jet shapes in inclusive jet production in $p\bar{p}$ collisions at $s = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, 034001.	4.7	76
197	Evidence for the Exclusive Decay $B_c \rightarrow J/\psi \pi^{\pm}$ and Measurement of the Mass of the $B_c \pm$ Meson. Physical Review Letters, 2006, 96, 082002.	7.8	76
198	Measurement of the cross section for $B_c \rightarrow J/\psi \pi^{\pm}$ -boson production in association with jets in $p\bar{p}$ collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. Physical Review Letters, 2006, 96, 082002.	4.7	76

#	ARTICLE	IF	CITATIONS
199	and differential measurements of the $\langle \text{mml:math} \rangle$ $\text{xmns:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{altimg} = \text{s1.gif}$ $\text{overflow} = \text{scroll}$ $\langle \text{mml:mi} \rangle$ $\text{mathvariant} = \text{"normal"}$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:mover} \text{ accent} = \text{"true"} \rangle$ $\langle \text{mml:mi} \rangle$ $\text{mathvariant} = \text{"normal"}$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:mo} \rangle \hat{\wedge}$ $\langle \text{mml:mo} \rangle$ $\langle \text{mml:mover} \rangle$ $\langle \text{mml:math} \rangle$ charge asymmetry in protonâ“proton collisions at $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\langle \text{mml:math} \rangle$ $\langle \text{mml:math} \rangle$	4.1	76
200	Search for Top-Quark Partners with Charge $\langle \text{mml:math} \rangle$ $\langle \text{mml:msqrt} \rangle$ $\langle \text{mml:mo} \rangle = \langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:mn} \rangle 5$ $\langle \text{mml:mn} \rangle$ $\langle \text{mml:mo} \rangle /$ $\langle \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle 3$ $\langle \text{mml:mn} \rangle$ $\langle \text{mml:mrow} \rangle$ $\langle \text{mml:math} \rangle$ in the Same-Sign Dilepton Final State. Physical Review Letters, 2014, 112, 171801.	7.8	76
201	Measurement of Diffractive Dijet Production at the Fermilab Tevatron. Physical Review Letters, 1997, 79, 2636-2641.	7.8	75
202	Measurement of the Top Quark Mass with the Collider Detector at Fermilab. Physical Review Letters, 1999, 82, 271-276.	7.8	75
203	Study of exclusive two-photon production of $W+W\hat{\wedge}$ in pp collisions at $\sqrt{s}=7$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	4.7	75
204	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. European Physical Journal C, 2014, 74, 1.	3.9	75
205	Search for Neutral Minimal Supersymmetric Standard Model Higgs Bosons Decaying to Tau Pairs in $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msort} \rangle$ $\langle \text{mml:mi} \rangle s$ $\langle \text{mml:mi} \rangle s$ $\langle \text{mml:msort} \rangle$ $\langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle 7$ $\langle \text{mml:mn} \rangle$ $\langle \text{mml:mtext} \rangle$ $\langle \text{mml:math} \rangle$ $\text{Physical Review Letters}, 2011, 106, 231801$ Measurement of the $\langle \text{mml:math} \rangle$ $\langle \text{mml:math} \rangle^+ \langle \text{mml:math} \rangle^-$ cross section in pp collisions at $\sqrt{s} = 8$ TeV and limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	7.8	74
206	Measurement of the $\langle \text{Bc} + \text{Meson} \rangle$ Lifetime Using the Decay Mode $B_c + \bar{t}\bar{t}' \rightarrow J/\psi + e^+e^-$. Physical Review Letters, 2006, 97, 012002.	7.8	73
207	Measurement of the $X(3872)$ production cross section via decays to $J/\psi + \ell^+\ell^-$ in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	73
208	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
209	Search for additional neutral MSSM Higgs bosons in the ℓ^+, ℓ^- , final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
210	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=1.96$ TeV using single lepton+jets events with jet probability b-tagging. Physical Review D, 2006, 74, .	4.7	72
211	Measurement of the $t\bar{t}$ Production Cross Section in pp Collisions at $\sqrt{s}=1.96$ TeV. Physical Review Letters, 2006, 97, 082004.	7.8	72
212	Observation of Rapidity Gaps in pp Collisions at 1.8 TeV. Physical Review Letters, 1995, 74, 855-859.	7.8	71
213	Observation of exclusive dijet production at the Fermilab Tevatron $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mover} \text{ accent} = \text{"true"} \rangle$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:mo} \rangle \hat{\wedge}$ $\langle \text{mml:mo} \rangle$ $\langle \text{mml:mover} \rangle$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:math} \rangle$ collider. $\langle \text{mml:math} \rangle$ $\text{Physical Review D}, 2008, 77, 074005$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:math} \rangle$ -Channel Single Top Quark Production Cross Section in $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle 7$ $\langle \text{mml:mn} \rangle$ $\langle \text{mml:mtext} \rangle$ $\langle \text{mml:math} \rangle$	4.7	70
214	Observation of exclusive dijet production at the Fermilab Tevatron $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mover} \text{ accent} = \text{"true"} \rangle$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:mo} \rangle \hat{\wedge}$ $\langle \text{mml:mo} \rangle$ $\langle \text{mml:mover} \rangle$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:math} \rangle$ collider. $\langle \text{mml:math} \rangle$ $\text{Physical Review D}, 2008, 77, 074005$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:math} \rangle$ -Channel Single Top Quark Production Cross Section in $\langle \text{mml:math} \rangle$ $\text{xmls:mml} = \text{http://www.w3.org/1998/Math/MathML}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p$ $\langle \text{mml:mi} \rangle$ $\langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle$ $\langle \text{mml:mn} \rangle 7$ $\langle \text{mml:mn} \rangle$ $\langle \text{mml:mtext} \rangle$ $\langle \text{mml:math} \rangle$	7.8	70
215	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70
216	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	70

#	ARTICLE	IF	CITATIONS
217	$\text{d}N/\text{d}\eta \propto \eta^{\alpha}$ Measurement of the Splitting Function in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ and $\text{p} \bar{\text{p}}$ Collisions at $\sqrt{s} = 13\text{ TeV}$. Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{ TeV}$. Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. Limits on Quark-Lepton Compositeness Scales from Dileptons Produced in 1.8 TeV $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ Collisions.	7.8	70
218	Measurement of Prompt $\text{K}_\pi^0 \text{L}_\pi^0$ and $\text{K}_\pi^0 \text{S}_\pi^0$ Production in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{ TeV}$.	7.8	70
219	Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. Dijet Production by Color-Singlet Exchange at the Fermilab Tevatron. Search for Z boson production in high-mass electron-positron events in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$.	3.9	70
220	Dijet Production by Color-Singlet Exchange at the Fermilab Tevatron. Physical Review Letters, 1998, 80, 1156-1161.	7.8	69
221	Search for Z boson production in high-mass electron-positron events in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$. Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 7\text{ TeV}$. Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8\text{ TeV}$. Measurement of bb-bar production correlations, B0B0-bar mixing, and a limit on B0B0-bar mixing in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ collisions at $\sqrt{s} = 1.8\text{ TeV}$.	7.8	69
222	Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7\text{ TeV}$. Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC.	4.7	68
223	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
224	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
225	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
226	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
227	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
228	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
229	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
230	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
231	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and determination of the strong coupling constant in the TeV range.	4.7	68
232	Measurement of bottom quark production in 1.8 TeV $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ collisions using muons from b-quark decays.	7.8	66
233	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. First Observation of the All-Hadronic Decay of tt-bar Pairs.	4.7	66
234	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. First Observation of the All-Hadronic Decay of tt-bar Pairs.	7.8	65

#	ARTICLE	IF	CITATIONS
235	Measurement of the differential cross section for isolated prompt photon production in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"}>\langle\text{mml:mi}\rangle p \langle/\text{mml:mi}\rangle \langle\text{mml:mi}\rangle p \langle/\text{mml:mi}\rangle \langle/\text{mml:math}\rangle$ collisions at 7TeV . Physical Review D, 2011, 84, .	4.7	65
236	Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	65
237	Search for microscopic black hole signatures at the Large Hadron Collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 697, 434-453. Search for a Light Pseudoscalar Higgs Boson in the Dimuon Decay Channel in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"}>\langle\text{mml:mi}\rangle p \langle/\text{mml:mi}\rangle \langle\text{mml:mi}\rangle p \langle/\text{mml:mi}\rangle \langle/\text{mml:math}\rangle$ Collisions at mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"}>\langle\text{mml:msqrt}\rangle \langle\text{mml:mi}\rangle s \langle/\text{mml:mi}\rangle \langle/\text{mml:msqrt}\rangle \langle\text{mml:mo}$ $\text{mathvariant="bold"}>= \langle\text{mml:mo}\rangle \langle\text{mml:mn}\rangle 7 \langle/\text{mml:mn}\rangle \langle\text{mml:mtext}\rangle \text{"e"} \langle/\text{mml:mtext}\rangle \langle\text{mml:mtext}\rangle \text{"e"} \langle/\text{mml:mtext}\rangle \langle\text{mml:mi}\rangle \text{TeV}$	4.1	65
238	Observation of a New mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"}>\langle\text{mml:msub}\rangle \langle\text{mml:mi}\rangle \tilde{b} \langle/\text{mml:mi}\rangle \langle\text{mml:mi}\rangle b \langle/\text{mml:mi}\rangle \langle/\text{mml:msub}\rangle \langle\text{mml:math}\rangle$ Baryon. Physical Review Letters, 2012, 108, 252002.	7.8	65
240	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s}=7\text{ TeV}$. European Physical Journal C, 2014, 74, 3129.	3.9	65
241	Comparison of the isolated direct photon cross sections in $\text{pp}\bar{\gamma}$ collisions at $s=1.8\text{ TeV}$ and $s=0.63\text{ TeV}$. Physical Review D, 2002, 65, .	4.7	64
242	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\sqrt{s}=7\text{ TeV}$. European Physical Journal C, 2013, 73, 2283.	3.9	64
243	Search for new physics in same-sign dilepton events in proton $\bar{\gamma}$ proton collisions at $\sqrt{s}=13\text{ TeV}$. European Physical Journal C, 2016, 76, 439.	3.9	64
244	Prompt photon cross section measurement in $\text{p}\bar{\gamma}$ collisions at $s=1.8\text{ TeV}$. Physical Review D, 1993, 48, 2998-3025.	4.7	63
245	Measurement of W-Photon Couplings in p- p $\bar{\gamma}$ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 1995, 74, 1936-1940.	7.8	63
246	Search for Neutral Higgs Bosons of the Minimal Supersymmetric Standard Model Decaying to \tilde{l},\tilde{l} ,Pairs in $\text{pp}\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 011802.	7.8	63
247	Search for narrow resonances in dilepton mass spectra in pp collisions at mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}>\text{overflow="scroll"}>\langle\text{mml:msqrt}\rangle \langle\text{mml:mi}\rangle s \langle/\text{mml:mi}\rangle \langle/\text{mml:msqrt}\rangle \langle\text{mml:mo}\rangle = \langle\text{mml:mo}\rangle \langle\text{mml:mn}\rangle 7 \langle/\text{mml:mn}\rangle \times \text{mml:mspace}$ $\text{width="0.25em"}>\langle\text{mml:mtext}\rangle \text{TeV} \langle/\text{mml:mtext}\rangle \langle/\text{mml:math}\rangle$. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2012, 714, 159-179.	7.8	63
248	Search for Signatures of Extra Dimensions in the Diphoton Mass Spectrum at the Large Hadron Collider. Physical Review Letters, 2012, 108, 111801.	7.8	63
249	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
250	Measurement of $fB(W\rightarrow e^{1/2})$ and $fB(Z\rightarrow e^+e^-)$ in $\text{pp}\bar{\gamma}$ Collisions at $\sqrt{s}=1.8\text{ TeV}$. Physical Review Letters, 1996, 76, 3070-3075.	7.8	62
251	Search for the decays $B_d \rightarrow l^+l^-$ and $B_s \rightarrow l^+l^-$ in $\text{pp}\bar{\gamma}$ collisions at $s=1.8\text{ TeV}$. Physical Review D, 1998, 57, R2811-R2816.	7.8	62
252	Measurement of the Isolated Prompt Photon Production Cross Section in mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}>\langle\text{mml:mi}\rangle p \langle/\text{mml:mi}\rangle \langle\text{mml:mi}\rangle p \langle/\text{mml:mi}\rangle \langle/\text{mml:math}\rangle$ Collisions at mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}>\langle\text{mml:msqrt}\rangle \langle\text{mml:mi}\rangle s \langle/\text{mml:mi}\rangle \langle/\text{mml:msqrt}\rangle \langle\text{mml:mo}\rangle = \langle\text{mml:mo}\rangle \langle\text{mml:mn}\rangle 7 \langle/\text{mml:mn}\rangle \langle\text{mml:mtext}\rangle \text{"e"} \langle/\text{mml:mtext}\rangle \langle\text{mml:math}\rangle$ Physical Review Letters, 2011, 106, 082001.	7.8	62

#	ARTICLE	IF	CITATIONS
253	Measurement of the Pseudorapidity and Centrality Dependence of the Transverse Energy Density in Pb-Pb Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 109, 152303.	7.8	62
254	Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 710, 284-306.	7.8	62
255	Measurement of the $W + W \rightarrow \gamma\gamma$ cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on anomalous $WW\gamma^3$ and WWZ couplings. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	62
256	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 13.	3.9	62
257	Measurement of the $\langle \eta \rangle_{\text{H}} = 0.05 \pm 0.02$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. <i>Physical Review Letters</i> , 2017, 119, 152301.	7.8	62
258	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	62
259	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	62
260	Observation of Two Excited States and Measurement of the Charge Asymmetry in W -Boson Decays Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1995, 74, 850-854.	7.8	62
261	Measurement of the Dijet Azimuthal Decorrelations in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1995, 74, 850-854.	7.8	61
262	Search for $B_s \rightarrow \Lambda_c^+ \ell^- \nu$ and $B_d \rightarrow \Lambda_c^+ \ell^- \nu$ Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2004, 93, 032001.	7.8	61
263	Dijet Azimuthal Decorrelations in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2004, 93, 032001.	7.8	60
264	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	60
265	Search for New Particles Decaying to Dijets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1995, 74, 3538-3543.	7.8	59
266	Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$ Using Dilepton Events. <i>Physical Review Letters</i> , 2004, 93, 142001.	7.8	59
267	Search for Exclusive $\Lambda_c^+ \bar{\Lambda}_c^0$ Production in Hadron-Hadron Collisions. <i>Physical Review Letters</i> , 2007, 99, 242002.	7.8	59
268	Performance and operation of the CMS electromagnetic calorimeter. <i>Journal of Instrumentation</i> , 2010, 5, T03010-T03010.	1.2	59
269	Alignment of the CMS silicon tracker during commissioning with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03009-T03009.	1.2	59

#	ARTICLE	IF	CITATIONS
271	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1. Search for a Vectorlike Quark with Charge $\frac{3}{2}$. $\text{Search for a Vectorlike Quark with Charge } \frac{3}{2}.$ $\text{Search for a Vectorlike Quark with Charge } \frac{3}{2}.$	4.7	59
272	Search for a Vectorlike Quark with Charge $\frac{3}{2}$. $\text{Search for a Vectorlike Quark with Charge } \frac{3}{2}.$ $\text{Search for a Vectorlike Quark with Charge } \frac{3}{2}.$	7.8	59
273	Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
274	Jet production rates in association with W and Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58
275	Studies of jet mass in dijet and W/Z + jet events. Journal of High Energy Physics, 2013, 2013, 1.	4.7	58
276	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$. European Physical Journal C, 2015, 75, 237.	3.9	58
277	Measurement of the weak mixing angle using the forwardâ€“backward asymmetry of Drellâ€“Yan events in p p collisions at 8 TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
278	Measurement of the top quark mass with the collider detector at Fermilab. Physical Review D, 2001, 63, .	4.7	57
279	Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter. Journal of Instrumentation, 2010, 5, T03014-T03014.	1.2	57
280			

#	ARTICLE	IF	CITATIONS
289	Search for heavy long-lived charged particles in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 713, 408-433.		
290	Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2494.	3.9	55
291	Measurement of associated $W + \text{charm}$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	55
292	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 451.	3.9	55
293	Dijet Production by Double Pomeron Exchange at the Fermilab Tevatron. Physical Review Letters, 2000, 85, 4215-4220. Measurement of Dijet Angular Distributions and Search for Quark Compositeness in $t\bar{t}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2011, 106, 201804.	7.8	54
294	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 288.	7.8	54
295	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	54
296	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2017, 119, 141802.	7.8	54
297	Search for charged Higgs bosons in the $H^\pm \rightarrow l^\pm \nu_l$ decay channel in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
298	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	53
299	Evidence for color coherence in $p\bar{p}$ -collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review D, 1994, 50, 5562-5579.	4.7	53
300	Limits on WWZ and WW^3 Couplings from WW and WZ Production in $p\bar{p}$ -Collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 1995, 75, 1017-1022.	7.8	53
301	Measurement of the Lifetime Difference between B_s Mass Eigenstates. Physical Review Letters, 2005, 94, 101803.	7.8	53
302	Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1. Search for New Physics with a Monojet and Missing Transverse Energy in $t\bar{t}$ Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 107, 201804.	4.7	53
303	Measurement of prompt and nonprompt J/ψ production in $p\bar{p}$ and $p\bar{p}$ collisions at $\sqrt{s} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269.	3.9	53
304	Measurement of prompt and nonprompt J/ψ production in $p\bar{p}$ and $p\bar{p}$ collisions at $\sqrt{s} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269.	3.9	53
305	Measurement of prompt and nonprompt J/ψ production in $p\bar{p}$ and $p\bar{p}$ collisions at $\sqrt{s} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269.	3.9	53
306	Measurement of prompt and nonprompt J/ψ production in $p\bar{p}$ and $p\bar{p}$ collisions at $\sqrt{s} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269.	3.9	53

#	ARTICLE	IF	CITATIONS
307	Search for Third Generation Leptoquarks in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 1997, 78, 2906-2911.	7.8	52
308	Search for Scalar Top and Scalar Bottom Quarks in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 2000, 84, 5704-5709.	7.8	52
309	Performance of CMS muon reconstruction in cosmic-ray events. Journal of Instrumentation, 2010, 5, T03022-T03022.	1.2	52
310	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in $p\bar{p}$ collisions at $\sqrt{s} = 8\text{TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
311	Measurement of double-differential cross sections for top quark pair production in $p\bar{p}$ collisions at $\sqrt{s} = 8\text{TeV}$ and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
312	Measurements of the $t\bar{t} \rightarrow 4\ell$ production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
313	Search for gluinos and squarks at the Fermilab Tevatron collider. Physical Review D, 1997, 56, R1357-R1362.	4.7	51
314	Search for Neutral Supersymmetric Higgs Bosons in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 2001, 86, 4472-4478.	7.8	51
315	Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. Physical Review D, 2011, 84, .	4.7	51
316	Search for exclusive or semi-exclusive $t\bar{t}$ production and observation of exclusive and semi-exclusive e^+e^- production in $p\bar{p}$ collisions at $\sqrt{s}=7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
317	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
318	Measurement of the Helicity of WBosons in Top Quark Decays. Physical Review Letters, 2000, 84, 216-221.	7.8	50
319	Combination of CDF and D0 results on the Wboson mass and width. Physical Review D, 2004, 70, .	4.7	50
320	Measurement of $t\bar{t} \rightarrow c\bar{c}B(\bar{c}c\bar{t}\bar{t})/\bar{t}\bar{t}B(\bar{t}c\bar{t}\bar{t})$ in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2007, 98, 231802.	7.8	50
321	First measurement of the underlying event activity at the LHC with $\sqrt{s} = 0.9\text{TeV}$. European Physical Journal C, 2010, 70, 555-572.	3.9	50
322	Search for $B_s \rightarrow \pi^+\pi^-$ and $B_0 \rightarrow \pi^+\pi^-$ Decays in $p\bar{p}$ Collisions at $s=7\text{TeV}$. Physical Review Letters, 2011, 107, 101802.	7.8	50
323	Study of the underlying event at forward rapidity in $p\bar{p}$ collisions at $\sqrt{s}=0.9, 2.76, 7\text{TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
324	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=7\text{TeV}$. Physical Review Letters, 2018, 121, 241802.	7.8	50

#	ARTICLE	IF	CITATIONS
325	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 564.	3.9	50
326	Search for Long-Lived Charged Massive Particles in pp̄ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 2003, 90, 131801.	7.8	49
327	Measurement of the Inclusive Jet Cross Section Using the kT Algorithm in pp̄ Collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2006, 96, 122001.	7.8	49
328	First run II measurement of the W boson mass at the Fermilab Tevatron. Physical Review D, 2008, 77, .	4.7	49
329	First Measurement of Bose-Einstein Correlations in Proton-Proton Collisions at $\sqrt{s} = 0.9$ and 2.36 TeV at the LHC. Physical Review Letters, 2010, 105, 032001.	4.7	49
330	Search for new physics with jets and missing transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	49
331	Search for New Physics with Same-Sign Isolated Dilepton Events with Jets and Missing Transverse Energy. Physical Review Letters, 2012, 109, 071803.	7.8	49
332	Search for leptonic decays of W bosons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
333	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
334	Measurement of the differential dijet production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 700, 187-206.	4.7	49
335	Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
336	Observation of Y(1S) pair production in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
337	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 364.	3.9	48
338	Comparison of jet production in pp̄ collisions at $\sqrt{s} = 546$ and 1800 GeV. Physical Review Letters, 1993, 70, 1376-1380.	7.8	47
339	Search for First Generation Leptoquark Pair Production in pp̄ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1997, 79, 4327-4332.	7.8	47
340	Searches for New Physics in Diphoton Events in pp̄ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1998, 81, 1791-1796.	7.8	47
341	Measurement of hadron lifetimes using final states at CDF. Physical Review D, 1998, 57, 5382-5401.	4.7	47
342	Search for Supersymmetry in pp̄ Collisions at $\sqrt{s} = 7$ TeV in Events with Two Photons and Missing Transverse Energy. Physical Review Letters, 2011, 106, 211802.	7.8	47

#	ARTICLE	IF	CITATIONS
343	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47
344	Search for Top Squarks in $\mathcal{L} = 1.07 \times 10^{33} \text{ cm}^{-2} \text{ s}^{-1}$ at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters B, 2013, 721, 221801.	7.8	47
345	Search for Supersymmetry in $\mathcal{L} = 1.07 \times 10^{33} \text{ cm}^{-2} \text{ s}^{-1}$ at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters B, 2013, 721, 221801.	7.8	47
346	Measurement of the ratio $\frac{\mathcal{N}(pp \rightarrow W^+ e^-)}{\mathcal{N}(pp \rightarrow Z^0 e^+ e^-)}$ in $\sqrt{s} = 1800 \text{ GeV}$ collisions. Physical Review D, 1995, 52, 2624-2655.	4.7	46
347	Measurement of the forward-backward charge asymmetry of electron-positron pairs in $\sqrt{s} = 1.96 \text{ TeV}$ collisions. Physical Review D, 2005, 71, .	4.7	46
348	First Measurement of the $\mathcal{N}(pp \rightarrow W^+ e^-)$ in Run II of the Tevatron. Physical Review Letters, 2007, 99, 151801.	7.8	46
349	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	46
350	Measurement of the Polarization of $\mathcal{N}(pp \rightarrow W^+ e^-)$ in $\sqrt{s} = 7 \text{ TeV}$ collisions. Physical Review Letters, 2011, 107, 021802.	7.8	46
351	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	46
352	Search for disappearing tracks in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	46
353	Search for third-generation scalar leptoquarks decaying to a top quark and a τ , lepton at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2018, 78, 707.	3.9	46
354	Search for Charged Bosons Heavier than the W Boson in $\sqrt{s} = 1800 \text{ GeV}$ collisions. Physical Review Letters, 1995, 74, 2900-2904.	7.8	45
355	Measurement of the B^+ -production cross section in $\sqrt{s} = 1960 \text{ GeV}$ collisions. Physical Review D, 2007, 75, .	4.7	45
356	Search for Doubly Charged Higgs Bosons with Lepton-Flavor-Violating Decays Involving τ , Leptons. Physical Review Letters, 2008, 101, 121801.	7.8	45
357	Search for Heavy Neutralinos in $\sqrt{s} = 7 \text{ TeV}$ collisions. Physical Review Letters, 2008, 101, 121801.	4.7	45
358	Search for heavy bottom-like quarks in 4.9 fb^{-1} of pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	45
359	Search for heavy, top-like quark pair production in the dilepton final state in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.1	45
360	Search for heavy Majorana Neutrinos in $\sqrt{s} = 7 \text{ TeV}$ collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 717, 109-128.	4.1	45

#	ARTICLE	IF	CITATIONS
361	Measurement of associated production of vector bosons and top quark-antiquark pairs in $\text{pp} \bar{\text{p}}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 97, 171802.	7.8	45
362	Search for Top Squark and Higgsino Production Using Diphoton Higgs Boson Decays. Physical Review Letters, 2014, 112, 161802.	7.8	45
363	Search for single-top-quark production in $\text{pp} \bar{\text{p}}$ collisions at $s = 1.8 \text{ TeV}$. Physical Review D, 2002, 65, .	4.7	44
364	Measurement of the inclusive jet cross section in $\text{pp} \bar{\text{p}}$ interactions at $s = 1.96 \text{ TeV}$ using a cone-based jet algorithm. Physical Review D, 2006, 74,	4.7	44
365	Search for microscopic black holes in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	44
366	Search for a light charged Higgs boson decaying to $c \bar{s} \rightarrow \text{c} \overline{\text{s}}$ in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1-37.	4.7	44
367	Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 151.	3.9	44
368	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 140.	3.9	44
369	Observation of $b\bar{b} \rightarrow J/\psi \gamma$ at the Fermilab proton-antiproton collider. Physical Review D, 1997, 55, 1142-1152.	4.7	43
370	Search for the Flavor-Changing Neutral Current Decays $B \rightarrow \ell^+ \ell^- K^+$ and $B \rightarrow \ell^+ \ell^- K^* 0$. Physical Review Letters, 1999, 83, 3378-3383.	7.8	43
371	Search for Large Extra Dimensions in the Production of Jets and Missing Transverse Energy in $\text{pp} \bar{\text{p}}$ Collisions at $s = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 97, 171802.	7.8	43
372	Search for pair-produced dijet resonances in four-jet final states in $\text{pp} \bar{\text{p}}$ collisions at $s = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 97, 171802.	7.8	43
373	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2014, 74, 3060.	3.9	43
374	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	4.7	43
375	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 325.	3.9	43
376	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
377	Measurement of correlated $\ell^+ \ell^-$ jet cross sections in $\text{pp} \bar{\text{p}}$ collisions at $s = 1.8 \text{ TeV}$. Physical Review D, 1996, 53, 1051-1065.	4.7	42
378	Measurement of the $t\bar{t}$ Production Cross Section in $\text{pp} \bar{\text{p}}$ Collisions at $s = 1.8 \text{ TeV}$. Physical Review Letters, 1998, 80, 2773-2778.	7.8	42

#	ARTICLE	IF	CITATIONS
379	Searches for new physics in diphoton events in $pp[\overline{p}p]$ collisions at $\sqrt{s}=1.8$ TeV. Physical Review D, 1999, 59, .	4.7	42
380	Observation of Diffractive b -Quark Production at the Fermilab Tevatron. Physical Review Letters, 2000, 84, 232-237.	7.8	42
381	Measurement of $B(t\bar{t}'Wb)/B(t\bar{t}'Wq)$ at the Collider Detector at Fermilab. Physical Review Letters, 2005, 95, 102002.	7.8	42
382	Search for New High-Mass Particles Decaying to Lepton Pairs in $pp\bar{p}$ Collisions at $s=1.96$ TeV. Physical Review Letters, 2005, 95, 252001.	7.8	42
383	Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1.	3.9	42
384	Evidence for exclusive $t\bar{t}^3 \rightarrow t\bar{t} W + W \bar{W}$ production and constraints on anomalous quartic gauge couplings in pp collisions at $s = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	42
385	Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
386	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
387	Measurement of the Strong Coupling Constant from Inclusive Jet Production at the Tevatron $\bar{p}p$ Collider. Physical Review Letters, 2002, 88, 042001.	7.8	41
388	Limits on Extra Dimensions and New Particle Production in the Exclusive Photon and Missing Energy Signature in $pp\bar{p}$ Collisions at $s=1.8$ TeV. Physical Review Letters, 2002, 89, 281801.	7.8	41
389	Measurement of the top quark mass using template methods on dilepton events in $pp\bar{p}$ collisions at $s=1.96$ TeV. Physical Review D, 2006, 73, .	4.7	41
390	Inclusive Search for New Physics with Like-Sign Dilepton Events in $pp\bar{p}$ Collisions at $s=1.96$ TeV. Physical Review Letters, 2007, 98, 221803. Search for Resonance $\pi\pi\pi\pi$ in $pp\bar{p}$ Collisions	7.8	41
391	Production of $t\bar{t}$ and $t\bar{t}^3$ in $pp\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV. Physical Review Letters, 2007, 98, 221804. Search for Quark Compositeness with the Dijet Centrality Ratio in $pp\bar{p}$ Collisions	7.8	41
392	Collisions at $\sqrt{s}=1.96$ TeV. Physical Review Letters, 2007, 98, 221805. Search for Stopped Gluinos in $pp\bar{p}$ Collisions	7.8	41
393	Collisions at $\sqrt{s}=1.96$ TeV. Physical Review Letters, 2010, 105, 262001. Search for Stopped Gluinos in $pp\bar{p}$ Collisions	7.8	41
394	Collisions at $\sqrt{s}=1.96$ TeV. Physical Review Letters, 2010, 105, 262002. Inclusive search for squarks and gluinos in $pp\bar{p}$ Collisions	4.7	41
395	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	41
396	Measurement of the $t\bar{t}$ production cross section in the $e\bar{e}\gamma$ channel in proton-proton collisions at $s = 7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	41

#	ARTICLE	IF	CITATIONS
397	Measurement of the $\overline{t}t\bar{t}$ production cross section in the all-jets final state in pp collisions at $s = 8$ TeV. European Physical Journal C, 2016, 76, 128.	3.9	41
398	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
399	Evidence for $W+W\bar{W}$ Production in p \bar{p} Collisions at $s = 1.8$ TeV. Physical Review Letters, 1997, 78, 4536-4540.	7.8	40
400	Search for New Physics Using High-Mass Tau Pairs from 1.96 TeV pp \bar{t} Collisions. Physical Review Letters, 2005, 95, 131801.	7.8	40
401	Model-independent and quasi-model-independent search for new physics at CDF. Physical Review D, 2008, 78, .	4.7	40
402	Search for same-sign top-quark pair production at $\sqrt{s} = 7$ TeV and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
403	Measurement of the $\overline{t}t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $s = 13$ TeV. European Physical Journal C, 2017, 77, 172.	3.9	40
404	Search for new physics in dijet angular distributions using proton+proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
405	Measurement of the top quark mass in the all-jets final state at $s = 13$ TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
406	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
407	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 378.	3.9	40
408	Measurement of the $B^0\bar{B}^0$ Oscillation Frequency Using $\ell^+\ell^-$ BMeson Charge-Flavor Correlations in p \bar{p} Collisions at $s = 1.8$ TeV. Physical Review Letters, 1998, 80, 2057-2062.	7.8	39
409	Double Diffraction Dissociation at the Fermilab Tevatron Collider. Physical Review Letters, 2001, 87, 141802.	7.8	39
410	Measurement of the cross section for $t\bar{t}$ production in p \bar{p} collisions using the kinematics of lepton+jets events. Physical Review D, 2005, 72, .	4.7	39
411	Direct Search for Dirac Magnetic Monopoles in p \bar{p} Collisions at $s = 1.96$ TeV. Physical Review Letters, 2006, 96, 201801.	7.8	39
412	Measurement of Lifetime and Decay-Width Difference in $B_s \rightarrow J/\psi \pi^\pm$ Decays. Physical Review Letters, 2008, 100, 121803.	7.8	39
413	Measurement of W^{l3} and Z^{l3} production in pp collisions at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 535-555.	4.1	39
414	Search for resonances in the dilepton mass distribution in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39

#	ARTICLE	IF	CITATIONS
415	Inclusive b-jet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
416	Measurement of the Z/γ^* b-jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
417	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
418	Measurement of the ZZ production cross section and search for anomalous couplings in 2-, “2,” “ ϵ^2 final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
419	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
420	Measurement of differential cross sections for Z/Z' boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 965.	3.9	39
421	Search for Gluino and Squark Cascade Decays at the Fermilab Tevatron Collider. Physical Review Letters, 1996, 76, 2006-2010.	7.8	38
422	Search for New Particles Decaying to $t\bar{t}$ in pp collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 2000, 85, 2062-2067.	7.8	38
423	Search for Quark-Lepton Compositeness and a Heavy W -Boson Using the $e^{1/2}$ Channel in pp Collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 2001, 87, 231803.	7.8	38
424	Momentum distribution of charged particles in jets in dijet events in pp collisions at $\sqrt{s}=1.8 \text{ TeV}$ and comparisons to perturbative QCD predictions. Physical Review D, 2003, 68, .	4.7	38
425	Measurement of Partial Widths and Search for Direct CP Violation in D0 Meson Decays to K^+K^- . Physical Review Letters, 2005, 94, 122001.	7.8	38
426	Measurement of the charge ratio of atmospheric muons with the CMS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 692, 83-104.	4.1	38
427	Search for heavy stable charged particles in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	38
428	First measurement of hadronic event shapes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 48-67.	4.1	38
429	Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	38
430	Search for pair produced fourth-generation up-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with a lepton in the final state. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 307-328.	4.1	38
431	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2017, 77, 845.	3.9	38
432	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2017, 77, 636.	3.9	38

#	ARTICLE	IF	CITATIONS
433	Suppression of Excited States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physical Review Letters, 2018, 120, 142301.	7.8	38
434	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $t\bar{t}$, leptons at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	38
435	Measurement of the CP-Violation Parameters in $B^0 \rightarrow D^0 \tau^+ \tau^-$ Decays. Physical Review Letters, 1998, 81, 5513-5518.	7.8	37
436	Search for the charged Higgs boson in the decays of top quark pairs in the $t\bar{t}$ and $t\bar{t}4l$ channels at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2000, 62, .	4.7	37
437	Search for electroweak single-top-quark production in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2005, 71, .	4.7	37
438	Commissioning of the CMS experiment and the cosmic run at four tesla. Journal of Instrumentation, 2010, 5, T03001-T03001.	1.2	37
439	Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ using the kinematic properties of events with leptons and jets. European Physical Journal C, 2011, 71, 1.	3.9	37
440	Measurement of the $t\bar{t}$ cross section and the $t\bar{t}4l$ cross section in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2011, 71, 1.	4.1	37
441	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	37
442	Measurement of the WZ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$ and $\sqrt{s} = 8 \text{ TeV}$ and search for anomalous triple gauge couplings at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 236.	3.9	37
443	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
444	Limits on Z -Photon Couplings from $p\bar{p}$ Interactions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 1995, 74, 1941-1945.	7.8	36
445	Search for $B_s \rightarrow l^+ l^-$ and $B_d \rightarrow l^+ l^-$ Decays in $p\bar{p}$ Collisions with CDF II. Physical Review Letters, 2005, 95, 221805.	3.8	36
446	Observation of WZ Production. Physical Review Letters, 2007, 98, 161801.	7.8	36
447	Performance of the CMS hadron calorimeter with cosmic ray muons and LHC beam data. Journal of Instrumentation, 2010, 5, T03012-T03012.	1.2	36
448	Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays. Journal of Instrumentation, 2010, 5, T03021-T03021.	1.2	36
449	Measurement of the Drell-Yan cross section in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	36
450	Search for heavy lepton partners of neutrinos in proton-proton collisions in the context of the type III seesaw mechanism. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 348-368.	4.1	36

#	ARTICLE	IF	CITATIONS
451	Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}$ and $t\bar{t}$ final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	36
452	Search for Narrow Resonances in the $t\bar{t}$ -Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $s = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2018, 120, 201801.	7.8	36
453	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	36
454	Limits on the production of narrow resonances in $t\bar{t}$ collisions at $s = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2008, 100, 091803.	4.7	35
455	First Measurement of W Boson Production in Association with a Single Charm Quark in $p\bar{p}$ Collisions at $s = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2008, 100, 091803.	7.8	35
456	Commissioning and performance of the CMS pixel tracker with cosmic ray muons. <i>Journal of Instrumentation</i> , 2010, 5, T03007-T03007.	1.2	35
457	Measurement of the cross section with $t\bar{t}$ production in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2011, 107, 241801.	4.7	35
458	Production cross section in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 2758.	4.7	35
459	Measurement of the top-quark mass in all-jets $t\bar{t}$ events in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 2758.	3.9	35
460	Search for heavy Majorana neutrinos in $e^{\pm}e^{\pm}$ jets and $e^{\pm}\mu^{\pm}$ jets events in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	35
461	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $s = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2017, 119, 111802.	7.8	35
462	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	35
463	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	35
464	Measurement of exclusive $\gamma p\bar{p}$ photoproduction from protons in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 277.	3.9	35
465	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 488.	3.9	35
466	Measurement of the average lifetime of hadrons produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1993, 71, 3421-3426.	7.8	34
467	Events with a Rapidity Gap between Jets in $p\bar{p}$ Collisions at $\sqrt{s} = 630 \text{ GeV}$. <i>Physical Review Letters</i> , 1998, 81, 5278-5283.	7.8	34
468	First Measurement of the Ratio $B(t\bar{t}Wb)/B(t\bar{t}Wq)$ and Associated Limit on the Cabibbo-Kobayashi-Maskawa Element $ V_{tb} $. <i>Physical Review Letters</i> , 2001, 86, 3233-3238.	7.8	34

#	ARTICLE	IF	CITATIONS
469	Measurement of the Cross Section for Prompt Diphoton Production in pp $\bar{\Lambda}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 95, 022003.	7.8	34
470	Measurement of the $t\bar{t}$ production cross section in pp $\bar{\Lambda}$ collisions at $s=1.96\text{ TeV}$ using lepton plus jets events with semileptonic B decays to muons. Physical Review D, 2005, 72, .	4.7	34
471	Time reconstruction and performance of the CMS electromagnetic calorimeter. Journal of Instrumentation, 2010, 5, T03011-T03011.	1.2	34
472	Search for Three-Jet Resonances in $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $s=7\text{ TeV}$. Physical Review Letters, 2011, 107, 101801.	7.8	34
473	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
474	Search for microscopic black holes in pp collisions at $\sqrt{s} = 7\text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
475	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable \tilde{T} . Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
476	Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8\text{ TeV}$. European Physical Journal C, 2016, 76, 379.	3.9	34
477	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at $\sqrt{s} = 8\text{ TeV}$ and ratio of 8 to 7 TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
478	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
479	Measurement of the top quark mass with lepton+jets final states using $t\bar{t}$ collisions at $\sqrt{s}=13\text{ TeV}$. European Physical Journal C, 2018, 78, 891.	3.9	34
480	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
481	Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2019, 79, 90.	3.9	34
482	Evidence for $B_s \rightarrow \mu^+ \mu^-$ Decay and Measurements of Branching Ratio and ACP for $B \rightarrow \mu^+ \mu^-$. Physical Review Letters, 2005, 95, 031801.	7.8	33
483	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	33
484	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s}=8\text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	33
485	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
486	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33

#	ARTICLE	IF	CITATIONS
487	Measurement of exclusive $\rho \rightarrow \pi^+ \pi^- \eta$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s} = 5.02$ TeV. European Physical Journal C, 2019, 79, 702.	3.9	33
488	Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 13.	3.9	33
489	Search for top squark pair production using dilepton final states in $p\bar{p}$ collision data collected at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 3.	3.9	33
490	Measurement of $t\bar{t}$ normalised multi-differential cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	3.9	33
491	Measurement of W^{\pm} and Z^{\pm} Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2005, 94, 041803.	7.8	32
492	Measurement of $B\bar{B}$ angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
493	Search for supersymmetry in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum. Journal of High Energy Physics, 2011, 2011, 1. Search for pair production of first- and second-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
494	Search for pair production of first- and second-generation scalar leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	32
495	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	4.7	32
496	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 2674.	3.9	32
497	Alignment of the CMS tracker with LHC and cosmic ray data. Journal of Instrumentation, 2014, 9, P06009-P06009.	1.2	32
498	Measurements of the $Z Z$ production cross sections in the $2\mu \tau \tau$ channel in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. European Physical Journal C, 2015, 75, 511.	3.9	32
499	Searches for pair production of third-generation squarks in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 327.	3.9	32
500	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s} = 2.76$ TeV. Physical Review Letters, 2018, 121, 242301.	7.8	32
501	Search for first-generation leptoquarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV. Physical Review D, 1993, 48, R3939-R3944.	4.7	31
502	Measurement of the cross section for production of two isolated prompt photons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1993, 70, 2232-2236.	7.8	31
503	Ratios of bottom meson branching fractions involving J/ψ mesons and determination of fragmentation fractions. Physical Review D, 1996, 54, 6596-6609.	4.7	31
504	The $t\bar{t}$ Decays of Top Quark Pairs Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1997, 79, 3585-3590.	7.8	31

#	ARTICLE	IF	CITATIONS
505	Search for Chargino-Neutralino Associated Production at the Fermilab Tevatron Collider. Physical Review Letters, 1998, 80, 5275-5280.	7.8	31
506	Measurement of the moments of the hadronic invariant mass distribution in semileptonic B decays. Physical Review D, 2005, 71, .	4.7	31
507	Search for High-Mass Resonances Decaying to $e^{\pm} \nu e^{\pm} \nu$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2006, 96, 211802.	7.8	31
508	Precision Top-Quark Mass Measurement in the Lepton+Jets Topology in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2006, 96, 022004.	7.8	31
509	Search for Heavy Toplike Quarks Using Lepton Plus Jets Events in 1.96 TeV $p\bar{p}$ Collisions. Physical Review Letters, 2008, 100, 161803.	7.8	31
510	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	31
511	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	31
512	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 66.	3.9	31
513	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $s_{NN} = 2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
514	Search for top squark pair production in pp collisions at $s = 13$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
515	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
516	A multi-dimensional search for new heavy resonances decaying to boosted W bosons or Z boson pairs in the dijet final state at 13 TeV. European Physical Journal C, 2020, 80, 237.	3.9	31
517	Measurement of the Ratio $f_B(W \rightarrow e^{\pm} \nu) / f_B(Z \rightarrow e^+ e^-)$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1994, 73, 220-224.	7.8	30
518	Search for excited quarks in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1994, 72, 3004-3008.	7.8	30
519	Search for new gauge bosons decaying into dielectrons in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV. Physical Review D, 1995, 51, R949-R953.	4.7	30
520	Kinematic evidence for top quark pair production in W+multijet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV. Physical Review D, 1995, 51, 4623-4637.	4.7	30
521	Measurement of the b0 lifetime Using b0 to c+ "1/2". Physical Review Letters, 1996, 77, 1439-1443.	7.8	30
522	Search for R-Parity Violating Supersymmetry Using Like-Sign Dielectrons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 1999, 83, 2133-2138.	7.8	30

#	ARTICLE	IF	CITATIONS
523	Measurement of the Decay Amplitudes of $B_0 \rightarrow K^* 0$ and $B_s \rightarrow D_s \bar{D}$ Decays. Physical Review Letters, 2000, 85, 4668-4673.	7.8	30
524	Search for Excited and Exotic Electrons in the $e\bar{e} \rightarrow e\bar{e}$ Decay Channel in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2005, 94, 101802.	7.8	30
525	Measurement of ratios of fragmentation fractions for bottom hadrons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2008, 100, 201801.	4.7	30
526	Strong Evidence for ZZ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV. Physical Review Letters, 2008, 100, 201801.	4.7	30
527	Measurement of Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	30
528	Search for a heavy gluon-like quark in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
529	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.1	30
530	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^{(*)} \rightarrow q\bar{q} \overline{\ell}\ell$ in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	30
531	Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	30
532	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
533	Search for massive WH resonances decaying into the $W \rightarrow b\bar{b}$ final state at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 237.	3.9	30
534	Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
535	Search for quark compositeness, axigluons, and heavy particles using the dijet invariant mass spectrum observed in $p\bar{p}$ collisions. Physical Review Letters, 1993, 71, 2542-2546.	7.8	29
536	Search for Second and Third Generation Leptoquarks Including Production via Technicolor Interactions in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 2000, 85, 2056-2061.	7.8	29
537	Measurement of the $b\bar{b}$ Quark Fragmentation Fractions in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV. Physical Review Letters, 2000, 84, 1663-1668.	7.8	29
538	Optimized search for single-top-quark production at the Fermilab Tevatron. Physical Review D, 2004, 69, .	4.7	29
539	Measurement of the $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV using kinematic fitting of b-tagged lepton+jet events. Physical Review D, 2005, 71, .	4.7	29

#	ARTICLE	IF	CITATIONS
541	Measurement of the Top-Quark Mass in All-Hadronic Decays in $p\bar{p}$ Collisions at CDF II. Physical Review Letters, 2007, 98, 142001.	7.8	29
542	Precision measurement of the top-quark mass from dilepton events at CDF II. Physical Review D, 2007, 75, .	4.7	29
543	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1. Search for a mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msup><mml:mi>W</mml:mi><mml:mo> or Techni-<mml:math mathvariant="bold">â€²</mml:mo></mml:msup></mml:math> at <mml:math altimg="si1.gif" overflow="scroll"/><mml:mi>Decaying into</mml:math> at <mml:math altimg="si1.gif" overflow="scroll"/><mml:mi>xocs</mml:mi></mml:math> at <mml:math altimg="si1.gif" overflow="scroll"/><mml:mi>xocs/dtd</mml:mi></mml:math> Z</math> at <mml:math altimg="si1.gif" overflow="scroll"/><mml:mi>http://www.w3.org/2001/XMLSchema-instance</mml:mi> xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tei="http://www.elsevier.com/xml/common/tei/dtd" xmlns:teiis="http://www.elsevier.com/xml/teiis/teiis.xsd" xmlns:teiis="http://www.elsevier.com/xml/teiis/teiis.xsd"	4.7	29
544	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$. European Physical Journal C, 2016, 76, 372.	7.8	29
545	Correlations between jets and charged particles in PbPb and pp collisions at $s_{NN} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.1	29
546	A search for new phenomena in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with missing transverse momentum and at least one jet using the α_T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
547	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
548	Search for lepton flavour violating decays of the Higgs boson to $\ell^+ \ell^-$, and $e^+ e^-$, in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
549	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
550	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 280.	3.9	29
551	Forward-Backward Charge Asymmetry of Electron Pairs above the Z0 Pole. Physical Review Letters, 1996, 77, 2616-2621.	7.8	28
552	Measurement of the B0 meson lifetime using semileptonic decays. Physical Review D, 1999, 59, .	4.7	28
553	Production of $c\bar{c}$ and $c\bar{c}$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 2001, 86, 3963-3968.	7.8	28
554	Search for long-lived doubly charged Higgs bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2005, 95, 071801. Search for physics beyond the standard model using multilepton signatures in <mml:math>	7.8	28
555	Measurements of differential cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28

#	ARTICLE	IF	CITATIONS
559	Search for $\mathrm{t}\overline{\mathrm{t}}\mathrm{H}$ production in the $\mathrm{H}\mathrm{b}\overline{\mathrm{b}}$ decay channel with leptonic $\mathrm{t}\overline{\mathrm{t}}$ decays in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
560	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	28
561	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
562	Measurement of Drell-Yan electron and muon pair differential cross sections in $\mathrm{pp}\overline{\mathrm{p}}$ collisions at $s = 1.8 \text{ TeV}$. Physical Review D, 1994, 49, R1-R6.	4.7	27
563	Measurement of f/dM and Forward-Backward Charge Asymmetry for High-Mass Drell-Yan+e γ Pairs from $\mathrm{pp}\overline{\mathrm{p}}$ Collisions at $s = 1.8 \text{ TeV}$. Physical Review Letters, 2001, 87, 131802.	7.8	27
564	Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at $s = 1.8 \text{ TeV}$. Physical Review D, 2005, 71, .	4.7	27
565	Searches for direct pair production of supersymmetric top and supersymmetric bottom quarks in $\mathrm{pp}\overline{\mathrm{p}}$ collisions at $s = 1.96 \text{ TeV}$. Physical Review D, 2007, 76, . Search for a $\mathrm{t}\overline{\mathrm{t}}\mathrm{H}$ signal at $\sqrt{s} = 1.96 \text{ TeV}$. <pre>xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns: sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x</pre>	4.7	27
566	Study of Z production in PbPb and pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$ in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.1	27
567	Search for anomalous single top quark production in association with a photon in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
568	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
569	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 291.	3.9	27
570	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
571	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
572	Search for Scalar Top Quark Production in $\mathrm{pp}\overline{\mathrm{p}}$ Collisions at $s = 1.8 \text{ TeV}$. Physical Review Letters, 2000, 84, 5273-5278.	7.8	26
573	Precise Measurement of the Top-Quark Mass in the Lepton+Jets Topology at CDF II. Physical Review Letters, 2007, 99, 182002.	7.8	26
574	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	26
575	Search for a heavy gauge boson $\mathrm{t}\overline{\mathrm{t}}\mathrm{H}$ signal at $\sqrt{s} = 1.96 \text{ TeV}$. <pre>xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns: sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xmlns:ce="http://www.elsevier.com/x</pre>	4.1	26

#	ARTICLE	IF	CITATIONS
577	Combined search for the quarks of a sequential fourth generation. Physical Review D, 2012, 86, .	4.7	26
578	Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
579	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton+proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1822. <small>Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1822.</small>	3.9	26
580	Search for three-jet resonances in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2012, 72, 1822.	4.1	26
581	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\ell^2$ channel in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
582	Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
583	Search for $W\rightarrow t\bar{t}$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
584	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
585	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76$ TeV. European Physical Journal C, 2016, 76, 1.	3.9	26
586	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
587	Measurement of the B^+ and B^0 meson lifetimes. Physical Review Letters, 1994, 72, 3456-3460.	7.8	25
588	Measurement of the B^0 and b quark cross sections at $\sqrt{s}=1.8$ TeV using the exclusive decay $B^0 \rightarrow J/\psi K^*(892)0$. Physical Review D, 1994, 50, 4252-4257.	4.7	25
589	Properties of High-Mass Multijet Events at the Fermilab Proton-Antiproton Collider. Physical Review Letters, 1995, 75, 608-612.	7.8	25
590	New results on silicon microstrip detectors of CMS tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 447, 142-150.	1.6	25
591	Measurement of the $W+W^-$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV using Dilepton Events. Physical Review Letters, 2005, 94, 211801.	7.8	25
592	Top-Quark Mass Measurement from Dilepton Events at CDF II. Physical Review Letters, 2006, 96, 152002.	7.8	25
593	Measurement of the helicity fractions of W bosons from top quark decays using fully reconstructed $t\bar{t}$ events with CDF II. Physical Review D, 2007, 75, .	4.7	25
594	Performance study of the CMS barrel resistive plate chambers with cosmic rays. Journal of Instrumentation, 2010, 5, T03017-T03017.	1.2	25

#	ARTICLE	IF	CITATIONS
595	Measurement of the muon stopping power in lead tungstate. <i>Journal of Instrumentation</i> , 2010, 5, P03007-P03007.	1.2	25
596	Commissioning and performance of the CMS silicon strip tracker with cosmic ray muons. <i>Journal of Instrumentation</i> , 2010, 5, T03008-T03008.	1.2	25
597	Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. <small>xml�ns:xocs="http://www.elsevier.com/xml/xocs/dtd" xml�ns:xs="http://www.w3.org/2001/XMLSchema" xml�ns:xsi="http://www.w3.org/2001/XMLSchema-instance" xml�ns="http://www.elsevier.com/xml/ja/dtd" xml�ns:ja="http://www.elsevier.com/xml/ja/dtd" xml�ns:mml="http://www.w3.org/1998/Math/MathML" xml�ns:tb="http://www.elsevier.com/xml/common/table/dtd".</small>	4.7	25
598	Search for physics beyond the standard model in events with a Z boson, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. <small>xml�ns:xocs="http://www.elsevier.com/xml/xocs/dtd" xml�ns:xs="http://www.w3.org/2001/XMLSchema" xml�ns:xsi="http://www.w3.org/2001/XMLSchema-instance" xml�ns="http://www.elsevier.com/xml/ja/dtd" xml�ns:ja="http://www.elsevier.com/xml/ja/dtd" xml�ns:mml="http://www.w3.org/1998/Math/MathML" xml�ns:tb="http://www.elsevier.com/xml/common/table/dtd".</small>	4.1	25
599	Forwardâ€“backward asymmetry of Drellâ€“Yan lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2016, 76, 325.	3.9	25
600	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	25
601	Direct Measurement of the WBoson Width. <i>Physical Review Letters</i> , 1995, 74, 341-345.	7.8	24
602	Radiation damage experience at CDF with SVXâ€². <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996, 383, 155-158.	1.6	24
603	Search for Flavor-Changing Neutral Current BMeson Decays in ppâ€“Collisions at $\sqrt{s}=1.8$ TeV. <i>Physical Review Letters</i> , 1996, 76, 4675-4680.	7.8	24
604	Reconstruction of B0â†'J/â€œKS0 and Measurement of Ratios of Branching Ratios Involving Bâ†'J/â€œK* and B+â†'J/â€œK+. <i>Physical Review Letters</i> , 1996, 76, 2015-2020.	7.8	24
605	Search for New Particles Decaying to bbâ€“in ppâ€“Collisions at $\sqrt{s}=1.8$ TeV. <i>Physical Review Letters</i> , 1999, 82, 2038-2043.	7.8	24
606	Search for a Fourth-Generation Quark More Massive than the Z0Boson in ppâ€“Collisions at $\sqrt{s}=1.8$ TeV. <i>Physical Review Letters</i> , 2000, 84, 835-840.	7.8	24
607	Measurement of the ratio of b quark production cross sections in pâ€“collisions at $\sqrt{s}=630$ GeV and $\sqrt{s}=1800$ GeV. <i>Physical Review D</i> , 2002, 66, .	4.7	24
608	Search for first-generation scalar leptoquarks in ppâ€“collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review D</i> , 2005, 72, 072001.	4.7	24
609	Measurement of the Wboson polarization in top decay at CDF at $\sqrt{s}=1.8$ TeV. <i>Physical Review D</i> , 2005, 71, 072001.	4.7	24
610	Top quark mass measurement from dilepton events at CDF II with the matrix-element method. <i>Physical Review D</i> , 2006, 74, .	4.7	24
611	Measurement of the ppâ€“â†'ttâ€“production cross section and the top quark mass at $\sqrt{s}=1.96$ TeV in the all-hadronic decay mode. <i>Physical Review D</i> , 2007, 76, .	4.7	24
612	Measurement of the b0Lifetime in b0â†'J/â€œO in ppâ€“Collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2007, 98, 122001.	7.8	24

#	ARTICLE	IF	CITATIONS
613	Measurement of $f(pp\bar{p})$ at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2007, 75, .	4.7	24
614	Performance of the CMS drift tube chambers with cosmic rays. Journal of Instrumentation, 2010, 5, T03015-T03015.	1.2	24
615	Performance of the CMS Level-1 trigger during commissioning with cosmic ray muons and LHC beams. Journal of Instrumentation, 2010, 5, T03002-T03002.	1.2	24
616	Measurement of the $t\bar{t}$ production cross section in the $t\bar{t} + \text{jets}$ channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	24
617	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
618	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
619	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
620	P-Type Silicon Strip Sensors for the new CMS Tracker at HL-LHC. Journal of Instrumentation, 2017, 12, P06018-P06018.	1.2	24
621	Measurements of Prompt $t\bar{t}$ production at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. Yields from $t\bar{t}$ production at $\sqrt{s} = 13 \text{ TeV}$ are shown. The yields are $1.07 \pm 0.05 \pm 0.05$ for $t\bar{t}$ and $0.05 \pm 0.01 \pm 0.01$ for $t\bar{t} + \text{jets}$.	7.8	24
622	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
623	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physical Review Letters, 2019, 122, 012301.	7.8	24
624	Measurements of $t\bar{t}$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 200.	3.9	24
625	Identification of top quarks using kinematic variables. Physical Review D, 1995, 52, R2605-R2609.	4.7	23
626	Measurement of the Polarization in the Decays $B\bar{d}\rightarrow K^*0$ and $B\bar{s}\rightarrow \bar{K}0$. Physical Review Letters, 1995, 75, 3068-3072.	7.8	23
627	Direct photon cross section with conversions at CDF. Physical Review D, 2004, 70, .	4.7	23
628	K $S0$ and $\bar{D}0$ production studies in pp collisions at $\sqrt{s} = 1800 \text{ GeV}$. Physical Review D, 2005, 72, .	4.7	23
629	Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models. Physical Review D, 2005, 71, .	4.7	23
630	Measurement of $b\bar{b}$ production in pp collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 1998, 78, 122002.	7.8	23

#	ARTICLE		IF	CITATIONS
631	Publisher's Note: Measurement of the inclusive jet cross section using thekT algorithm in pp̄ collisions at $s = 1.96 \text{ TeV}$ with the CDF II detector [Phys. Rev. D75, 092006 (2007)]. Physical Review D, 2007, 75, .	4.7	23	
632	Measurement of correlated bb̄ production in pp̄ collisions at $s = 1960 \text{ GeV}$. Physical Review D, 2008, 77, .	4.7	23	
633	Alignment of the CMS muon system with cosmic-ray and beam-halo muons. Journal of Instrumentation, 2010, 5, T03020-T03020.	1.2	23	
634	Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23	
635	Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23	
636	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23	
637	Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 467.	3.9	23	
638	Observation of Top Quark Production in Proton-Nucleus Collisions. Physical Review Letters, 2017, 119, 242001.	7.8	23	
639	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23	
640	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23	
641	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 354.	3.9	23	
642	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23	
643	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23	
644	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23	
645	Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23	
646	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 752.	3.9	23	
647	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23	
648	Search for Second Generation Leptoquarks in pp̄ Collisions at $s = 1.8 \text{ TeV}$. Physical Review Letters, 1995, 75, 1012-1016.	7.8	22	

#	ARTICLE	IF	CITATIONS
649	Search for Chargino-Neutralino Production in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1996, 76, 4307-4311.	7.8	22
650	Search for Second Generation Leptoquarks in the Dimuon Plus Dijet Channel of $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1998, 81, 4806-4811.	7.8	22
651	Direct Measurement of the W Boson Width in $p\bar{p}$ Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 2000, 85, 3347-3352.	7.8	22
652	Measurement of the Top Quark pT Distribution. Physical Review Letters, 2001, 87, 102001.	7.8	22
653	Search for Kaluza-Klein Graviton Emission in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$ Using the Missing Energy Signature. Physical Review Letters, 2004, 92, 121802.	7.8	22
654	Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with b -tags in $p\bar{p}$ collisions at $s=1.96\text{TeV}$. Physical Review D, 2006, 73, .	4.7	22
655	Search for V+ACurrent in Top-Quark Decays in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2007, 98, 072001.	7.8	22
656	Search for Heavy Long-Lived Particles that Decay to Photons at CDF II. Physical Review Letters, 2007, 99, 121801.	7.8	22
657	Search for Maximal Flavor Violating Scalars in Same-Charge Lepton Pairs in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2009, 102, 041801.	7.8	22
658	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
659	Search for physics beyond the standard model in events with \tilde{l} , leptons, jets, and large transverse momentum imbalance in $p\bar{p}$ collisions at $\sqrt{s}=7\text{TeV}$. European Physical Journal C, 2013, 73, 2493.	3.9	22
660	Search for $t\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $s = 13\text{TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
661	Search for massive resonances decaying into WW , WZ or ZZ bosons in proton-proton collisions at $s = 13\text{TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
662	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13\text{TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
663	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \tilde{l} , leptons and two jets in proton-proton collisions at $s = 13\text{TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
664	Search for direct pair production of supersymmetric partners to the $\tau^+\tau^-$ lepton in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2020, 80, 189.	3.9	22
665	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. European Physical Journal C, 2020, 80, 370.	3.9	22
666	Observation of the decay $B_s \rightarrow J/\psi \tau^+\tau^-$ in $p\bar{p}$ collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1993, 71, 1685-1689.	7.8	21

#	ARTICLE	IF	CITATIONS
667	Precision Measurement of the Prompt Photon Cross Section in $p\bar{p}$ Collisions at $s=1.8$ TeV. Physical Review Letters, 1995, 74, 1891-1893.	7.8	21
668	Search for New Particles Decaying into $b\bar{b}$ and Produced in Association with W Bosons Decaying into $e^{\pm}/\mu^{\pm}/\tau^{\pm}$ at the Fermilab Tevatron. Physical Review Letters, 1997, 79, 3819-3824.	7.8	21
669	Search for $B_s \rightarrow B^- s \bar{s}$ Oscillations Using the Semileptonic Decay $B_s \rightarrow l^- \bar{l} \nu_l$. Physical Review Letters, 1999, 82, 3576-3580.	7.8	21
670	Study of the heavy flavor content of jets produced in association with W bosons in $p\bar{p}$ collisions at $s=1.8$ TeV. Physical Review D, 2002, 65, .	4.7	21
671	Search for a W Boson Decaying to a Top and Bottom Quark Pair in 1.8 TeV $p\bar{p}$ Collisions. Physical Review Letters, 2003, 90, 081802.	7.8	21
672	Measurement of the helicity of W bosons in top-quark decays. Physical Review D, 2006, 73, .	4.7	21
673	Search for second-generation scalar leptoquarks in $p\bar{p}$ collisions at $s=1.96$ TeV. Physical Review D, 2006, 73, . Search for Pair Production of First-Generation Scalar Leptoquarks in $p\bar{p}$ Collisions at $s=1.96$ TeV. Physical Review D, 2006, 73, .	4.7	21
674	Search for Pair Production of First-Generation Scalar Leptoquarks in $p\bar{p}$ Collisions at $s=1.96$ TeV. Physical Review Letters, 2011, 106, 201802.	7.8	21
675	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in $p\bar{p}$ collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
676	Search for supersymmetry in events with a \tilde{t}, \tilde{b} lepton pair and missing transverse momentum in proton-proton collisions at $s=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
677	Search for beyond the standard model Higgs bosons decaying into a $\tilde{b}\tilde{b}$ pair in $p\bar{p}$ collisions at $s=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
678	Search for a Light Charged Higgs Boson Decaying to a $\tilde{b}\tilde{b}$ pair in $p\bar{p}$ collisions at $s=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
679	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
680	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
681	Observation of $B_s \rightarrow \pi^+ \pi^-$ and $B_s \rightarrow K^+ K^-$ decays and measurements of B -meson branching fractions into $\pi^+ \pi^-$ and $K^+ K^-$ final states. Physical Review D, 1998, 58, .	4.7	20
682	Measurement of the $B_d \rightarrow B_d$ flavor oscillation frequency and study of same side flavor tagging of B -mesons in $p\bar{p}$ collisions. Physical Review D, 1998, 59, .	4.7	20
683	Limits on Light Gravitino Production and New Processes with Large Missing Transverse Energy in $p\bar{p}$ Collisions at $s=1.8$ TeV. Physical Review Letters, 2000, 85, 1378-1383.	7.8	20
684	Diffractive Dijet Production at $s=630$ and 1800 GeV at the Fermilab Tevatron. Physical Review Letters, 2002, 88, 151802.	7.8	20

#	ARTICLE		IF	CITATIONS
685	Measurement of the jet cross section in events with a Z boson in pp collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2006, 74, .		4.7	20
686	Search for W^{\pm} boson decaying to electron-neutrino pairs in pp collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2007, 75, .		4.7	20
687	Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data. Journal of Instrumentation, 2010, 5, T03013-T03013.		1.2	20
688	Performance of the CMS cathode strip chambers with cosmic rays. Journal of Instrumentation, 2010, 5, T03018-T03018.		1.2	20
689	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.		4.7	20
690	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.		4.7	20
691	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.		3.9	20
692	Measurements of the $t\bar{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.		4.7	20
693	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.		4.7	20
694	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.		4.7	20
695	Search for $t\bar{t}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.		4.7	20
696	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.		4.7	20
697	Search for rare decays of Z and Higgs bosons to J/psi and a photon in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 94.		3.9	20
698	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.		4.7	20
699	Measurement of the Bs Meson Lifetime. Physical Review Letters, 1995, 74, 4988-4992.		7.8	19
700	Study of t anti-t Production in pp Collisions Using Total Transverse Energy. Physical Review Letters, 1995, 75, 3997-4002.		7.8	19
701	Measurement of the Branching Fraction $B(B_s \rightarrow \tau^+ \tau^-)$ and Search for $B_c \rightarrow \tau^+ \tau^-$. Physical Review Letters, 1996, 77, 5176-5181.		7.8	19
702	Measurement of the B and B0 meson lifetimes using semileptonic decays. Physical Review D, 1998, 58, .		4.7	19

#	ARTICLE	IF	CITATIONS
703	Search for Excited and Exotic Muons in the $\ell^+ \ell^-$ Decay Channel in pp̄ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 191802.	7.8	19
704	Search for a Neutral Higgs Boson Decaying to a W Boson Pair in pp̄ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 081802.	7.8	19
705	Search for High-Mass Diphoton States and Limits on Randall-Sundrum Gravitons at CDF. Physical Review Letters, 2007, 99, 171801.	7.8	19
706	Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run. Journal of Instrumentation, 2010, 5, T03019-T03019.	1.2	19
707	Performance of the CMS drift-tube chamber local trigger with cosmic rays. Journal of Instrumentation, 2010, 5, T03003-T03003.	1.2	19
708	CMS data processing workflows during an extended cosmic ray run. Journal of Instrumentation, 2010, 5, T03006-T03006.	1.2	19
709	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7\text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
710	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into ℓ^\pm leptons in pp collisions at $s = 8\text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
711	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
712	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13 TeV. Physical Review Letters, 2018, 120, 241801.	7.8	19
713	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $s = 13\text{ TeV}$. European Physical Journal C, 2021, 81, 723.	3.9	19
714	Search for charged Higgs boson decays of the top quark using hadronic decays. Physical Review D, 1996, 54, 735-742.	4.7	18
715	Properties of Jets in Z-Boson Events from 1.8 TeV p̄p Collisions. Physical Review Letters, 1996, 77, 448-453.	7.8	18
716	Search for long-lived parents of Z-bosons in pp̄ collisions at $s=1.8\text{ TeV}$. Physical Review D, 1998, 58, .	4.7	18
717	Search for the Decays $B_s^0 \rightarrow B_d^0 \ell^+ \ell^-$ and Pati-Salam Leptoquarks. Physical Review Letters, 1998, 81, 5742-5748.	4.7	18
718	Measurement of the $B_d^0 \bar{B}_d^0$ oscillation frequency using dimuon data in pp̄ collisions at $s=1.8\text{ TeV}$. Physical Review D, 1999, 60, .	4.7	18
719	Charged-Particle Multiplicity in pp̄ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2001, 87, 211804.	7.8	18
720	Search for the Supersymmetric Partner of the Top Quark in Dilepton Events from pp̄ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2003, 90, 251801.	7.8	18

#	ARTICLE	IF	CITATIONS
721	Search for Pair Production of Scalar Top Quarks in R-Parity Violating Decay Modes in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 2004, 92, 051803. Limits on anomalous triple gauge couplings in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ display}=\text{"inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover accent}=\text{"true"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle \text{ collisions}$ $\text{at} \langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \rangle$ $\text{display}=\text{"inline"} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1.96 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{ TeV}$ Physical Review D, 2007, 76, .	7.8	18
722	Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays. Journal of Instrumentation, 2010, 5, T03004-T03004.	4.7	18
723	Search for supersymmetry in events with b-quark jets and missing transverse energy in $p\bar{p}$ collisions at 7 TeV . Physical Review D, 2012, 86, .	1.2	18
724	Search for quark compositeness in dijet angular distributions from $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	18
725	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $s/N = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	18
726	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 460.	3.9	18
727	Measurement of normalized differential cross sections in the dilepton channel from $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
728	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
729	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
730	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 20.	3.9	18
731	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
732	MUSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 629.	3.9	18
733	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 970.	3.9	18
734	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2022, 82, 290.	3.9	18
735	Measurement of jet multiplicity in W events produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 1993, 70, 4042-4046.	7.8	17
736	Search for the top quark decaying to a charged Higgs boson in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 1994, 72, 1977-1981.	7.8	17
737	Search for Higgs Bosons Produced in Association with a Vector Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 1998, 81, 5748-5753.	7.8	17

#	ARTICLE	IF	CITATIONS
739	Measurement of the BOBO oscillation frequency using D^* -pairs and lepton flavor tags. Physical Review D, 1999, 60, .	4.7	17
740	Search for Gluinos and Squarks Using Like-Sign Dileptons in $p\bar{p}$ Collisions at $s=1.8$ TeV. Physical Review Letters, 2001, 87, 251803.	7.8	17
741	Search for New Physics in Photon-Lepton Events in $p\bar{p}$ Collisions at $s=1.8$ TeV. Physical Review Letters, 2002, 89, 041802.	7.8	17
742	Heavy flavor properties of jets produced in $p\bar{p}$ interactions at $s=1.8$ TeV. Physical Review D, 2004, 69, .	4.7	17
743	Measurement of mass and width of the excited charmed meson states D10 and D2*0 at CDF. Physical Review D, 2006, 73, Search for the Higgs Boson in Events with Missing Transverse Energy and $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mi>b\langle/mml:mi\rangle\langle mml:math>Quark Jets Produced in< mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mi>p\langle/mml:mi\rangle\langle mml:mover accent="true">\langle mml:mi>p\langle/mml:mi\rangle\langle mml:mo>\hat{\wedge}\langle/mml:mo\rangle\langle mml:mover>Collisions at< mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:msort>\langle mml:mi>s\langle/mml:mi\rangle\langle mml:msort>\langle mml:mo>=\langle/mml:mo\rangle\langle mml:mn>7\langle/mml:mn\rangle\langle mml:mtext>%$	4.7	17
744	Cross-Section-Constrained Top-Quark Mass Measurement from Dilepton Events at the Tevatron. Physical Review Letters, 2008, 100, 062005.	7.8	17
745	Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays. Journal of Instrumentation, 2010, 5, T03016-T03016.	1.2	17
746	Search for Pair Production of Second-Generation Scalar Leptoquarks in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mi>p\langle/mml:mi\rangle\langle mml:mi>p\langle/mml:mi\rangle\langle mml:math>Collisions at< mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">\langle mml:mi>s\langle/mml:mi\rangle\langle mml:msort>\langle mml:mi>s\langle/mml:mi\rangle\langle mml:msort>\langle mml:mo>=\langle/mml:mo\rangle\langle mml:mn>7\langle/mml:mn\rangle\langle mml:mtext>%$	7.8	17
747	Search for stopped long-lived particles produced in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
748	Search for long-lived particles decaying via e^+e^- and dielectron events in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	17
749	Measurement of the $\Lambda_b \rightarrow \Lambda_c^+ \pi^-$ lifetime in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.1	17
750	Search for standard model production of four top quarks in the lepton + jets channel in $p\bar{p}$ collisions at $s = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	17
751	Probing color coherence effects in $p\bar{p}$ collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2014, 74, 2901.	3.9	17
752	Measurement of the ratio of the production cross sections times branching fractions of $B_c \rightarrow \Lambda_c^+ \pi^-$, $\bar{B}_c \rightarrow \bar{\Lambda}_c^0 \pi^0$, $B_c \rightarrow \Lambda_c^+ \pi^-$ and $\bar{B}_c \rightarrow \bar{\Lambda}_c^0 \pi^0$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
753	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
754	Search for new physics with the M T2 variable in all-jets final states produced in $p\bar{p}$ collisions at $s = 13$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
755	Search for new physics in the monophoton final state in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
756	Search for new physics with the M T2 variable in all-jets final states produced in $p\bar{p}$ collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17

#	ARTICLE	IF	CITATIONS
757	Measurement of electroweak-induced production of $W\hat{t}^3$ with two jets in pp collisions at $s = 8 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
758	Measurements of jet charge with dijet events in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
759	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
760	Charged-particle nuclear modification factors in XeXe collisions at $\sqrt{s_{\text{NN}}} = 5.44 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
761	Search for $Z\hat{t}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
762	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
763	Search for the decay of a Higgs boson in the $t\bar{t}$ channel in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
764	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 697.	3.9	17
765	Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 1.	3.9	17
766	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	17
767	Search for the Top Quark Decaying to a Charged Higgs Boson in $p\bar{p}$ Collisions at $s=1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1994, 73, 2667-2671.	7.8	16
768	Search for Third-Generation Leptoquarks from Technicolor Models in $p\bar{p}$ Collisions at $s=1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 1999, 82, 3206-3211.	7.8	16
769	Search for third generation vector leptoquarks in $p\bar{p}$ collisions at $s=1.96 \text{ TeV}$. <i>Physical Review D</i> , 2008, 77, .	4.7	16
770	First Observation of the Decay $B_s \rightarrow D_s^+ D_s^-$ and Measurement of Its Branching Ratio. <i>Physical Review Letters</i> , 2008, 100, 021803.	7.8	16
771	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	16
772	Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	16
773	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	16
774	Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 3014.	3.9	16

#	ARTICLE	IF	CITATIONS
775	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $\mu \nu$ pair in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 317.	3.9	16
776	Measurement of dijet azimuthal decorrelation in pp̄collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 536.	3.9	16
777	Search for excited leptons in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
778	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
779	Measurement of the production cross section of a W̄boson in association with two b jets in pp̄collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 92.	3.9	16
780	Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
781	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
782	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 886.	3.9	16
783	Measurement of the dijet mass distribution in pp̄collisions at $s = 1.8$ TeV. Physical Review D, 1993, 48, 998-1008.	4.7	15
784	Measurement of the B^+ and B^- Meson Lifetimes Using Semileptonic Decays. Physical Review Letters, 1996, 76, 4462-4467.	7.8	15
785	Further properties of high-mass multijet events at the Fermilab proton-antiproton collider. Physical Review D, 1996, 54, 4221-4233.	4.7	15
786	Search for a Technicolor Particle in Events with a Photon and a Quark Jet at Fermilab. Physical Review Letters, 1999, 83, 3124-3129.	7.8	15
787	Observation of Diffractive J/ψ Production at the Fermilab Tevatron. Physical Review Letters, 2001, 87, 241802.	7.8	15
788	Search for new physics in photon-lepton events in pp̄collisions at $s = 1.8$ TeV. Physical Review D, 2002, 66, .	4.7	15
789	Measurement of the Ratios of Branching Fractions $B(B_s \rightarrow D_s \ell \bar{\nu})/B(B_s \rightarrow D \ell \bar{\nu})$ and $B(B \rightarrow D \bar{D} \ell \bar{\nu})/B(B \rightarrow D \ell \bar{\nu})$. Physical Review Letters, 2006, 96, 191801.	7.8	15
790	Search for Anomalous Production of Multilepton Events in pp̄Collisions at $s = 1.96$ TeV. Physical Review Letters, 2007, 98, 131804.	7.8	15
791	Search for Pair Production of Scalar Top Quarks Decaying to a $\chi \chi$ and a Lepton and a Quark. Physical Review Letters, 2007, 98, 131805.	7.8	15
792	Study of the Dijet Mass Spectrum in p_T jets Events at $s = 7$ TeV. Physical Review Letters, 2012, 109, 251801.	7.8	15

#	ARTICLE	IF	CITATIONS
793	Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. Search for charge-asymmetric production of $\text{e}^+ \text{e}^- \rightarrow \text{H} \rightarrow \text{t} \bar{\text{t}} + \text{bb}$. Journal of High Energy Physics, 2012, 2012, 1. <small>xml�:xcos="http://www.elsevier.com/xml/xocs/dtd" xml�:xs="http://www.w3.org/2001/XMLSchema" xml�:xsi="http://www.w3.org/2001/XMLSchema-instance" xml�:ml="http://www.elsevier.com/xml/ja/dtd" xml�:tb="http://www.elsevier.com/xml/common/table/dtd" xml�:sb="http://www.elsevier.com/xml/common/struct-bib/dtd" xml�:ce="http://www.elsevier.com/xml/common/ce/dtd" xmlns="http://www.w3.org/1999/Math/MathML"/></small>	4.7	15
794	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.1	15
795	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
796	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
797	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
798	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
799	Measurement of the $t\bar{t} \rightarrow \text{t} \bar{\text{t}}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
800	Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
801	Search for a singly produced third-generation scalar leptoquark decaying to a \tilde{l} , lepton and a bottom quark in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
802	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2018, 78, 457.	3.9	15
803	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
804	Search for $b\bar{b} \rightarrow \text{bb} \rightarrow \text{bb} \rightarrow \text{bb} \rightarrow \text{bb}$ in pp collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review D, 1993, 47, R2639-R2643.	4.7	14
805	Search for Color Singlet Technicolor Particles in pp collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 2000, 84, 1110-1115.	7.8	14
806	Measurement of the average time-integrated mixing probability of b-flavored hadrons produced at the Fermilab Tevatron. Physical Review D, 2004, 69, .	4.7	14
807	Measurement of Charged-Particle Multiplicities in Gluon and Quark Jets in pp Collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 2005, 94, 171802.	7.8	14
808	Measurement of the tt production cross section in pp collisions at $\sqrt{s}=1.96 \text{ TeV}$ in the all hadronic decay mode. Physical Review D, 2006, 74, .	4.7	14
809	Measurement of the B(Bs0 → Ds+ → l+ l-) / B(B0 → D+ → l+ l-) and B(Bs0 → Ds+ → l+) / B(B0 → D+ → l+) ratios. Physical Review Letters, 2007, 98, 061802.	7.8	14

#	ARTICLE	IF	CITATIONS
811	$\text{Boson Width in } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \rangle \text{ at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ Collisions at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover accent="true"} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$	7.8	14
812	Stand-alone cosmic muon reconstruction before installation of the CMS silicon strip tracker. <i>Journal of Instrumentation</i> , 2009, 4, P05004-P05004.	1.2	14
813	Measurement of the ratio of the 0-jet to 1-jet cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.1	14
814	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	14
815	Measurement of the production cross section for $Z\gamma \rightarrow u\bar{u}\gamma$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and limits on $Z\bar{Z}^3$ and $Z^3\bar{Z}^3$ triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	14
816	Search for s channel single top quark production in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
817	Search for supersymmetry in pp collisions at $s = 13 \text{ TeV}$ in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	14
818	Search for associated production of dark matter with a Higgs boson decaying to $b\bar{b}$ or $\tilde{b}\tilde{b}$ at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
819	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
820	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
821	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	14
822	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	14
823	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 221802.	7.8	14
824	Studies of $B_s \rightarrow D_s^+ D_s^-$ and $B_s \rightarrow D_s^0 \bar{D}_s^0$ at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 221803.	7.8	14

#	ARTICLE	IF	CITATIONS
829	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
830	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2022, 82, 153.	3.9	14
831	Observation of Hadronic W Decays in ttt̄ Events with the Collider Detector at Fermilab. <i>Physical Review Letters</i> , 1998, 80, 5720-5725.	7.8	13
832	Measurement of b quark fragmentation fractions in the production of strange and light B mesons in pp̄ collisions at $s=1.8 \text{ TeV}$. <i>Physical Review D</i> , 1999, 60, .	4.7	13
833	Search for a W^2 Boson via the Decay Mode $W^2 \rightarrow l^+l^-l^+l^-$ in 1.8 TeV pp̄ Collisions. <i>Physical Review Letters</i> , 2000, 84, 5716-5721.	7.8	13
834	Search for Associated Production of $t\bar{t}$ and Vector Boson in pp̄ Collisions at $s=1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 2003, 90, 221803.	7.8	13
835	Search for Higgs Bosons Decaying into bb̄ and Produced in Association with a Vector Boson in pp̄ Collisions at $s=1.8 \text{ TeV}$. <i>Physical Review Letters</i> , 2005, 95, 051801.	7.8	13
836	Measurement of the ratio of branching fractions $B(D0 \rightarrow K^+ \pi^-)/B(D0 \rightarrow K^+ \eta)$ using the CDF II detector. <i>Physical Review D</i> , 2006, 74,	4.7	13
837	Measurement of the top quark mass in pp̄ collisions at $s=1.96 \text{ TeV}$ using the decay length technique. <i>Physical Review D</i> , 2007, 75, .	4.7	13
838	Search for Standard Model Higgs Bosons Produced in Association with W^{\pm} and Z bosons. <i>Physical Review Letters</i> , 2008, 100, 041801.	7.8	13
839	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	13
840	Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	13
841	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp̄ collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	13
842	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
843	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	13
844	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	13
845	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13
846	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	13

#	ARTICLE	IF	CITATIONS
847	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
848	Jet properties in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
849	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
850	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
851	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
852	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
853	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
854	Measurement of the Lifetime of the B_s^0 Meson Using the Exclusive Decay Mode $B_s^0 \rightarrow J/\psi \pi^+$. Physical Review Letters, 1996, 77, 1945-1949.	7.8	12
855	Search for the supersymmetric partner of the top quark in $p\bar{p}$ collisions at $s=1.8$ TeV. Physical Review D, 2001, 63, .	4.7	12
856	Searches for new physics in events with a photon and b-quark jet at CDF. Physical Review D, 2002, 65, .	4.7	12
857	Measurement of the mass difference $m(D_s^+) - m(D^+)$ at CDF II. Physical Review D, 2003, 68, .	4.7	12
858	Measurement of the polar-angle distribution of leptons from W boson decay as a function of the W transverse momentum in $p\bar{p}$ collisions at $s=1.8$ TeV. Physical Review D, 2004, 70, .	4.7	12
859	Inclusive Double-Pomeron Exchange at the Fermilab Tevatron p Collider. Physical Review Letters, 2004, 93, 141601.	7.8	12
860	Observation of $B_s^0 \rightarrow (2S)$ and Measurement of the Ratio of Branching Fractions $B(B_s^0 \rightarrow (2S)) / B(B_s^0 \rightarrow J/\psi \pi^+)$. Physical Review Letters, 2006, 96, 231801.	7.8	12
861	Search for charged neutralino production in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV. Physical Review D, 2007, 75, 092002.	4.7	12
862	Search for first generation scalar leptoquarks in the channel in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV. Physical Review D, 2007, 75, 092003.	4.1	12
863	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
864	Phenomenological MSSM interpretation of CMS searches in $p\bar{p}$ collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
865	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
866	Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
867	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
868	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{l}^3\tilde{l}^3$ or $\tilde{l}, +\tilde{l}, \tilde{\chi}$ at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
869	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	12
870	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
871	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 893.	3.9	12
872	Development and validation of HERWIG7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
873	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
874	Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in pp collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2006, 73, .	4.7	11
875	Search for Scalar Bottom Quarks from Gluino Decays in pp Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2006, 96, 171802.	7.8	11
876	Search for Chargino-Neutralino Production in pp Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2007, 99, 191806.	7.8	11
877	Search for new physics in lepton+photon+X events with $\sqrt{s} = 929 \text{ pb}^{-1}$ of pp collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2007, 75, .	4.7	11
878	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
879	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	11
880	Search for the standard model Higgs boson in the H → ZZ → $\tilde{l}^3\tilde{l}^3$ decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
881	Measurement of the $Z\tilde{l}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
882	Search for electroweak production of charginos in final states with two \tilde{l} , leptons in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11

#	ARTICLE	IF	CITATIONS
883	Measurement of the semileptonic $t\bar{t}$ production cross section in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
884	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $s = 8 \text{ TeV}$ using $H \rightarrow WW$ decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
885	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
886	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
887	Search for supersymmetry in events with a photon, jets, jets, and missing transverse momentum in proton-proton collisions at 13 TeV . European Physical Journal C, 2019, 79, 444.	3.9	11
888	Search for nonresonant Higgs boson pair production in the $t\bar{t}t\bar{t}$ final state at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
889	Study of the underlying event in top quark pair production in $p\bar{p}$ collisions at 13 TeV . European Physical Journal C, 2019, 79, 123.	3.9	11
890	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
891	Measurement of electroweak production of a W boson in association with two jets in proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2020, 80, 43.	3.9	11
892	Search for Lepton Flavor Violating Decays of a Heavy Neutral Particle in $p\bar{p}$ Collisions at $s = 1.8 \text{ TeV}$. Physical Review Letters, 2003, 91, 171602.	7.8	10
893	Inclusive Search for Anomalous Production of High-pT Like-Sign Lepton Pairs in $p\bar{p}$ Collisions at $s = 1.8 \text{ TeV}$. Physical Review Letters, 2004, 93, 061802.	7.8	10
894	Search for Anomalous Kinematics in $t\bar{t}$ -Dilepton Events at CDF II. Physical Review Letters, 2005, 95, 022001.	7.8	10
895	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	10
896	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	10
897	Measurements of the $p\bar{p} \rightarrow W^{\pm}l^{\mp}$ and $p\bar{p} \rightarrow Z^{\pm}l^{\mp}$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
898	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
899	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
900	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $s = 7 \text{ TeV}$. European Physical Journal C, 2018, 78, 242.	3.9	10

#	ARTICLE	IF	CITATIONS
901	Measurement of the Z/γ^* ightarrow au au $Z/\tilde{l}^3 \rightarrow \tilde{l}^+ \tilde{l}^-$, cross section in pp collisions at $\sqrt{s} = 13$ TeV and validation of Z/γ^* . European Physical Journal C, 2018, 78, 708.	3.9	10
902	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u\bar{u}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
903	Search for resonances decaying to a pair of Higgs bosons in the $b\bar{b}\rightarrow q\bar{q}$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	10
904	Evidence for $W\bar{W}$ production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	3.9	10
905	Search for Squarks and Gluinos via Radiative Decays of Neutralinos in Proton-Antiproton Collisions at $\sqrt{s}=1.8$ TeV. Physical Review Letters, 1995, 75, 613-617.	7.8	9
906	Measurement of the mass of the B_s meson. Physical Review D, 1996, 53, 3496-3505.	4.7	9
907	Properties of photon plus two-jet events in $p\bar{p}$ collisions at $\sqrt{s}=1.8$ TeV. Physical Review D, 1998, 57, 67-77.	4.7	9
908	A search for $t\bar{t}$ production in $p\bar{p}$ collisions at $\sqrt{s}=1.8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2006, 639, 172-178.	4.1	9
909	Search for Higgs Bosons Decaying to $b\bar{b}$ and Produced in Association with W Bosons in $p\bar{p}$ Collisions at $\sqrt{s}=1.96$ TeV. Physical Review Letters, 2006, 96, 081803.	7.8	9
910	First measurement of the fraction of top-quark pair production through gluon-gluon fusion. Physical Review D, 2008, 78, .	4.7	9
911	Two-particle momentum correlations for jets produced in $p\bar{p}$ collisions at $\sqrt{s}=1.96$ TeV. Physical Review D, 2008, 77, .	4.7	9
912	Publisher's Note: Search for Dijet Resonances in 7TeVppCollisions at CMS [Phys. Rev. Lett.105, 211801 (2010)]. Physical Review Letters, 2011, 106, .	7.8	9
913	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
914	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{\pm}l^{\mp}$ final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
915	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
916	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
917	Search for a low-mass $\tilde{l}^+ \tilde{l}^-$ resonance in association with a bottom quark in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
918	Search for a heavy vector resonance decaying to a Z/γ^* boson and a Higgs boson in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 688.	3.9	9

#	ARTICLE	IF	CITATIONS
919	Central Pseudorapidity Gaps in Events with a Leading Antiproton at the Fermilab Tevatron $\bar{p}p$ Collider. Physical Review Letters, 2003, 91, 011802.	7.8	8
920	Search for supersymmetric Higgs bosons in the di-tau decay mode in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 2005, 72, .	4.7	8
921	Search for ZZ and ZW production in $p\bar{p}$ collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, .	4.7	8
922	The CDF Run IIb Silicon Detector: Design, preproduction, and performance. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2006, 556, 459-481.	1.6	8
923	Cross section measurements of high-pT dilepton final-state processes using a global fitting method. Physical Review D, 2008, 78, .	4.7	8
924	The CMS tracker operation and performance at the Magnet Test and Cosmic Challenge. Journal of Instrumentation, 2008, 3, P07006-P07006. A search for excited leptons in $p\bar{p}$ collisions at $\sqrt{s}=1.96\text{TeV}$. $\text{xmlns:xocs}=\text{"http://www.elsevier.com/xml/xocs/dtd"}$ $\text{xmlns:xs}=\text{"http://www.w3.org/2001/XMLSchema"}$ $\text{xmlns:xsi}=\text{"http://www.w3.org/2001/XMLSchema-instance"}$ $\text{xmlns}=\text{"http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:ja}=\text{"http://www.elsevier.com/xml/ja/dtd"}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{xmlns:tb}=\text{"http://www.elsevier.com/xml/common/table/dtd"}$ $\text{xmlns:sb}=\text{"http://www.elsevier.com/xml/common/struct_bib/dtd"}$ $\text{xmlns:ce}=\text{"http://www.elsevier.com/xml/ce/ce"}$ Physics Letters, Sect. B	1.2	8
925	Trapping in proton irradiated p+n-n+silicon sensors at fluences anticipated at the HL-LHC outer tracker. Journal of Instrumentation, 2016, 11, P04023-P04023.	4.1	8
926	Searches for $W\gamma^2$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
927	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_NN = 5.02 \text{ GeV}$ and $\sqrt{s_{NN}}=5.02 \text{ GeV}$ and 8.16 TeV . Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
928	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2γ , "2q final states at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
929	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
930	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2019, 79, 773.	3.9	8
931	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
932	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb^{-1} of proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
933	Center-of-mass angular distribution of prompt photons produced in $p\bar{p}$ collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 1993, 71, 679-683.	7.8	7
934	Electrical performance of the CDF silicon vertex detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1994, 342, 251-259.	1.6	7
935	The R&D program for silicon detectors in CMS. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 435, 109-117.	1.6	7

#	ARTICLE	IF	CITATIONS
937	Measurement of the differential dijet mass cross section in pp̄ collisions at $s=1.8\text{TeV}$. Physical Review D, 2000, 61, .	4.7	7
938	Tests of enhanced leading order QCD in W boson plus jets events from 1.8 TeV p̄p collisions. Physical Review D, 2001, 63, .	4.7	7
939	Cross section for forward/j̄ production in pp̄ collisions at $s=1.8\text{TeV}$. Physical Review D, 2002, 66, .	4.7	7
940	Search for the decay $B_s \rightarrow l^+l^- \tau^+\tau^-$ in pp̄ collisions at $s=1.8\text{TeV}$. Physical Review D, 2002, 65, .	4.7	7
941	Search for scalar leptoquark pairs decaying to $\tau^+\tau^-$ in pp̄ collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, .	4.7	7
942	Search for New Physics in Lepton+Photon+X Events with 305fb^{-1} of pp̄ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2006, 97, 031801.	7.8	7
943	Search for exotic $S=2$ baryons in pp̄ collisions at $s=1.96\text{TeV}$. Physical Review D, 2007, 75, .	4.7	7
944	Measurement of the top-quark mass using missing ET + jet events with secondary vertex b-tagging at CDF II. Physical Review D, 2007, 75, .	4.7	7
945	Alignment of the CMS silicon strip tracker during stand-alone commissioning. Journal of Instrumentation, 2009, 4, T07001-T07001.	1.2	7
946	Search for the standard model Higgs boson produced in association with W and Z bosons in pp̄ collisions at $\sqrt{s}=7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	7
947	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8\text{TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	7
948	Search for high-mass Z' resonances in e^+e^- and $\tau^+\tau^-$ final states in proton-proton collisions at $s = 8\text{TeV}$ and 13TeV . Journal of High Energy Physics, 2017, 2017, 1.	4.7	7
949	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s}=13\text{TeV}$ via Higgs boson decays to $\tau^+\tau^-$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
950	Study of central exclusive "Equation missing" production in proton-proton collisions at $\sqrt{s}=5.02\text{TeV}$ and 13TeV . European Physical Journal C, 2020, 80, 718.	3.9	7
951	Search for the Rare Decay $W \rightarrow \tau^+\tau^-$. Physical Review Letters, 1996, 76, 2852-2857.	7.8	6
952	Measurement of the Differential Cross Section for Events with Large Total Transverse Energy in pp̄ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 1998, 80, 3461-3466.	7.8	6
953	Measurement of the $f(W+\text{jet})/f(W)$ Cross Section Ratio from p̄p Collisions at $\sqrt{s}=1.8\text{TeV}$. Physical Review Letters, 1998, 81, 1367-1372.	7.8	6
954	Measurement of bb̄ rapidity correlations in pp̄ collisions at $s=1.8\text{TeV}$. Physical Review D, 1999, 61, .	4.7	6

#	ARTICLE	IF	CITATIONS
955	Measurement of the associated $\bar{D}^0 \pm \bar{D}^{\ast 0}$ production cross section in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 1999, 60, .	4.7	6
956	Performance of CMS silicon microstrip detectors with the APV6 readout chip. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 447, 133-141.	1.6	6
957	Measurement of B -meson lifetimes using fully reconstructed B decays produced in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 2002, 65, .	4.7	6
958	Study of $B_0 \rightarrow J/\psi K^{\ast 0} \rightarrow \ell^+ \ell^-$ Decays with the Collider Detector at Fermilab. Physical Review Letters, 2002, 88, 071801.	7.8	6
959	Measurement of the cross section for production of b overline b decaying to muons in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	6
960	Impact of low-dose electron irradiation on $n+p$ silicon strip sensors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2015, 803, 100-112.	1.6	6
961	Comparison of the $Z \rightarrow l^+ l^- + \text{jets}$ to $\tau^+ \tau^- + \text{jets}$ cross sections in $p\bar{p}$ collisions at $s = 8\text{TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	6
962	Distributions of topological observables in inclusive three- and four-jet events in $p\bar{p}$ collisions at $\sqrt{s} = 7\text{TeV}$. European Physical Journal C, 2015, 75, 302.	3.9	6
963	Measurement of the mass of the top quark in decays with a J/ψ meson in $p\bar{p}$ collisions at 8TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	6
964	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13\text{TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
965	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
966	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $p\bar{p}$ collisions at $\sqrt{s} = 8\text{TeV}$. European Physical Journal C, 2019, 79, 969.	3.9	6
967	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
968	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
969	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
970	WBoson + Jet Angular Distribution in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 1994, 73, 2296-2300.	7.8	5
971	Properties of six-jet events with large six-jet mass at the Fermilab proton-antiproton collider. Physical Review D, 1997, 56, 2532-2543.	4.7	5
972	Search for the rare decay $W \rightarrow D_s^+ \bar{D}_s^- \rightarrow \tau^+ \tau^-$ in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. Physical Review D, 1998, 58, .	4.7	5

#	ARTICLE	IF	CITATIONS
973	Measurement of the two-jet differential cross section in $p\bar{p}$ collisions at $s=1800\text{GeV}$. Physical Review D, 2001, 64, .	4.7	5
974	Search for New Heavy Particles in the $WZ0$ Final State in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. Physical Review Letters, 2002, 88, 071806.	7.8	5
975	CDF run IIb silicon detector: electrical performance and deadtime-less operation. IEEE Transactions on Nuclear Science, 2004, 51, 987-993. Search for new heavy particles decaying to mml:math $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}><\text{mml:msup}><\text{mml:mi}>Z</\text{mml:mi}><\text{mml:mn}>0</\text{mml:mn}></\text{mml:msup}><\text{mml:msup}><\text{mml:mi}>Z</\text{mml:mi}><\text{mml:mn}>$ 976 $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ display="inline"><mml:mi>p</mml:mi><mml:mover accent="true"><mml:mi>p</mml:mi><mml:mo>\hat{\wedge}</mml:mo></mml:mover></mml:math> col. Physical Review D, 2008, 78, .	2.0	5
977	Performance studies of the CMS Strip Tracker before installation. Journal of Instrumentation, 2009, 4, P06009-P06009.	1.2	5
978	Commissioning of the CMS High-Level Trigger with cosmic rays. Journal of Instrumentation, 2010, 5, T03005-T03005.	1.2	5
979	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
980	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	5
981	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
982	Test beam performance measurements for the Phase I upgrade of the CMS pixel detector. Journal of Instrumentation, 2017, 12, P05022-P05022.	1.2	5
983	Measurement of the inclusive $t\bar{t}$ cross section in $p\bar{p}$ collisions at $s = 5.02 \text{ TeV}$ using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
984	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in $p\bar{p}$ collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
985	Observation of the $Z \rightarrow \ell^+\ell^-$ Decay in $p\bar{p}$ Collisions at $s=13\text{TeV}$. Physical Review Letters, 2018, 121, 418015		
986	Search for a W^2 boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
987	Search for the pair production of light top squarks in the $e\bar{e}\rightarrow t\bar{t}$ final state in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
988	Measurement of energy flow at large pseudorapidities in $p\bar{p}$ collisions at ($\sqrt{s} = 0.9 \text{ TeV}$) and 7 TeV , 2011, 2011, 1.		5
989	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5
990	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5

#	ARTICLE	IF	CITATIONS
991	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	5
992	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
993	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
994	The CDF intermediate silicon layers detector. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1999, 78, 307-310.	0.4	4
995	Optimization of the silicon sensors for the CMS tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2001, 466, 300-307.	1.6	4
996	CDF run IIb silicon: design and testing. <i>IEEE Transactions on Nuclear Science</i> , 2004, 51, 2209-2214.	2.0	4
997	Sensors for the CDF Run2b silicon detector. <i>IEEE Transactions on Nuclear Science</i> , 2004, 51, 1546-1554.	2.0	4
998	CDF run IIb silicon detector: the innermost layer. <i>IEEE Transactions on Nuclear Science</i> , 2004, 51, 2215-2219.	2.0	4
999	Comparison of three-jet events in $p\bar{p}$ collisions at $s=1.8 \text{ TeV}$ to predictions from a next-to-leading order QCD calculation. <i>Physical Review D</i> , 2005, 71, .	4.7	4
1000	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	4
1001	Search for dark matter particles in proton-proton collisions at $s = 8 \text{ TeV}$ using the razor variables. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
1002	Characterisation of irradiated thin silicon sensors for the CMS phase II pixel upgrade. <i>European Physical Journal C</i> , 2017, 77, 1.	3.9	4
1003	Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	4
1004	Measurement of differential cross sections in the kinematic angular variable $\tilde{\ell}^*$ for inclusive Z boson production in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
1005	Search for ZZ resonances in the $2\ell\frac{1}{2}$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
1006	Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
1007	Test beam demonstration of silicon microstrip modules with transverse momentum discrimination for the future CMS tracking detector. <i>Journal of Instrumentation</i> , 2018, 13, P03003-P03003.	1.2	4
1008	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 305.	3.9	4

#	ARTICLE	IF	CITATIONS
1009	Search for $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline">\rangle \langle \text{mml:mi} W \langle \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson Decays to Three Charged Pions. Physical Review Letters, 2019, 122, 151802.	7.8	4
1010	First test-beam results obtained with IDEA, a detector concept designed for future lepton colliders. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2020, 958, 162088.	1.6	4
1011	Search for supersymmetry using Higgs boson to diphoton decays at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
1012	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, .	4.7	4
1013	Measurement of the $\bar{D}^0 + D^* \rightarrow \pi^- p$ Cross Section in $\bar{p}p$ Collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review Letters, 1996, 77, 5005-5010.	7.8	3
1014	The CMS silicon tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 419, 538-543.	1.6	3
1015	Jet pseudorapidity distribution in direct photon events in $\bar{p}p$ collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review D, 1998, 57, 1359-1365.	4.7	3
1016	Search for the rare decay $W \rightarrow \tau^+ \tau^- \rightarrow e^+ e^- + \bar{b}b$ in proton-antiproton collisions at $\sqrt{s}=1.8 \text{ TeV}$. Physical Review D, 1998, 58, .	4.7	3
1017	The CMS silicon strip tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 435, 102-108.	1.6	3
1018	Cross section and heavy quark composition of $\bar{D}^0 + \bar{D}^{\ast 0}$ events produced in $\bar{p}p$ collisions. Physical Review D, 2001, 65, .	4.7	3
1019	Publisher's Note: Measurement of the W boson polarization in top decay at CDF at $\sqrt{s}=1.96 \text{ TeV}$ [Phys. Rev. D 71, 031101 (2005)]. Physical Review D, 2005, 71, .	4.7	3
1020	Search for $b \bar{b} \rightarrow b \bar{b} \rightarrow l^+ l^- + \bar{b}b$ and $b \bar{b} \rightarrow b \bar{b} \rightarrow K^+ K^- + \bar{b}b$ decays in $\bar{p}p$ collisions at $\sqrt{s}=1.96 \text{ TeV}$. Physical Review D, 2005, 72, .	4.7	3
1021	Search for anomalous semileptonic decay of heavy flavor hadrons produced in association with a W boson at CDF II. Physical Review D, 2006, 73, .	4.7	3
1022	Measurement of the ratio of branching fractions $B(\bar{B}^0 \rightarrow l^+ l^-)/B(\bar{B}^0 \rightarrow K^+ K^-)$. Physical Review D, 2009, 79, .	4.7	3
1023	Study of hadronic event-shape variables in multijet final states in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	3
1024	Search for $W \rightarrow t \bar{t}$ in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	3
1025	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
1026	Inclusive search for supersymmetry in $p\bar{p}$ collisions at $\sqrt{s}=13 \text{ TeV}$ using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3

#	ARTICLE	IF	CITATIONS
1027	Search for excited leptons in $\pi^+ \pi^- \pi^0$ final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
1028	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. Journal of Instrumentation, 2020, 15, P05002-P05002.	1.2	3
1029	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2014, 2014, 1.		3
1030	Measurements of the $p\pi \rightarrow Z\bar{Z}$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 2018, 78, 1.		3
1031	The CMS silicon microstrip detectors: research and development. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 426, 16-23.	1.6	2
1032	TOP QUARK MEASUREMENTS AT THE FERMILAB TEVATRON. International Journal of Modern Physics A, 2004, 19, 785-793.	1.5	2
1033	First Measurement of the Ratio of Central-Electron to Forward-Electron/W Partial Cross Sections in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2007, 98, 251801.	7.8	2
1034	Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 1.	3.9	2
1035	Measurements of angular distance and momentum ratio distributions in three-jet and two-jet final states in $p\bar{p}$ collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
1036	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 2013, 1.		2
1037	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
1038	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
1039	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, .	4.7	2
1040	The CDF silicon detector upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 419, 532-537.	1.6	1
1041	Beam test results for single- and double-sided irradiated silicon detector prototypes of the CMS Central Detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 409, 135-138.	1.6	1
1042	Test beam results on irradiated silicon detectors for the CMS Silicon Strip Tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 434, 313-336.	1.6	1
1043	The CMS silicon tracker. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2000, 453, 121-125.	1.6	1
1044	Investigation of the full hadronic final state at CDF with a neural network approach. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2001, 466, 538-550.	1.6	1

#	ARTICLE	IF	CITATIONS
1045	CMS silicon tracker developments. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 477, 440-445.	1.6	1
1046	Top Quark Measurements at Tevatron Run II. AIP Conference Proceedings, 2005, , .	0.4	1
1047	Search for W and Z bosons in the reaction $p\bar{p} \rightarrow \text{two jets} + \text{jets}$ at $s = 1.8 \text{ TeV}$. Physical Review D, 2006, 73, .	1	
1048	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
1049	CMS Collaboration. Nuclear Physics A, 2016, 956, 945-963.	1.5	1
1050	Exploring requirements and detector solutions for FCC-ee. European Physical Journal Plus, 2021, 136, 1.	2.6	1
1051	Higgs and top physics reconstruction challenges and opportunities at FCC-ee. European Physical Journal Plus, 2022, 137, 1.	2.6	1
1052	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
1053	Observation of $B \rightarrow K^* \pi^0$ and $B \rightarrow K^* \eta'$ decays. European Physical Journal C, 2022, 82, .	3.9	1
1054	The CMS silicon tracker at LHC. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1998, 409, 105-111.	1.6	0
1055	R&D for the CMS silicon tracker. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 322-328.	0.4	0
1056	Test results of heavily irradiated Si detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 422, 238-241.	1.6	0
1057	The silicon microstrip tracker for CMS. Nuclear Physics, Section B, Proceedings Supplements, 1999, 78, 315-321.	0.4	0
1058	Test results on heavily irradiated silicon detectors for the CMS experiment at LHC. IEEE Transactions on Nuclear Science, 2000, 47, 2092-2100.	2.0	0
1059	Publisher's Note: Search for Pair Production of Scalar Top Quarks Decaying to a $b\bar{b}$ final state. Nuclear Physics, Section A, 2000, 652, 101-110. $\text{Lepton and } \text{Quark} \rightarrow \text{Lepton and } \text{Quark}$	7.8	0
1060	The CMS Collaboration. Nuclear Physics A, 2009, 830, 946c-956c. $\text{Search for hadronic decays of } \text{W} \rightarrow \text{lepton} + \text{neutrino}$	1.5	0
1061	$\text{and } \text{W} \rightarrow \text{hadrons}$ $\text{Search for hadronic decays of } \text{W} \rightarrow \text{lepton} + \text{neutrino}$	4.7	0
1062	Publisher's Note: Search for hadronic decays of $Z \rightarrow \text{lepton} + \text{neutrino}$ in $\text{pp} \rightarrow \text{hadrons}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ [Phys. Rev. D 80, 052011 (2009)]. Physical Review D, 2009, 80, .	4.7	0

#	ARTICLE	IF	CITATIONS
1063	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	0