## Rizwan Suliankatchi Abdulkader

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3899139/publications.pdf

Version: 2024-02-01

100 papers 54,399 citations

40 h-index 91 g-index

103 all docs

103 docs citations

103 times ranked 73589 citing authors

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 1  | An application of Markov chain modeling and semi-parametric regression for recurrent events in health data. Communications in Statistics Case Studies Data Analysis and Applications, 2022, 8, 68-80.  | 0.3  | O         |
| 2  | The global burden of adolescent and young adult cancer in 2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet Oncology, The, 2022, 23, 27-52.  | 5.1  | 90        |
| 3  | The Intricate Relationship Between Client Perceptions of Physician Empathy and Physician Self-Assessment: Lessons for Reforming Clinical Practice. Journal of Patient Experience, 2022, 9, 237437352210775.  | 0.4  | 3         |
| 4  | Effectiveness of Visual Inspection with Acetic Acid (VIA) Screening on Cervical Cancer Mortality and Incidence - A Systematic Review and Meta-Analysis. Asian Pacific Journal of Cancer Prevention, 2022, 23, 399-407.   | 0.5  | 2         |
| 5  | Spatial, temporal, and demographic patterns in prevalence of chewing tobacco use in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet Public Health, The, 2021, 6, e482-e499.                         | 4.7  | 38        |
| 6  | Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.     | 6.3  | 609       |
| 7  | Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.                           | 6.3  | 229       |
| 8  | COVID-19 testing, timeliness and positivity from ICMR's laboratory surveillance network in India: Profile of 176 million individuals tested and 188 million tests, March 2020 to January 2021. PLoS ONE, 2021, 16, e0260979.   | 1.1  | 2         |
| 9  | Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.  | 6.3  | 3,928     |
| 10 | Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203. | 6.3  | 890       |
| 11 | Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.   | 6.3  | 335       |
| 12 | Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.  | 1.2  | 44        |
| 13 | Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.  | 1.2  | 103       |
| 14 | Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.  | 1.2  | 4,468     |
| 15 | Subnational mapping of under-5 and neonatal mortality trends in India: the Global Burden of Disease Study 2000–17. Lancet, The, 2020, 395, 1640-1658.  | 6.3  | 96        |
| 16 | Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000–17: analysis for the Global Burden of Disease Study 2017. Lancet, The, 2020, 395, 1779-1801.   | 6.3  | 72        |
| 17 | Prevalence and patterns of drug resistant pulmonary tuberculosis in India—A systematic review and meta-analysis. Journal of Global Antimicrobial Resistance, 2020, 22, 308-316.  | 0.9  | 14        |
| 18 | Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.  | 15.2 | 47        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Assessment of unintentional childhood injuries and associated factors in the pediatric clinics of a tertiary care hospital in Riyadh, Saudi Arabia. Journal of Family and Community Medicine, 2020, 27, 168.                              | 0.5  | 8         |
| 20 | Public health response to COVID-19 in selected countries – Hits and misses. Journal of Family Medicine and Primary Care, 2020, 9, 5580.   | 0.3  | 1         |
| 21 | Traumatic spinal injuries in Saudi Arabia: a retrospective single-centre medical record review. BMJ<br>Open, 2020, 10, e039768.   | 0.8  | 2         |
| 22 | Taxation and tobacco plain packaging effect on Saudi smokers quitting intentions in Riyadh city, Saudi Arabia. Journal of King Abdulaziz University, Islamic Economics, 2020, 41, 1121-1129.  | 0.5  | 4         |
| 23 | Traumatic spinal injuries in Saudi Arabia: a retrospective single-centre medical record review. BMJ<br>Open, 2020, 10, e039768.   | 0.8  | 6         |
| 24 | Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. Nature, 2019, 574, 353-358.  | 13.7 | 161       |
| 25 | Will I, Wont I? Factors associated with self-reported prediction of future indulgence in intimate partner violence among adolescents in South India. International Journal of Adolescent Medicine and Health, 2019, 33, .                 | 0.6  | 1         |
| 26 | Trends in tobacco consumption in India 1987–2016: impact of the World Health Organization Framework Convention onÂTobacco Control. International Journal of Public Health, 2019, 64, 841-851.   | 1.0  | 23        |
| 27 | Global, regional, and national burden of suicide mortality 1990 to 2016: systematic analysis for the Global Burden of Disease Study 2016. BMJ: British Medical Journal, 2019, 364, 194.   | 2.4  | 558       |
| 28 | Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.                             | 4.9  | 1,064     |
| 29 | Smokeless Tobacco Use is "Replacing―the Smoking Epidemic in the South-East Asia Region. Nicotine and Tobacco Research, 2019, 21, 95-100.  | 1.4  | 41        |
| 30 | Naswar (Smokeless Tobacco) Use and the Risk of Oral Cancer in Pakistan: A Systematic Review With Meta-Analysis. Nicotine and Tobacco Research, 2019, 21, 32-40.   | 1.4  | 23        |
| 31 | They do not just drive when they are driving: Distracted driving practices among professional vehicle drivers in South India. Indian Journal of Community and Family Medicine, 2019, 5, 34.   | 0.0  | 2         |
| 32 | Patient-rated physicians' empathy and its determinants in Riyadh, Saudi Arabia. Journal of Family and Community Medicine, 2019, 26, 199.  | 0.5  | 8         |
| 33 | Dental caries prevalence among 5- to 15-year-old children from SEAR countries of WHO: A systematic review and meta-analysis. Indian Journal of Dental Research, 2019, 30, 937.  | 0.1  | 7         |
| 34 | Treatment delayed is treatment denied: The tortuous pathway to care for acute coronary syndrome. Journal of Indian College of Cardiology, 2019, 9, 17.  | 0.1  | 0         |
| 35 | App-based tracking of smartphone use and its association with perceived stress and sense of coherence among undergraduate medical students in Southern India. International Journal of Adolescent Medicine and Health, 2019, 33, 245-251. | 0.6  | 0         |
| 36 | Health research methodology workshop: Evaluation with the Kirkpatrick model. The National Medical Journal of India, 2019, 32, 100.  | 0.1  | 6         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Global burden of all-cause and cause-specific mortality due to smokeless tobacco use: systematic review and meta-analysis. Tobacco Control, 2018, 27, 35-42.   | 1.8 | 112       |
| 38 | Profile of and expenditure on morbidity and hospitalizations among elderlyâ€"Analysis of a nationally representative sample survey in India. Archives of Gerontology and Geriatrics, 2018, 74, 55-61.  | 1.4 | 6         |
| 39 | Danger ahead: the burden of diseases, injuries, and risk factors in the Eastern Mediterranean Region, 1990–2015. International Journal of Public Health, 2018, 63, 11-23.  | 1.0 | 21        |
| 40 | Burden of cancer in the Eastern Mediterranean Region, 2005–2015: findings from the Global Burden of Disease 2015 Study. International Journal of Public Health, 2018, 63, 151-164.   | 1.0 | 48        |
| 41 | Burden of cardiovascular diseases in the Eastern Mediterranean Region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 137-149.  | 1.0 | 63        |
| 42 | Neonatal, infant, and under-5 mortality and morbidity burden in the Eastern Mediterranean region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 63-77.  | 1.0 | 15        |
| 43 | Burden of vision loss in the Eastern Mediterranean region, 1990–2015: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 199-210.  | 1.0 | 17        |
| 44 | Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 79-96.   | 1.0 | 17        |
| 45 | Maternal mortality and morbidity burden in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 47-61.   | 1.0 | 9         |
| 46 | The burden of mental disorders in the Eastern Mediterranean region, 1990–2015: findings from the global burden of disease 2015 study. International Journal of Public Health, 2018, 63, 25-37.   | 1.0 | 43        |
| 47 | Diabetes mellitus and chronic kidney disease in the Eastern Mediterranean Region: findings from the Global Burden of Disease 2015 study. International Journal of Public Health, 2018, 63, 177-186.  | 1.0 | 30        |
| 48 | Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.  | 6.3 | 716       |
| 49 | Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.   | 6.3 | 4,989     |
| 50 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994. | 6.3 | 3,269     |
| 51 | Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.  | 6.3 | 294       |
| 52 | Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.                                    | 6.3 | 8,569     |
| 53 | Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.  | 6.3 | 335       |
| 54 | Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.                 | 6.3 | 2,123     |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Global, Regional, and Country-Specific Lifetime Risks of Stroke, 1990 and 2016. New England Journal of Medicine, 2018, 379, 2429-2437.   | 13.9 | 959       |
| 56 | The changing patterns of cardiovascular diseases and their risk factors in the states of India: the Global Burden of Disease Study 1990–2016. The Lancet Global Health, 2018, 6, e1339-e1351.  | 2.9  | 283       |
| 57 | The burden of chronic respiratory diseases and their heterogeneity across the states of India: the Global Burden of Disease Study 1990–2016. The Lancet Global Health, 2018, 6, e1363-e1374.   | 2.9  | 222       |
| 58 | Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.  | 6.3  | 638       |
| 59 | Alcohol use and burden for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 1015-1035.   | 6.3  | 2,005     |
| 60 | Efficacy of green tea-based mouthwashes on dental plaque and gingival inflammation: A systematic review and meta-analysis. Indian Journal of Dental Research, 2018, 29, 225.   | 0.1  | 25        |
| 61 | Prevalence and correlates of sexual health disorders among adult men in a rural area of North India:<br>An observational study. Journal of Family Medicine and Primary Care, 2018, 7, 515.   | 0.3  | 12        |
| 62 | Comparative morbidity profile of patients attending an Ayurveda clinic and a modern medicine clinic of a primary health center in rural Haryana, India. Journal of Family Medicine and Primary Care, 2018, 7, 374.   | 0.3  | 1         |
| 63 | Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.   | 6.3  | 480       |
| 64 | Pre-treatment factor structures of the Montgomery and $\tilde{A}$ sberg Depression Rating scale as predictors of response to escitalopram in Indian patients with non-psychotic major depressive disorder. Asian Journal of Psychiatry, 2017, 28, 154-159.                                 | 0.9  | 3         |
| 65 | Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.   | 6.3  | 573       |
| 66 | Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344. | 6.3  | 1,589     |
| 67 | Global, regional, and national age-sex specific mortality for 264 causes of death, 1980–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1151-1210.  | 6.3  | 3,565     |
| 68 | Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.                                    | 6.3  | 5,578     |
| 69 | Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1345-1422.                   | 6.3  | 1,879     |
| 70 | Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet Neurology, The, 2017, 16, 877-897.   | 4.9  | 1,521     |
| 71 | Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1423-1459.  | 6.3  | 284       |
| 72 | Nations within a nation: variations in epidemiological transition across the states of India, 1990–2016 in the Global Burden of Disease Study. Lancet, The, 2017, 390, 2437-2460.  | 6.3  | 647       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Characteristics of the Ozone Pollution and its Health Effects in India. International Journal of Medicine and Public Health, 2017, 7, 56-60.   | 0.3 | 18        |
| 74 | Level of Perceived Stress and Coping Strategies Prevailing Among 1st year Medical Undergraduate Students: A Cross-sectional Study from South India. International Journal of Medicine and Public Health, 2017, 7, 111-115.           | 0.3 | 3         |
| 75 | A prospective study on adverse drug reactions reported in a tertiary referral hospital. International Journal of Basic and Clinical Pharmacology, 2017, , .  | 0.0 | 0         |
| 76 | Smokeless tobaccoâ€associated cancers: A systematic review and metaâ€analysis of <scp>I</scp> ndian studies. International Journal of Cancer, 2016, 138, 1368-1379.  | 2.3 | 71        |
| 77 | Prevalence and Sociodemographic Determinants of Any Tobacco Use and Dual Use in Six Countries of the WHO South-East Asia Region: Findings From the Demographic and Health Surveys. Nicotine and Tobacco Research, 2016, 18, 750-756. | 1.4 | 31        |
| 78 | The Human Cost of Tobacco Chewing Among Pregnant Women in India: A Systematic Review and Meta-analysis. Journal of Obstetrics and Gynecology of India, 2016, 66, 161-166.  | 0.3 | 20        |
| 79 | Epidemiology of acute respiratory infections in children - preliminary results of a cohort in a rural north Indian community. BMC Infectious Diseases, 2015, 15, 462.  | 1.3 | 41        |
| 80 | HIV-Risk Behavior Among the Male Migrant Factory Workers in a North Indian City. Indian Journal of Community Medicine, 2015, 40, 108.  | 0.2 | 10        |
| 81 | KAP Study on Sexually Transmitted Infections/Reproductive Tract Infections (STIs/RTIs) among married women in rural Haryana. Indian Dermatology Online Journal, 2015, 6, 9.  | 0.2 | 8         |
| 82 | Pre-treatment practices among patients attending an Animal Bite Management clinic at a primary health centre in Haryana, North India. Tropical Doctor, 2015, 45, 123-125.  | 0.2 | 8         |
| 83 | Fixed-dose combination drugs for the treatment of tuberculosis under India's RNTCP. International Journal of Tuberculosis and Lung Disease, 2015, 19, 870-871.   | 0.6 | 0         |
| 84 | Prevalence and determinants of sexually transmitted infections (stis) among male migrant factory workers in Haryana, North India. Indian Journal of Public Health, 2015, 59, 30.   | 0.3 | 9         |
| 85 | Trends of Smokeless Tobacco use among Adults (Aged 15-49 Years) in Bangladesh, India and Nepal. Asian<br>Pacific Journal of Cancer Prevention, 2015, 16, 6561-6568.  | 0.5 | 31        |
| 86 | Menstrual Disorders and Its Determinants Among Married Women of Rural Haryana. Journal of Clinical and Diagnostic Research JCDR, 2015, 9, LC06-9.  | 0.8 | 4         |
| 87 | Prevalence of Hypertension in Indian Tribes: A Systematic Review and Meta-Analysis of Observational Studies. PLoS ONE, 2014, 9, e95896.  | 1.1 | 42        |
| 88 | Correlates of Intention to Use Condom among Male Migrant Factory Workers in Northern India. Journal of Clinical and Diagnostic Research JCDR, 2014, 8, JC05-8.   | 0.8 | 3         |
| 89 | Evaluation of state-run STI/RTI clinics in the state of Haryana, India through a supportive supervision approach. Indian Dermatology Online Journal, 2014, 5, 446.   | 0.2 | 4         |
| 90 | Temporal Dimension in Reference Standard Misclassification – A Concept Note. Journal of Clinical and Diagnostic Research JCDR, 2014, 8, JE01-5.  | 0.8 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Feasibility of sustainable provision of intradermal post exposure prophylaxis against rabies at primary care level –evidence from rural Haryana. BMC Health Services Research, 2014, 14, 278.  | 0.9 | 5         |
| 92  | Disease burden due to biomass cooking-fuel-related household air pollution among women in India. Global Health Action, 2014, 7, 25326.   | 0.7 | 61        |
| 93  | Prevalence and sociodemographic determinants of tobacco use in four countries of the World<br>Health Organization: South-East Asia region: Findings from the Global Adult Tobacco Survey. Indian<br>Journal of Cancer, 2014, 51, 24. | 0.2 | 45        |
| 94  | Influence of alcohol on condom use pattern during non-spousal sexual encounter in male migrant workers in north India. Journal of Postgraduate Medicine, 2014, 60, 276-281.  | 0.2 | 5         |
| 95  | Determinants of underutilisation of free delivery services in an area with high institutional delivery rate: A qualitative study. North American Journal of Medical Sciences, 2014, 6, 315.  | 1.7 | 14        |
| 96  | "Air pollution in Delhi: Its Magnitude and Effects on Health". Indian Journal of Community Medicine, 2013, 38, 4.  | 0.2 | 118       |
| 97  | High Neonatal Mortality Rates in Rural India: What Options to Explore?. ISRN Pediatrics, 2012, 2012, 1-10.   | 1.2 | 20        |
| 98  | Evaluation of newer rapid diagnostic tests for typhoid fever. The National Medical Journal of India, 2011, 24, 357-9.  | 0.1 | 0         |
| 99  | A study on the utility of preventive health check-up in early detection of disease states. International Journal of Research in Medical Sciences, 0, , 4022-4025.  | 0.0 | 2         |
| 100 | Online Food Delivery System in India: Profile of Restaurants and Nutritional Value of Food Items. Vision, 0, , 097226292211101.  | 1.5 | 1         |