

Chunxue Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3901621/publications.pdf>

Version: 2024-02-01

87
papers

2,655
citations

201674

27
h-index

223800

46
g-index

90
all docs

90
docs citations

90
times ranked

3561
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 pandemic: study on simple, easy, and practical relaxation techniques while wearing medical protective equipment. <i>Psychological Medicine</i> , 2022, 52, 1386-1392.	4.5	3
2	Both Ends of Values in the Hemoglobin Spectrum Are Associated with Adverse Stroke Outcomes. <i>Cerebrovascular Diseases</i> , 2022, 51, 36-44.	1.7	1
3	Impairment of cognition and sleep after acute ischaemic stroke or transient ischaemic attack in Chinese patients: design, rationale and baseline patient characteristics of a nationwide multicentre prospective registry. <i>Stroke and Vascular Neurology</i> , 2021, 6, 139-144.	3.3	11
4	Simple Smartphone-Based Assessment of Gait Characteristics in Parkinson Disease: Validation Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e25451.	3.7	27
5	Tracking and Monitoring Mood Stability of Patients With Major Depressive Disorder by Machine Learning Models Using Passive Digital Data: Prospective Naturalistic Multicenter Study. <i>JMIR MHealth and UHealth</i> , 2021, 9, e24365.	3.7	26
6	Clopidogrel Plus Aspirin in Patients With Different Types of Single Small Subcortical Infarction. <i>Frontiers in Neurology</i> , 2021, 12, 631220.	2.4	2
7	Risk Factors and Imaging Mechanisms of Fatigue After Mild Ischemic Stroke: An Exploratory Study From a Single Chinese Center. <i>Frontiers in Neurology</i> , 2021, 12, 649021.	2.4	2
8	Relationship between hormonal contraceptives and sleep among women of reproductive age: a systematic review protocol. <i>BMJ Open</i> , 2021, 11, e045819.	1.9	1
9	Clinical and Diffusion Tensor Imaging to Evaluate Falls, Balance and Gait Dysfunction in Leukoaraiosis: an Observational, Prospective Cohort Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2020, 33, 223-230.	2.3	6
10	Triglyceride Glucose Index and Prognosis of Patients With Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020, 11, 456.	2.4	54
11	Editorial: Mental Disorders Associated With Neurological Diseases. <i>Frontiers in Psychiatry</i> , 2020, 11, 196.	2.6	6
12	Diagnosis and treatment of post-stroke depression in China: a cross-sectional survey of 350 senior clinicians in neurology, geriatrics, and rehabilitation departments. <i>International Psychogeriatrics</i> , 2020, 32, 151-153.	1.0	2
13	Hemodynamic Significance of Middle Cerebral Artery Stenosis Associated With the Severity of Ipsilateral White Matter Changes. <i>Frontiers in Neurology</i> , 2020, 11, 214.	2.4	11
14	Clinical research methods for treatment, diagnosis, prognosis, etiology, screening, and prevention: A narrative review. <i>Journal of Evidence-Based Medicine</i> , 2020, 13, 130-136.	1.8	25
15	Clinical, imaging features and outcome in internal carotid artery versus middle cerebral artery disease. <i>PLoS ONE</i> , 2019, 14, e0225906.	2.5	8
16	Association between marriage and outcomes in patients with acute ischemic stroke. <i>Journal of Neurology</i> , 2018, 265, 942-948.	3.6	25
17	Impact of CYP2C19 polymorphism in prognosis of minor stroke or TIA patients with declined eGFR on dual antiplatelet therapy: CHANCE substudy. <i>Pharmacogenomics Journal</i> , 2018, 18, 713-720.	2.0	19
18	Prognosis of Intracerebral Hemorrhage with Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 1127-1133.	1.6	6

#	ARTICLE	IF	CITATIONS
19	Evidence-Based Performance Measures and Outcomes in Patients With Acute Ischemic Stroke. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2018, 11, e001968.	2.2	9
20	Association between Leukoaraiosis and Symptomatic Intracranial Large Artery Stenoses and Occlusions: the Chinese Intracranial Atherosclerosis (CICAS) Study. , 2018, 9, 1074.		15
21	Insulin Resistance Index from Oral Glucose Tolerance Test Predicts Ischemic Stroke Outcomes in Non-Diabetic Patients with Different Estimated Glomerular Filtration Rate Strata. <i>Cerebrovascular Diseases</i> , 2018, 46, 140-149.	1.7	2
22	Statin Use during Hospitalization and Short-Term Mortality in Acute Ischaemic Stroke with Chronic Kidney Disease. <i>European Neurology</i> , 2018, 79, 296-302.	1.4	7
23	Prevalence of Abnormal Glucose Regulation according to Different Diagnostic Criteria in Ischaemic Stroke without a History of Diabetes. <i>BioMed Research International</i> , 2018, 2018, 1-8.	1.9	7
24	Effect of a Multifaceted Quality Improvement Intervention on Hospital Personnel Adherence to Performance Measures in Patients With Acute Ischemic Stroke in China. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 245.	7.4	80
25	Relationship between hospital performance measures and outcomes in patients with acute ischaemic stroke: a prospective cohort study. <i>BMJ Open</i> , 2018, 8, e020467.	1.9	4
26	Predictors of Remission of Early-Onset Poststroke Depression and the Interaction Between Depression and Cognition During Follow-Up. <i>Frontiers in Psychiatry</i> , 2018, 9, 738.	2.6	21
27	Postâ€“Glucose Load Measures of Insulin Resistance and Prognosis of Nondiabetic Patients With Ischemic Stroke. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	29
28	Insulin Resistance and Prognosis of Nondiabetic Patients With Ischemic Stroke. <i>Stroke</i> , 2017, 48, 887-893.	2.0	63
29	Comparison of Associations of Reduced Estimated Glomerular Filtration Rate With Stroke Outcomes Between Hypertension and No Hypertension. <i>Stroke</i> , 2017, 48, 1691-1694.	2.0	11
30	Cortical Microinfarcts in Patients with Middle Cerebral Artery Stenosis. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017, 26, 1760-1765.	1.6	8
31	Prediction of Recurrent Stroke or Transient Ischemic Attack After Noncardiogenic Posterior Circulation Ischemic Stroke. <i>Stroke</i> , 2017, 48, 1835-1841.	2.0	27
32	Assessment and provision of rehabilitation among patients hospitalized with acute ischemic stroke in China: Findings from the China National Stroke Registry II. <i>International Journal of Stroke</i> , 2017, 12, 254-263.	5.9	23
33	Lower serum uric acid level strongly predict short-term poor functional outcome in acute stroke with normoglycaemia: a cohort study in China. <i>BMC Neurology</i> , 2017, 17, 21.	1.8	23
34	Is there a correlation between socioeconomic disparity and functional outcome after acute ischemic stroke?. <i>PLoS ONE</i> , 2017, 12, e0181196.	2.5	22
35	Impact of baseline systolic blood pressure on visit-to-visit blood pressure variability: the Kailuan study. <i>Therapeutics and Clinical Risk Management</i> , 2016, Volume 12, 1191-1196.	2.0	3
36	The Oxfordshire Community Stroke Project classification system predicts clinical outcomes following intravenous thrombolysis: a prospective cohort study. <i>Therapeutics and Clinical Risk Management</i> , 2016, Volume 12, 1049-1056.	2.0	27

#	ARTICLE	IF	CITATIONS
37	Effect of recurrent stroke on poor functional outcome in transient ischemic attack or minor stroke. <i>International Journal of Stroke</i> , 2016, 11, NP80-NP80.	5.9	13
38	Socioeconomic deprivation and mortality in people after ischemic stroke: The China National Stroke Registry. <i>International Journal of Stroke</i> , 2016, 11, 557-564.	5.9	23
39	Smokingâ€™Thrombolysis Relationship Depends on Ischemic Stroke Subtype. <i>Stroke</i> , 2016, 47, 1811-1816.	2.0	20
40	Effect of Estimated Glomerular Filtration Rate Decline on the Efficacy and Safety of Clopidogrel With Aspirin in Minor Stroke or Transient Ischemic Attack. <i>Stroke</i> , 2016, 47, 2791-2796.	2.0	15
41	External Validation of the Total Health Risks in Vascular Events Score to Predict Functional Outcome and Mortality in Patients Entered into the China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 2331-2337.	1.6	9
42	Prognosis of Ischemic Stroke With Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria in Chinese Population. <i>Stroke</i> , 2016, 47, 2038-2044.	2.0	26
43	Substantial Progress Yet Significant Opportunity for Improvement in Stroke Care in China. <i>Stroke</i> , 2016, 47, 2843-2849.	2.0	93
44	Socioeconomic Status and the Quality of Acute Stroke Care. <i>Stroke</i> , 2016, 47, 2836-2842.	2.0	16
45	Resting-state functional magnetic resonance imaging in patients with leukoaraiosis-associated subcortical vascular cognitive impairment: a cross-sectional study. <i>Neurological Research</i> , 2016, 38, 510-517.	1.3	16
46	Frequency and risk factors of spontaneous hemorrhagic transformation following ischemic stroke on the initial brain CT or MRI: data from the China National Stroke Registry (CNSR). <i>Neurological Research</i> , 2016, 38, 538-544.	1.3	27
47	High-Sensitive C-Reactive Protein Predicts Recurrent Stroke and Poor Functional Outcome. <i>Stroke</i> , 2016, 47, 2025-2030.	2.0	70
48	Association Between <i>CYP2C19</i> Loss-of-Function Allele Status and Efficacy of Clopidogrel for Risk Reduction Among Patients With Minor Stroke or Transient Ischemic Attack. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 70.	7.4	276
49	Treatment Effect of Clopidogrel Plus Aspirin Within 12 Hours of Acute Minor Stroke or Transient Ischemic Attack. <i>Journal of the American Heart Association</i> , 2016, 5, e003038.	3.7	20
50	Use of Warfarin at Discharge Among Acute Ischemic Stroke Patients With Nonvalvular Atrial Fibrillation in China. <i>Stroke</i> , 2016, 47, 464-470.	2.0	58
51	Factors for short-term outcomes in patients with a minor stroke: results from China National Stroke Registry. <i>BMC Neurology</i> , 2015, 15, 253.	1.8	38
52	Glycated albumin predicts the effect of dual and single antiplatelet therapy on recurrent stroke. <i>Neurology</i> , 2015, 84, 1330-1336.	1.1	26
53	Validation of the DRAGON Score in a Chinese Population to Predict Functional Outcome of Intravenous Thrombolysisâ€™Treated Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 1755-1760.	1.6	6
54	Risk Factors of Cerebral Microbleeds in Strictly Deep or Lobar Brain Regions Differed. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 24-30.	1.6	6

#	ARTICLE	IF	CITATIONS
55	Association between Seizures and Outcomes among Intracerebral Hemorrhage Patients: The China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 455-464.	1.6	17
56	Rationale and design of a cluster-randomized multifaceted intervention trial to improve stroke care quality in China: The GOLDEN BRIDGE“Acute Ischemic Stroke. <i>American Heart Journal</i> , 2015, 169, 767-774.e2.	2.7	20
57	Soluble CD40L Is a Useful Marker to Predict Future Strokes in Patients With Minor Stroke and Transient Ischemic Attack. <i>Stroke</i> , 2015, 46, 1990-1992.	2.0	35
58	Depression after minor stroke: Prevalence and predictors. <i>Journal of Psychosomatic Research</i> , 2015, 79, 143-147.	2.6	71
59	Effect of clopidogrel with aspirin on functional outcome in TIA or minor stroke. <i>Neurology</i> , 2015, 85, 573-579.	1.1	44
60	Prevalence, knowledge, and treatment of transient ischemic attacks in China. <i>Neurology</i> , 2015, 84, 2354-2361.	1.1	41
61	Clopidogrel With Aspirin in Acute Minor Stroke or Transient Ischemic Attack (CHANCE) Trial. <i>Circulation</i> , 2015, 132, 40-46.	1.6	178
62	Inpatient Statin Use Is Associated with Decreased Mortality of Acute Stroke Patients with Very Low Low-Density Lipoprotein Cholesterol. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2369-2374.	1.6	3
63	Association of Lp-PLA ₂ -A and early recurrence of vascular events after TIA and minor stroke. <i>Neurology</i> , 2015, 85, 1585-1591.	1.1	43
64	Prediction Factors of Recurrent Ischemic Events in One Year after Minor Stroke. <i>PLoS ONE</i> , 2015, 10, e0120105.	2.5	20
65	Emerging malnutrition during hospitalisation independently predicts poor 3-month outcomes after acute stroke: data from a Chinese cohort. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2015, 24, 379-86.	0.4	26
66	Association between Statin Use and Short-Term Outcome Based on Severity of Ischemic Stroke: A Cohort Study. <i>PLoS ONE</i> , 2014, 9, e84389.	2.5	21
67	Relationship between C - Reactive Protein and Stroke: A Large Prospective Community Based Study. <i>PLoS ONE</i> , 2014, 9, e107017.	2.5	39
68	Cost-Effectiveness of Clopidogrel+Aspirin Versus Aspirin Alone for Acute Transient Ischemic Attack and Minor Stroke. <i>Journal of the American Heart Association</i> , 2014, 3, e000912.	3.7	28
69	Factors Associated with Severity of Leukoaraiosis in First-ever Lacunar Stroke and Atherosclerotic Ischemic Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2862-2868.	1.6	16
70	Localized Retinal Nerve Fiber Layer Defects and Stroke. <i>Stroke</i> , 2014, 45, 1651-1656.	2.0	53
71	Distal Single Subcortical Infarction Had a Better Clinical Outcome Compared With Proximal Single Subcortical Infarction. <i>Stroke</i> , 2014, 45, 2613-2619.	2.0	36
72	Elevated fasting glucose as a potential predictor for asymptomatic cerebral artery stenosis: A cross-sectional study in Chinese adults. <i>Atherosclerosis</i> , 2014, 237, 661-665.	0.8	19

#	ARTICLE	IF	CITATIONS
73	Poor Performance of Stroke Prognostication Using Age and National Institutes of Health Stroke Scale-100 to Predict 3- and 12-month Outcomes of Ischemic Stroke in China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 2335-2340.	1.6	11
74	Association between estimated glomerular filtration rate and clinical outcomes in patients with acute ischaemic stroke: results from China National Stroke Registry. <i>Age and Ageing</i> , 2014, 43, 839-845.	1.6	23
75	Anticoagulation-related reduction of first-ever stroke severity in Chinese patients with atrial fibrillation. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 1755-1760.	1.5	9
76	Standard-Dose Intravenous Tissue-Type Plasminogen Activator for Stroke Is Better Than Low Doses. <i>Stroke</i> , 2014, 45, 2354-2358.	2.0	61
77	Associations Between Estimated Glomerular Filtration Rate and Stroke Outcomes in Diabetic Versus Nondiabetic Patients. <i>Stroke</i> , 2014, 45, 2887-2893.	2.0	57
78	Favorable Functional Recovery in Overweight Ischemic Stroke Survivors: Findings from the China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, e201-e206.	1.6	59
79	Significant Underuse of Warfarin in Patients with Nonvalvular Atrial Fibrillation: Results from the China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 1157-1163.	1.6	57
80	Comparison of Associations of Outcomes After Stroke With Estimated GFR Using Chinese Modifications of the MDRD Study and CKD-EPI Creatinine Equations: Results From the China National Stroke Registry. <i>American Journal of Kidney Diseases</i> , 2014, 63, 59-67.	1.9	39
81	Hypertriglyceridemic waist phenotype and risk of cardiovascular diseases in China: Results from the Kailuan Study. <i>International Journal of Cardiology</i> , 2014, 174, 106-109.	1.7	37
82	Decreased Uric Acid Levels Correlate with Poor Outcomes in Acute Ischemic Stroke Patients, but Not in Cerebral Hemorrhage Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 469-475.	1.6	53
83	Elevated Plasma Total Cholesterol Level Is Associated with the Risk of Asymptomatic Intracranial Arterial Stenosis. <i>PLoS ONE</i> , 2014, 9, e101232.	2.5	14
84	Risk Factors of Dilated Virchow-Robin Spaces Are Different in Various Brain Regions. <i>PLoS ONE</i> , 2014, 9, e105505.	2.5	45
85	Cost-Effectiveness of Thrombolysis within 4.5 Hours of Acute Ischemic Stroke in China. <i>PLoS ONE</i> , 2014, 9, e110525.	2.5	29
86	Resting Heart Rate and Risk of Cardiovascular Diseases and All-Cause Death: The Kailuan Study. <i>PLoS ONE</i> , 2014, 9, e110985.	2.5	38
87	A prospective cohort study of lesion location and its relation to post-stroke depression among Chinese patients. <i>Journal of Affective Disorders</i> , 2012, 136, e83-e87.	4.1	38