Chisato Shimizu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3903500/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Clinical Characteristics of 58 Children With a Pediatric Inflammatory Multisystem Syndrome Temporally Associated With SARS-CoV-2. JAMA - Journal of the American Medical Association, 2020, 324, 259. | 7.4 | 1,528 |
| 2 | ITPKC functional polymorphism associated with Kawasaki disease susceptibility and formation of coronary artery aneurysms. Nature Genetics, 2008, 40, 35-42. | 21.4 | 423 |
| 3 | Genome-wide association study identifies FCGR2A as a susceptibility locus for Kawasaki disease. Nature Genetics, 2011, 43, 1241-1246. | 21.4 | 297 |
| 4 | A genome-wide association study identifies three new risk loci for Kawasaki disease. Nature Genetics, 2012, 44, 517-521. | 21.4 | 284 |
| 5 | Diagnostic Test Accuracy of a 2-Transcript Host RNA Signature for Discriminating Bacterial vs Viral Infection in Febrile Children. JAMA - Journal of the American Medical Association, 2016, 316, 835. | 7.4 | 263 |
| 6 | A Genome-Wide Association Study Identifies Novel and Functionally Related Susceptibility Loci for Kawasaki Disease. PLoS Genetics, 2009, 5, e1000319. | 3.5 | 234 |
| 7 | Common variants in CASP3 confer susceptibility to Kawasaki disease. Human Molecular Genetics, 2010, 19, 2898-2906. | 2.9 | 141 |
| 8 | Transforming Growth Factor-β Signaling Pathway in Patients With Kawasaki Disease. Circulation: Cardiovascular Genetics, 2011, 4, 16-25. | 5.1 | 127 |
| 9 | Global gene expression profiling identifies new therapeutic targets in acute Kawasaki disease. Genome Medicine, 2014, 6, 541. | 8.2 | 126 |
| 10 | Inositol-Triphosphate 3-Kinase C Mediates Inflammasome Activation and Treatment Response in Kawasaki Disease. Journal of Immunology, 2016, 197, 3481-3489. | 0.8 | 99 |
| 11 | miR-483 Targeting of CTGF Suppresses Endothelial-to-Mesenchymal Transition. Circulation Research, 2017, 120, 354-365. | 4.5 | 93 |
| 12 | Diagnosis of Kawasaki Disease Using a Minimal Whole-Blood Gene Expression Signature. JAMA Pediatrics, 2018, 172, e182293. | 6.2 | 92 |
| 13 | Coronary artery outcomes among children with Kawasaki disease in the United States and Japan. International Journal of Cardiology, 2013, 168, 3825-3828. | 1.7 | 84 |
| 14 | Lymph-Node-First Presentation of Kawasaki Disease Compared with Bacterial Cervical Adenitis and Typical Kawasaki Disease. Journal of Pediatrics, 2013, 162, 1259-1263.e2. | 1.8 | 83 |
| 15 | Human Coronavirus NL63 Is Not Detected in the Respiratory Tracts of Children with Acute Kawasaki Disease. Journal of Infectious Diseases, 2005, 192, 1767-1771. | 4.0 | 75 |
| 16 | Transcript abundance patterns in Kawasaki disease patients with intravenous immunoglobulin resistance. Human Immunology, 2010, 71, 865-873. | 2.4 | 75 |
| 17 | PRINCESS: Privacy-protecting Rare disease International Network Collaboration via Encryption through Software guard extensionS. Bioinformatics, 2017, 33, 871-878. | 4.1 | 75 |
| 18 | The role of TGF-Î ² and myofibroblasts in the arteritis of Kawasaki disease. Human Pathology, 2013, 44, 189-198. | 2.0 | 67 |

Снізато Ѕніміzu

| # | Article | IF | CITATIONS |
|----|--|-------------|---------------|
| 19 | Memory T-cells and characterization of peripheral T-cell clones in acute Kawasaki disease. Autoimmunity, 2010, 43, 317-324. | 2.6 | 62 |
| 20 | Differential Expression of miR-145 in Children with Kawasaki Disease. PLoS ONE, 2013, 8, e58159. | 2.5 | 60 |
| 21 | Treatment Response in Kawasaki Disease Is Associated with Sialylation Levels of Endogenous but Not Therapeutic Intravenous Immunoglobulin G. PLoS ONE, 2013, 8, e81448. | 2.5 | 56 |
| 22 | Review: Found in Translation: International Initiatives Pursuing Interleukinâ€∃ Blockade for Treatment of Acute Kawasaki Disease. Arthritis and Rheumatology, 2017, 69, 268-276. | 5.6 | 51 |
| 23 | Cardiovascular biomarkers in acute Kawasaki disease. International Journal of Cardiology, 2013, 164, 58-63. | 1.7 | 49 |
| 24 | Specificity of regulatory T cells that modulate vascular inflammation. Autoimmunity, 2014, 47, 95-104. | 2.6 | 49 |
| 25 | Kawasaki Disease Outcomes and Response to Therapy in a Multiethnic Community: A 10-Year Experience. Journal of Pediatrics, 2018, 203, 408-415.e3. | 1.8 | 48 |
| 26 | Genetic Variation in the SLC8A1 Calcium Signaling Pathway Is Associated With Susceptibility to Kawasaki Disease and Coronary Artery Abnormalities. Circulation: Cardiovascular Genetics, 2016, 9, 559-568. | 5.1 | 45 |
| 27 | Matrix metalloproteinase haplotypes associated with coronary artery aneurysm formation in patients with Kawasaki disease. Journal of Human Genetics, 2010, 55, 779-784. | 2.3 | 43 |
| 28 | Extensive Ethnic Variation and Linkage Disequilibrium at the FCGR2/3 Locus: Different Genetic Associations Revealed in Kawasaki Disease. Frontiers in Immunology, 2019, 10, 185. | 4.8 | 43 |
| 29 | An Artificial Intelligence-guided signature reveals the shared host immune response in MIS-C and Kawasaki disease. Nature Communications, 2022, 13, 2687. | 12.8 | 37 |
| 30 | Cross-reactive immunity against the SARS-CoV-2 Omicron variant is low in pediatric patients with prior COVID-19 or MIS-C. Nature Communications, 2022, 13, . | 12.8 | 36 |
| 31 | Cardiovascular pathology in 2 young adults with sudden, unexpected death due to coronary aneurysms from Kawasaki disease in childhood. Cardiovascular Pathology, 2015, 24, 310-316. | 1.6 | 35 |
| 32 | Immune response to intravenous immunoglobulin in patients with Kawasaki disease and MIS-C. Journal of Clinical Investigation, 2021, 131, . | 8.2 | 31 |
| 33 | Clustering and climate associations of Kawasaki Disease in San Diego County suggest environmental triggers. Scientific Reports, 2018, 8, 16140. | 3.3 | 29 |
| 34 | Hemolymph analysis and evaluation of newly formulated media for culture of shrimp cells (Penaeus) Tj ETQq0 C |) 0 rgBT /O | verlock 10 Tf |
| 35 | Psoriasiform eruptions during Kawasaki disease (KD): A distinct phenotype. Journal of the American Academy of Dermatology, 2016, 75, 69-76.e2. | 1.2 | 27 |

³⁶Circulating Markers of Inflammation Persist in Children and Adults With Giant Aneurysms After
Kawasaki Disease. Circulation Genomic and Precision Medicine, 2019, 12, e002433.3.626

Снізато Ѕніміzu

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Galectin-3 is a marker of myocardial and vascular fibrosis in Kawasaki disease patients with giant aneurysms. International Journal of Cardiology, 2015, 201, 429-437. | 1.7 | 25 |
| 38 | Differences in GlycA and lipoprotein particle parameters may help distinguish acute kawasaki disease from other febrile illnesses in children. BMC Pediatrics, 2016, 16, 151. | 1.7 | 25 |
| 39 | Phase I/IIa Trial of Atorvastatin in Patients with Acute Kawasaki Disease with Coronary Artery Aneurysm. Journal of Pediatrics, 2019, 215, 107-117.e12. | 1.8 | 24 |
| 40 | INFECTION OF CULTURED EMBRYO CELLS OF THE PACIFIC OYSTER, CRASSOSTREA GIGAS, BY PANTROPIC RETROVIRAL VECTORS. In Vitro Cellular and Developmental Biology - Animal, 2000, 36, 395. | 1.5 | 23 |
| 41 | Role of TGF-β Signaling in Remodeling of Noncoronary Artery Aneurysms in Kawasaki Disease. Pediatric and Developmental Pathology, 2015, 18, 310-317. | 1.0 | 20 |
| 42 | Autoantibodies Against Proteins Previously Associated With Autoimmunity in Adult and Pediatric Patients With COVID-19 and Children With MIS-C. Frontiers in Immunology, 2022, 13, 841126. | 4.8 | 18 |
| 43 | Biomarkers for the Discrimination of Acute Kawasaki Disease From Infections in Childhood. Frontiers in Pediatrics, 2020, 8, 355. | 1.9 | 17 |
| 44 | Characterization of SARSâ€CoVâ€2 and common cold coronavirusâ€specific Tâ€cell responses in MISâ€C and Kawasaki disease children. European Journal of Immunology, 2022, 52, 123-137. | 2.9 | 17 |
| 45 | Epidemiological and Clinical Features of Kawasaki Disease During the COVID-19 Pandemic in the United States. JAMA Network Open, 2022, 5, e2217436. | 5.9 | 16 |
| 46 | Infliximab Pharmacokinetics are Influenced by Intravenous Immunoglobulin Administration in Patients with Kawasaki Disease. Clinical Pharmacokinetics, 2018, 57, 1593-1601. | 3.5 | 15 |
| 47 | Pediatric tolerogenic DCs expressing CD4 and immunoglobulinâ€like transcript receptor (ILT)â€4 secrete ILâ€10 in response to Fc and adenosine. European Journal of Immunology, 2018, 48, 482-491. | 2.9 | 15 |
| 48 | CHARACTERIZATION OF A WHITE BASS (MORONE CHRYSOPS) EMBRYONIC CELL LINE WITH EPITHELIAL FEATURES. In Vitro Cellular and Developmental Biology - Animal, 2003, 39, 29. | 1.5 | 14 |
| 49 | Whole genome sequencing of an African American family highlights toll like receptor 6 variants in Kawasaki disease susceptibility. PLoS ONE, 2017, 12, e0170977. | 2.5 | 14 |
| 50 | Anakinra Treatment in Patients with Acute Kawasaki Disease with Coronary Artery Aneurysms: A Phase I/IIa Trial. Journal of Pediatrics, 2022, 243, 173-180.e8. | 1.8 | 14 |
| 51 | Inflammasome Activation in Children With Kawasaki Disease and Multisystem Inflammatory Syndrome. Arteriosclerosis, Thrombosis, and Vascular Biology, 2021, 41, 2509-2511. | 2.4 | 11 |
| 52 | Temporal Clusters of Kawasaki Disease Cases Share Distinct Phenotypes That Suggest Response to Diverse Triggers. Journal of Pediatrics, 2021, 229, 48-53.e1. | 1.8 | 10 |
| 53 | Identification of novel locus associated with coronary artery aneurysms and validation of loci for susceptibility to Kawasaki disease. European Journal of Human Genetics, 2021, 29, 1734-1744. | 2.8 | 10 |
| 54 | T Cells in Multisystem Inflammatory Syndrome in Children (MIS-C) Have a Predominant CD4+ T Helper Response to SARS-CoV-2 Peptides and Numerous Virus-Specific CD4â^' CD8â^' Double-Negative T Cells. International Journal of Molecular Sciences, 2022, 23, 7219. | 4.1 | 10 |

Снізато Ѕніміzu

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Biomarkers of Inflammation and Fibrosis in Kawasaki Disease Patients Years After Initial Presentation With Low Ejection Fraction. Journal of the American Heart Association, 2020, 9, e014569. | 3.7 | 9 |
| 56 | High-Throughput Screening of Kawasaki Disease Sera for Antiviral Antibodies. Journal of Infectious Diseases, 2020, 222, 1853-1857. | 4.0 | 9 |
| 57 | Pulmonary Artery Dilation and Right Ventricular Function in Acute Kawasaki Disease. Pediatric Cardiology, 2016, 37, 482-490. | 1.3 | 6 |
| 58 | Kawasaki Disease Patient Stratification and Pathway Analysis Based on Host Transcriptomic and Proteomic Profiles. International Journal of Molecular Sciences, 2021, 22, 5655. | 4.1 | 6 |
| 59 | Urotensin 2 in Kawasaki disease pathogenesis. Pediatric Research, 2017, 82, 1048-1055. | 2.3 | 4 |
| 60 | Temporal clustering of Kawasaki disease cases around the world. Scientific Reports, 2021, 11, 22584. | 3.3 | 4 |
| 61 | Bifid T waves on the ECG and genetic variation in <i>calcium channel voltageâ€dependent beta 2 subunit</i> gene (<i>CACNB2</i>) in acute Kawasaki disease. Congenital Heart Disease, 2019, 14, 213-220. | 0.2 | 3 |
| 62 | Biomarkers of inflammation and fibrosis in young adults with history of Kawasaki disease. IJC Heart and Vasculature, 2021, 36, 100863. | 1.1 | 3 |
| 63 | RNA Sequencing Reveals Beneficial Effects of Atorvastatin on Endothelial Cells in Acute Kawasaki Disease. Journal of the American Heart Association, 0, , . | 3.7 | 2 |
| 64 | Bridging a diagnostic Kawasaki disease classifier from a microarray platform to a qRT-PCR assay. Pediatric Research, 0, , . | 2.3 | 1 |
| 65 | Neutralization of SARS-CoV-2 Omicron and other variants in serum from children with vaccination-induced myocarditis. Clinical Infectious Diseases, 2022, , . | 5.8 | 0 |