

# Majid Valizadeh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3906348/publications.pdf>

Version: 2024-02-01

68  
papers

811  
citations

623734

14  
h-index

610901

24  
g-index

69  
all docs

69  
docs citations

69  
times ranked

1086  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dietary determinants of healthy/unhealthy metabolic phenotype in individuals with normal weight or overweight/obesity: a systematic review. <i>Critical Reviews in Food Science and Nutrition</i> , 2023, 63, 5856-5873.	10.3	15
2	Association of childhood obesity phenotypes with early adulthood Carotid Intima-Media Thickness (CIMT): Tehran lipid and glucose study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 249-257.	2.6	4
3	Comparison of mid-term effectiveness and safety of one-anastomosis gastric bypass and sleeve gastrectomy in patients with super obesity (BMI $\geq 50$ kg/m <sup>2</sup> ). <i>Surgery Today</i> , 2022, 52, 854-862.	1.5	3
4	Association of childhood metabolic syndrome and metabolic phenotypes with the carotid intima-media thickness (CIMT) in early adulthood: Tehran lipid and glucose study. <i>International Journal of Cardiology</i> , 2022, 348, 128-133.	1.7	3
5	Effect of Biliopancreatic Limb Length on Weight Loss, Postoperative Complications, and Remission of Comorbidities in One Anastomosis Gastric Bypass: a Systematic Review and Meta-analysis. <i>Obesity Surgery</i> , 2022, 32, 892.	2.1	13
6	A cluster randomized non-inferiority field trial of gestational diabetes mellitus screening. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, , .	3.6	5
7	The association of the age, period, and birth cohort with 15-year changes in body mass index and waist circumference in adults: Tehran lipid and glucose study (TLGS). <i>BMC Public Health</i> , 2022, 22, 418.	2.9	2
8	Anemia After Sleeve Gastrectomy and One-Anastomosis Gastric Bypass: An Investigation Based on the Tehran Obesity Treatment Study (TOTS). <i>World Journal of Surgery</i> , 2022, 46, 1713-1720.	1.6	3
9	Mental health and quality of life in different obesity phenotypes: a systematic review. <i>Health and Quality of Life Outcomes</i> , 2022, 20, 63.	2.4	19
10	Diagnostic accuracy of bilateral inferior petrosal sinus sampling using desmopressin or corticotropin-releasing hormone in ACTH-dependent Cushing's syndrome: A systematic review and meta-analysis. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2022, 23, 881-892.	5.7	11
11	Transition from metabolically healthy to unhealthy overweight/obesity and risk of cardiovascular disease incidence: A systematic review and meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 2041-2051.	2.6	15
12	Nutrient Intake and Deficiency of Patients 1 Year After Bariatric Surgery: Tehran Obesity Treatment Study (TOTS). <i>Journal of Gastrointestinal Surgery</i> , 2021, 25, 911-918.	1.7	16
13	One-year outcomes of bariatric surgery in older adults: a case-matched analysis based on the Tehran Obesity Treatment Study. <i>Surgery Today</i> , 2021, 51, 61-69.	1.5	3
14	A case series of bilateral inferior petrosal sinus sampling with desmopressin in evaluation of ACTH-dependent Cushing's syndrome in Iran. <i>Hormones</i> , 2021, 20, 299-304.	1.9	4
15	Iranian National Clinical Practice Guideline for Exercise in Patients with Diabetes. <i>International Journal of Endocrinology and Metabolism</i> , 2021, 19, e109021.	1.0	3
16	Comparison of the one-year outcomes of bariatric surgery in adolescents and young adults: a matched case-control study, Tehran Obesity Treatment Study (TOTS). <i>Surgery Today</i> , 2021, 51, 1764-1774.	1.5	2
17	Revisonal Surgery After One-Anastomosis Gastric Bypass in a Patient with Limb-Girdle Muscular Dystrophy: Case Report. <i>Obesity Surgery</i> , 2021, 31, 4161-4164.	2.1	0
18	A rare case report of late-onset phytobezoar formation following laparoscopic sleeve gastrectomy: delayed redo bariatric surgery. <i>BMC Surgery</i> , 2021, 21, 254.	1.3	3

#	ARTICLE	IF	CITATIONS
19	Sex disparity in laparoscopic bariatric surgery outcomes: a matched-pair cohort analysis. <i>Scientific Reports</i> , 2021, 11, 12809.	3.3	21
20	Metabolic risk factors among prediabetic individuals and the trajectory toward the diabetes incidence. <i>Journal of Diabetes</i> , 2021, 13, 905-914.	1.8	4
21	Association of obesity phenotypes in adolescents and incidence of early adulthood type 2 diabetes mellitus: Tehran lipid and glucose study. <i>Pediatric Diabetes</i> , 2021, 22, 937-945.	2.9	13
22	Contribution of obesity in increasing type 2 diabetes prevalence in Iranian urban and rural adults during recent decade. <i>Primary Care Diabetes</i> , 2021, 15, 1052-1057.	1.8	1
23	Association of different pathologic subtypes of growth hormone producing pituitary adenoma and remission in acromegaly patients: a retrospective cohort study. <i>BMC Endocrine Disorders</i> , 2021, 21, 186.	2.2	7
24	Body Composition Changes Following Sleeve Gastrectomy Vs. One-Anastomosis Gastric Bypass: Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2021, 31, 5286-5294.	2.1	6
25	Comparison analysis of childhood body mass index cut-offs in predicting adulthood carotid intima media thickness: Tehran lipid and glucose study. <i>BMC Pediatrics</i> , 2021, 21, 494.	1.7	8
26	Predictive Factors of Cholelithiasis After Prophylactic Administration of Ursodeoxycholic Acid Following Laparoscopic Bariatric Surgery: Tehran Obesity Treatment Study. <i>Obesity Surgery</i> , 2021, , 1.	2.1	1
27	Wrist circumference as a novel predictor of transition from metabolically healthy to unhealthy phenotype in overweight/obese adults: a gender-stratified 15.5-year follow-up. <i>BMC Public Health</i> , 2021, 21, 2276.	2.9	8
28	The role of childhood BMI in predicting early adulthood dysglycemia: Tehran lipid and glucose study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 313-319.	2.6	2
29	Presence of CC Genotype for rs17773430 Could Affect the Percentage of Excess Weight Loss 1 Year After Bariatric Surgery: Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2020, 30, 537-544.	2.1	4
30	Effects of bariatric surgery in different obesity phenotypes: Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2020, 30, 461-469.	2.1	6
31	Sleeve gastrectomy vs gastric bypass in improvement of depressive symptoms following one year from bariatric surgery, Tehran Obesity Treatment Study (TOTS). <i>Obesity Research and Clinical Practice</i> , 2020, 14, 73-79.	1.8	7
32	Predictive performance of lipid accumulation product and visceral adiposity index for renal function decline in non-diabetic adults, an 8.6-year follow-up. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 225-234.	1.6	15
33	Two-year outcomes of sleeve gastrectomy versus gastric bypass: first report based on Tehran obesity treatment study (TOTS). <i>BMC Surgery</i> , 2020, 20, 160.	1.3	20
34	Dietary macro- and micro-nutrients intake adequacy at 6th and 12th month post-bariatric surgery. <i>BMC Surgery</i> , 2020, 20, 232.	1.3	10
35	The association between transition from metabolically healthy obesity to metabolic syndrome, and incidence of cardiovascular disease: Tehran lipid and glucose study. <i>PLoS ONE</i> , 2020, 15, e0239164.	2.5	21
36	Genetic markers and continuity of healthy metabolic status: Tehran cardio-metabolic genetic study (TCGS). <i>Scientific Reports</i> , 2020, 10, 13600.	3.3	6

#	ARTICLE	IF	CITATIONS
37	Comparing the Efficacy and Safety of Roux-en-Y Gastric Bypass with One-Anastomosis Gastric Bypass with a Biliopancreatic Limb of 200 or 160Åcm: 1-Year Results of the Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2020, 30, 3528-3535.	2.1	18
38	Successful pregnancy and weight loss management in a woman unknowingly pregnant at the time of bariatric surgery: a case report. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 94.	2.4	7
39	The Relationship Between Preoperative Kidney Function and Weight Loss After Bariatric Surgery in Patients with Estimated Glomerular Filtration Rateâ€‰%â€‰%â€‰%30ÅmL/min: Tehran Obesity Treatment Study. <i>Obesity Surgery</i> , 2020, 30, 1859-1865.		3
40	Abdominal obesity phenotypes and risk of kidney function decline: Tehran Lipid and Glucose Study. <i>Obesity Research and Clinical Practice</i> , 2020, 14, 168-175.	1.8	4
41	Trends in the Prevalence of Severe Obesity among Tehranian Adults: Tehran Lipid and Glucose Study, 1999â€‰2017. <i>Archives of Iranian Medicine</i> , 2020, 23, 378-385.	0.6	8
42	Iranian Endocrine Society Guidelines for Screening, Diagnosis, and Management of Gestational Diabetes Mellitus. <i>International Journal of Endocrinology and Metabolism</i> , 2020, 19, e107906.	1.0	4
43	Comparison of the Modification of Diet in Renal Disease Study and Chronic Kidney Disease Epidemiology Collaboration Equations for Detection of Cardiovascular Risk: Tehran Lipid and Glucose Study. <i>International Journal of Endocrinology and Metabolism</i> , 2020, 18, e101977.	1.0	1
44	Protein-Calorie Malnutrition Requiring Revisional Surgery after One-Anastomosis-Mini-Gastric Bypass (OAGB-MGB): Case Series from the Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2019, 29, 1714-1720.	2.1	40
45	Cost effectiveness of different screening strategies for gestational diabetes mellitus screening: study protocol of a randomized community non-inferiority trial. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 106.	2.7	8
46	Longitudinal Comparison of the Effect of Gastric Bypass to Sleeve Gastrectomy on Liver Function in a Bariatric Cohort: Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2019, 29, 511-518.	2.1	11
47	Trends of Obesity in 10-Years of Follow-up among Tehranian Children and Adolescents: Tehran Lipid and Glucose Study (TLGS). <i>Iranian Journal of Public Health</i> , 2019, 48, 1714-1722.	0.5	4
48	Different Weight Histories and Risk of Incident Coronary Heart Disease and Stroke: Tehran Lipid and Glucose Study. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	9
49	Prevalence of Micronutrient Deficiencies Prior to Bariatric Surgery: Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2018, 28, 2465-2472.	2.1	27
50	Legacy of the Tehran Lipid and Glucose Study: Chronic Kidney Disease. <i>International Journal of Endocrinology and Metabolism</i> , 2018, In Press, e84761.	1.0	1
51	Overweight and Obesity: Twenty Years of Tehran Lipid and Glucose Study Findings. <i>International Journal of Endocrinology and Metabolism</i> , 2018, In Press, e84778.	1.0	18
52	Incidence of abdominal obesity and its risk factors among Tehranian adults. <i>Public Health Nutrition</i> , 2018, 21, 3111-3117.	2.2	1
53	Incidence of obesity and its predictors in children and adolescents in 10Åyears of follow up: Tehran lipid and glucose study (TLGS). <i>BMC Pediatrics</i> , 2018, 18, 245.	1.7	7
54	Abdominal obesity phenotypes and incident diabetes over 12 years of follow-up: The Tehran Lipid and glucose study. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 17-24.	2.8	16

#	ARTICLE	IF	CITATIONS
55	Nonalcoholic Fatty Liver Disease and Liver Fibrosis in Bariatric Patients: Tehran Obesity Treatment Study (TOTS). <i>Hepatitis Monthly</i> , 2018, 18, .	0.2	1
56	Comparative Analysis of Local CDC and IOTF Criteria for Detecting Cardiovascular Risk Factors in Children from Tehran. <i>Iranian Journal of Pediatrics</i> , 2018, In Press, .	0.3	1
57	Comparison of the Effect of Gastric Bypass and Sleeve Gastrectomy on Metabolic Syndrome and its Components in a Cohort: Tehran Obesity Treatment Study (TOTS). <i>Obesity Surgery</i> , 2017, 27, 1697-1704.	2.1	15
58	Influence of topical iodine-containing antiseptics used during delivery on recall rate of congenital hypothyroidism screening program. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017, 30, 973-978.	0.9	7
59	Application of povidone-iodine at delivery significantly increases maternal urinary iodine but not neonatal thyrotropin in an area with iodine sufficiency. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2017, 30, 967-972.	0.9	5
60	The Impact of Vitamin D Supplementation on Post-Partum Glucose Tolerance and Insulin Resistance in Gestational Diabetes: A Randomized Controlled Trial. <i>International Journal of Endocrinology and Metabolism</i> , 2016, 14, e34312.	1.0	19
61	Divergent pathway of lipid profile components for cardiovascular disease and mortality events: Results of over a decade follow-up among Iranian population. <i>Nutrition and Metabolism</i> , 2016, 13, 43.	3.0	17
62	The Risk Factors and Incidence of Type 2 Diabetes Mellitus and Metabolic Syndrome in Women With Previous Gestational Diabetes. <i>International Journal of Endocrinology and Metabolism</i> , 2015, 13, e21696.	1.0	21
63	The effect of ginger consumption on glycemic status, lipid profile and some inflammatory markers in patients with type 2 diabetes mellitus. <i>International Journal of Food Sciences and Nutrition</i> , 2014, 65, 515-520.	2.8	156
64	Thyroid Nodule in an Eighteen-Year-Old Man as the First Presentation of Acute Lymphoblastic Leukemia. <i>International Journal of Endocrinology and Metabolism</i> , 2014, 12, e17364.	1.0	4
65	Mortality after low trauma hip fracture: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 143.	1.9	27
66	High Incidence and Recall Rate of Congenital Hypothyroidism in Zanjan Province, a Health Problem or a Study Challenge?. <i>International Journal of Endocrinology and Metabolism</i> , 2011, 9, 338-342.	1.0	4
67	Efficacy of Combined Levothyroxine and Liothyronine as Compared with Levothyroxine Monotherapy in Primary Hypothyroidism: A Randomized Controlled Trial. <i>Endocrine Research</i> , 2009, 34, 80-89.	1.2	51
68	Epidemiology of hip fractures in Zanjan, Iran. <i>Archives of Osteoporosis</i> , 2008, 3, 1-5.	2.4	12