

Dong Hoon Choi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3911162/publications.pdf>

Version: 2024-02-01

331
papers

7,814
citations

66343

42
h-index

85541

71
g-index

333
all docs

333
docs citations

333
times ranked

8460
citing authors

#	ARTICLE	IF	CITATIONS
1	Diketopyrrolopyrrole: brilliant red pigment dye-based fluorescent probes and their applications. <i>Chemical Society Reviews</i> , 2015, 44, 58-77.	38.1	352
2	Recent progress in second-order nonlinear optical polymers and dendrimers. <i>Progress in Polymer Science</i> , 2008, 33, 1013-1058.	24.7	351
3	2,5-Bis(2-octyldodecyl)pyrrolo[3,4- <i>c</i>]pyrrole-1,4-(2- <i>H</i> ,5- <i>H</i>)-dione-Based Donor-Acceptor Alternating Copolymer Bearing 5,5-Di(thiophen-2-yl)-2,2-biselenophene Exhibiting 1.5 cm ² V ⁻¹ s ⁻¹ Hole Mobility in Thin-Film Transistors. <i>Journal of the American Chemical Society</i> , 2011, 133, 10364-10367.	13.7	337
4	Importance of Solubilizing Group and Backbone Planarity in Low Band Gap Polymers for High Performance Ambipolar field-effect Transistors. <i>Chemistry of Materials</i> , 2012, 24, 1316-1323.	6.7	168
5	Thermally activated delayed fluorescence blue dopants and hosts: from the design strategy to organic light-emitting diode applications. <i>Journal of Materials Chemistry C</i> , 2016, 4, 11355-11381.	5.5	162
6	Theory-Guided Design and Synthesis of Multichromophore Dendrimers: An Analysis of the Electro-optic Effect. <i>Journal of the American Chemical Society</i> , 2007, 129, 7523-7530.	13.7	149
7	Recent breakthroughs in thermally activated delayed fluorescence organic light emitting diodes containing non-doped emitting layers. <i>Journal of Materials Chemistry C</i> , 2019, 7, 2172-2198.	5.5	145
8	Non-volatile Ferroelectric Poly(vinylidene fluoride-co-trifluoroethylene) Memory Based on a Single-Crystalline Triisopropylsilylethynyl Pentacene Field-Effect Transistor. <i>Advanced Functional Materials</i> , 2009, 19, 1609-1616.	14.9	139
9	Complementary Absorbing Star-Shaped Small Molecules for the Preparation of Ternary Cascade Energy Structures in Organic Photovoltaic Cells. <i>Advanced Functional Materials</i> , 2013, 23, 1556-1565.	14.9	138
10	Novel Dendritic Chromophores for Electro-optics: Influence of Binding Mode and Attachment Flexibility on Electro-optic Behavior. <i>Chemistry of Materials</i> , 2006, 18, 344-351.	6.7	127
11	Highly Photosensitive Aggregated Single-Crystalline Organic Transistors. <i>Advanced Materials</i> , 2011, 23, 3095-3099.	21.0	119
12	Highly Sensitive, Photocontrolled, Organic Thin-Film Transistors Using Soluble Star-Shaped Conjugated Molecules. <i>Advanced Functional Materials</i> , 2008, 18, 2905-2912.	14.9	97
13	Eco-Friendly Solvent-Processed Fullerene-Free Polymer Solar Cells with over 9.7% Efficiency and Long-Term Performance Stability. <i>Advanced Energy Materials</i> , 2017, 7, 1700566.	19.5	97
14	Synthesis and characterization of UV-curable ladder-like polysilsesquioxane. <i>Journal of Polymer Science Part A</i> , 2011, 49, 5012-5018.	2.3	86
15	High Aspect Ratio Conjugated Polymer Nanowires for High Performance Field-Effect Transistors and Phototransistors. <i>ACS Nano</i> , 2015, 9, 5264-5274.	14.6	76
16	Solution-processed thermally activated delayed fluorescence organic light-emitting diodes using a new polymeric emitter containing non-conjugated cyclohexane units. <i>Polymer Chemistry</i> , 2018, 9, 1318-1326.	3.9	73
17	Ultra-Deep-Blue Aggregation-Induced Delayed Fluorescence Emitters: Achieving Nearly 16% EQE in Solution-Processed Nondoped and Doped OLEDs with CIE γ ; 0.1. <i>Advanced Functional Materials</i> , 2021, 31, 2102588.	14.9	69
18	Unusually High-Performing Organic Field-Effect Transistors Based on π -Extended Semiconducting Porphyrins. <i>Advanced Materials</i> , 2012, 24, 5363-5367.	21.0	67

#	ARTICLE	IF	CITATIONS
19	High-Performance Polymer Solar Cell with Single Active Material of Fully Conjugated Block Copolymer Composed of Wide-Band gap Donor and Narrow-Band gap Acceptor Blocks. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 18974-18983.	8.0	66
20	Color-Tunable Boron-Based Emitters Exhibiting Aggregation-Induced Emission and Thermally Activated Delayed Fluorescence for Efficient Solution-Processable Nondoped Deep-Blue to Sky-Blue OLEDs. <i>Advanced Optical Materials</i> , 2020, 8, 1902175.	7.3	66
21	Soluble Star-Shaped Molecules Based on Thiophene Derivatives as Organic Semiconductors for Field-Effect Transistor Applications. <i>Chemistry of Materials</i> , 2007, 19, 4925-4932.	6.7	65
22	A phenothiazine-based "naked-eye" fluorescent probe for the dual detection of Hg ²⁺ and Cu ²⁺ : Application as a solid state sensor. <i>Dyes and Pigments</i> , 2016, 125, 1-7.	3.7	64
23	Template-Guided Solution-Shearing Method for Enhanced Charge Carrier Mobility in Diketopyrrolopyrrole-Based Polymer Field-Effect Transistors. <i>Advanced Materials</i> , 2014, 26, 6031-6035.	21.0	63
24	High-performance bipolar host materials for blue TADF devices with excellent external quantum efficiencies. <i>Journal of Materials Chemistry C</i> , 2016, 4, 4512-4520.	5.5	63
25	Deep Learning Optical Spectroscopy Based on Experimental Database: Potential Applications to Molecular Design. <i>Jacs Au</i> , 2021, 1, 427-438.	7.9	61
26	High photo- and electroluminescence efficiencies of ladder-like structured polysilsesquioxane with carbazole groups. <i>Journal of Materials Chemistry</i> , 2010, 20, 9852.	6.7	57
27	High mobility isoindigo-based π -extended conjugated polymers bearing di(thienyl)ethylene in thin-film transistors. <i>Polymer Chemistry</i> , 2013, 4, 5688.	3.9	55
28	Significantly Improved Morphology and Efficiency of Nonhalogenated Solvent-Processed Solar Cells Derived from a Conjugated Donor-Acceptor Block Copolymer. <i>Advanced Science</i> , 2020, 7, 1902470.	11.2	55
29	Unconventional Three-Armed Luminogens Exhibiting Both Aggregation-Induced Emission and Thermally Activated Delayed Fluorescence Resulting in High-Performing Solution-Processed Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 14966-14977.	8.0	53
30	Red Emitting Phenothiazine Dendrimers Encapsulated 2-[2-(4-Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td (Dimethylaminophenyl) Materials, 2007, 19, 42-50.	6.7	52
31	Novel Zinc Oxide Inks with Zinc Oxide Nanoparticles for Low-Temperature, Solution-Processed Thin-Film Transistors. <i>Chemistry of Materials</i> , 2012, 24, 3517-3524.	6.7	52
32	High-efficiency blue phosphorescent organic light-emitting diodes using a carbazole and carboline-based host material. <i>Chemical Communications</i> , 2013, 49, 6788.	4.1	52
33	Nanosopic Management of Molecular Packing and Orientation of Small Molecules by a Combination of Linear and Branched Alkyl Side Chains. <i>ACS Nano</i> , 2014, 8, 5988-6003.	14.6	52
34	Bis(thienothiophenyl) Diketopyrrolopyrrole-Based Conjugated Polymers with Various Branched Alkyl Side Chains and Their Applications in Thin-Film Transistors and Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 3280-3288.	8.0	52
35	Enhanced Efficiency and Long-Term Stability of Perovskite Solar Cells by Synergistic Effect of Nonhygroscopic Doping in Conjugated Polymer-Based Hole-Transporting Layer. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 43846-43854.	8.0	51
36	Dual channel receptor based on diketopyrrolopyrrole alkyne conjugate for detection of Hg ²⁺ /Cu ²⁺ by "naked eye" and fluorescence. <i>Sensors and Actuators B: Chemical</i> , 2014, 190, 542-548.	7.8	49

#	ARTICLE	IF	CITATIONS
37	Donor engineered Deep-Blue emitters for tuning luminescence mechanism in Solution-Processed OLEDs. <i>Chemical Engineering Journal</i> , 2021, 416, 129185.	12.7	49
38	Novel Polymer Nanowire Crystals of Diketopyrrolopyrrole-Based Copolymer with Excellent Charge Transport Properties. <i>Advanced Materials</i> , 2013, 25, 4102-4106.	21.0	48
39	New M- and V-shaped perylene diimide small molecules for high-performance nonfullerene polymer solar cells. <i>Chemical Communications</i> , 2016, 52, 8873-8876.	4.1	48
40	Excellent Long-Term Stability of Power Conversion Efficiency in Non-Fullerene-Based Polymer Solar Cells Bearing Tricyanovinylene-Functionalized n-Type Small Molecules. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 8838-8847.	8.0	46
41	Facile one-pot polymerization of a fully conjugated donor-acceptor block copolymer and its application in efficient single component polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 21280-21289.	10.3	45
42	Optical, electro-optic and optoelectronic properties of natural and chemically modified DNAs. <i>Polymer Journal</i> , 2012, 44, 1191-1208.	2.7	44
43	Chemically Cross-Linked Thin Poly(vinylidene fluoride-co-trifluoroethylene) Films for Nonvolatile Ferroelectric Polymer Memory. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 582-589.	8.0	43
44	Ground-State Interaction and Electrical Doping of Fluorinated C ₆₀ in Conjugated Polymers. <i>Advanced Materials</i> , 2009, 21, 4456-4460.	21.0	41
45	Organic thin film transistors using 6,13-bis(tri-isopropylsilylethynyl)pentacene embedded into polymer binders. <i>Applied Physics Letters</i> , 2009, 94, 013506.	3.3	40
46	High-performance organic thin film transistors based on inkjet-printed polymer/TIPS pentacene blends. <i>Organic Electronics</i> , 2012, 13, 1329-1339.	2.6	40
47	Tunable emission of polymer light emitting diodes bearing green-emitting Ir(III) complexes: The structural role of 9-((6-(4-fluorophenyl)pyridin-3-yl)methyl)-9H-carbazole ligands. <i>Dyes and Pigments</i> , 2010, 85, 143-151.	3.7	39
48	Acene-Containing Donor-Acceptor Conjugated Polymers: Correlation between the Structure of Donor Moiety, Charge Carrier Mobility, and Charge Transport Dynamics in Electronic Devices. <i>Macromolecules</i> , 2014, 47, 3747-3754.	4.8	39
49	Optimized structure of silane-core containing host materials for highly efficient blue TADF OLEDs. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6570-6577.	5.5	39
50	Improved Temporal Stability of the Second-Order Nonlinear Optical Effect in a Sol-Gel Matrix Bearing an Active Chromophore. <i>Chemistry of Materials</i> , 1998, 10, 705-709.	6.7	38
51	Photochemically bifunctional epoxy compound containing a chalcone moiety. <i>European Polymer Journal</i> , 2001, 37, 1951-1959.	5.4	38
52	New Bipolar Host Materials for Realizing Blue Phosphorescent Organic Light-Emitting Diodes with High Efficiency at 1000 cd/m ² . <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19808-19815.	8.0	38
53	Direct Photolithographic Patterning of Colloidal Quantum Dots Enabled by UV-Crosslinkable and Hole-Transporting Polymer Ligands. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 42153-42160.	8.0	38
54	Stability of second-order nonlinear optical properties in sol-gel matrix bearing silylated chalcone and disperse red 1. <i>Thin Solid Films</i> , 2000, 360, 213-221.	1.8	37

#	ARTICLE	IF	CITATIONS
55	(D) _n –f–(A) _m type partially conjugated block copolymer and its performance in single-component polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 9745-9751.	10.3	37
56	Dendronized tricyanopyrroline-based chromophores in nonlinear optical active host polymer. <i>Journal of Polymer Science Part A</i> , 2008, 46, 5064-5076.	2.3	36
57	Semiconducting 2,6,9,10-Tetrakis(phenylethynyl)anthracene Derivatives: Effect of Substitution Positions on Molecular Energies. <i>Organic Letters</i> , 2011, 13, 1948-1951.	4.6	36
58	Enhanced Performance of Polymer Solar Cells Comprising Diketopyrrolopyrrole-Based Regular Terpolymer Bearing Two Different π -Extended Donor Units. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 28303-28310.	8.0	35
59	Chromenopyrazole-Based Bipolar Blue Host Materials for Highly Efficient Thermally Activated Delayed Fluorescence Organic Light-Emitting Diodes. <i>Chemistry of Materials</i> , 2018, 30, 5005-5012.	6.7	35
60	Novel dendritic large molecules as solution-processable thermally activated delayed fluorescent emitters for simple structured non-doped organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018, 6, 1160-1170.	5.5	34
61	Low-threshold blue amplified spontaneous emission in a statistical copolymer and its blend. <i>Applied Physics Letters</i> , 2002, 81, 424-426.	3.3	33
62	High-Performance Single-Crystal-Based Organic Field-Effect Transistors from π -Extended Porphyrin Derivatives. <i>Chemistry - A European Journal</i> , 2011, 17, 7772-7776.	3.3	33
63	A fluorescence turn-on and colorimetric probe based on a diketopyrrolopyrrole-tellurophene conjugate for efficient detection of hydrogen peroxide and glutathione. <i>Dyes and Pigments</i> , 2014, 100, 118-126.	3.7	33
64	Crystallinity-Controlled Naphthalene- <i>alt</i> -diketopyrrolopyrrole Copolymers for High-Performance Ambipolar Field Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2012, 116, 26204-26213.	3.1	32
65	A bifunctional colorimetric fluorescent probe for Hg ²⁺ and Cu ²⁺ based on a carbazole-pyrimidine conjugate: chromogenic and fluorogenic recognition on TLC, silica-gel and filter paper. <i>Organic and Biomolecular Chemistry</i> , 2015, 13, 7149-7153.	2.8	32
66	π -Conjugated polymers derived from 2,5-bis(2-decyltetradecyl)-3,6-di(selenophen-2-yl)pyrrolo[3,4-c]pyrrole-1,4(2H,5H)-dione for high-performance thin film transistors. <i>Polymer Chemistry</i> , 2015, 6, 1777-1785.	3.9	32
67	Photochromic behavior of spiropyran in the photoreactive polymer containing chalcone moieties. <i>Dyes and Pigments</i> , 2004, 61, 235-242.	3.7	31
68	Deep-red light-emitting phosphorescent dendrimer encapsulated tris(2-benzo[<i>b</i>]thiophen-2-yl)pyridyl iridium (III) core for light-emitting device applications. <i>Journal of Polymer Science Part A</i> , 2008, 46, 7517-7533.	2.3	31
69	A 6,13-bis(Triisopropylsilylethynyl) Pentacene Thin-Film Transistor Using a Spun-On Inorganic Gate-Dielectric. <i>IEEE Transactions on Electron Devices</i> , 2008, 55, 500-505.	3.0	31
70	Heteroarene-fused π -conjugated main-chain polymers containing 4,7-bis(4-octylthiophen-2-yl)benzo[<i>c</i>][1,2,5]thiadiazole or 2,5-bis(4-octylthiophen-2-yl)thiazolo[5,4- <i>cd</i>]thiazole and their application to photovoltaic devices. <i>Journal of Polymer Science Part A</i> , 2010, 48, 5921-5929.	3.6	31
71	Stability control of the electrooptic effect with new maleimide copolymers containing photoreactive tricyanopyrrolidene-based chromophores. <i>Journal of Polymer Science Part A</i> , 2007, 45, 531-542.	2.3	30
72	Molecular design of donor-acceptor-type cruciform dyes for efficient dyes-sensitized solar cells. <i>Synthetic Metals</i> , 2010, 160, 1754-1760.	3.9	29

#	ARTICLE	IF	CITATIONS
73	Chemodosimeter approach: Selective detection of fluoride ion using a diketopyrrolopyrrole derivative. <i>Dyes and Pigments</i> , 2014, 103, 154-160.	3.7	29
74	Highly efficient and highly stable terpolymer-based all-polymer solar cells with broad complementary absorption and robust morphology. <i>Journal of Materials Chemistry A</i> , 2018, 6, 10095-10103.	10.3	29
75	Hole-Transporting Side-Chain Polymer Bearing a Thermally Crosslinkable Bicyclo[4.2.0]octa-1,3,5-trien-3-yl Group for High-Performing Thermally Activated Delayed Fluorescence OLED. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 17602-17609.	8.0	29
76	Semiconducting 2,3,6,7,10,11-Hexakis[[4-(5-dodecylthiophen-2-yl)phenyl]ethynyl]triphenylene and Its Discotic Liquid Crystalline Properties. <i>Chemistry Letters</i> , 2010, 39, 396-397.	1.3	28
77	Highly efficient bipolar host materials towards solution-processable blue and green thermally activated delayed fluorescence organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10000-10009.	5.5	28
78	Novel molecular triad exhibiting aggregation-induced emission and thermally activated fluorescence for efficient non-doped organic light-emitting diodes. <i>Chemical Communications</i> , 2019, 55, 9475-9478.	4.1	28
79	Aggregation-induced emission luminogens for organic light-emitting diodes with a single-component emitting layer. <i>Aggregate</i> , 2023, 4, .	9.9	28
80	Two Regioisomeric π -Conjugated Small Molecules: Synthesis, Photophysical, Packing, and Optoelectronic Properties. <i>Advanced Functional Materials</i> , 2017, 27, 1701942.	14.9	27
81	Aryl-Annulated [3,2- <i>a</i>] Carbazole-Based Deep-Blue Soluble Emitters for High-Efficiency Solution-Processed Thermally Activated Delayed Fluorescence Organic Light-Emitting Diodes with CIE ≥ 0.1 . <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 61454-61462.	8.0	27
82	A new n-type semiconducting molecule with an asymmetric indenothiophene core for a high-performing non-fullerene type organic solar cell. <i>Journal of Materials Chemistry C</i> , 2017, 5, 7182-7190.	5.5	26
83	Achievement of high efficiency with extremely low efficiency roll-off in solution-processed thermally activated delayed fluorescence OLEDs manufactured using xanthone-based bipolar host materials. <i>Journal of Materials Chemistry C</i> , 2020, 8, 6780-6787.	5.5	26
84	New growth method of rubrene single crystal for organic field-effect transistor. <i>Synthetic Metals</i> , 2007, 157, 481-484.	3.9	25
85	Photoreactive low-bandgap 4H-cyclopenta[2,1-b:3,4- <i>b'</i>]dithiophene and 4,7-di(thiophen-2-yl)benzo[c][1,2,5]thiadiazole-based alternating copolymer for polymer solar cell. <i>Organic Electronics</i> , 2011, 12, 269-278.	2.6	25
86	Rational design of a main chain conjugated copolymer having donor-acceptor heterojunctions and its application in indoor photovoltaic cells. <i>Journal of Materials Chemistry A</i> , 2020, 8, 20091-20100.	10.3	25
87	Carbazolevinylene-based polymers and model compounds with oxadiazole and triphenylamine segments: Synthesis, photophysics, and electroluminescence. <i>Journal of Polymer Science Part A</i> , 2008, 46, 5592-5603.	2.3	24
88	p-type doping in organic light emitting diodes based on fluorinated C60. <i>Journal of Applied Physics</i> , 2008, 104, .	2.5	24
89	Diketopyrrolopyrrole-based copolymers bearing highly π -extended donating units and their thin-film transistors and photovoltaic cells. <i>Polymer Chemistry</i> , 2015, 6, 150-159.	3.9	24
90	Photochromic behavior of new bifunctional copolymer containing spiropyran and chalcone moiety in the side chain. <i>Dyes and Pigments</i> , 2003, 58, 105-112.	3.7	23

#	ARTICLE	IF	CITATIONS
91	Electro-optic property of chromophore-terminated trifunctional dendrimer in a guest–host system. <i>Thin Solid Films</i> , 2006, 515, 2303-2309.	1.8	23
92	Donor–acceptor alternating π -conjugated polymers containing Di(thiophen-2-yl)pyrene and 2,5-bis(2-octyldodecyl)pyrrolo[3,4-c]pyrrole-1,4-dione for organic thin-film transistors. <i>Journal of Polymer Science Part A</i> , 2013, 51, 1457-1467.	2.3	23
93	Effect of branched alkyl side chains on the performance of thin-film transistors and photovoltaic cells fabricated with isoindigo-based conjugated polymers. <i>Journal of Polymer Science Part A</i> , 2015, 53, 1226-1234.	2.3	23
94	Photochemical reactions of a dimethacrylate compound containing a chalcone moiety in the main chain. <i>European Polymer Journal</i> , 2002, 38, 1559-1564.	5.4	22
95	Synthesis and characterization of ladder-like structured polysilsesquioxane with carbazole group. <i>Macromolecular Research</i> , 2011, 19, 261-265.	2.4	22
96	Perylene diimide isomers containing a simple sp ³ -core for non-fullerene-based polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 663-671.	10.3	22
97	Synthesis and second-order nonlinear optical properties of polymethacrylates containing organic salt dye chromophore. <i>Chemistry of Materials</i> , 1992, 4, 1253-1256.	6.7	21
98	Photoactive polyamideimides synthesized by the polycondensation of azo-dye diamines and rosin derivative. <i>Journal of Applied Polymer Science</i> , 2001, 79, 687-695.	2.6	21
99	Channel width effect for organic thin film transistors using TIPS-pentacene employed as a dopant of poly-triarylamine. <i>Organic Electronics</i> , 2009, 10, 729-734.	2.6	21
100	New semiconducting multi-branched conjugated molecules based on π -extended triphenylene and its application to organic field-effect transistor. <i>Thin Solid Films</i> , 2009, 518, 501-506.	1.8	21
101	Ultrathin, Organic, Semiconductor/Polymer Blends by Scanning Corona-Discharge Coating for High-Performance Organic Thin-Film Transistors. <i>Advanced Functional Materials</i> , 2010, 20, 2903-2910.	14.9	21
102	High-Performing Thin-Film Transistors in Large Spherulites of Conjugated Polymer Formed by Epitaxial Growth on Removable Organic Crystalline Templates. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 13431-13439.	8.0	21
103	Tunable light harvesting properties of a highly crystalline alternating terpolymer for high-performing solar cells. <i>Polymer Chemistry</i> , 2015, 6, 5478-5486.	3.9	21
104	Effect of a methyl thiophene-3-carboxylate bridge in an indacenodithiophene-based acceptor–donor–acceptor-type molecule on the performance of non-fullerene polymer solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7549-7556.	5.5	21
105	High-efficiency non-fullerene polymer solar cell fabricated by a simple process using new conjugated terpolymers. <i>Journal of Materials Chemistry C</i> , 2019, 7, 111-118.	5.5	21
106	High-Performance, Solution-Processable Thermally Activated Delayed Fluorescent Organic Light-Emitting Diodes Realized via the Adjustment of the Composition of the Organoboron Acceptor Monomer in Copolymer Host Materials. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 35300-35310.	8.0	21
107	Rational Design of Carbazole- and Carboline-Based Polymeric Host Materials for Realizing High-Efficiency Solution-Processed Thermally Activated Delayed Fluorescence Organic Light-Emitting Diode. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 8485-8494.	8.0	21
108	Novel V-Shaped Bipolar Host Materials for Solution-Processed Thermally Activated Delayed Fluorescence OLEDs. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 49076-49084.	8.0	21

#	ARTICLE	IF	CITATIONS
109	A tricyanopyrroline-based nonlinear optical chromophore bearing a lateral moiety: A novel steric technique for enhancing the electro-optic effect. <i>Dyes and Pigments</i> , 2008, 79, 193-199.	3.7	20
110	Phosphorescent, green-emitting Ir(III) complexes with carbazolyl-substituted 2-phenylpyridine ligands: Effect of binding mode of the carbazole group on photoluminescence and electrophosphorescence. <i>Dyes and Pigments</i> , 2009, 83, 218-224.	3.7	20
111	9,10-Bis(phenylethynyl)anthracene-based organic semiconducting molecules for annealing-free thin film transistors. <i>Synthetic Metals</i> , 2010, 160, 1022-1029.	3.9	20
112	High-performance amorphous donor-acceptor conjugated polymers containing π -shaped anthracene-based monomer and 2,5-bis(2-octyldodecyl)pyrrolo[3,4-c]pyrrole-1,4(2H,5H)-dione for organic thin-film transistors. <i>Journal of Polymer Science Part A</i> , 2012, 50, 2809-2818.		20
113	Luminescence properties of MEH-PPV and its crosslinked polymer: Effect of crosslink on photoluminescence and electroluminescence. <i>Synthetic Metals</i> , 2006, 156, 685-689.	3.9	19
114	High-temperature Ferromagnetism of a Discotic Liquid Crystal Dilutely Intercalated with Iron(III) Phthalocyanine. <i>Advanced Materials</i> , 2010, 22, 4405-4409.	21.0	19
115	Liquid crystalline dialkyl-substituted thienylethenyl [1] benzothieno[3,2-b] benzothiophene derivatives for organic thin film transistors. <i>Organic Electronics</i> , 2010, 11, 1584-1593.	2.6	19
116	Rational design, synthesis, and characterization of a photocrosslinkable hole-transporting polymer for high performance solution-processed thermally activated delayed fluorescence OLEDs. <i>Journal of Materials Chemistry C</i> , 2020, 8, 4572-4579.	5.5	19
117	Synthesis and characterization of a new photoconducting poly(siloxane) having pendant diphenylhydrazone for photorefractive applications. <i>Macromolecular Research</i> , 2003, 11, 431-436.	2.4	18
118	Effect of binding mode on the photoluminescence of CTMA-DNA doped with (E)-2-(2-(4-(diethylamino)styryl)-4H-pyran-4-ylidene)malononitrile. <i>Polymer</i> , 2008, 49, 5417-5423.	3.8	18
119	Organic donor-acceptor molecules based on 1,2,4,5-tetrakis((E)-2-(5-hexyl-2,2-bithiophen-5-yl)vinyl)benzene and perylene diimide derivative and their application to photovoltaic devices. <i>Organic Electronics</i> , 2009, 10, 1429-1441.	2.6	18
120	Enhanced Performance of Organic Photovoltaic Cells Fabricated with a Methyl Thiophene-3-Carboxylate-Containing Alternating Conjugated Copolymer. <i>Macromolecular Rapid Communications</i> , 2012, 33, 146-151.	3.9	18
121	Enhancement of photovoltaic performance in dye-sensitized solar cells fabricated with dendritic photosensitizer containing site-isolated chromophores. <i>Dyes and Pigments</i> , 2013, 99, 986-994.	3.7	18
122	An Unsymmetrically π -Extended Porphyrin-Based Single-Crystal Field-Effect Transistor and Its Anisotropic Carrier Transport Behavior. <i>Chemistry - A European Journal</i> , 2013, 19, 2247-2251.	3.3	18
123	New fluorene-based chiral copolymers with unusually high optical activity in pristine and annealed thin films. <i>RSC Advances</i> , 2016, 6, 23879-23886.	3.6	18
124	Influence of Branched Alkyl Ester-Labeled Side Chains on Specific Chain Arrangement and Charge-Transport Properties of Diketopyrrolopyrrole-Based Conjugated Polymers. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 40681-40691.	8.0	18
125	An excellent bipolar host material exhibiting EQE of 24.0% with small efficiency roll-off in solution-processable thermally activated delayed fluorescence OLEDs. <i>Journal of Materials Chemistry C</i> , 2019, 7, 13930-13938.	5.5	18
126	Photoreactive π -conjugated star-shaped molecules for the organic field-effect transistor. <i>Organic Electronics</i> , 2009, 10, 607-617.	2.6	17

#	ARTICLE	IF	CITATIONS
127	Low-bandgap biophotonic nanoblend: A platform for systemic disease targeting and functional imaging. <i>Biomaterials</i> , 2015, 39, 225-233.	11.4	17
128	Isoindigo-based polymer solar cells with high open circuit voltages up to 1.01 V. <i>Organic Electronics</i> , 2016, 34, 157-163.	2.6	17
129	Regular terpolymers with fluorinated bithiophene units for high-performing photovoltaic cells. <i>Polymer Chemistry</i> , 2016, 7, 5069-5078.	3.9	17
130	Effect of acceptor strength in new acceptor-donor-acceptor-type molecules on their miscibility with donor polymers for bulk-heterojunction fullerene-free solar cells. <i>Dyes and Pigments</i> , 2017, 146, 226-233.	3.7	17
131	Diffraction gratings of photopolymers composed of polyvinylalcohol or polyvinylacetate binder. <i>Macromolecular Research</i> , 2003, 11, 36-41.	2.4	16
132	Star-shaped, nonlinear optical molecular glass bearing 2-(3-cyano-4-{4-[ethyl-(2-hydroxy-ethyl)-amino]-phenyl}-5-oxo-1-{4-[4-(3-oxo-3-phenyl-propenyl)-phenoxy]-butyl}-1,5-dihydro-pyrrol-2-ylidene)-phenyl-1,3-dioxane-5,7-dione. <i>Dyes and Pigments</i> , 2008, 77, 335-342.	5.7	16
133	New π -extended diketopyrrolopyrrole-based conjugated molecules for solution-processed solar cells: Influence of effective conjugation length on power conversion efficiency. <i>Dyes and Pigments</i> , 2014, 108, 7-14.	3.7	16
134	Side-chain engineering of diketopyrrolopyrrole-based copolymer using alkyl ester group for efficient polymer solar cell. <i>Macromolecular Research</i> , 2016, 24, 980-985.	2.4	16
135	Ultrafast Broadband Transient Absorption and Circular Dichroism Reveal Relaxation of a Chiral Copolymer. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 5160-5166.	4.6	16
136	Chromenopyrazole-based bipolar host materials for solution-processable thermally activated delayed fluorescence OLEDs exhibiting high efficiency and low roll-off. <i>Chemical Communications</i> , 2019, 55, 12952-12955.	4.1	16
137	Multifunctional photochromic spiropyran dendrimers and their relaxation behaviors of photochromism. <i>Thin Solid Films</i> , 2006, 500, 52-60.	1.8	15
138	Organic soluble deoxyribonucleic acid (DNA) bearing carbazole moieties and its blend with phosphorescent Ir(III) complexes. <i>Journal of Polymer Science Part A</i> , 2010, 48, 1913-1918.	2.3	15
139	Cleft-form™ electrochemical anion chemosensor with amide and triazole donor groups. <i>Tetrahedron Letters</i> , 2012, 53, 4917-4920.	1.4	15
140	Effect of the thiophene and selenophene moiety in regular terpolymers on the performance of thin film transistors and polymer solar cells. <i>Polymer</i> , 2016, 94, 43-52.	3.8	15
141	Pyrimidine-based bipolar host materials for high efficiency solution processed green thermally activated delayed fluorescence OLEDs. <i>Journal of Materials Chemistry C</i> , 2020, 8, 2196-2204.	5.5	15
142	Optimal Design of PEDOT:PSS Polymer-Based Silver Nanowire Electrodes for Realization of Flexible Polymer Solar Cells. <i>Macromolecular Research</i> , 2021, 29, 75-81.	2.4	15
143	Temporal stability of the electro-optic effect in poled polymethacrylate and polynaphthalate bearing methylsulfonyl benzothiazoyl azo dyes below the glass transition temperature. <i>Polymer</i> , 2001, 42, 793-800.	3.8	14
144	Electro-optic properties of novel heterocyclic gradient bridge chromophores in amorphous polycarbonate. <i>Optical Materials</i> , 2007, 29, 451-456.	3.6	14

#	ARTICLE	IF	CITATIONS
145	Highly soluble green-emitting Ir(III) complexes with 9-(6-phenyl-3-methyl-2-carbazole ligands and their application to polymer light-emitting diodes. <i>Journal of Polymer Science Part A</i> , 2008, 46, 7419-7428.	2.3	14
146	Bulk Heterojunction Organic Photovoltaic Cell Fabricated with a p-Type Conjugated Star-shaped Molecule. <i>Chemistry Letters</i> , 2008, 37, 866-867.	1.3	14
147	Synthesis of multiarmed poly(3-hexyl thiophene) star polymer with microgel core by GRIM and ATRP methods. <i>Journal of Polymer Science Part A</i> , 2011, 49, 4221-4226.	2.3	14
148	Organic field-effect transistors based on semiconducting porphyrin single crystals. <i>Synthetic Metals</i> , 2012, 162, 419-425.	3.9	14
149	Photo-induced negative differential resistance of organic thin film transistors using anthracene derivatives. <i>Organic Electronics</i> , 2013, 14, 2204-2209.	2.6	14
150	Correlation between Polymer Structure and Polymer:Fullerene Blend Morphology and Its Implications for High Performance Polymer Solar Cells. <i>Journal of Physical Chemistry C</i> , 2014, 118, 2237-2244.	3.1	14
151	A diketopyrrolopyrrole-based regular terpolymer bearing two different π -extended donor units and its application in solar cells. <i>Organic Electronics</i> , 2016, 31, 198-206.	2.6	14
152	Circular dichroism, surface-enhanced Raman scattering, and spectroscopic ellipsometry studies of chiral polyfluorene-phenylene films. <i>Optical Materials Express</i> , 2016, 6, 767.	3.0	14
153	Universal polymeric bipolar hosts for highly efficient solution-processable blue and green thermally activated delayed fluorescence OLEDs. <i>Journal of Materials Chemistry C</i> , 2020, 8, 16048-16056.	5.5	14
154	Nonhalogenated Solvent-Processed High-Performance Indoor Photovoltaics Made of New Conjugated Terpolymers with Optimized Monomer Compositions. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 13487-13498.	8.0	14
155	Electro-optic properties of a guest-host system containing a phenothiazine-based chromophore: Effect of the chromophore density on the macroscopic optical nonlinearity. <i>Macromolecular Research</i> , 2004, 12, 484-489.	2.4	13
156	Macroscopic nonlinear optical properties of tricyanopyrrolidene chromophore containing amorphous polycarbonate: Effect of molecular lateral moiety in the conjugative structure. <i>Macromolecular Research</i> , 2006, 14, 603-609.	2.4	13
157	2D- Γ -2A type cruciform host material with silane core for highly efficient solution-processable green thermally activated delayed fluorescence organic light emitting diodes. <i>Dyes and Pigments</i> , 2019, 167, 120-126.	3.7	13
158	Thermally stable maleimide copolymer for second-order nonlinear optics. <i>Journal of Applied Polymer Science</i> , 1996, 59, 9-14.	2.6	12
159	Synthesis of p-type conjugated dendrimers bearing phenothiazine moiety at the periphery and their light-emitting device characterization. <i>Synthetic Metals</i> , 2007, 157, 332-335.	3.9	12
160	Self-Ordering Properties of Functionalized Acenes for Annealing-Free Organic Thin Film Transistors. <i>Journal of Physical Chemistry B</i> , 2013, 117, 10658-10664.	2.6	12
161	Naphthodithiophene-Diketopyrrolopyrrole-Based donor-Acceptor alternating π -Conjugated polymers for Organic thin-Film transistors. <i>Journal of Polymer Science Part A</i> , 2013, 51, 5280-5290.	2.3	12
162	Electrogenerated chemiluminescence of N,N-dimethylamino functionalized tetrakis(phenylethynyl)pyrenes. <i>Tetrahedron</i> , 2013, 69, 5908-5912.	1.9	12

#	ARTICLE	IF	CITATIONS
163	Two-dimensional π -conjugated molecules based on 2,6,9,10-tetra(prop-1-yn-1-yl)anthracene and their application to solution-processed photovoltaic cells. <i>Organic Electronics</i> , 2014, 15, 1521-1530.	2.6	12
164	Semiconducting π -extended porphyrin dimer and its characteristics in OFET and OPVC. <i>Synthetic Metals</i> , 2015, 205, 206-211.	3.9	12
165	Autoxidation in amide-based electrolyte and its suppression for enhanced oxygen efficiency and cycle performance in non-aqueous lithium oxygen battery. <i>Journal of Power Sources</i> , 2017, 347, 186-192.	7.8	12
166	Structural optimization of large acceptor–donor–acceptor-type molecules for improved performance of fullerene-free polymer solar cells. <i>RSC Advances</i> , 2017, 7, 38773-38779.	3.6	12
167	Pyrazine-based hollow spherical self-assemblies: A portable tool for detection of volatile organic amines. <i>Sensors and Actuators B: Chemical</i> , 2021, 343, 130110.	7.8	12
168	Mapping the broadband circular dichroism of copolymer films with supramolecular chirality in time and space. <i>Nature Communications</i> , 2022, 13, 210.	12.8	12
169	Effect of acrylate monomers on the diffraction behavior of photopolymers fabricated with cellulose ester polymer binder. <i>Optical Materials</i> , 2005, 27, 1190-1196.	3.6	11
170	Side-chain effects on electronic structure and molecular stacking arrangement of PCBM spin-coated films. <i>Chemical Physics Letters</i> , 2011, 508, 90-94.	2.6	11
171	Photoinduced energy-transfer and electron-transfer processes in molecules of tetrakis((E)-2-(50-hexyl-2,20-bithiophen-5-yl)vinyl)benzene and perylene diimide. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 218, 17-25.	3.9	11
172	Comparison of magnetic properties of DNA-cetyltrimethyl ammonium complex with those of natural DNA. <i>Science China Chemistry</i> , 2012, 55, 814-821.	8.2	11
173	Effect of solvent on dye-adsorption process and photovoltaic properties of dendritic organic dye on TiO ₂ electrode of dye-sensitized solar cells. <i>Synthetic Metals</i> , 2014, 188, 130-135.	3.9	11
174	Molecular-weight engineering of high-performing diketopyrrolopyrrole-based copolymer bearing high π -extended long donating units. <i>Polymer</i> , 2016, 83, 77-84.	3.8	11
175	Metal-oxide assisted surface treatment of polyimide gate insulators for high-performance organic thin-film transistors. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 15521-15529.	2.8	11
176	High-performing random terpolymer-based nonfullerene polymer solar cells fabricated using solvent additive-free as-cast blend films. <i>Journal of Polymer Science Part A</i> , 2018, 56, 1528-1535.	2.3	11
177	Solution-processed white organic light-emitting diodes with blue fluorescent and orange-red thermally activated delayed fluorescent dendritic luminogens. <i>Dyes and Pigments</i> , 2019, 170, 107650.	3.7	11
178	Improved Stability of All-Polymer Solar Cells Using Crosslinkable Donor and Acceptor Polymers Bearing Vinyl Moieties in the Side-Chains. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 16754-16765.	8.0	11
179	High-efficiency solution-processed green thermally activated delayed fluorescence OLEDs using a polymer-small molecule mixed host. <i>Polymer Chemistry</i> , 2022, 13, 1824-1830.	3.9	11
180	Patterned Sandwich-Type Silver Nanowire-Based Flexible Electrode by Photolithography. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 61463-61472.	8.0	11

#	ARTICLE	IF	CITATIONS
181	Organically modified sol-gel materials for second-order nonlinear optics. <i>Thin Solid Films</i> , 1996, 287, 220-224.	1.8	10
182	Photo-alignment of low-molecular mass nematic liquid crystals on photoreactive polyimide and polymethacrylate film by irradiation of a linearly polarized UV light. <i>Polymer Bulletin</i> , 2002, 48, 373-380.	3.3	10
183	Temperature-dependent carrier recombination processes in nanocrystalline Si/SiO ₂ multilayers studied by continuous-wave and time-resolved photoluminescence. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 1339-1342.	2.8	10
184	Photoluminescence behaviors of organic soluble DNA bearing carbazole and pyrene derivatives as side-chain substituents and effect of the copolymer structure on the Förster energy transfer process. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5416-5425.	2.3	10
185	Photoresponsive characteristics and hysteresis of soluble 6,13-bis(triisopropyl-silylethynyl)-pentacene-based organic thin film transistors with and without annealing. <i>Journal of Applied Physics</i> , 2010, 107, 033711.	2.5	10
186	Two-dimensional X-shaped organic dyes bearing two anchoring groups to TiO ₂ photoanode for efficient dye-sensitized solar cells. <i>Synthetic Metals</i> , 2012, 162, 2095-2101.	3.9	10
187	Novel π -extended porphyrin derivatives for use in dye-sensitized solar cells. <i>Journal of Porphyrins and Phthalocyanines</i> , 2014, 18, 569-578.	0.8	10
188	Importance of varying electron-accepting moieties in regular conjugated terpolymers for use in polymer solar cells. <i>Organic Electronics</i> , 2016, 38, 256-263.	2.6	10
189	Controlled synthesis of multi-armed P3HT star polymers with gold nanoparticle core. <i>RSC Advances</i> , 2016, 6, 49206-49213.	3.6	10
190	New conjugated regular terpolymers based on diketopyrrolopyrrole-benzodithiophene and their application to thin film transistors and polymer solar cells. <i>Synthetic Metals</i> , 2018, 236, 36-43.	3.9	10
191	Synthesis of Conjugated Wide-Bandgap Copolymers Bearing Ladder-Type Donating Units and Their Application to Non-Fullerene Polymer Solar Cells. <i>Macromolecular Research</i> , 2018, 26, 844-850.	2.4	10
192	Asymmetric Host Molecule Bearing Pyridine Core for Highly Efficient Blue Thermally Activated Delayed Fluorescence OLEDs. <i>Chemistry - A European Journal</i> , 2020, 26, 16383-16391.	3.3	10
193	Structural isomers of 9-(pyridin-2-yl)-9H-carbazole in combination with 9,9'-[2,9'-bis(3-tercarbazole) and their application to high efficiency solution processed green TADF OLEDs. <i>Dyes and Pigments</i> , 2020, 179, 108403.	3.7	10
194	Effect of Fused Thiophene Bridges on the Efficiency of Non-Fullerene Polymer Solar Cells made with Conjugated Donor Copolymers Containing Alkyl Thiophene-3-Carboxylate. <i>Macromolecular Research</i> , 2021, 29, 435-442.	2.4	10
195	Donor-Acceptor Type Diphenylaminothiophenyl Anthracene-mediated Organic Photosensitizers for Dye-sensitized Solar Cells. <i>Bulletin of the Korean Chemical Society</i> , 2013, 34, 1081-1088.	1.9	10
196	Electro-optical properties of thermally stable self-crosslinkable copolymer with glycidyl methacrylate units. <i>European Polymer Journal</i> , 1999, 35, 1197-1201.	5.4	9
197	Diffraction behaviors of new photopolymers containing the dendritic molecule. <i>Macromolecular Research</i> , 2005, 13, 477-482.	2.4	9
198	Ellipsometric study of polymer thin films: Nonlinear optical guest-host system. <i>Journal of Applied Physics</i> , 2005, 97, 083543.	2.5	9

#	ARTICLE	IF	CITATIONS
199	Thermally Stable Nonlinear Optical Polymers Based on Polyimides Substituted with Chromophores Containing Julolidine Moiety. <i>Molecular Crystals and Liquid Crystals</i> , 2008, 491, 152-163.	0.9	9
200	Highly efficient tris(8-hydroxyquinoline) aluminum-based organic light-emitting diodes utilized by balanced energy transfer with cosensitizing fluorescent dyes. <i>Applied Physics Letters</i> , 2009, 95, 143305.	3.3	9
201	New semiconducting multi-branched conjugated molecules bearing 3,4-ethylenedioxythiophene-based thiophenyl moieties for organic field effect transistor. <i>Macromolecular Research</i> , 2009, 17, 491-498.	2.4	9
202	Synthesis and Characterization of Fluoro-co-Phenyl Silsesquioxane (FCPSQ) for Low Dielectric Constant Materials. <i>Molecular Crystals and Liquid Crystals</i> , 2010, 520, 231/[507]-238/[514].	0.9	9
203	New acceptor–donor–acceptor-type conjugated molecules bearing naphtho[1,2-b:5,6-b ²]dithiophene and (E)-1,2-di(thiophen-2-yl)ethene and their applications in thin-film transistors and photovoltaic cells. <i>Synthetic Metals</i> , 2015, 206, 24-32.	3.9	9
204	New π -extended triphenylene-based organic semiconductors in field-effect transistors. <i>Synthetic Metals</i> , 2015, 209, 434-440.	3.9	9
205	Dithienothiophene–diketopyrrolopyrrole-containing copolymers with alkyl side-chain and their application to polymer solar cells. <i>Synthetic Metals</i> , 2016, 212, 167-173.	3.9	9
206	Novel wide-bandgap copolymer bearing alkylthio-thiophene-substituted benzodithiophene and methyl thiophene-3-carboxylate for highly stable fullerene-free simple polymer solar cells. <i>Organic Electronics</i> , 2018, 53, 151-159.	2.6	9
207	5H-Benzo[d]Benzo[4,5]Imidazo[2,1-b][1,3]Thiazine as a Novel Electron-Acceptor Cored High Triplet Energy Bipolar Host Material for Efficient Solution-Processable Thermally Activated Delayed Fluorescence Organic Light-Emitting Diodes. <i>Frontiers in Chemistry</i> , 2020, 8, 61.	3.6	9
208	Deep learning for development of organic optoelectronic devices: efficient prescreening of hosts and emitters in deep-blue fluorescent OLEDs. <i>Npj Computational Materials</i> , 2022, 8, .	8.7	9
209	Dynamics of grating formation in photorefractive sol–gel composites. <i>Optical Materials</i> , 2003, 21, 373-377.	3.6	8
210	Fast response of the diffraction efficiency in photopolymer prepared by sol–gel process. <i>Optical Materials</i> , 2004, 27, 85-89.	3.6	8
211	Photopatternability of poly(vinylcarbazole) bearing cinnamate pendants and its blends with a soluble poly(p-phenylene vinylene) derivative. <i>Macromolecular Research</i> , 2007, 15, 142-146.	2.4	8
212	Triplet level-dependent photoluminescence and photoconduction properties of π -conjugated polymer thin films doped by iridium complexes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008, 200, 371-376.	3.9	8
213	5 ² -(Anthracene-9,10-diyl)bis(ethyne-2,1-diyl)bis(2-hexylthiophene) derivatives bearing 5-ethynyl-5 ² -hexyl-2,2 ² -bithiophene and 2-ethynyl-5-hexylthieno[3,2-b]thiophene: Thin film transistors and photovoltaic applications. <i>Synthetic Metals</i> , 2011, 161, 833-843.	3.9	8
214	Organic donor– π -acceptor molecules based-on 5,5 ² -(9,10-bis((4-hexylphenyl)ethynyl)anthracene-2,6-diyl)bis(ethyne-2,1-diyl)bis(2-hexylthiophene). <i>Synthetic Metals</i> , 2012, 162, 1335-1342.	3.9	8
215	Polymer solar cells fabricated with 4,8-bis(2-ethylhexyloxy)benzo[1,2-b:4,5-b ²]dithiophene and alkyl-substituted thiophene-3-carboxylate-containing conjugated polymers: Effect of alkyl side-chain in thiophene-3-carboxylate monomer on the device performance. <i>Polymer</i> , 2012, 53, 3835-3841.	3.8	8
216	Enhanced performance of organic photovoltaic devices by photo-crosslinkable buffer layer. <i>Macromolecular Research</i> , 2013, 21, 65-70.	2.4	8

#	ARTICLE	IF	CITATIONS
217	Novel 9,9-((1,3-phenylene)bis-9H-carbazole-containing copolymers as hole-transporting and host materials for blue phosphorescent polymer light-emitting diodes. <i>Journal of Polymer Science Part A</i> , 2014, 52, 707-718.	2.3	8
218	Quinoxaline-based D-A conjugated polymers for organic solar cells: Probing the effect of quinoxaline side chains and fluorine substitution on the power conversion efficiency. <i>Journal of Polymer Science Part A</i> , 2017, 55, 1209-1218.	2.3	8
219	Ambipolar charge transport in a donor-acceptor-donor-type conjugated block copolymer and its gate-voltage-controlled thin film transistor memory. <i>Journal of Polymer Science Part A</i> , 2017, 55, 3223-3235.	2.3	8
220	Tunable intrinsic semiconducting properties of diketopyrrolopyrrole-based copolymers with electron donating thiophene and electron accepting thiazole moieties. <i>Synthetic Metals</i> , 2018, 236, 1-7.	3.9	8
221	Rational design of a novel isoindigo-based conjugated terpolymer with panchromatic absorption and its application to polymer solar cells. <i>Dyes and Pigments</i> , 2020, 179, 108391.	3.7	8
222	Comparison of the mechanical properties of polymer blend and main-chain conjugated copolymer films with donor-acceptor heterojunctions. <i>Chemical Engineering Journal</i> , 2021, 415, 128952.	12.7	8
223	Improved Photovoltaic Performance of Ternary All-Polymer Solar Cells by Incorporating a New Y6-based Polymer Acceptor and PC61BM. <i>Macromolecular Research</i> , 2022, 30, 587-596.	2.4	8
224	Control of the photorefractive effect using a low T _g sol-gel glass. <i>Polymer Bulletin</i> , 2002, 49, 173-180.	3.3	7
225	Unusual behaviours of photoluminescence by long-term illumination in alkoxy-substituted phenylene vinylene polymer. <i>Synthetic Metals</i> , 2005, 150, 213-216.	3.9	7
226	Soluble terthiophene-labeled cruciform molecule as a semiconductor for organic field-effect transistor. <i>Synthetic Metals</i> , 2007, 157, 497-501.	3.9	7
227	Electro-optic effect of a soluble nonlinear optical polyimide containing two different chromophores with different sizes in the side chain. <i>Macromolecular Research</i> , 2011, 19, 403-407.	2.4	7
228	Highly purified cyclic olefin polymer by ROMP and In situ hydrogenation with ruthenium supported catalyst. <i>Macromolecular Research</i> , 2012, 20, 777-779.	2.4	7
229	Self-Assembled Monolayers Made of 6-(5-((6-((5-hexylthiophen-2-yl)ethynyl)-9,10-bis(phenylethynyl)anthracen-2-yl)ethynyl)thiophen-2-yl)hexyl 3-(Triethoxysilyl)Propylcarbamate for Ultrathin Film Transistors. <i>Langmuir</i> , 2012, 28, 10948-10955.	3.5	7
230	Optical properties of organic semiconductor thin films: 2,6,9,10-tetrakis(phenylethynyl)anthracene. <i>Journal of the Korean Physical Society</i> , 2013, 62, 930-936.	0.7	7
231	Molecular design of large-bandgap host materials and their application to blue phosphorescent organic light-emitting diodes. <i>Organic Electronics</i> , 2015, 26, 218-224.	2.6	7
232	New π -Conjugated polymers containing 4H,4H-[1,1-bithieno [3,4-c]pyrrole]-4,4',6,6'-(5H,5H)-tetraone (biTPD) units and their application to thin-film transistors and photovoltaic cells. <i>Journal of Polymer Science Part A</i> , 2016, 54, 1228-1235.	2.1	7
233	Regioisomeric π -conjugated terpolymers bearing carboxylate substituted thienothiophenyl quarterthiophene and their application to fullerene-free polymer solar cells. <i>Polymer</i> , 2018, 146, 142-150.	3.8	7
234	Stability of the surface relief grating on the thin film of the polyurethane and the polymethacrylate containing an aminonitroazobenzene moiety. <i>Polymer Bulletin</i> , 2001, 46, 395-402.	3.3	6

#	ARTICLE	IF	CITATIONS
235	p-type semiconducting dendrimers bearing thiophenyl peripheral moieties for organic field effect transistors. <i>Applied Physics Letters</i> , 2006, 89, 202109.	3.3	6
236	Ellipsometric study of the poling effect on nonlinear-optical side-chain polymers containing disperse red 1. <i>Journal of Applied Physics</i> , 2007, 102, .	2.5	6
237	Storing Spin-Crossover and LC Phase Transitions Information by Hybridizing Spin-Crossover Complexes with a Thermotropic Polymer Matrix – A Novel Case of Multiple Switching. <i>Molecular Crystals and Liquid Crystals</i> , 2007, 471, 3-10.	0.9	6
238	Poly(2,5-thienylene vinylene) in Nano Shapes by CVD Polymerization. <i>Macromolecular Rapid Communications</i> , 2007, 28, 1057-1061.	3.9	6
239	Enhancement of power conversion efficiency of photovoltaic cell fabricated with 1,2,4,5-tetra(6-hexyl-2-vinyl-dithieno [3,2-b;2,3-d]thiophene)-benzene and methanofullerene [6,6]-phenyl C61-butyric acid methyl ester. <i>Macromolecular Research</i> , 2009, 17, 549-552.	2.4	6
240	Photovoltaic devices fabricated with a p-type conjugated multi-branched molecules. <i>Synthetic Metals</i> , 2009, 159, 396-400.	3.9	6
241	Electroluminescence Property of Highly Soluble Ir(III) Complex Utilized by Various Hole Blocking Layers in Polymer Light Emitting Diodes. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 3250-3253.	0.9	6
242	Gate-field dependent photosensitivity of soluble 1,2,4,5-tetra(5-hexyl-[2,2]terthiophenyl-5-vinyl)-benzene based organic thin film transistors. <i>Journal of Applied Physics</i> , 2010, 108, 023703.	2.5	6
243	Photoresponsive ambipolar transport characteristics of organic thin film transistors using soluble HB-ant-THT and PCBM composites. <i>Synthetic Metals</i> , 2012, 162, 332-336.	3.9	6
244	Synthesis and characterization of wide range light absorbing poly(dithieno[3,2-b:2,3-d]thiophene-alt-3,6-bis(thiophen-2-yl)-2,5-di-n-octyl-pyrrolo[3,4-c]pyrrole-1,4-dione) for polymer solar cells. <i>Synthetic Metals</i> , 2013, 164, 64-68.	3.9	6
245	Diketopyrrolopyrrole-tellurophene polymer for fast, selective, and reversible detection of bromine in solution, vapor, and solid states: A systematic study. <i>Dyes and Pigments</i> , 2015, 123, 317-322.	3.7	6
246	Regular conjugated terpolymers comprising two different acceptors and bithiophene donor in repeating group: Effect of strong and weak acceptors on semiconducting properties. <i>Journal of Polymer Science Part A</i> , 2016, 54, 1339-1347.	2.3	6
247	Potentially self-dopable poly(3-hexylthiophene) block copolymers/carbon nanotube nanocomposites for enhanced processibility and electrical properties. <i>Composites Science and Technology</i> , 2019, 174, 149-157.	7.8	6
248	Coherent acoustic phonon dynamics in chiral copolymers. <i>Structural Dynamics</i> , 2019, 6, 064502.	2.3	6
249	Haze-enhanced ZnO/Ag/ZnO nanomesh electrode for flexible, high-efficiency indoor organic photovoltaics. <i>Journal of Power Sources</i> , 2021, 515, 230589.	7.8	6
250	EFFECT OF PHOTOPOLYMERIZATION AND PHOTOCROSSLINK ON THE PHOTOCHROMIC BEHAVIOR OF A HYBRID SYSTEM COMPOSED OF CHALCONE-EPOXY COMPOUND. <i>Molecular Crystals and Liquid Crystals</i> , 2003, 406, 93-99.	0.9	5
251	p-Type Semiconducting Dendrimers Bearing Thiophenyl Peripheral Moieties: Effect of Alkyl Chains on Molecular Packing Geometry. <i>Macromolecular Symposia</i> , 2007, 249-250, 1-7.	0.7	5
252	Crystal morphology and their lattice contraction control for the topochemical reaction of bis(phenylethenyl)-dicyanopyrazines. <i>Dyes and Pigments</i> , 2008, 76, 422-428.	3.7	5

#	ARTICLE	IF	CITATIONS
253	Synthesis and dielectric properties of photoreactive polystyrene containing [1-(3-isopropenylphenyl)-1-methyl-ethyl]carbamate in the side chain. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1710-1718.	2.3	5
254	Effect of Charge-transporting Molecules on Electrophosphorescence in a Device Fabricated Using Third-generation Dendrimer Encapsulated Tris[2-benzo[<i>b</i>]thiophen-2-ylpyridyl]iridium Complex. <i>Chemistry Letters</i> , 2009, 38, 314-315.	1.3	5
255	High performance semiconducting polymers containing bis(bithiophenyl dithienothiophene)-based repeating groups for organic thin film transistors. <i>Journal of Polymer Science Part A</i> , 2011, 49, 55-64.	2.3	5
256	Diketopyrrolopyrrole-based conjugated small molecules bearing two different acceptor moieties for organic solar cells. <i>Synthetic Metals</i> , 2016, 221, 39-47.	3.9	5
257	Ternary polymer solar cell based on two donors and one acceptor for improving morphology and power conversion efficiency. <i>Synthetic Metals</i> , 2016, 220, 362-368.	3.9	5
258	Improved performance of non-fullerene polymer solar cells by simple structural change of asymmetric acceptor based on indenothiophene. <i>Synthetic Metals</i> , 2018, 246, 164-171.	3.9	5
259	A crucial factor affecting the power conversion efficiency of oxide/metal/oxide-based organic photovoltaics: Optical cavity versus transmittance. <i>Applied Energy</i> , 2019, 235, 1505-1513.	10.1	5
260	New hole transport styrene polymers bearing highly π -extended conjugated side-chain moieties for high-performance solution-processable thermally activated delayed fluorescence OLEDs. <i>Polymer Chemistry</i> , 2021, 12, 1692-1699.	3.9	5
261	A Carbazole Based Bimodal "Turn-On" Fluorescent Probe for Biothiols (Cysteine/Homocysteine) and Fluoride: Sensing, Imaging and its Applications. <i>Bulletin of the Korean Chemical Society</i> , 2014, 35, 3437-3442.	1.9	5
262	Porphyrin-cored amphiphilic star block copolymer photocatalysts: Hydrophobic-layer effects on photooxidation. <i>Materials Letters</i> , 2022, 311, 131577.	2.6	5
263	Photochromic behavior and its stability of a new bifunctional dye composed of spirobenzopyran and a cinnamoyl moiety. <i>Macromolecular Research</i> , 2005, 13, 180-186.	2.4	4
264	Synthesis and Optical Nonlinearity of Thermally Stable Polyimides Incorporated with Electro-Optic Chromophore as Side Chain. <i>Macromolecular Symposia</i> , 2007, 249-250, 21-28.	0.7	4
265	Photoreactive main chain conjugated polymer containing oxetane moieties in the side chain and its application to green electrophosphorescence devices. <i>Synthetic Metals</i> , 2009, 159, 2147-2152.	3.9	4
266	5,5'-((9,10-Bis((4-hexylphenyl)ethynyl)anthracene-2,6-diyl)bis(5-hexyl-2,2'-bithiophene)) as an Organic Semiconductor and its Application to Thin Film Transistors. <i>Molecular Crystals and Liquid Crystals</i> , 2011, 538, 175-181.	0.9	4
267	Two-dimensional extended π -conjugated anthracene-based molecules bearing 4-ethynyl-7-(5-hexylthiophen-2-yl)benzo[<i>c</i>][1,2,5]thiadiazole at 2,6- and 9,10-substitution positions. <i>Synthetic Metals</i> , 2012, 161, 2776-2784.	3.9	4
268	Modulation of carrier mobility of diketopyrrolopyrrole and quaterthiophene containing copolymer with self-assembled monolayers on gate dielectrics of thin film transistors. <i>Synthetic Metals</i> , 2013, 184, 61-67.	3.9	4
269	Electrical and photoelectrical properties of polymer single nanowire made of diketopyrrolopyrrole-based conjugated copolymer bearing dithieno[3,2- <i>b</i> :2',3'- <i>d'</i>]thiophene. <i>Synthetic Metals</i> , 2013, 167, 37-42.	3.9	4
270	High-performance n-type field-effect transistors based on a highly crystalline tricyanovinylidihydrofuran derivative. <i>Chemical Communications</i> , 2016, 52, 13012-13015.	4.1	4

#	ARTICLE	IF	CITATIONS
271	Highly efficient halochromic behaviors in solution and film states with 9,19-dichloro-5,15-dihydrocarbazolo[3,4':5,6][1,4]oxazino[2,3-b]indolo[3,2-h]phenoxazine derivative. <i>Dyes and Pigments</i> , 2019, 160, 372-377.	3.7	4
272	Optical assessment of chiral-achiral polymer blends based on surface plasmon resonance effects of gold nanoparticles. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 095102.	2.8	4
273	Donor-Acceptor Dyad-Based Polymers for Portable Sensors: Controlling Photoinduced Electron Transfer via Tuning the Frontier Molecular Orbital Energies of Acceptors. <i>Macromolecules</i> , 0, , .	4.8	4
274	Silver nanowire/graphene oxide electrode for electrochemical detection of lead ions. <i>Chemical Papers</i> , 0, , .	2.2	4
275	Enhancement of optical nonlinearity in a guest-host system by nematic ordering. <i>Optical and Quantum Electronics</i> , 1995, 27, 337-345.	3.3	3
276	Diffraction behavior of photorefractive molecular materials containing phenothiazine derivatives. <i>Applied Physics Letters</i> , 2002, 81, 4727-4729.	3.3	3
277	Synthesis, characterization, and properties of ethoxylated azo dyes. <i>Fibers and Polymers</i> , 2003, 4, 32-37.	2.1	3
278	NOVEL PHOTOPOLYMERS COMPOSED OF THERMOPLASTIC AND PHOTOREACTIVE BINDERS FOR HOLOGRAPHIC APPLICATION. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2004, 13, 569-574.	1.8	3
279	Syntheses and photophysical properties of new carbazole-based conjugated multi-branched molecules. <i>Macromolecular Research</i> , 2007, 15, 595-600.	2.4	3
280	Photoreactive hole-transporting polymer bearing oxetane moieties and its application to green polymer light-emitting diodes. <i>Synthetic Metals</i> , 2008, 158, 785-789.	3.9	3
281	Synthesis and Characterization of π -Conjugated Multi-branched Molecules Bearing Carbazole and Phenothiazine Peripheral Groups. <i>Molecular Crystals and Liquid Crystals</i> , 2008, 491, 80-87.	0.9	3
282	Synthesis and Properties of Soluble Organic p-Type Semiconductor based on TIPS-anthracene Moiety. <i>Molecular Crystals and Liquid Crystals</i> , 2009, 504, 18-26.	0.9	3
283	Organic Thin Film Transistor with Poly(4-vinylbiphenyl) Blended 6,13-Bis(triisopropylsilylethynyl)pentacene on Propyleneglycolmonomethyletheracetate Dielectric Surface. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 3198-3202.	0.9	3
284	H-shaped anthracene-based semiconducting molecules bearing a 9,10-bis((4-hexylphenyl)ethynyl)anthracene dimer. <i>Synthetic Metals</i> , 2012, 162, 1140-1146.	3.9	3
285	Cascade hole transport in efficient green phosphorescent light-emitting devices achieved by layer-by-layer solution deposition using photocrosslinkable conjugated polymers containing oxetane side-chain moieties. <i>Journal of Polymer Science Part A</i> , 2012, 50, 388-399.	2.3	3
286	Effects of side chains on physical and photovoltaic properties of methyl thiophene-3-carboxylate containing dithienopyrrole-based copolymers. <i>Synthetic Metals</i> , 2013, 182, 22-27.	3.9	3
287	Annealing-Free High-Mobility Diketopyrrolopyrrole-Benzodithiophene Copolymer for Organic Thin Film Transistors. <i>Molecular Crystals and Liquid Crystals</i> , 2014, 598, 97-103.	0.9	3
288	Novel carbazole-acridine-based hole transport polymer for low turn-on voltage of green quantum dot light-emitting diodes. <i>Polymer Chemistry</i> , 2021, 12, 4714-4721.	3.9	3

#	ARTICLE	IF	CITATIONS
289	Complementary absorbing ternary blend containing structural isomeric donor polymers for improving the performance of PC61BM-based indoor photovoltaics. <i>Polymer</i> , 2021, 221, 123606.	3.8	3
290	Polymer solar cells made with photocrosslinkable conjugated donor-acceptor block copolymers: improvement in the thermal stability and morphology with a single-component active layer. <i>Polymer Chemistry</i> , 2022, 13, 3335-3342.	3.9	3
291	Uniform Silver Nanowire Patterned Electrode on Robust PEN Substrate Using Poly(2-hydroxyethyl) Tj ETQq1 1 0.784314 rgBT ₃ /Overlo	8.0	3
292	Time-resolved study of electro-optic property in itaconate copolymer bearing an aminonitrostilbene chromophore. <i>Polymer</i> , 1999, 40, 1709-1717.	3.8	2
293	Photoisomerization and photo-induced optical anisotropy of polymethacrylate containing aminonitroazobenzene chromophores in the side chain. <i>Fibers and Polymers</i> , 2001, 2, 1-8.	2.1	2
294	Effect of Photocrosslinking on Photochromism of Chalcone-based Polymeric Materials bearing Spiropyran Dye. <i>Molecular Crystals and Liquid Crystals</i> , 2006, 445, 307/[597]-314/[604].	0.9	2
295	Synthesis and photophysical properties of multi-branched ethynyl fluorene-labeled molecules. <i>Synthetic Metals</i> , 2007, 157, 1034-1039.	3.9	2
296	Photorefractive star-shaped molecular glassy materials containing tricyanopyrroline-based chromophore. <i>Applied Physics Letters</i> , 2007, 90, 181123.	3.3	2
297	Synthesis and surface relief gratings of three-armed star-shaped molecules bearing 4-(N,N-diphenyl)amino-4-nitroazobenzene chromophores. <i>Macromolecular Research</i> , 2008, 16, 434-440.	2.4	2
298	Luminescence properties of soluble 2,2,7,7-tetrakis(2-(9-hexyl-9H-carbazol-3-yl)vinyl)-9,9-spirobifluorene-labeled dendrimers: Photoluminescence and electroluminescence. <i>Journal of Polymer Science Part A</i> , 2008, 46, 501-514.	2.2	2
299	A New Carbazole-based Conjugated Multibranching Molecule and Its Tetramer as Hole Transporting Materials. <i>Chemistry Letters</i> , 2008, 37, 952-953.	1.3	2
300	Copolymerization of L-lactide and μ -caprolactone in supercritical fluid. <i>Macromolecular Research</i> , 2009, 17, 575-579.	2.4	2
301	Selective Fluorescence Quenching by Group 8 Metal Ions of a Water-Soluble Poly(<i>p</i> -phenylene) Tj ETQq1 1 0.784314 rgBT ₃ /Overlo 2009, 210, 1372-1378.	2.2	2
302	Color Stable White Organic Light-Emitting Diodes Having High Color Rendering Index Utilized by Simple-Hybrid Structures. <i>Electrochemical and Solid-State Letters</i> , 2010, 13, J81.	2.2	2
303	Photoactive Deoxyribonucleic Acid (DNA) Bearing Carbazole Moieties and Its Photoluminescence Behavior With Ir(III) Complex. <i>Molecular Crystals and Liquid Crystals</i> , 2010, 519, 227-233.	0.9	2
304	Synthesis of Ladder-Like Polysilsesquioxane with Well-Defined Graft Polymers. <i>Molecular Crystals and Liquid Crystals</i> , 2011, 539, 174/[514]-183/[523].	0.9	2
305	Molecular orientation and optical luminescence properties of soluble star shaped oligothiophene molecules for organic electronic applications. <i>Journal of Electron Spectroscopy and Related Phenomena</i> , 2011, 184, 355-359.	1.7	2
306	White Organic Light-Emitting Diodes Utilized by Near UV-Deep Blue Emitter and Exciplex Emission. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 1381-1384.	0.9	2

#	ARTICLE	IF	CITATIONS
307	π-Conjugated Main Chain Polymers Containing Bis(bithiophenyl dithienothiophene)-based Repeating Group and their Application to Polymer Solar Cells. <i>Molecular Crystals and Liquid Crystals</i> , 2011, 538, 187-192.	0.9	2
308	Synthesis, Characterization, and Electrical Properties of Regioregular Alkyl-Substituted PEDOT. <i>Journal of Nanoscience and Nanotechnology</i> , 2012, 12, 3597-3601.	0.9	2
309	2,5-Bis(2-octyldodecyl)pyrrolo[3,4-c]pyrrole-1,4-(2H,5H)-dione-Based Donor-Acceptor Alternating Copolymer Bearing Benzothieno[3,2-b] benzothiophene as an Organic Semiconductor and Its Application to Thin Film Transistors. <i>Molecular Crystals and Liquid Crystals</i> , 2013, 581, 38-44.	0.9	2
310	Dynamics of Photoinduced Energy Transfer in Fully and Partially Conjugated Polymers Bearing π-Extended Donor and Acceptor Monomers. <i>Frontiers in Chemistry</i> , 2020, 8, 605403.	3.6	2
311	Photorefractive Amorphous Glass Bearing the Tricyanopyrroline Chromophore and Its Properties Measured at 830 nm. <i>Journal of the Korean Physical Society</i> , 2007, 51, 88.	0.7	2
312	Solvent mediated thermodynamically favorable helical supramolecular self-assembly: recognition behavior towards achiral and chiral analytes. <i>Journal of Materials Chemistry C</i> , 0, , .	5.5	2
313	Effect of the photosensitizer on the photorefractive effect using a lowT g sol-gel glass. <i>Macromolecular Research</i> , 2003, 11, 250-255.	2.4	1
314	Polymeric electrooptic light modulator based on grating-coupled surface plasmon resonance. <i>Macromolecular Research</i> , 2005, 13, 463-466.	2.4	1
315	Comparison Studies on Nitrile-Butadiene Rubber Nanocomposites Depending on the Organically Modified Montmorillonites. <i>Solid State Phenomena</i> , 2007, 119, 83-86.	0.3	1
316	Synthesis and Characterization of Molecular Dyads Containing a Carbazolyl Based-Donor and Perylenediimide Based-Acceptor. <i>Molecular Crystals and Liquid Crystals</i> , 2009, 504, 85-96.	0.9	1
317	Polymer Solar Cells: Eco-Friendly Solvent-Processed Fullerene-Free Polymer Solar Cells with over 9.7% Efficiency and Long-Term Performance Stability (Adv. Energy Mater. 19/2017). <i>Advanced Energy Materials</i> , 2017, 7, .	19.5	1
318	Synthesis of a new wide-bandgap conjugated copolymer with 3-trifluoromethylthiophene monomer and Its application to non-fullerene polymer solar cells. <i>Molecular Crystals and Liquid Crystals</i> , 2019, 686, 30-37.	0.9	1
319	Blue-emitting dendritic molecule with dual functionality as host and dopant for solution-processed white OLEDs with red-emitting material. <i>Synthetic Metals</i> , 2019, 258, 116198.	3.9	1
320	Physical Properties of Thermally Crosslinked Fluorinated Polyimide and Its Application to a Liquid Crystal Alignment Layer. <i>Polymers</i> , 2021, 13, 3903.	4.5	1
321	High hysteresis and distinctive optoelectronic memory effect for ambipolar thin-film transistors using a conjugated polymer having Donor-Acceptor heterojunction. <i>Organic Electronics</i> , 2022, , 106599.	2.6	1
322	Electro-optic measurement of Langmuir-Blodgett films layered with N-docosylquinolinium-TCNQ. <i>Synthetic Metals</i> , 1995, 71, 2093-2094.	3.9	0
323	HOLOGRAPHIC GRATINGS RECORDED ON A NEW PHOTOPOLYMER COMPOSED OF PHOTSENSITIVE POLYMER BINDER. <i>Molecular Crystals and Liquid Crystals</i> , 2003, 406, 101-110.	0.9	0
324	Diffraction behaviors of new photopolymers and their diffuser properties. <i>Journal of Information Display</i> , 2004, 5, 22-27.	4.0	0

#	ARTICLE	IF	CITATIONS
325	INORGANIC-ORGANIC HYBRID PHOTOREFRACTIVE MATERIALS BEARING THE BIFUNCTIONAL CHROMOPHORE. Journal of Nonlinear Optical Physics and Materials, 2005, 14, 497-504.	1.8	0
326	Electroluminescence of Phenothiazine-Labeled Dendrimer Encapsulated 2-{2-[2-(4-Dimethylamino-phenyl)-vinyl]-6-methyl-pyran-4-ylidene}-Malononitrile Derivative: Effect of the Density of Phenothiazine Dendron. Macromolecular Symposia, 2006, 245-246, 423-429.	0.7	0
327	Macroscopic Optical Nonlinearity of Heterocyclic Chromophores bearing 2-Cyanomethylene-3-cyano-4,5,5-trimethyl-2,5-dihydrofuran. Molecular Crystals and Liquid Crystals, 2007, 471, 381-389.	0.9	0
328	P§ Effect of Energy Level of Hole-Blocking Layer on the Electroluminescence Characteristics of Highly Soluble Ir(III) Complex Based Phosphorescent Organic Light-Emitting Diodes. Digest of Technical Papers SID International Symposium, 2009, 40, 1740-1743.	0.3	0
329	Organic Donor-Acceptor Molecules Based on 5,5-(9,10-Bis((4-hexylphenyl)ethynyl)anthracene-2,6-diyl)bis(ethyne-2,1-diyl)bis(2-hexylthiophene) for Resistive Random Access Memory. Molecular Crystals and Liquid Crystals, 2013, 580, 95-102.	0.9	0
330	Synthesis and Characterization of New Dibenzothiophene-based Host Materials for Blue Phosphorescent Organic Light-Emitting Diodes. Molecular Crystals and Liquid Crystals, 2015, 621, 31-39.	0.9	0
331	Diketopyrrolopyrrole-based three-armed conjugated small molecule and their charge transport property. Molecular Crystals and Liquid Crystals, 2016, 635, 80-86.	0.9	0