

Ajit P Yoganathan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/391558/publications.pdf>

Version: 2024-02-01

451
papers

18,651
citations

12303

69
h-index

24915

109
g-index

475
all docs

475
docs citations

475
times ranked

8841
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamic nature of the LVOT following transcatheter mitral valve replacement with LAMPOON: new insights from post-procedure imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2022, 23, 650-662.	0.5	12
2	The role of flow stasis in transcatheter aortic valve leaflet thrombosis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 164, e105-e117.	0.4	23
3	Long-term durability of a new surgical aortic valve: A 1 billion cycle inÂvitro study. <i>JTCVS Open</i> , 2022, 9, 59-69.	0.2	6
4	Gradient and pressure recovery of a self-expandable transcatheter aortic valve depends on ascending aorta size: InÂvitro study. <i>JTCVS Open</i> , 2022, , .	0.2	3
5	Fontan Geometry and Hemodynamics Are Associated With Quality of Life in Adolescents and Young Adults. <i>Annals of Thoracic Surgery</i> , 2022, 114, 841-847.	0.7	6
6	Computational Methods for Fluid-Structure Interaction Simulation of Heart Valves in Patient-Specific Left Heart Anatomies. <i>Fluids</i> , 2022, 7, 94.	0.8	7
7	Impact of Anchor Location on Mitral Neochordae Forces: An InÂvitro Study. <i>Annals of Thoracic Surgery</i> , 2022, 113, 1378-1384.	0.7	2
8	Clinical Impact of Computational Heart Valve Models. <i>Materials</i> , 2022, 15, 3302.	1.3	12
9	Essential information on surgical heart valve characteristics for optimal valve prosthesis selection: expert consensus document from the European Association for Cardio-Thoracic Surgery (EACTS)â€‘The Society of Thoracic Surgeons (STS)â€‘American Association for Thoracic Surgery (AATS)ÂValve Labelling Task Force. <i>European Journal of Cardio-thoracic Surgery</i> , 2021, 59, 54-64.	0.6	15
10	Transcatheter Aortic Valve Thrombogenesis: A Foreign Materials Perspective. <i>Cardiovascular Engineering and Technology</i> , 2021, 12, 28-36.	0.7	4
11	In-Vitro Assessment of the Effects of Transcatheter Aortic Valve Leaflet Design on Neo-Sinus Geometry and Flow. <i>Annals of Biomedical Engineering</i> , 2021, 49, 1046-1057.	1.3	10
12	InÂvitro evaluation of a new aortic valved conduit. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021, 161, 581-590.e6.	0.4	7
13	A Simplified In Silico Model of Left Ventricular Outflow in Patients After Transcatheter Mitral Valve Replacement with Anterior Leaflet Laceration. <i>Annals of Biomedical Engineering</i> , 2021, 49, 1449-1461.	1.3	7
14	Percutaneous DLC-Based Total Cavopulmonary Assist Achieves 96-Hour SurvivalÂinÂLethal Cavopulmonary Failure Sheep. <i>Journal of the American College of Cardiology</i> , 2021, 78, 538-540.	1.2	1
15	An Anterior Anastomosis for the Modified Fontan Connection: A Hemodynamic Analysis. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2021, 33, 816-823.	0.4	1
16	Transcatheter aortic valve thrombosis: a review of potential mechanisms. <i>Journal of the Royal Society Interface</i> , 2021, 18, 20210599.	1.5	11
17	Predictive Model for Thrombus Formation After Transcatheter Valve Replacement. <i>Cardiovascular Engineering and Technology</i> , 2021, 12, 576-588.	0.7	14
18	Y-graft modification to the Fontan procedure: Increasingly balanced flow over time. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020, 159, 652-661.	0.4	19

#	ARTICLE	IF	CITATIONS
19	Transcatheter aortic valve deployment influences neo-sinus thrombosis risk: An in vitro flow study. Catheterization and Cardiovascular Interventions, 2020, 95, 1009-1016.	0.7	18
20	An Evaluation of the Influence of Coronary Flow on Transcatheter Heart Valve Neo-Sinus Flow Stasis. Annals of Biomedical Engineering, 2020, 48, 169-180.	1.3	19
21	A mechanistic investigation of the EDWARDS INTUITY Elite valve's hemodynamic performance. General Thoracic and Cardiovascular Surgery, 2020, 68, 9-17.	0.4	14
22	Optimized mitral annuloplasty ring design reduces loading in the posterior annulus. Journal of Thoracic and Cardiovascular Surgery, 2020, 159, 1766-1774.e2.	0.4	7
23	Cardiac Magnetic Resonance-Derived Metrics Are Predictive of Liver Fibrosis in Fontan Patients. Annals of Thoracic Surgery, 2020, 109, 1904-1911.	0.7	22
24	Impact of Free-Breathing Phase-Contrast MRI on Decision-Making in Fontan Surgical Planning. Journal of Cardiovascular Translational Research, 2020, 13, 640-647.	1.1	5
25	Cross-Sectional Magnetic Resonance and Modeling Comparison From Just After Fontan to the Teen Years. Annals of Thoracic Surgery, 2020, 109, 574-582.	0.7	5
26	Fluid-Structure Interaction Simulation of an Intra-Atrial Fontan Connection. Biology, 2020, 9, 412.	1.3	22
27	Effect of Edge-to-Edge Mitral Valve Repair on Chordal Strain: Fluid-Structure Interaction Simulations. Biology, 2020, 9, 173.	1.3	13
28	Hemodynamics of a stenosed aortic valve: Effects of the geometry of the sinuses and the positions of the coronary ostia. International Journal of Mechanical Sciences, 2020, 188, 106015.	3.6	5
29	Framework for Planning TMVR using 3-D Imaging, In Silico Modeling, and Virtual Reality. Structural Heart, 2020, 4, 336-341.	0.2	3
30	Influence of Patient-Specific Characteristics on Transcatheter Heart Valve Neo-Sinus Flow: An In Silico Study. Annals of Biomedical Engineering, 2020, 48, 2400-2411.	1.3	23
31	Non-Newtonian Effects on Patient-Specific Modeling of Fontan Hemodynamics. Annals of Biomedical Engineering, 2020, 48, 2204-2217.	1.3	17
32	Comparison of Fontan Surgical Options for Patients with Apicocaval Juxtaposition. Pediatric Cardiology, 2020, 41, 1021-1030.	0.6	8
33	Fluid-Structure Interaction Analysis of Subject-Specific Mitral Valve Regurgitation Treatment with an Intra-Valvular Spacer. Prosthesis, 2020, 2, 65-75.	1.1	9
34	Computational modeling of a right-sided Fontan assist device: Effectiveness across patient anatomies and cannulations. Journal of Biomechanics, 2020, 109, 109917.	0.9	4
35	A multilayered valve leaflet promotes cell-laden collagen type I production and aortic valve hemodynamics. Biomaterials, 2020, 240, 119838.	5.7	21
36	SETTING STANDARDS: Revised ISO 5840 Series Clarifies Testing, Evaluation Procedures for Cardiac Valves. Biomedical Instrumentation and Technology, 2020, 54, 441-443.	0.2	3

#	ARTICLE	IF	CITATIONS
37	Farewell Editorial. <i>Cardiovascular Engineering and Technology</i> , 2020, 11, 605-606.	0.7	0
38	Editorial. <i>Cardiovascular Engineering and Technology</i> , 2019, 10, 395-396.	0.7	0
39	An inÂvitro analysis of the PediMag and CentriMag for right-sided failing Fontan support. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, 1413-1421.	0.4	14
40	Relationship of Aortic Stiffness to Exercise and Ventricular Volumes in Single Ventricles. <i>Annals of Thoracic Surgery</i> , 2019, 108, 574-580.	0.7	3
41	Neosinus Flow Stasis Correlates With Thrombus Volume Post-TAVR. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 1288-1290.	1.1	18
42	miR-214 is Stretch-Sensitive in Aortic Valve and Inhibits Aortic Valve Calcification. <i>Annals of Biomedical Engineering</i> , 2019, 47, 1106-1115.	1.3	12
43	Might Coronary Flow Influence Transcatheter Heart Valve Neo-Sinus Thrombosis?. <i>Circulation: Cardiovascular Interventions</i> , 2019, 12, e008005.	1.4	7
44	Analysis of Inlet Velocity Profiles in Numerical Assessment of Fontan Hemodynamics. <i>Annals of Biomedical Engineering</i> , 2019, 47, 2258-2270.	1.3	24
45	Three-dimensional extent of flow stagnation in transcatheter heart valves. <i>Journal of the Royal Society Interface</i> , 2019, 16, 20190063.	1.5	19
46	ARE FONTAN HEMODYNAMICS PREDICTIVE OF FUTURE LIVER DISEASE IN FONTAN PATIENTS?. <i>Journal of the American College of Cardiology</i> , 2019, 73, 581.	1.2	0
47	Characteristics of surgical prosthetic heart valves and problems around labeling: A document from the European Association for Cardio-Thoracic Surgery (EACTS)â€”The Society of Thoracic Surgeons (STS)â€”American Association for Thoracic Surgery (AATS) Valve Labelling Task Force. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 158, 1041-1054.	0.4	24
48	Left ventricular flow in the presence of aortic regurgitation. <i>Journal of Biomechanics</i> , 2019, 87, 211.	0.9	0
49	On the Simulation of Mitral Valve Function in Health, Disease, and Treatment. <i>Journal of Biomechanical Engineering</i> , 2019, 141, .	0.6	45
50	CORONARY FLOW INFLUENCES TRANSCATHETER AORTIC VALVE LEAFLET THROMBOSIS RISK. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1035.	1.2	0
51	Development of a Computational Method for Simulating Tricuspid Valve Dynamics. <i>Annals of Biomedical Engineering</i> , 2019, 47, 1422-1434.	1.3	24
52	The first cohort of prospective Fontan surgical planning patients with follow-up data: How accurate is surgical planning?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 157, 1146-1155.	0.4	34
53	Tricuspid Valve Annular Mechanics: Interactions with and Implications for Transcatheter Devices. <i>Cardiovascular Engineering and Technology</i> , 2019, 10, 193-204.	0.7	7
54	Disturbed Flow Increases UBE2C (Ubiquitin E2 Ligase C) via Loss of miR-483-3p, Inducing Aortic Valve Calcification by the pVHL (von Hippel-Lindau Protein) and HIF-1Î± (Hypoxia-Inducible Factor-1Î±) Pathway in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 467-481.	1.1	54

#	ARTICLE	IF	CITATIONS
55	In Vitro Examination of the Ventriflo True Pulse Pump for Failing Fontan Support. <i>Artificial Organs</i> , 2019, 43, 181-188.	1.0	9
56	Outcomes of Single Ventricle Patients Undergoing the Kawashima Procedure: Can We Do Better?. <i>World Journal for Pediatric & Congenital Heart Surgery</i> , 2019, 10, 20-27.	0.3	7
57	Novel In Vitro Test Systems and Insights for Transcatheter Mitral Valve Design, Part II: Radial Expansion Forces. <i>Annals of Biomedical Engineering</i> , 2019, 47, 392-402.	1.3	4
58	Novel In Vitro Test Systems and Insights for Transcatheter Mitral Valve Design, Part I: Paravalvular Leakage. <i>Annals of Biomedical Engineering</i> , 2019, 47, 381-391.	1.3	5
59	The effect of respiration-driven flow waveforms on hemodynamic metrics used in Fontan surgical planning. <i>Journal of Biomechanics</i> , 2019, 82, 87-95.	0.9	13
60	Suture dehiscence and collagen content in the human mitral and tricuspid annuli. <i>Biomechanics and Modeling in Mechanobiology</i> , 2019, 18, 291-299.	1.4	8
61	Characterization of aortic root geometry in transcatheter aortic valve replacement patients. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 134-140.	0.7	11
62	Computational Fluid Dynamics Assessment Associated with Transcatheter Heart Valve Prostheses: A Position Paper of the ISO Working Group. <i>Cardiovascular Engineering and Technology</i> , 2018, 9, 289-299.	0.7	29
63	Impact of hemodynamics and fluid energetics on liver fibrosis after Fontan operation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 267-275.	0.4	41
64	Fontan Surgical Planning: Previous Accomplishments, Current Challenges, and Future Directions. <i>Journal of Cardiovascular Translational Research</i> , 2018, 11, 133-144.	1.1	46
65	Standardized Definition of Structural Valve Degeneration for Surgical and Transcatheter Bioprosthetic Aortic Valves. <i>Circulation</i> , 2018, 137, 388-399.	1.6	350
66	Effects of annular contraction on anterior leaflet strain using an in vitro simulator with a dynamically contracting mitral annulus. <i>Journal of Biomechanics</i> , 2018, 66, 51-56.	0.9	4
67	Valve mediated hemodynamics and their association with distal ascending aortic diameter in bicuspid aortic valve subjects. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 246-254.	1.9	24
68	Mitral annuloplasty ring suture forces: Impact of surgeon, ring, and use conditions. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 131-139.e3.	0.4	15
69	Leg lean mass correlates with exercise systemic output in young Fontan patients. <i>Heart</i> , 2018, 104, 680-684.	1.2	29
70	Using a Novel In Vitro Fontan Model and Condition-Specific Real-Time MRI Data to Examine Hemodynamic Effects of Respiration and Exercise. <i>Annals of Biomedical Engineering</i> , 2018, 46, 135-147.	1.3	16
71	The Advantages of Viscous Dissipation Rate over Simplified Power Loss as a Fontan Hemodynamic Metric. <i>Annals of Biomedical Engineering</i> , 2018, 46, 404-416.	1.3	32
72	Measurement Technologies for Heart Valve Function. , 2018, , 115-149.		1

#	ARTICLE	IF	CITATIONS
73	Transcatheter Mitral Valve Planning and the Neo-LVOT: Utilization of Virtual Simulation Models and 3D Printing. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2018, 20, 99.	0.4	44
74	Response by Sharma et al to Letter Regarding Article, "The Fluid Mechanics of Transcatheter Heart Valve Leaflet Thrombosis in the Neosinus." <i>Circulation</i> , 2018, 137, 2094-2095.	1.6	0
75	Flow visualization of the non-parallel jet-vortex interaction. <i>Journal of Visualization</i> , 2018, 21, 533-542.	1.1	5
76	Impact of simulated MitraClip on forward flow obstruction in the setting of mitral leaflet tethering: An in vitro investigation. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 797-807.	0.7	4
77	Mitral annuloplasty ring flexibility preferentially reduces posterior suture forces. <i>Journal of Biomechanics</i> , 2018, 75, 58-66.	0.9	9
78	The Effect of Valve-in-Valve Implantation Height on Sinus Flow. <i>Annals of Biomedical Engineering</i> , 2017, 45, 405-412.	1.3	42
79	Personalized mitral valve closure computation and uncertainty analysis from 3D echocardiography. <i>Medical Image Analysis</i> , 2017, 35, 238-249.	7.0	14
80	Mechanotransduction in small intestinal submucosa scaffolds: fabrication parameters potentially modulate the shear-induced expression of PECAM-1 and eNOS. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2017, 11, 1427-1434.	1.3	3
81	Aortic Regurgitation Generates a Kinematic Obstruction Which Hinders Left Ventricular Filling. <i>Annals of Biomedical Engineering</i> , 2017, 45, 1305-1314.	1.3	21
82	A Method for In Vitro TCPC Compliance Verification. <i>Journal of Biomechanical Engineering</i> , 2017, 139, .	0.6	9
83	Suture Dehiscence in the Tricuspid Annulus: An Ex Vivo Analysis of Tissue Strength and Composition. <i>Annals of Thoracic Surgery</i> , 2017, 104, 820-826.	0.7	15
84	Effect of Fontan geometry on exercise haemodynamics and its potential implications. <i>Heart</i> , 2017, 103, 1806-1812.	1.2	46
85	Mitral Valve Chordae Tendineae: Topological and Geometrical Characterization. <i>Annals of Biomedical Engineering</i> , 2017, 45, 378-393.	1.3	36
86	The Fluid Mechanics of Transcatheter Heart Valve Leaflet Thrombosis in the Neosinus. <i>Circulation</i> , 2017, 136, 1598-1609.	1.6	163
87	In Vitro Examination of the HeartWare CircuLite Ventricular Assist Device in the Fontan Connection. <i>ASAIO Journal</i> , 2017, 63, 482-489.	0.9	7
88	Editorial. <i>Cardiovascular Engineering and Technology</i> , 2017, 8, 1-2.	0.7	4
89	Fluid-structure interaction and structural analyses using a comprehensive mitral valve model with 3D chordal structure. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2017, 33, e2815.	1.0	37
90	Can time-averaged flow boundary conditions be used to meet the clinical timeline for Fontan surgical planning?. <i>Journal of Biomechanics</i> , 2017, 50, 172-179.	0.9	29

#	ARTICLE	IF	CITATIONS
91	Ex Vivo Methods for Informing Computational Models of the Mitral Valve. <i>Annals of Biomedical Engineering</i> , 2017, 45, 496-507.	1.3	43
92	Fluid-Structure Interaction Analysis of Ruptured Mitral Chordae Tendineae. <i>Annals of Biomedical Engineering</i> , 2017, 45, 619-631.	1.3	25
93	On the Mechanics of Transcatheter Aortic Valve Replacement. <i>Annals of Biomedical Engineering</i> , 2017, 45, 310-331.	1.3	69
94	Local Hemodynamic Differences Between Commercially Available Y-Grafts and Traditional Fontan Baffles Under Simulated Exercise Conditions: Implications for Exercise Tolerance. <i>Cardiovascular Engineering and Technology</i> , 2017, 8, 390-399.	0.7	14
95	Fluid Dynamics of Prosthetic Valves. , 2017, , 433-454.		0
96	Identification of side- and shear-dependent microRNAs regulating porcine aortic valve pathogenesis. <i>Scientific Reports</i> , 2016, 6, 25397.	1.6	43
97	Mitral annuloplasty ring suture dehiscence: In search of more robust techniques. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 152, 1640.	0.4	1
98	The hemodynamic effects of acute aortic regurgitation into a stiffened left ventricle resulting from chronic aortic stenosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1801-H1807.	1.5	8
99	Real-time recording of annuloplasty suture dehiscence reveals a potential mechanism for dehiscence cascade. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 152, e15-e17.	0.4	9
100	High-resolution subject-specific mitral valve imaging and modeling: experimental and computational methods. <i>Biomechanics and Modeling in Mechanobiology</i> , 2016, 15, 1619-1630.	1.4	28
101	Valve Type, Size, and Deployment Location Affect Hemodynamics in an In Vitro Valve-in-Valve Model. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1618-1628.	1.1	67
102	Three-Dimensional Field Optimization Method: Gold-Standard Validation of a Novel Color Doppler Method for Quantifying Mitral Regurgitation. <i>Journal of the American Society of Echocardiography</i> , 2016, 29, 917-925.	1.2	13
103	How Local Annular Force and Collagen Density Govern Mitral Annuloplasty Ring Dehiscence Risk. <i>Annals of Thoracic Surgery</i> , 2016, 102, 518-526.	0.7	31
104	Haemodynamic impact of stent implantation for lateral tunnel Fontan stenosis: a patient-specific computational assessment. <i>Cardiology in the Young</i> , 2016, 26, 116-126.	0.4	9
105	Long-Term Durability of Carpentier-Edwards Magna Ease Valve: A One Billion Cycle In Vitro Study. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1759-1765.	0.7	35
106	Validation of Cardiac Output as Reported by a Permanently Implanted Wireless Sensor. <i>Journal of Medical Devices, Transactions of the ASME</i> , 2016, 10, .	0.4	5
107	New mitral annular force transducer optimized to distinguish annular segments and multi-plane forces. <i>Journal of Biomechanics</i> , 2016, 49, 742-748.	0.9	7
108	A pulsatile hemodynamic evaluation of the commercially available bifurcated Y-graft Fontan modification and comparison with the lateral tunnel and extracardiac conduits. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2016, 151, 1529-1536.	0.4	33

#	ARTICLE	IF	CITATIONS
109	Respiratory Effects on Fontan Circulation During Rest and Exercise Using Real-Time Cardiac Magnetic Resonance Imaging. <i>Annals of Thoracic Surgery</i> , 2016, 101, 1818-1825.	0.7	37
110	Atrial systole enhances intraventricular filling flow propagation during increasing heart rate. <i>Journal of Biomechanics</i> , 2016, 49, 618-623.	0.9	6
111	SURGEM: A solid modeling tool for planning and optimizing pediatric heart surgeries. <i>CAD Computer Aided Design</i> , 2016, 70, 3-12.	1.4	20
112	Novel Method to Track Soft Tissue Deformation by Micro-Computed Tomography: Application to the Mitral Valve. <i>Annals of Biomedical Engineering</i> , 2016, 44, 2273-2281.	1.3	13
113	Hemodynamic Impact of Superior Vena Cava Placement in the Y-Graft Fontan Connection. <i>Annals of Thoracic Surgery</i> , 2016, 101, 183-189.	0.7	10
114	Fluid-Structure Interaction Analysis of Papillary Muscle Forces Using a Comprehensive Mitral Valve Model with 3D Chordal Structure. <i>Annals of Biomedical Engineering</i> , 2016, 44, 942-953.	1.3	54
115	Cardiovascular magnetic resonance compatible physical model of the left ventricle for multi-modality characterization of wall motion and hemodynamics. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 51.	1.6	20
116	Total ellipse of the heart valve: the impact of eccentric stent distortion on the regional dynamic deformation of pericardial tissue leaflets of a transcatheter aortic valve replacement. <i>Journal of the Royal Society Interface</i> , 2015, 12, 20150737.	1.5	45
117	How Can We Help a Patient With a Small Failing Bioprosthesis?. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 2026-2033.	1.1	33
118	Role of Mitral Annulus Diastolic Geometry on Intraventricular Filling Dynamics. <i>Journal of Biomechanical Engineering</i> , 2015, 137, 121007.	0.6	8
119	Comparison of hinge microflow fields of bileaflet mechanical heart valves implanted in different sinus shape and downstream geometry. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 1785-1796.	0.9	10
120	Does TCPC power loss really affect exercise capacity?. <i>Heart</i> , 2015, 101, 575.2-576.	1.2	3
121	Fifth Anniversary Editorial. <i>Cardiovascular Engineering and Technology</i> , 2015, 6, 1-1.	0.7	1
122	Relationship of Single Ventricle Filling and Preload to Total Cavopulmonary Connection Hemodynamics. <i>Annals of Thoracic Surgery</i> , 2015, 99, 911-917.	0.7	20
123	A Comprehensive Framework for the Characterization of the Complete Mitral Valve Geometry for the Development of a Population-Averaged Model. <i>Lecture Notes in Computer Science</i> , 2015, , 164-171.	1.0	15
124	Design of a Pulsatile Flow Facility to Evaluate Thrombogenic Potential of Implantable Cardiac Devices. <i>Journal of Biomechanical Engineering</i> , 2015, 137, 045001.	0.6	11
125	Exercise capacity in the Bidirectional Glenn physiology: Coupling cardiac index, ventricular function and oxygen extraction ratio. <i>Journal of Biomechanics</i> , 2015, 48, 1997-2004.	0.9	3
126	On the effects of leaflet microstructure and constitutive model on the closing behavior of the mitral valve. <i>Biomechanics and Modeling in Mechanobiology</i> , 2015, 14, 1281-1302.	1.4	60

#	ARTICLE	IF	CITATIONS
127	MRI-based Protocol to Characterize the Relationship Between Bicuspid Aortic Valve Morphology and Hemodynamics. <i>Annals of Biomedical Engineering</i> , 2015, 43, 1815-1827.	1.3	11
128	Energetic Implications of Vessel Growth and Flow Changes Over Time in Fontan Patients. <i>Annals of Thoracic Surgery</i> , 2015, 99, 163-170.	0.7	35
129	Isolated effect of geometry on mitral valve function for <i>in silico</i> model development. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015, 18, 618-627.	0.9	8
130	Surgical Planning of the Total Cavopulmonary Connection: Robustness Analysis. <i>Annals of Biomedical Engineering</i> , 2015, 43, 1321-1334.	1.3	20
131	Optimizing hepatic flow distribution with the Fontan Y-graft: Lessons from computational simulations. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2015, 149, 255-256.	0.4	6
132	Bicuspid aortic valves are associated with increased wall and turbulence shear stress levels compared to trileaflet aortic valves. <i>Biomechanics and Modeling in Mechanobiology</i> , 2015, 14, 577-588.	1.4	36
133	Exercise capacity in single-ventricle patients after Fontan correlates with haemodynamic energy loss in TCPC. <i>Heart</i> , 2015, 101, 139-143.	1.2	104
134	High Transcatheter Valve Replacement May Reduce Washout in the Aortic Sinuses: an In-Vitro Study. <i>Journal of Heart Valve Disease</i> , 2015, 24, 22-9.	0.5	14
135	Blood Damage Through a Bileaflet Mechanical Heart Valve: A Quantitative Computational Study Using a Multiscale Suspension Flow Solver. <i>Journal of Biomechanical Engineering</i> , 2014, 136, 101009.	0.6	23
136	Effect of Hinge Gap Width of a St. Jude Medical Bileaflet Mechanical Heart Valve on Blood Damage Potential—An In Vitro Micro Particle Image Velocimetry Study. <i>Journal of Biomechanical Engineering</i> , 2014, 136, 091008.	0.6	15
137	Comparison by Magnetic Resonance Phase Contrast Imaging of Pulse-Wave Velocity in Patients With Single Ventricle Who Have Reconstructed Aortas Versus Those Without. <i>American Journal of Cardiology</i> , 2014, 114, 1902-1907.	0.7	8
138	Response to Letter Regarding Article, “Accurate Assessment of Aortic Stenosis: A Review of Diagnostic Modalities and Hemodynamics” <i>Circulation</i> , 2014, 130, e135.	1.6	1
139	Fontan Pathway Growth: A Quantitative Evaluation of Lateral Tunnel and Extracardiac Cavopulmonary Connections Using Serial Cardiac Magnetic Resonance. <i>Annals of Thoracic Surgery</i> , 2014, 97, 916-922.	0.7	32
140	Quantitative Evaluation of Annuloplasty on Mitral Valve Chordae Tendineae Forces to Supplement Surgical Planning Model Development. <i>Cardiovascular Engineering and Technology</i> , 2014, 5, 35-43.	0.7	23
141	Micro Particle Image Velocimetry Measurements of Steady Diastolic Leakage Flow in the Hinge of a St. Jude Medical® Regentâ„¢ Mechanical Heart Valve. <i>Annals of Biomedical Engineering</i> , 2014, 42, 526-540.	1.3	22
142	Fontan hemodynamics from 100 patient-specific cardiac magnetic resonance studies: A computational fluid dynamics analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 1481-1489.	0.4	86
143	Clinical Evaluation of New Heart Valve Prostheses: Update of Objective Performance Criteria. <i>Annals of Thoracic Surgery</i> , 2014, 98, 1865-1874.	0.7	29
144	Suture Forces in Undersized Mitral Annuloplasty: Novel Device and Measurements. <i>Annals of Thoracic Surgery</i> , 2014, 98, 305-309.	0.7	19

#	ARTICLE	IF	CITATIONS
145	An In Vitro Evaluation of the Impact of Eccentric Deployment on Transcatheter Aortic Valve Hemodynamics. <i>Annals of Biomedical Engineering</i> , 2014, 42, 1195-1206.	1.3	61
146	Accurate Assessment of Aortic Stenosis. <i>Circulation</i> , 2014, 129, 244-253.	1.6	130
147	Reply to the Editor. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 1771-1772.	0.4	0
148	Computational simulations of flow dynamics and blood damage through a bileaflet mechanical heart valve scaled to pediatric size and flow. <i>Journal of Biomechanics</i> , 2014, 47, 3169-3177.	0.9	23
149	Mitral valve annuloplasty and anterior leaflet augmentation for functional ischemic mitral regurgitation: Quantitative comparison of Acoaptation and subvalvular tethering. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 1688-1693.	0.4	23
150	Mitral valve annular downsizing forces: Implications for annuloplasty device development. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 83-89.	0.4	12
151	Transcatheter aortic valve implantation can potentially impact short-term and long-term functionality: An in vitro study. <i>International Journal of Cardiology</i> , 2014, 172, e421-e422.	0.8	3
152	Geometric Characterization of Patient-Specific Total Cavopulmonary Connections and its Relationship to Hemodynamics. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 215-224.	2.3	59
153	Computational modeling of Fontan physiology: at the crossroads of pediatric cardiology and biomedical engineering. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 1073-1084.	0.7	14
154	Effect of high altitude exposure on the hemodynamics of the bidirectional Glenn physiology: Modeling incremented pulmonary vascular resistance and heart rate. <i>Journal of Biomechanics</i> , 2014, 47, 1846-1852.	0.9	7
155	Heart Valve Dynamics. , 2014, , 9-1-9-32.		0
156	The role of inorganic pyrophosphate in aortic valve calcification. <i>Journal of Heart Valve Disease</i> , 2014, 23, 387-94.	0.5	21
157	Impact of mitral valve geometry on hemodynamic efficacy of surgical repair in secondary mitral regurgitation. <i>Journal of Heart Valve Disease</i> , 2014, 23, 79-87.	0.5	22
158	Hemodynamic comparison of mitral valve repair: techniques for a flail anterior leaflet. <i>Journal of Heart Valve Disease</i> , 2014, 23, 171-6.	0.5	9
159	Numerical analysis of the hemodynamic performance of bileaflet mechanical heart valves at different implantation angles. <i>Journal of Heart Valve Disease</i> , 2014, 23, 642-50.	0.5	0
160	2012 CVET Reviewers. <i>Cardiovascular Engineering and Technology</i> , 2013, 4, 101-101.	0.7	0
161	Aortic Valve: Mechanical Environment and Mechanobiology. <i>Annals of Biomedical Engineering</i> , 2013, 41, 1331-1346.	1.3	91
162	Treatment planning for a TCPC test case: A numerical investigation under rigid and moving wall assumptions. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2013, 29, 197-216.	1.0	19

#	ARTICLE	IF	CITATIONS
163	Hemodynamics of the Boston Scientific Lotus [®] Valve: An In Vitro Study. Cardiovascular Engineering and Technology, 2013, 4, 427-439.	0.7	15
164	Contractile mitral annular forces are reduced with ischemic mitral regurgitation. Journal of Thoracic and Cardiovascular Surgery, 2013, 146, 422-428.	0.4	13
165	Impact of Pulmonary Hypertension on Tricuspid Valve Function. Annals of Biomedical Engineering, 2013, 41, 709-724.	1.3	7
166	Blood Damage Quantification in Cardiovascular Flows Through Medical Devices Using a Novel Suspension Flow Method. Journal of Medical Devices, Transactions of the ASME, 2013, 7, 0409091-409091.	0.4	0
167	Accuracy of a Mitral Valve Segmentation Method Using J-Splines for Real-Time 3D Echocardiography Data. Annals of Biomedical Engineering, 2013, 41, 1258-1268.	1.3	14
168	Novel method of measuring valvular regurgitation using three-dimensional nonlinear curve fitting of doppler signals within the flow convergence zone. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2013, 60, 1295-1311.	1.7	11
169	A Novel Left Heart Simulator for the Multi-modality Characterization of Native Mitral Valve Geometry and Fluid Mechanics. Annals of Biomedical Engineering, 2013, 41, 305-315.	1.3	49
170	Revisiting the Gorlin equation for aortic stenosis – Is it correctly used in clinical practice?. International Journal of Cardiology, 2013, 168, 2881-2883.	0.8	6
171	Diagnosis of –Paradoxical–Low-Gradient Aortic Stenosis Patients. Journal of the American College of Cardiology, 2013, 62, 2345-2346.	1.2	0
172	Numerical and experimental investigation of pulsatile hemodynamics in the total cavopulmonary connection. Journal of Biomechanics, 2013, 46, 373-382.	0.9	15
173	Simulating hemodynamics of the Fontan Y-graft based on patient-specific in-vivo connections. Journal of Thoracic and Cardiovascular Surgery, 2013, 145, 663-670.	0.4	39
174	In-vivo mitral annuloplasty ring transducer: Implications for implantation and annular downsizing. Journal of Biomechanics, 2013, 46, 2550-2553.	0.9	7
175	In Vitro Mitral Valve Simulator Mimics Systolic Valvular Function of Chronic Ischemic Mitral Regurgitation Ovine Model. Annals of Thoracic Surgery, 2013, 95, 825-830.	0.7	36
176	A new paradigm for obtaining marketing approval for pediatric-sized prosthetic heart valves. Journal of Thoracic and Cardiovascular Surgery, 2013, 146, 879-886.	0.4	23
177	Comparison of Artificial Neochordae and Native Chordal Transfer in the Repair of a Flail Posterior Mitral Leaflet: An Experimental Study. Annals of Thoracic Surgery, 2013, 95, 629-633.	0.7	17
178	Effects of Targeted Papillary Muscle Relocation on Mitral Leaflet Tenting and Coaptation. Annals of Thoracic Surgery, 2013, 95, 621-628.	0.7	14
179	In vitro assessment of available coaptation area as a novel metric for the quantification of tricuspid valve coaptation. Journal of Biomechanics, 2013, 46, 832-836.	0.9	7
180	Hemodynamic effects of implanting a unidirectional valve in the inferior vena cava of the Fontan circulation pathway: an in vitro investigation. American Journal of Physiology - Heart and Circulatory Physiology, 2013, 305, H1538-H1547.	1.5	15

#	ARTICLE	IF	CITATIONS
181	Mechanics of Healthy and Functionally Diseased Mitral Valves: A Critical Review. Journal of Biomechanical Engineering, 2013, 135, 021007.	0.6	26
182	Imaging for Preintervention Planning. Circulation: Cardiovascular Imaging, 2013, 6, 1092-1101.	1.3	24
183	Haemodynamic comparison of a novel flow-divider Optiflo geometry and a traditional total cavopulmonary connection. Interactive Cardiovascular and Thoracic Surgery, 2013, 17, 1-7.	0.5	10
184	Magnetic resonance imaging-guided surgical design: can we optimise the Fontan operation?. Cardiology in the Young, 2013, 23, 818-823.	0.4	2
185	Design and validation of a diaphragm pump for pediatric CRRT during ECMO. International Journal of Artificial Organs, 2013, 36, 892-899.	0.7	4
186	A High-Fidelity and Micro-anatomically Accurate 3D Finite Element Model for Simulations of Functional Mitral Valve. Lecture Notes in Computer Science, 2013, 7945, 416-424.	1.0	23
187	The congenital bicuspid aortic valve can experience high-frequency unsteady shear stresses on its leaflet surface. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 303, H721-H731.	1.5	30
188	Correlates of Tricuspid Regurgitation as Determined by 3D Echocardiography: Pulmonary Arterial Pressure, Ventricle Geometry, Annular Dilatation, and Papillary Muscle Displacement. Circulation: Cardiovascular Imaging, 2012, 5, 43-50.	1.3	72
189	Comparing Pre- and Post-operative Fontan Hemodynamic Simulations: Implications for the Reliability of Surgical Planning. Annals of Biomedical Engineering, 2012, 40, 2639-2651.	1.3	52
190	Cannulation Strategy for Aortic Arch Reconstruction Using Deep Hypothermic Circulatory Arrest. Annals of Thoracic Surgery, 2012, 94, 614-620.	0.7	13
191	Peak Mechanical Loads Induced in the In Vitro Edge-to-Edge Repair of Posterior Leaflet Flail. Annals of Thoracic Surgery, 2012, 94, 1446-1453.	0.7	12
192	Uniquely shaped cardiovascular stents enhance the pressure generation of intravascular blood pumps. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, 704-709.	0.4	9
193	Experimental and numeric investigation of Impella pumps as cavopulmonary assistance for a failing Fontan. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, 563-569.	0.4	53
194	Preliminary clinical experience with a bifurcated Y-graft Fontan procedureâ€”A feasibility study. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, 383-389.	0.4	42
195	Measurement of strut chordal forces of the tricuspid valve using miniature C ring transducers. Journal of Biomechanics, 2012, 45, 1084-1091.	0.9	12
196	In-vivo transducer to measure dynamic mitral annular forces. Journal of Biomechanics, 2012, 45, 1514-1516.	0.9	14
197	Effect of flow pulsatility on modeling the hemodynamics in the total cavopulmonary connection. Journal of Biomechanics, 2012, 45, 2376-2381.	0.9	20
198	Elevated cyclic stretch and serotonin result in altered aortic valve remodeling via a mechanosensitive 5-HT2A receptor-dependent pathway. Cardiovascular Pathology, 2012, 21, 206-213.	0.7	26

#	ARTICLE	IF	CITATIONS
199	Letter regarding the Article by Vismara et al Published in Int J Artif Organs 2011; 34 (4): 383-391. International Journal of Artificial Organs, 2012, 35, 158-159.	0.7	0
200	The Effects of a Three-Dimensional, Saddle-Shaped Annulus on Anterior and Posterior Leaflet Stretch and Regurgitation of the Tricuspid Valve. Annals of Biomedical Engineering, 2012, 40, 996-1005.	1.3	43
201	A Numerical Investigation of Blood Damage in the Hinge Area of Aortic Bileaflet Mechanical Heart Valves During the Leakage Phase. Annals of Biomedical Engineering, 2012, 40, 1468-1485.	1.3	47
202	In Vitro Characterization of Bicuspid Aortic Valve Hemodynamics Using Particle Image Velocimetry. Annals of Biomedical Engineering, 2012, 40, 1760-1775.	1.3	72
203	Dynamic Assessment of Mitral Annular Force Profile in an Ovine Model. Annals of Thoracic Surgery, 2012, 94, 59-65.	0.7	24
204	Visualization of flow structures in Fontan patients using 3-dimensional phase contrast magnetic resonance imaging. Journal of Thoracic and Cardiovascular Surgery, 2012, 143, 1108-1116.	0.4	45
205	Power loss and right ventricular efficiency in patients after tetralogy of Fallot repair with pulmonary insufficiency: Clinical implications. Journal of Thoracic and Cardiovascular Surgery, 2012, 143, 1279-1285.	0.4	39
206	Transapical beating heart cardioscopy technique for off-pump visualization of heart valves. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, 231-234.	0.4	15
207	Right ventricular papillary muscle approximation as a novel technique of valve repair for functional tricuspid regurgitation in an ex vivo porcine model. Journal of Thoracic and Cardiovascular Surgery, 2012, 144, 235-242.	0.4	31
208	Experimentally Validated Hemodynamics Simulations of Mechanical Heart Valves in Three Dimensions. Cardiovascular Engineering and Technology, 2012, 3, 88-100.	0.7	19
209	Experimental measurement of dynamic fluid shear stress on the aortic surface of the aortic valve leaflet. Biomechanics and Modeling in Mechanobiology, 2012, 11, 171-182.	1.4	97
210	Experimental measurement of dynamic fluid shear stress on the ventricular surface of the aortic valve leaflet. Biomechanics and Modeling in Mechanobiology, 2012, 11, 231-244.	1.4	67
211	Experimental and Computational Studies of the Aortic Bi-leaflet Mechanical Heart Valve (BMHV) Hemodynamics in an Idealized Left Ventricle. , 2012, , .		0
212	Calcific Aortic Valve Disease: Not Simply a Degenerative Process. Circulation, 2011, 124, 1783-1791.	1.6	699
213	Hemodynamics and Mechanobiology of Aortic Valve Inflammation and Calcification. International Journal of Inflammation, 2011, 2011, 1-15.	0.9	133
214	Laser Flow Measurements in an Idealized Total Cavopulmonary Connection With Mechanical Circulatory Assistance. Artificial Organs, 2011, 35, 1052-1064.	1.0	12
215	Altered right ventricular papillary muscle position and orientation in patients with a dilated left ventricle. Journal of Thoracic and Cardiovascular Surgery, 2011, 141, 744-749.	0.4	18
216	Pulmonary hepatic flow distribution in total cavopulmonary connections: Extracardiac versus intracardiac. Journal of Thoracic and Cardiovascular Surgery, 2011, 141, 207-214.	0.4	49

#	ARTICLE	IF	CITATIONS
217	Individualized computer-based surgical planning to address pulmonary arteriovenous malformations in patients with a single ventricle with an interrupted inferior vena cava and azygous continuation. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 141, 1170-1177.	0.4	48
218	Saddle-shaped mitral valve annuloplasty rings improve leaflet coaptation geometry. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2011, 142, 697-703.	0.4	74
219	Aortic Valve Cyclic Stretch Causes Increased Remodeling Activity and Enhanced Serotonin Receptor Responsiveness. <i>Annals of Thoracic Surgery</i> , 2011, 92, 147-153.	0.7	43
220	Numerical, Hydraulic, and Hemolytic Evaluation of an Intravascular Axial Flow Blood Pump to Mechanically Support Fontan Patients. <i>Annals of Biomedical Engineering</i> , 2011, 39, 324-336.	1.3	47
221	Numerical Investigation of the Effects of Channel Geometry on Platelet Activation and Blood Damage. <i>Annals of Biomedical Engineering</i> , 2011, 39, 897-910.	1.3	31
222	The Effects of Combined Cyclic Stretch and Pressure on the Aortic Valve Interstitial Cell Phenotype. <i>Annals of Biomedical Engineering</i> , 2011, 39, 1654-1667.	1.3	49
223	Hemodynamics of the Hepatic Venous Three-Vessel Confluences Using Particle Image Velocimetry. <i>Annals of Biomedical Engineering</i> , 2011, 39, 2398-2416.	1.3	13
224	Hemodynamic Modeling of Surgically Repaired Coarctation of the Aorta. <i>Cardiovascular Engineering and Technology</i> , 2011, 2, 288-295.	0.7	44
225	Regional analysis of dynamic deformation characteristics of native aortic valve leaflets. <i>Journal of Biomechanics</i> , 2011, 44, 1459-1465.	0.9	29
226	In Vitro Characterization of the Mechanisms Responsible for Functional Tricuspid Regurgitation. <i>Circulation</i> , 2011, 124, 920-929.	1.6	111
227	Pulsatile Hemodynamics of the Fontan Connection: A Tri-Modal Investigation. , 2011, , .		1
228	Experimental Technique of Measuring Dynamic Fluid Shear Stress on the Aortic Surface of the Aortic Valve Leaflet. <i>Journal of Biomechanical Engineering</i> , 2011, 133, 061007.	0.6	30
229	Low and Unsteady Shear Stresses Upregulate Calcification Response of the Aortic Valve Leaflets. , 2011, , .		2
230	Creation of a tricuspid valve regurgitation model from tricuspid annular dilatation using the cardioport video-assisted imaging system. <i>Journal of Heart Valve Disease</i> , 2011, 20, 184-8.	0.5	8
231	Simulation of the Three-Dimensional Hinge Flow Fields of a Bileaflet Mechanical Heart Valve Under Aortic Conditions. <i>Annals of Biomedical Engineering</i> , 2010, 38, 841-853.	1.3	42
232	Numerical Investigation of the Performance of Three Hinge Designs of Bileaflet Mechanical Heart Valves. <i>Annals of Biomedical Engineering</i> , 2010, 38, 3295-3310.	1.3	23
233	Imaging and patient-specific simulations for the Fontan surgery: Current methodologies and clinical applications. <i>Progress in Pediatric Cardiology</i> , 2010, 30, 31-44.	0.2	34
234	Larger aortic reconstruction corresponds to diminished left pulmonary artery size in patients with single-ventricle physiology. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2010, 139, 557-561.	0.4	21

#	ARTICLE	IF	CITATIONS
235	Dynamic deformation characteristics of porcine aortic valve leaflet under normal and hypertensive conditions. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H395-H405.	1.5	63
236	Mechanics of the Mitral Valve Strut Chordae Insertion Region. <i>Journal of Biomechanical Engineering</i> , 2010, 132, 081004.	0.6	42
237	Reduction of Procoagulant Potential of b-Datum Leakage Jet Flow in Bileaflet Mechanical Heart Valves via Application of Vortex Generator Arrays. <i>Journal of Biomechanical Engineering</i> , 2010, 132, 071011.	0.6	16
238	Dynamic Hemodynamic Energy Loss in Normal and Stenosed Aortic Valves. <i>Journal of Biomechanical Engineering</i> , 2010, 132, 021005.	0.6	25
239	Elevated Cyclic Stretch Induces Aortic Valve Calcification in a Bone Morphogenic Protein-Dependent Manner. <i>American Journal of Pathology</i> , 2010, 177, 49-57.	1.9	138
240	Advances in Computational Simulations for Interventional Treatments and Surgical Planning. , 2010, , 343-373.		0
241	Alterations in Tricuspid Valve Mechanics as a Result of Annular Dilatation and Papillary Muscle Displacement: An In Vitro Study. , 2010, , .		1
242	Elevated cyclic stretch alters matrix remodeling in aortic valve cusps: implications for degenerative aortic valve disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H756-H764.	1.5	172
243	Altered Shear Stress Stimulates Upregulation of Endothelial VCAM-1 and ICAM-1 in a BMP-4 and TGF- β 1-Dependent Pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 254-260.	1.1	212
244	Fontan hemodynamics: Importance of pulmonary artery diameter. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 137, 560-564.	0.4	90
245	Blood flow distribution in a large series of patients having the Fontan operation: A cardiac magnetic resonance velocity mapping study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 138, 96-102.	0.4	62
246	Mitral valve hemodynamics after repair of acute posterior leaflet prolapse: Quadrangular resection versus triangular resection versus neochordoplasty. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 138, 309-315.	0.4	81
247	Optimum fuzzy filters for phase-contrast magnetic resonance imaging segmentation. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 29, 155-165.	1.9	32
248	Hemodynamic Performance of Stage-2 Univentricular Reconstruction: Glenn vs. Hemi-Fontan Templates. <i>Annals of Biomedical Engineering</i> , 2009, 37, 50-63.	1.3	41
249	Hemodynamic Energy Dissipation in the Cardiovascular System: Generalized Theoretical Analysis on Disease States. <i>Annals of Biomedical Engineering</i> , 2009, 37, 661-673.	1.3	31
250	Flow simulations in arbitrarily complex cardiovascular anatomies – An unstructured Cartesian grid approach. <i>Computers and Fluids</i> , 2009, 38, 1749-1762.	1.3	48
251	FLUID MECHANICS OF ARTIFICIAL HEART VALVES. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009, 36, 225-237.	0.9	228
252	Advances in Cardiovascular Fluid Mechanics: Bench to Bedside. <i>Annals of the New York Academy of Sciences</i> , 2009, 1161, 1-25.	1.8	10

#	ARTICLE	IF	CITATIONS
253	Saddle Shape of the Mitral Annulus Reduces Systolic Strains on the P2 Segment of the Posterior Mitral Leaflet. <i>Annals of Thoracic Surgery</i> , 2009, 88, 1499-1504.	0.7	88
254	Endothelium-Dependent Regulation of the Mechanical Properties of Aortic Valve Cusps. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1448-1455.	1.2	122
255	Correction of Pulmonary Arteriovenous Malformation Using Image-Based Surgical Planning. <i>JACC: Cardiovascular Imaging</i> , 2009, 2, 1024-1030.	2.3	75
256	Mitral web—a new concept for mitral valve repair: improved engineering design and in-vitro studies. <i>Journal of Heart Valve Disease</i> , 2009, 18, 300-6.	0.5	8
257	Functional analysis of Fontan energy dissipation. <i>Journal of Biomechanics</i> , 2008, 41, 2246-2252.	0.9	62
258	Modified control grid interpolation for the volumetric reconstruction of fluid flows. <i>Experiments in Fluids</i> , 2008, 45, 987-997.	1.1	14
259	Patient-specific surgical planning and hemodynamic computational fluid dynamics optimization through free-form haptic anatomy editing tool (SURGEM). <i>Medical and Biological Engineering and Computing</i> , 2008, 46, 1139-1152.	1.6	88
260	Procoagulant Properties of Flow Fields in Stenotic and Expansive Orifices. <i>Annals of Biomedical Engineering</i> , 2008, 36, 1-13.	1.3	28
261	Characterization of Hemodynamic Forces Induced by Mechanical Heart Valves: Reynolds vs. Viscous Stresses. <i>Annals of Biomedical Engineering</i> , 2008, 36, 276-297.	1.3	163
262	Passive flow control of bileaflet mechanical heart valve leakage flow. <i>Journal of Biomechanics</i> , 2008, 41, 1166-1173.	0.9	27
263	Structural simulations of prosthetic tri-leaflet aortic heart valves. <i>Journal of Biomechanics</i> , 2008, 41, 1510-1519.	0.9	49
264	In vitro hemodynamic investigation of the embryonic aortic arch at late gestation. <i>Journal of Biomechanics</i> , 2008, 41, 1697-1706.	0.9	22
265	A New Method for Registration-Based Medical Image Interpolation. <i>IEEE Transactions on Medical Imaging</i> , 2008, 27, 370-377.	5.4	67
266	Energy loss for evaluating heart valve performance. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 820-833.	0.4	98
267	Cleft closure and undersizing annuloplasty improve mitral repair in atrioventricular canal defects. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008, 136, 1243-1249.	0.4	17
268	Design of an Ex Vivo Culture System to Investigate the Effects of Shear Stress on Cardiovascular Tissue. <i>Journal of Biomechanical Engineering</i> , 2008, 130, 035001.	0.6	67
269	Quantitative Analysis of Extracardiac Versus Intraatrial Fontan Anatomic Geometries. <i>Annals of Thoracic Surgery</i> , 2008, 85, 810-817.	0.7	29
270	Comparison of Particle Image Velocimetry and Phase Contrast MRI in a Patient-Specific Extracardiac Total Cavopulmonary Connection. <i>Journal of Biomechanical Engineering</i> , 2008, 130, 041004.	0.6	24

#	ARTICLE	IF	CITATIONS
271	Neonatal Aortic Arch Hemodynamics and Perfusion During Cardiopulmonary Bypass. Journal of Biomechanical Engineering, 2008, 130, 061012.	0.6	44
272	The total cavopulmonary connection resistance: a significant impact on single ventricle hemodynamics at rest and exercise. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 295, H2427-H2435.	1.5	112
273	Saddle-Shaped Mitral Valve Annuloplasty Rings Experience Lower Forces Compared With Flat Rings. Circulation, 2008, 118, S250-5.	1.6	96
274	Assessment of Current Continuous Hemofiltration Systems and Development of a Novel Accurate Fluid Management System for Use in Extracorporeal Membrane Oxygenation. Journal of Medical Devices, Transactions of the ASME, 2008, 2, .	0.4	20
275	What forces act on a flat rigid mitral annuloplasty ring?. Journal of Heart Valve Disease, 2008, 17, 267-75; discussion 275.	0.5	27
276	Nonlinear Power Loss During Exercise in Single-Ventricle Patients After the Fontan. Circulation, 2007, 116, 1165-71.	1.6	157
277	Thrombin formation in vitro in response to shear-induced activation of platelets. Thrombosis Research, 2007, 121, 397-406.	0.8	20
278	Introduction of a New Optimized Total Cavopulmonary Connection. Annals of Thoracic Surgery, 2007, 83, 2182-2190.	0.7	94
279	Efficacy of the Edge-to-Edge Repair in the Setting of a Dilated Ventricle: An In Vitro Study. Annals of Thoracic Surgery, 2007, 84, 1578-1584.	0.7	21
280	Heart valve function: a biomechanical perspective. Philosophical Transactions of the Royal Society B: Biological Sciences, 2007, 362, 1369-1391.	1.8	309
281	Anatomically Realistic Patient-Specific Surgical Planning of Complex Congenital Heart Defects Using MRI and CFD. Annual International Conference of the IEEE Engineering in Medicine and Biology Society, 2007, 2007, 202-5.	0.5	9
282	A saddle-shaped annulus reduces systolic strain on the central region of the mitral valve anterior leaflet. Journal of Thoracic and Cardiovascular Surgery, 2007, 134, 1562-1568.	0.4	105
283	Spatio-temporal Flow Analysis in Bileaflet Heart Valve Hinge Regions: Potential Analysis for Blood Element Damage. Annals of Biomedical Engineering, 2007, 35, 1333-1346.	1.3	13
284	Progress in the CFD Modeling of Flow Instabilities in Anatomical Total Cavopulmonary Connections. Annals of Biomedical Engineering, 2007, 35, 1840-1856.	1.3	52
285	Hepatic Venous Blood Flow Distribution in the Total Cavopulmonary Connection: Patient-Specific Anatomical Models. , 2007, , .		2
286	A Skeletalized Representation of the Total Cavopulmonary Connection. , 2007, , .		3
287	Abstract 2207: Significant Impact of the Total Cavopulmonary Connection Resistance on Cardiac Output and Exercise Performance in Single Ventricles. Circulation, 2007, 116, .	1.6	3
288	In-Vivo Dynamic Deformation of the Mitral Valve Anterior Leaflet. Annals of Thoracic Surgery, 2006, 82, 1369-1377.	0.7	122

#	ARTICLE	IF	CITATIONS
289	Effects of Annular Size, Transmitral Pressure, and Mitral Flow Rate on the Edge-To-Edge Repair: An In Vitro Study. <i>Annals of Thoracic Surgery</i> , 2006, 82, 1362-1368.	0.7	44
290	Impaired Power Output and Cardiac Index With Hypoplastic Left Heart Syndrome: A Magnetic Resonance Imaging Study. <i>Annals of Thoracic Surgery</i> , 2006, 82, 1267-1277.	0.7	49
291	Biaxial Stress—Stretch Behavior of the Mitral Valve Anterior Leaflet at Physiologic Strain Rates. <i>Annals of Biomedical Engineering</i> , 2006, 34, 315-325.	1.3	159
292	Fluid Dynamic Assessment of Three Polymeric Heart Valves Using Particle Image Velocimetry. <i>Annals of Biomedical Engineering</i> , 2006, 34, 936-952.	1.3	80
293	An Ex Vivo Study of the Biological Properties of Porcine Aortic Valves in Response to Circumferential Cyclic Stretch. <i>Annals of Biomedical Engineering</i> , 2006, 34, 1655-1665.	1.3	110
294	Planar Biaxial Creep and Stress Relaxation of the Mitral Valve Anterior Leaflet. <i>Annals of Biomedical Engineering</i> , 2006, 34, 1509-1518.	1.3	94
295	The material properties of the native porcine mitral valve chordae tendineae: An in vitro investigation. <i>Journal of Biomechanics</i> , 2006, 39, 1129-1135.	0.9	63
296	Flow study of an extracardiac connection with persistent left superior vena cava. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006, 131, 785-791.	0.4	60
297	Flow and Thrombosis at Orifices Simulating Mechanical Heart Valve Leakage Regions. <i>Journal of Biomechanical Engineering</i> , 2006, 128, 30-39.	0.6	27
298	Differential immediate-early gene responses to elevated pressure in porcine aortic valve interstitial cells. <i>Journal of Heart Valve Disease</i> , 2006, 15, 34-41; discussion 42.	0.5	21
299	Cyclic pressure and shear stress regulate matrix metalloproteinases and cathepsin activity in porcine aortic valves. <i>Journal of Heart Valve Disease</i> , 2006, 15, 622-9.	0.5	40
300	Effect of hinge gap width on the microflow structures in 27-mm bileaflet mechanical heart valves. <i>Journal of Heart Valve Disease</i> , 2006, 15, 800-8.	0.5	17
301	Coupling Pediatric Ventricle Assist Devices to the Fontan Circulation: Simulations with a Lumped-Parameter Model. <i>ASAIO Journal</i> , 2005, 51, 618-628.	0.9	78
302	Mitral Valve Function and Chordal Force Distribution Using a Flexible Annulus Model: An In Vitro Study. <i>Annals of Biomedical Engineering</i> , 2005, 33, 557-566.	1.3	58
303	Physics-Driven CFD Modeling of Complex Anatomical Cardiovascular Flows?A TCPC Case Study. <i>Annals of Biomedical Engineering</i> , 2005, 33, 284-300.	1.3	106
304	A Comparison of Flow Field Structures of Two Tri-Leaflet Polymeric Heart Valves. <i>Annals of Biomedical Engineering</i> , 2005, 33, 429-443.	1.3	32
305	Normal Physiological Conditions Maintain the Biological Characteristics of Porcine Aortic Heart Valves: An Ex Vivo Organ Culture Study. <i>Annals of Biomedical Engineering</i> , 2005, 33, 1158-1166.	1.3	29
306	Flow in Prosthetic Heart Valves: State-of-the-Art and Future Directions. <i>Annals of Biomedical Engineering</i> , 2005, 33, 1689-1694.	1.3	155

#	ARTICLE	IF	CITATIONS
307	New Techniques for the Reconstruction of Complex Vascular Anatomies from MRI Images. Journal of Cardiovascular Magnetic Resonance, 2005, 7, 425-432.	1.6	48
308	Total Cavopulmonary Connection Flow With Functional Left Pulmonary Artery Stenosis. Circulation, 2005, 112, 3264-3271.	1.6	67
309	In Vitro Dynamic Strain Behavior of the Mitral Valve Posterior Leaflet. Journal of Biomechanical Engineering, 2005, 127, 504-511.	0.6	73
310	Flow in a Mechanical Bileaflet Heart Valve at Laminar and Near-Peak Systole Flow Rates: CFD Simulations and Experiments. Journal of Biomechanical Engineering, 2005, 127, 782-797.	0.6	91
311	Single-Step Stereolithography of Complex Anatomical Models for Optical Flow Measurements. Journal of Biomechanical Engineering, 2005, 127, 204-207.	0.6	49
312	Design of a Sterile Organ Culture System for the Ex Vivo Study of Aortic Heart Valves. Journal of Biomechanical Engineering, 2005, 127, 857-861.	0.6	26
313	In Vitro Flow Analysis of a Patient-Specific Intraatrial Total Cavopulmonary Connection. Annals of Thoracic Surgery, 2005, 79, 2094-2102.	0.7	64
314	Structural Characterization of the Chordae Tendineae in Native Porcine Mitral Valves. Annals of Thoracic Surgery, 2005, 80, 189-197.	0.7	49
315	Effects of papillary muscle position on chordal force distribution: an in-vitro study. Journal of Heart Valve Disease, 2005, 14, 295-302.	0.5	36
316	The Effects of Different Mesh Generation Methods on Computational Fluid Dynamic Analysis and Power Loss Assessment in Total Cavopulmonary Connection. Journal of Biomechanical Engineering, 2004, 126, 594-603.	0.6	39
317	Three-Dimensional Velocity Field Reconstruction. Journal of Biomechanical Engineering, 2004, 126, 727-735.	0.6	22
318	Effects of Constant Static Pressure on the Biological Properties of Porcine Aortic Valve Leaflets. Annals of Biomedical Engineering, 2004, 32, 555-562.	1.3	44
319	Miniature C-Shaped Transducers for Chordae Tendineae Force Measurements. Annals of Biomedical Engineering, 2004, 32, 1050-1057.	1.3	40
320	Cyclic Pressure Affects the Biological Properties of Porcine Aortic Valve Leaflets in a Magnitude and Frequency Dependent Manner. Annals of Biomedical Engineering, 2004, 32, 1461-1470.	1.3	73
321	Comparison of the Hinge Flow Fields of Two Bileaflet Mechanical Heart Valves under Aortic and Mitral Conditions. Annals of Biomedical Engineering, 2004, 32, 1607-1617.	1.3	40
322	Fluid Mechanics of Heart Valves. Annual Review of Biomedical Engineering, 2004, 6, 331-362.	5.7	314
323	Hemodynamic characterization of calcified stenotic human aortic valves before and after treatment with a novel aortic valve repair system. Journal of Heart Valve Disease, 2004, 13, 582-92; discussion 592.	0.5	2
324	Application of an adaptive control grid interpolation technique to morphological vascular reconstruction. IEEE Transactions on Biomedical Engineering, 2003, 50, 197-206.	2.5	63

#	ARTICLE	IF	CITATIONS
325	An in vitro assessment by means of laser Doppler velocimetry of the medtronic advantage bileaflet mechanical heart valve hinge flow. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003, 126, 90-98.	0.4	25
326	Effects of a Saddle Shaped Annulus on Mitral Valve Function and Chordal Force Distribution: An In Vitro Study. <i>Annals of Biomedical Engineering</i> , 2003, 31, 1171-1181.	1.3	115
327	Numerical Simulation of Flow in Mechanical Heart Valves: Grid Resolution and the Assumption of Flow Symmetry. <i>Journal of Biomechanical Engineering</i> , 2003, 125, 709-718.	0.6	73
328	Mitral leaflet geometry perturbations with papillary muscle displacement and annular dilatation: an in-vitro study of ischemic mitral regurgitation. <i>Journal of Heart Valve Disease</i> , 2003, 12, 300-7.	0.5	37
329	Effects of papillary muscle position on in-vitro dynamic strain on the porcine mitral valve. <i>Journal of Heart Valve Disease</i> , 2003, 12, 488-94.	0.5	42
330	An integrated macro/micro approach to evaluating pivot flow within the Medtronic ADVANTAGE bileaflet mechanical heart valve. <i>Journal of Heart Valve Disease</i> , 2003, 12, 503-12.	0.5	7
331	An Analysis of Turbulent Shear Stresses in Leakage Flow Through a Bileaflet Mechanical Prostheses. <i>Journal of Biomechanical Engineering</i> , 2002, 124, 155-165.	0.6	25
332	Mechanism of Incomplete Mitral Leaflet Coaptation—Interaction of Chordal Restraint and Changes in Mitral Leaflet Coaptation Geometry. <i>Journal of Biomechanical Engineering</i> , 2002, 124, 596-608.	0.6	33
333	Microflow fields in the hinge region of the CarboMedics bileaflet mechanical heart valve design. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002, 124, 561-574.	0.4	34
334	Mechanistic insights into functional mitral regurgitation. <i>Current Cardiology Reports</i> , 2002, 4, 125-129.	1.3	89
335	Biosynthetic Activity in Heart Valve Leaflets in Response to In Vitro Flow Environments. <i>Annals of Biomedical Engineering</i> , 2001, 29, 752-763.	1.3	67
336	In vivo flow dynamics of the total cavopulmonary connection from three-dimensional multislice magnetic resonance imaging. <i>Annals of Thoracic Surgery</i> , 2001, 71, 889-898.	0.7	43
337	Improved In Vitro Quantification of the Force Exerted by the Papillary Muscle on the Left Ventricular Wall: Three-Dimensional Force Vector Measurement System. <i>Annals of Biomedical Engineering</i> , 2001, 29, 406-413.	1.3	46
338	Bileaflet Aortic Valve Prosthesis Pivot Geometry Influences Platelet Secretion and Anionic Phospholipid Exposure. <i>Annals of Biomedical Engineering</i> , 2001, 29, 657-664.	1.3	24
339	Importance of Accurate Geometry in the Study of the Total Cavopulmonary Connection: Computational Simulations and In Vitro Experiments. <i>Annals of Biomedical Engineering</i> , 2001, 29, 844-853.	1.3	65
340	Chordal Cutting. <i>Circulation</i> , 2001, 104, 1958-1963.	1.6	285
341	Evaluation of Cardiovascular Parameters of a Selenium-Based Antihypertensive Using Pulsed Doppler Ultrasound. <i>Journal of Cardiovascular Pharmacology</i> , 2001, 38, 337-346.	0.8	12
342	Noninvasive Fluid Dynamic Power Loss Assessments for Total Cavopulmonary Connections Using the Viscous Dissipation Function: A Feasibility Study. <i>Journal of Biomechanical Engineering</i> , 2001, 123, 317-324.	0.6	44

#	ARTICLE	IF	CITATIONS
343	Evaluation of the Precision of Magnetic Resonance Phase Velocity Mapping for Blood Flow Measurements. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2001, 3, 11-19.	1.6	92
344	A comparison of the hinge and near-hinge flow fields of the St Jude medical hemodynamic plus and regent bileaflet mechanical heart valves. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000, 119, 83-93.	0.4	39
345	Fluid Mechanic Assessment of the Total Cavopulmonary Connection using Magnetic Resonance Phase Velocity Mapping and Digital Particle Image Velocimetry. <i>Annals of Biomedical Engineering</i> , 2000, 28, 1172-1183.	1.3	47
346	In Response to "Comparison of Particle Image Velocimetry and Laser Doppler Velocimetry Measurements in Turbulent Fluid Flow" by Wernet et al.. <i>Annals of Biomedical Engineering</i> , 2000, 28, 1395-1396.	1.3	0
347	An In Vitro Study of the Hinge and Near-Field Forward Flow Dynamics of the St. Jude Medical® Regent™, ♂ Bileaflet Mechanical Heart Valve. <i>Annals of Biomedical Engineering</i> , 2000, 28, 524-532.	1.3	42
348	Experimental Investigation of the Steady Flow Downstream of the St. Jude Bileaflet Heart Valve: A Comparison Between Laser Doppler Velocimetry and Particle Image Velocimetry Techniques. <i>Annals of Biomedical Engineering</i> , 2000, 28, 39-47.	1.3	47
349	Computational Modeling of Left Heart Diastolic Function: Examination of Ventricular Dysfunction. <i>Journal of Biomechanical Engineering</i> , 2000, 122, 297-303.	0.6	52
350	Three-Dimensional Computational Model of Left Heart Diastolic Function With Fluid-Structure Interaction. <i>Journal of Biomechanical Engineering</i> , 2000, 122, 109-117.	0.6	69
351	Estimation of the Shear Stress on the Surface of an Aortic Valve Leaflet. <i>Annals of Biomedical Engineering</i> , 1999, 27, 572-579.	1.3	92
352	Determinants of pulmonary venous flow reversal in mitral regurgitation and its usefulness in determining the severity of regurgitation. <i>American Journal of Cardiology</i> , 1999, 83, 535-541.	0.7	58
353	A semi-automated method to quantify left ventricular diastolic inflow propagation by magnetic resonance phase velocity mapping. <i>Journal of Magnetic Resonance Imaging</i> , 1999, 9, 544-551.	1.9	2
354	Chordal force distribution determines systolic mitral leaflet configuration and severity of functional mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 1999, 33, 843-853.	1.2	71
355	Toward designing the optimal total cavopulmonary connection: an in vitro study. <i>Annals of Thoracic Surgery</i> , 1999, 68, 1384-1390.	0.7	107
356	Quantification of mitral regurgitation with MR phase-velocity mapping using a control volume method. <i>Journal of Magnetic Resonance Imaging</i> , 1998, 8, 577-582.	1.9	43
357	What Is the Validity of Continuous Wave Doppler Grading of Aortic Regurgitation Severity? A Chronic Animal Model Study. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 332-337.	1.2	12
358	Temporal Variability of Vena Contracta and Jet Areas with Color Doppler in Aortic Regurgitation: A Chronic Animal Model Study. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 1064-1071.	1.2	8
359	Estimation of Mitral Regurgitation with a Hemielliptic Curve-Fitting Algorithm: In Vitro Experiments with Native Mitral Valves. <i>Journal of the American Society of Echocardiography</i> , 1998, 11, 322-331.	1.2	24
360	Mechanism of Mitral Regurgitation in Hypertrophic Cardiomyopathy. <i>Circulation</i> , 1998, 98, 856-865.	1.6	108

#	ARTICLE	IF	CITATIONS
361	Assessment of Small-Diameter Aortic Mechanical Prostheses. <i>Circulation</i> , 1998, 98, 866-872.	1.6	23
362	An automated method for analysis and visualization of laser doppler velocimetry data. <i>Annals of Biomedical Engineering</i> , 1997, 25, 335-343.	1.3	13
363	The importance of slice location on the accuracy of aortic regurgitation measurements with magnetic resonance phase velocity mapping. <i>Annals of Biomedical Engineering</i> , 1997, 25, 644-652.	1.3	16
364	Slice location dependence of aortic regurgitation measurements with MR phase velocity mapping. <i>Magnetic Resonance in Medicine</i> , 1997, 37, 545-551.	1.9	65
365	A three-component force vector cell for in vitro quantification of the force exerted by the papillary muscle on the left ventricular wall. <i>Journal of Biomechanics</i> , 1997, 30, 1071-1075.	0.9	12
366	Integrated Mechanism for Functional Mitral Regurgitation. <i>Circulation</i> , 1997, 96, 1826-1834.	1.6	327
367	Quantifying Aortic Regurgitation by Using the Color Doppler-Imaged Vena Contracta. <i>Circulation</i> , 1997, 96, 2009-2015.	1.6	32
368	In vitro flow experiments for determination of optimal geometry of total cavopulmonary connection for surgical repair of children with functional single ventricle. <i>Journal of the American College of Cardiology</i> , 1996, 27, 1264-1269.	1.2	129
369	Evaluation of eccentric aortic regurgitation by color Doppler jet and color Doppler-imaged vena contracta measurements: An animal study of quantified aortic regurgitation. <i>American Heart Journal</i> , 1996, 132, 796-804.	1.2	15
370	Mathematics of systolic pulmonary vein flow: A closed form analytical solution incorporating fundamental principles and key variables. <i>Journal of the American College of Cardiology</i> , 1996, 27, 1-2.	1.2	62
371	Experimental analysis of fluid mechanical energy losses in aortic valve stenosis: Importance of pressure recovery. <i>Annals of Biomedical Engineering</i> , 1996, 24, 685-694.	1.3	51
372	Computational simulations of mitral regurgitation quantification using the flow convergence method: Comparison of hemispheric and hemielliptic formulae. <i>Annals of Biomedical Engineering</i> , 1996, 24, 561-572.	1.3	11
373	Hemodynamic assessment of carbomedics bileaflet heart valves by ultrasound: Studies in the aortic and mitral positions. <i>Ultrasound in Medicine and Biology</i> , 1996, 22, 421-430.	0.7	4
374	A model based on dimensional analysis for non-invasive quantification of valvular regurgitation under confined and impinging conditions. <i>Journal of Biomechanics</i> , 1996, 29, 99-102.	0.9	2
375	How sensitive are jet centerline velocities to an opposing flow? Implications for using the centerline method to quantify regurgitant jet flow. <i>Journal of Biomechanics</i> , 1996, 29, 967-971.	0.9	1
376	Quantification of Mitral and Tricuspid Regurgitation Using Jet Centerline Velocities. <i>Echocardiography</i> , 1996, 13, 357-372.	0.3	2
377	Effective Regurgitant Orifice Area by the Color Doppler Flow Convergence Method for Evaluating the Severity of Chronic Aortic Regurgitation. <i>Circulation</i> , 1996, 93, 594-602.	1.6	32
378	Atrial inflow can alter regurgitant jet size: In vitro studies. <i>Ultrasound in Medicine and Biology</i> , 1995, 21, 459-469.	0.7	7

#	ARTICLE	IF	CITATIONS
379	A model based on dimensional analysis for noninvasive quantification of valvular regurgitation under confined and impinging conditions: In vitro pulsatile flow validation. <i>Ultrasound in Medicine and Biology</i> , 1995, 21, 899-911.	0.7	5
380	Transesophageal color Doppler evaluation of obstructive lesions using the new "Quasar" technology. <i>Ultrasound in Medicine and Biology</i> , 1995, 21, 1021-1028.	0.7	1
381	Three-dimensional reconstruction of the flow in a human left heart by using magnetic resonance phase velocity encoding. <i>Annals of Biomedical Engineering</i> , 1995, 24, 139-147.	1.3	23
382	A Three-Dimensional Computational Investigation of Intraventricular Fluid Dynamics: Examination Into the Initiation of Systolic Anterior Motion of the Mitral Valve Leaflets. <i>Journal of Biomechanical Engineering</i> , 1995, 117, 94-102.	0.6	27
383	Left ventricular blood flow patterns in normal subjects: A quantitative analysis by three-dimensional magnetic resonance velocity mapping. <i>Journal of the American College of Cardiology</i> , 1995, 26, 224-238.	1.2	243
384	Three-dimensional surface geometry correction is required for calculating flow by the proximal isovelocity surface area technique. <i>Journal of the American Society of Echocardiography</i> , 1995, 8, 585-594.	1.2	29
385	Dynamics of systolic pulmonary, venous flow in mitral regurgitation: Mathematical modeling of the pulmonary venous system and atrium. <i>Journal of the American Society of Echocardiography</i> , 1995, 8, 631-642.	1.2	20
386	Papillary Muscle Displacement Causes Systolic Anterior Motion of the Mitral Valve. <i>Circulation</i> , 1995, 91, 1189-1195.	1.6	199
387	A New Control Volume Method for Calculating Valvular Regurgitation. <i>Circulation</i> , 1995, 92, 579-586.	1.6	43
388	Left Ventricular Blood Flow Patterns Assessed by Magnetic Resonance Velocity Mapping in Patients with Ischemic Heart Disease. <i>American Journal of Noninvasive Cardiology</i> , 1994, 8, 317-325.	0.1	1
389	A Computational Study of a Thin-Walled Three-Dimensional Left Ventricle During Early Systole. <i>Journal of Biomechanical Engineering</i> , 1994, 116, 307-314.	0.6	22
390	Clinical correlates of the rate of transmission of transmitral "A" wave to the left ventricular outflow tract in left ventricular hypertrophy secondary to systemic hypertension, hypertrophic cardiomyopathy or aortic valve stenosis. <i>American Journal of Cardiology</i> , 1994, 73, 831-834.	0.7	14
391	Two-dimensional mitral flow velocity profiles in pig models using epicardial doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1994, 24, 532-545.	1.2	42
392	Quantification of Cardiac Jets. <i>Echocardiography</i> , 1994, 11, 267-280.	0.3	11
393	Assessment of the Accuracy of Color Doppler Flow Mapping By Digital Image Analysis. <i>Echocardiography</i> , 1994, 11, 11-28.	0.3	4
394	Semiautomated method for noise reduction and background phase error correction in MR phase velocity data. <i>Journal of Magnetic Resonance Imaging</i> , 1993, 3, 521-530.	1.9	354
395	Two-dimensional velocity measurements in a pulsatile flow model of the normal abdominal aorta simulating different hemodynamic conditions. <i>Journal of Biomechanics</i> , 1993, 26, 1237-1247.	0.9	46
396	Chapter 16 Prosthetic Cardiac Valves. <i>Cardiovascular Pathology</i> , 1993, 2, 167-177.	0.7	28

#	ARTICLE	IF	CITATIONS
397	Comparison of various agents in contrast enhancement of color doppler flow images: An in vitro study. <i>Ultrasound in Medicine and Biology</i> , 1993, 19, 45-57.	0.7	23
398	Quantification of regurgitant flow through bileaflet heart valve prostheses: Theoretical and in vitro studies. <i>Ultrasound in Medicine and Biology</i> , 1993, 19, 461-468.	0.7	7
399	Clinical significance and origin of artifacts in transesophageal echocardiography of the thoracic aorta. <i>Journal of the American College of Cardiology</i> , 1993, 21, 754-760.	1.2	98
400	Pressure recovery distal to stenoses: Expanding clinical applications of engineering principles. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1026-1028.	1.2	17
401	Increased heart rate can cause underestimation of regurgitant jet size by Doppler color flow mapping. <i>Journal of the American College of Cardiology</i> , 1993, 21, 1029-1037.	1.2	38
402	Cardiac motion can alter proximal isovelocity surface area calculations of regurgitant flow. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1730-1737.	1.2	20
403	Flow visualization in anatomically accurate, flow-through models of the main pulmonary artery trunk. <i>Cardiology in the Young</i> , 1992, 2, 114-120.	0.4	3
404	Effect of Heart Rate on Centerline Velocities of Pulsatile Intracardiac Jets: An In Vitro Study with Laser Doppler Anemometry and Pulsed Doppler Ultrasound. <i>Journal of the American Society of Echocardiography</i> , 1992, 5, 393-404.	1.2	16
405	Pulsatile flow visualization in a model of the human abdominal aorta and aortic bifurcation. <i>Journal of Biomechanics</i> , 1992, 25, 935-944.	0.9	52
406	Influence of various instrument settings on the flow information derived from the power mode. <i>Ultrasound in Medicine and Biology</i> , 1991, 17, 49-54.	0.7	74
407	Amplitude information from Doppler color flow mapping systems: A preliminary study of the power mode. <i>Journal of the American College of Cardiology</i> , 1991, 18, 997-1003.	1.2	8
408	Adjacent solid boundaries alter the size of regurgitant jets on Doppler color flow maps. <i>Journal of the American College of Cardiology</i> , 1991, 17, 1094-1102.	1.2	146
409	Doppler echocardiographic study of porcine bioprosthetic heart valves in the aortic valve position in patients without evidence of cardiac dysfunction. <i>American Journal of Cardiology</i> , 1991, 67, 611-615.	0.7	5
410	Theoretical and practical differences between the Gorlin formula and the continuity equation for calculating aortic and mitral valve areas. <i>American Journal of Cardiology</i> , 1991, 67, 1268-1272.	0.7	67
411	Color Doppler Assessment of High Flow Velocities Using a New Technology: In Vitro and Clinical Studies. <i>Echocardiography</i> , 1990, 7, 763-769.	0.3	6
412	Flow Characteristics of Bioprosthetic Heart Valves. <i>Chest</i> , 1990, 98, 365-375.	0.4	13
413	Modified Lawr-Doppler Anemometer to Study Fluid Flow in Microstructures. <i>Textile Reseach Journal</i> , 1990, 60, 266-276.	1.1	0
414	A Simplified Model for Fluid Spreading in Composite Web Structures. <i>Textile Reseach Journal</i> , 1990, 60, 23-32.	1.1	3

#	ARTICLE	IF	CITATIONS
415	Axial flow velocity patterns in a normal human pulmonary artery model: Pulsatile in vitro studies. <i>Journal of Biomechanics</i> , 1990, 23, 201-214.	0.9	25
416	Axial flow velocity patterns in a pulmonary artery model with varying degrees of valvular pulmonic stenosis: Pulsatile in vitro studies. <i>Journal of Biomechanics</i> , 1990, 23, 563-578.	0.9	9
417	A new theoretical model for noninvasive quantification of mitral regurgitation. <i>Journal of Biomechanics</i> , 1990, 23, 27-33.	0.9	40
418	Flow characteristics of prosthetic heart valves. <i>International Journal of Cardiovascular Imaging</i> , 1989, 4, 5-8.	0.2	0
419	Chordal geometry determines the shape and extent of systolic anterior mitral motion: In vitro studies. <i>Journal of the American College of Cardiology</i> , 1989, 13, 1438-1448.	1.2	80
420	Doppler color flow mapping in the evaluation of prosthetic mitral and aortic valve function. <i>Journal of the American College of Cardiology</i> , 1989, 13, 1561-1571.	1.2	75
421	Factors influencing the structure and shape of stenotic and regurgitant jets: An in vitro investigation using doppler color flow mapping and optical flow visualization. <i>Journal of the American College of Cardiology</i> , 1989, 13, 1672-1681.	1.2	55
422	Spatial velocity distribution and acceleration in serial subvalve tunnel and valvular obstructions: An in vitro study using doppler color flow mapping. <i>Journal of the American College of Cardiology</i> , 1989, 13, 241-248.	1.2	40
423	Pressure recovery distal to a stenosis: Potential cause of gradient overestimation by Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1989, 13, 706-715.	1.2	149
424	Quantitative Approaches to Color Doppler Flow Mapping of Intracardiac Blood Flow: A Review of In Vitro Methods. <i>Echocardiography</i> , 1989, 6, 371-383.	0.3	11
425	An emergency physician's guide to prosthetic heart valves: Identification and hemodynamic function. <i>Annals of Emergency Medicine</i> , 1988, 17, 194-200.	0.3	8
426	In Vitro Fluid Dynamics of the St Jude Valve Prosthesis in Steady and Pulsatile Flow. <i>Engineering in Medicine</i> , 1988, 17, 181-187.	0.6	4
427	Cardiac evaluation of women distance runners by echocardiographic color Doppler flow mapping. <i>Journal of the American College of Cardiology</i> , 1988, 11, 89-93.	1.2	50
428	Review of hydrodynamic principles for the cardiologist: Applications to the study of blood flow and jets by imaging techniques. <i>Journal of the American College of Cardiology</i> , 1988, 12, 1344-1353.	1.2	289
429	Doppler flow velocity mapping in an in vitro model of the normal pulmonary artery. <i>Journal of the American College of Cardiology</i> , 1988, 12, 1366-1376.	1.2	19
430	In vitro methods for studying the accuracy of velocity determination and spatial resolution of a color Doppler flow mapping system. <i>American Heart Journal</i> , 1987, 114, 152-158.	1.2	45
431	PULSATILE FLOW VISUALIZATION STUDIES WITH AORTIC AND MITRAL MECHANICAL VALVE PROSTHESES. <i>Chemical Engineering Communications</i> , 1986, 47, 23-48.	1.5	3
432	Flow characteristics of four commonly used mechanical heart valves. <i>American Journal of Cardiology</i> , 1986, 58, 743-752.	0.7	100

#	ARTICLE	IF	CITATIONS
433	Turbulent shear stress measurements in the vicinity of aortic heart valve prostheses. Journal of Biomechanics, 1986, 19, 433-442.	0.9	112
434	In vitro pulsatile flow velocity and shear stress measurements in the vicinity of mechanical mitral heart valve prostheses. Journal of Biomechanics, 1986, 19, 39-51.	0.9	54
435	In vitro hemodynamic characteristics of tissue bioprostheses in the aortic position. Journal of Thoracic and Cardiovascular Surgery, 1986, 92, 198-209.	0.4	67
436	Evaluation of Prosthetic Heart Valves by Doppler Flow Imaging. Echocardiography, 1986, 3, 513-525.	0.3	19
437	Pulsatile flow velocity and shear stress measurements on the st. jude bileaflet valve prosthesis. Scandinavian Journal of Thoracic and Cardiovascular Surgery, 1986, 20, 15-28.	0.2	25
438	Numerical simulation of steady turbulent flow through trileaflet aortic heart valvesâ€”I. Computational scheme and methodology. Journal of Biomechanics, 1985, 18, 899-907.	0.9	20
439	Numerical simulation of steady turbulent flow through trileaflet aortic heart valvesâ€”II. Results on five models. Journal of Biomechanics, 1985, 18, 909-926.	0.9	25
440	Bileaflet, tilting disc and porcine aortic valve substitutes: In vitro hydrodynamic characteristics. Journal of the American College of Cardiology, 1984, 3, 313-320.	1.2	116
441	Bileaflet, tilting disc and porcine aortic valve substitutes: In vivo hydrodynamic characteristics. Journal of the American College of Cardiology, 1984, 3, 321-327.	1.2	70
442	In Vitro Fluid Dynamic Characteristics of Ionescuâ€”Shiley and Carpentierâ€”Edwards Tissue Bioprostheses. Artificial Organs, 1983, 7, 459-469.	1.0	27
443	Steady and Pulsatile Flow Studies on a Trileaflet Heart Valve Prosthesis. Scandinavian Journal of Thoracic and Cardiovascular Surgery, 1983, 17, 227-236.	0.2	7
444	The BjÃ¶rkâ€”Shiley Heart Valve Prosthesis. Flow Characteristics of the New 70Â° Model. Scandinavian Journal of Thoracic and Cardiovascular Surgery, 1982, 16, 1-7.	0.2	10
445	In Vitro Fluid Dynamic Characteristics of the Medtronic-Hall Pivoting Disc Heart Valve Prosthesis. Scandinavian Journal of Thoracic and Cardiovascular Surgery, 1982, 16, 235-243.	0.2	7
446	Flow Characteristics of the St. Jude Prosthetic Valve: An In Vitro and In Vivo Study. Artificial Organs, 1982, 6, 288-294.	1.0	19
447	The BjÃ¶rkâ€”Shiley Aortic Prosthesis: Flow Characteristics of the Present Model vs. The Convexo-Concave Model. Scandinavian Journal of Thoracic and Cardiovascular Surgery, 1980, 14, 1-5.	0.2	18
448	In vitro velocity measurements in the vicinity of aortic prostheses. Journal of Biomechanics, 1979, 12, 135-152.	0.9	94
449	Pressure drops across prosthetic aortic heart valves under steady and pulsatile flowâ€”In vitro measurements. Journal of Biomechanics, 1979, 12, 153-164.	0.9	100
450	Biofluid Mechanics. , 0, , .		55

#	ARTICLE	IF	CITATIONS
451	Assessing the Hemodynamic Impact of Anterior Leaflet Laceration in Transcatheter Mitral Valve Replacement: An in silico Study. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	1