

# Aly Youssef

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3916866/publications.pdf>

Version: 2024-02-01

137  
papers

2,527  
citations

201674

27  
h-index

254184

43  
g-index

194  
all docs

194  
docs citations

194  
times ranked

1600  
citing authors

#	ARTICLE	IF	CITATIONS
1	ISUOG Practice Guidelines: intrapartum ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 128-139.	1.7	194
2	Risk factors associated with adverse fetal outcomes in pregnancies affected by Coronavirus disease 2019 (COVID-19): a secondary analysis of the WAPM study on COVID-19. <i>Journal of Perinatal Medicine</i> , 2020, 48, 950-958.	1.4	107
3	Fetal headâ€“symphysis distance: a simple and reliable ultrasound index of fetal head station in labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 419-424.	1.7	98
4	Prenatal diagnosis and outcome of partial agenesis and hypoplasia of the corpus callosum. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 35, 35-41.	1.7	84
5	Sonographic prediction of outcome of vacuum deliveries: a multicenter, prospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 69.e1-69.e10.	1.3	82
6	Intrapartum transperineal ultrasound assessment of fetal head progression in active second stage of labor and mode of delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 430-435.	1.7	70
7	The use of intrapartum ultrasound to diagnose malpositions and cephalic malpresentations. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 633-641.	1.3	68
8	Uterine artery Doppler and biochemical markers (PAPPâ€“A, PlGF, sFltâ€“1, Pâ€“selectin, NGAL) at 11â€“0 to 13â€“6 weeks in the prediction of late (>34 weeks) preâ€“eclampsia. <i>Prenatal Diagnosis</i> , 2011, 31, 1141-1146.	2.3	62
9	Sonographic pattern of fetal head descent: relationship with duration of active second stage of labor and occiput position at delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 44, 82-89.	1.7	62
10	Maternal cardiac function in normal twin pregnancy: a longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011, 38, 575-580.	1.7	58
11	Fundal pressure in second stage of labor (Kristeller maneuver) is associated with increased risk of levator ani muscle avulsion. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 95-100.	1.7	50
12	How to perform ultrasound in labor: assessment of fetal occiput position. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 476-478.	1.7	49
13	The â€œocciputâ€“spine angleâ€“: a new sonographic index of fetal head deflexion during the first stage of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 84.e1-84.e7.	1.3	43
14	Intrapartum sonographic imaging of fetal head asynclitism. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 39, 238-240.	1.7	42
15	Reliability of new three-dimensional ultrasound technique for pelvic hiatal area measurement. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 629-635.	1.7	42
16	Pelvic floor muscle dysfunction on 3D/4D transperineal ultrasound in patients with deep infiltrating endometriosis: a pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 527-532.	1.7	41
17	Persistence of increased uterine artery resistance in the third trimester and pregnancy outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010, 36, 577-581.	1.7	39
18	A New Simple Technique for 3â€“Dimensional Sonographic Assessment of the Pelvic Floor Muscles. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 65-72.	1.7	39

#	ARTICLE	IF	CITATIONS
19	Narrow subpubic arch angle is associated with higher risk of persistent occiput posterior position at delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 48, 511-515.	1.7	38
20	Pelvic floor muscle assessment on three- and four-dimensional transperineal ultrasound in women with ovarian endometriosis with or without retroperitoneal infiltration: a step towards complete functional assessment. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 52, 265-268.	1.7	37
21	Levator ani muscle coactivation at term is associated with longer second stage of labor in nulliparous women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 53, 686-692.	1.7	36
22	The pregnancy outcome in women with incidental diagnosis of septate uterus at first trimester scan. <i>Human Reproduction</i> , 2012, 27, 2671-2675.	0.9	35
23	Maternal and perinatal outcomes in high compared to low risk pregnancies complicated by severe acute respiratory syndrome coronavirus 2 infection (phase 2): the World Association of Perinatal Medicine working group on coronavirus disease 2019. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2021, 3, 100329.	2.6	32
24	Contraction of the levator ani muscle during Valsalva maneuver (coactivation) is associated with a longer active second stage of labor in nulliparous women undergoing induction of labor. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, 189.e1-189.e8.	1.3	30
25	Fetal head-symphysis distance and mode of delivery in the second stage of labor. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 1011-1017.	2.8	29
26	Agreement between two- and three-dimensional transperineal ultrasound methods for assessment of fetal head-symphysis distance in active labor. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014, 43, 183-188.	1.7	29
27	Descent of fetal head during active pushing: secondary analysis of prospective cohort study investigating ultrasound examination before operative vaginal delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2019, 54, 524-529.	1.7	29
28	The prognostic role of uterine artery Doppler studies in patients with late-onset preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 36.e1-36.e5.	1.3	28
29	Intrapartum Ultrasound to Differentiate Flexion and Deflexion in Occipitoposterior Rotation. <i>Fetal Diagnosis and Therapy</i> , 2017, 42, 249-256.	1.4	27
30	Ultrasound in labor: a caregiver's perspective. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 469-470.	1.7	26
31	Fetal rotation during vacuum extractions for prolonged labor: a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 998-1005.	2.8	26
32	Mode of delivery in the preterm gestation and maternal and neonatal outcome. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 1424-1428.	1.5	24
33	Intrapartum three-dimensional ultrasonographic imaging of face presentations: report of two cases. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012, 40, 117-118.	1.7	24
34	Outcome of Fetuses with Supratentorial Extra-Axial Intracranial Cysts: A Systematic Review. <i>Fetal Diagnosis and Therapy</i> , 2016, 40, 1-12.	1.4	24
35	Automated Measurement of the Angle of Progression in Labor: A Feasibility and Reliability Study. <i>Fetal Diagnosis and Therapy</i> , 2017, 41, 293-299.	1.4	24
36	Three-dimensional/four-dimensional transperineal ultrasound: clinical utility and future prospects. <i>International Journal of Women's Health</i> , 2017, Volume 9, 643-656.	2.6	24

#	ARTICLE	IF	CITATIONS
37	Post-partum evaluation of maternal cardiac function after severe preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 696-701.	1.5	23
38	Subpubic Arch Angle and Mode of Delivery in Low-Risk Nulliparous Women. Fetal Diagnosis and Therapy, 2016, 40, 150-155.	1.4	23
39	Normal morphometry of fetal posterior fossa at midtrimester: brainstem-tentorium angle and brainstem-vermis angle. Prenatal Diagnosis, 2012, 32, 440-443.	2.3	22
40	How to image the fetal corpus callosum. Ultrasound in Obstetrics and Gynecology, 2013, 42, 718-720.	1.7	22
41	Maternal cardiac evaluation during uncomplicated twin pregnancy with emphasis on the diastolic function. American Journal of Obstetrics and Gynecology, 2015, 213, 376.e1-376.e8.	1.3	22
42	Increased rate of ruptured ectopic pregnancy in COVID-19 pandemic: analysis from the North of Italy. Ultrasound in Obstetrics and Gynecology, 2020, 56, 289-289.	1.7	21
43	Predicting cesarean delivery for failure to progress as an outcome of labor induction in term singleton pregnancy. American Journal of Obstetrics and Gynecology, 2021, 224, 609.e1-609.e11.	1.3	21
44	Diagnosis of Severe Fetomaternal Hemorrhage with Fetal Cerebral Doppler: Case Series and Systematic Review. Fetal Diagnosis and Therapy, 2017, 41, 1-7.	1.4	19
45	The Effect of Chorionicity on Maternal Cardiac Adaptation to Uncomplicated Twin Pregnancy: A Prospective Longitudinal Study. Fetal Diagnosis and Therapy, 2019, 45, 394-402.	1.4	19
46	Ultrasound in labor: is it time for a more simplified approach?. Ultrasound in Obstetrics and Gynecology, 2013, 41, 710-711.	1.7	18
47	Accuracy of fetal gender determination in the first trimester using three-dimensional ultrasound. Ultrasound in Obstetrics and Gynecology, 2011, 37, 557-561.	1.7	17
48	Maternal cardiac function in complicated twin pregnancy: a longitudinal study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 581-585.	1.7	17
49	A New Method to Measure the Subpubic Arch Angle Using 3-D Ultrasound. Fetal Diagnosis and Therapy, 2015, 38, 195-199.	1.4	17
50	Risk of adverse pregnancy outcomes by pre-pregnancy Body Mass Index among Italian population: a retrospective population-based cohort study on 27,807 deliveries. Archives of Gynecology and Obstetrics, 2019, 299, 983-991.	1.7	17
51	Transperineal Ultrasound Visual Feedback Assisted Pelvic Floor Muscle Physiotherapy in Women With Deep Infiltrating Endometriosis and Dyspareunia: A Pilot Study. Journal of Sex and Marital Therapy, 2020, 46, 603-611.	1.5	17
52	Assessment of levator hiatus area using 3D/4D transperineal ultrasound in women with deep infiltrating endometriosis and superficial dyspareunia treated with pelvic floor muscle physiotherapy: randomized controlled trial. Ultrasound in Obstetrics and Gynecology, 2021, 57, 726-732.	1.7	17
53	Increased uterine artery pulsatility index at 34 weeks and outcome of pregnancy. Ultrasound in Obstetrics and Gynecology, 2011, 38, 395-399.	1.7	16
54	Transperineal ultrasound assessment of maternal pelvic floor at term and fetal head engagement. Ultrasound in Obstetrics and Gynecology, 2020, 56, 921-927.	1.7	15

#	ARTICLE	IF	CITATIONS
55	Dynamic changes of fetal head descent at term before the onset of labor correlate with labor outcome and can be improved by ultrasound visual feedback. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 1847-1854.	1.5	15
56	Unilaterally increased uterine artery resistance, placental location and pregnancy outcome. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2010, 153, 143-147.	1.1	14
57	Demonstration of the Pericallosal Artery at 11-13 Weeks of Gestation Using 3D Ultrasound. Fetal Diagnosis and Therapy, 2015, 37, 305-309.	1.4	13
58	Is curved three-dimensional ultrasound reconstruction needed to assess the warped pelvic floor plane?. Ultrasound in Obstetrics and Gynecology, 2017, 50, 388-394.	1.7	13
59	Cost analysis of minimally invasive hysterectomy vs open approach performed by a single surgeon in an Italian center. Journal of Robotic Surgery, 2017, 11, 115-121.	1.8	13
60	Lung ultrasound in the coronavirus disease 2019 pandemic: a practical guide for obstetricians and gynecologists. American Journal of Obstetrics and Gynecology, 2020, 223, 128-131.	1.3	13
61	Automated 3D ultrasound measurement of the angle of progression in labor. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 141-149.	1.5	12
62	How reliable is fetal occiput and spine position assessment prior to induction of labor?. Ultrasound in Obstetrics and Gynecology, 2019, 53, 535-540.	1.7	12
63	The maternal pelvic floor and labor outcome. American Journal of Obstetrics & Gynecology MFM, 2021, 3, 100452.	2.6	12
64	Sonographic assessment of fetal occiput position during the second stage of labor: how reliable is the transperineal approach?. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1985-1988.	1.5	11
65	Knowledge, understanding and fetal occiput position. Ultrasound in Obstetrics and Gynecology, 2016, 47, 523-524.	1.7	11
66	Agreement between two 3D ultrasound techniques for the assessment of the subpubic arch angle. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 466-470.	1.5	10
67	Reliability of transperineal ultrasound for the assessment of the angle of progression in labor using parasagittal approach versus midsagittal approach. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 3175-3180.	1.5	10
68	Ultrasound in labor: impact of a theoretical and practical course on caregiver's perspective and accuracy. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 3163-3169.	1.5	10
69	Prenatal diagnosis of congenital heart defects and voluntary termination of pregnancy. American Journal of Obstetrics & Gynecology MFM, 2020, 2, 100207.	2.6	10
70	Does ultrasound determination of fetal occiput position improve labour outcome?. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1312-1312.	2.3	9
71	The dynamic change of the anteroposterior diameter of the levator hiatus under Valsalva maneuver at term and labor outcome. Neurourology and Urodynamics, 2020, 39, 2353-2360.	1.5	9
72	The role of the angle of progression in the prediction of the outcome of occiput posterior position in the second stage of labor. American Journal of Obstetrics and Gynecology, 2021, 225, 81.e1-81.e9.	1.3	9

#	ARTICLE	IF	CITATIONS
73	Neonatal hypoxic-ischemic encephalopathy in apparently low risk pregnancies: Retrospective analysis of the last five years at the University of Bologna. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 516-521.	1.5	8
74	The descent of the fetal head is not modified by mobile epidural analgesia: a controlled sonographic study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014, 93, 512-516.	2.8	8
75	Catheter-related Complications of Subcutaneous Implantable Venous Access Devices in Breast Cancer Patients. <i>In Vivo</i> , 2018, 32, 1275-1281.	1.3	8
76	A simple sonographic finding is associated with a successful vacuum application: the fetal occiput or forehead sign. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2019, 1, 148-155.	2.6	8
77	The role of a new three-dimensional ultrasound technique in the diagnosis of levator ani muscle avulsion. <i>Neurourology and Urodynamics</i> , 2020, 39, 455-463.	1.5	8
78	Fetal head progression and regression on maternal pushing at term and labor outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, 58, 105-110.	1.7	8
79	Sequential analysis of the normal fetal fissures with three-dimensional ultrasound: a longitudinal study. <i>Prenatal Diagnosis</i> , 2015, 35, 493-499.	2.3	7
80	Prenatal and Postnatal Imaging of Multiple Intracranial Lipomas: Report of a Case. <i>Fetal Diagnosis and Therapy</i> , 2011, 30, 160-162.	1.4	6
81	Three-dimensional ultrasound is an accurate and reproducible technique for fetal crown-rump length measurement. <i>Prenatal Diagnosis</i> , 2012, 32, 220-227.	2.3	6
82	Cyst of the filum terminale: two cases detected on prenatal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 42, 363-364.	1.7	6
83	Occurrence of Septic Shock in a Patient Submitted to Emergency Cerclage following a Negative Amniocentesis: Report of a Case. <i>Fetal Diagnosis and Therapy</i> , 2013, 33, 265-267.	1.4	6
84	Prenatal Diagnosis of Open Spina Bifida in Emilia-Romagna. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 301-304.	1.4	6
85	Prenatal ultrasonographic features of mature cystic teratoma in undescended testicle. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016, 47, 527-529.	1.7	6
86	The use of ultrasound in the evaluation of postpartum paravaginal hematomas. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2019, 1, 82-88.	2.6	6
87	Three-dimensional ultrasound assessment of pelvic floor: impact of theoretical and practical course on caregiver accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 55, 554-556.	1.7	6
88	The usefulness of ultrasound before induction of labor. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2021, 3, 100423.	2.6	6
89	Horizontal stomach: a new sonographic clue to the antenatal diagnosis of right-sided congenital diaphragmatic hernia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 340-341.	1.7	5
90	Cost analysis of minimally invasive radical hysterectomy for cervical cancer performed by a single surgeon in an Italian center: an update in gynecologic oncological field. <i>Updates in Surgery</i> , 2017, 69, 517-522.	2.0	5

#	ARTICLE	IF	CITATIONS
91	Dynamic 2-dimensional transperineal ultrasound evaluation in labor room as a screening tool for anal sphincter injuries and anal incontinence in primiparous women. American Journal of Obstetrics & Gynecology MFM, 2019, 1, 100037.	2.6	5
92	Fundal pressure in the second stage of labor: time to face the invisible enemy. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 3094-3095.	1.5	5
93	Longitudinal Changes of Subpubic Arch Angle throughout Pregnancy. Gynecologic and Obstetric Investigation, 2020, 85, 100-106.	1.6	5
94	The use of lung ultrasound during the COVID-19 pandemic. Canadian Journal of Clinical Pharmacology, 2020, 27, e64-e75.	1.1	5
95	Pelvic floor dysfunction at transperineal ultrasound and chronic constipation in women with endometriosis. International Journal of Gynecology and Obstetrics, 2022, , .	2.3	5
96	Three-dimensional sonograph of a monochorionic diamniotic triplet pregnancy. Journal of Clinical Ultrasound, 2012, 40, 227-230.	0.8	4
97	Prenatal diagnosis of isolated butterfly vertebra. Ultrasound in Obstetrics and Gynecology, 2014, 44, 725-726.	1.7	4
98	Caregiver's satisfaction with a video tutorial for shoulder dystocia management algorithm. Journal of Obstetrics and Gynaecology, 2015, 35, 461-464.	0.9	4
99	The impact of assisted reproductive technology and chorionicity in twin pregnancies complicated by obstetric cholestasis. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1481-1484.	1.5	4
100	Diagnosis and management of a rare case of fetal mediastinal teratoma without non-immunological hydrops. Journal of Obstetrics and Gynaecology, 2016, 36, 390-392.	0.9	4
101	Pregnancy in a woman with sacral agenesis from prenatal counseling to delivery: A case report. Journal of Obstetrics and Gynaecology Research, 2020, 46, 784-786.	1.3	4
102	Maternal hemodynamic assessment by USCOM <sup>®</sup> device in the first trimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2024, 35, 5580-5586.	1.5	4
103	Breech progression angle: new feasible and reliable transperineal ultrasound parameter for assessment of fetal breech descent in birth canal. Ultrasound in Obstetrics and Gynecology, 2021, 58, 609-615.	1.7	4
104	Fundal pressure in the second stage of labor (Kristeller maneuver) and levator ani avulsion. International Urogynecology Journal, 2021, 32, 471-472.	1.4	3
105	Usefulness of USCOM <sup>®</sup> evaluation in women with chronic hypertension who developed severe preeclampsia with low platelets and elevated liver enzymes. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 4942-4945.	1.5	3
106	Obstetric anal sphincter injuries: strategies for prevention, diagnosis, and management. Minerva Obstetrics and Gynecology, 2021, 73, .	1.0	3
107	Fetal speckle-tracking echocardiography: a comparison between two-dimensional and electronic spatio-temporal image correlation (e-STIC) technique. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-7.	1.5	3
108	The correlation between transperineal ultrasound assessment of the levator ani muscle and postpartum urinary incontinence. Neurourology and Urodynamics, 2021, 40, 1786-1795.	1.5	3



#	ARTICLE	IF	CITATIONS
109	Sonography of fetal holoprosencephaly: a guide to recognize the lesser varieties. Journal of Maternal-Fetal and Neonatal Medicine, 2022, , 1-7.	1.5	3
110	Increased nuchal translucency can be ascertained using transverse planes. American Journal of Obstetrics and Gynecology, 2022, 227, 750.e1-750.e6.	1.3	3
111	The First Case Report in Italy of Di George Syndrome Detected by Noninvasive Prenatal Testing. Case Reports in Obstetrics and Gynecology, 2015, 2015, 1-3.	0.3	2
112	Two- and three-dimensional transperineal ultrasound as complementary tool in management of vaginal hematoma. Ultrasound in Obstetrics and Gynecology, 2019, 53, 272-273.	1.7	2
113	Three-dimensional color Doppler before and after embolization of postpartum-acquired enhanced myometrial vascularity/arteriovenous malformation. American Journal of Obstetrics and Gynecology, 2020, 223, 925-928.	1.3	2
114	Fundal Pressure During the Second Stage of Labor (Kristeller Maneuver): A Critical Appraisal of Its Potential Role in the Modern Obstetrics. , 2021, , 695-701.		2
115	Isolated Upward Rotation of the Fetal Cerebellar Vermis (Blake's Pouch Cyst) Is a Normal Variant: An Analysis of 111 Cases. Fetal Diagnosis and Therapy, 2021, 48, 485-492.	1.4	2
116	Sylvian fossa sonographic measurements in 18 to 23 weeks fetuses with and without cerebral malformations. American Journal of Obstetrics & Gynecology MFM, 2021, 3, 100357.	2.6	2
117	The correlation between levator ani co-activation and fetal head regression on maternal pushing at term. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 9654-9660.	1.5	2
118	Apparently isolated fetal mesocardia at midtrimester: report of a series. Prenatal Diagnosis, 2009, 29, 889-891.	2.3	1
119	Ultrasonographic Cervical Length and Risk of Hemorrhage in Pregnancies With Placenta Previa. Obstetrics and Gynecology, 2010, 116, 1458.	2.4	1
120	P33. Uterine artery Doppler and biochemical markers (PAPP-A, PlGF, sFlt-1, P-Selectin, NGAL) at 11+0 to 13+6weeks in the prediction of late (>34weeks) preeclampsia. Pregnancy Hypertension, 2011, 1, 287-288.	1.4	1
121	Lung Ultrasound Is Not a Useful Screening Tool for Severe Acute Respiratory Syndrome Coronavirus 2 in Pregnant Women: A Pilot Study. Journal of Ultrasound in Medicine, 2021, 40, 215-215.	1.7	1
122	A case of lobar holoprosencephaly: brain and facial typical features. American Journal of Obstetrics and Gynecology, 2021, 225, 446-447.	1.3	1
123	Decidualized endometrioma in a non-pregnant woman. Ultrasound in Obstetrics and Gynecology, 2021, 58, 781-782.	1.7	1
124	Brain views that benefit from three-dimensional ultrasound. Current Opinion in Obstetrics and Gynecology, 2021, 33, 135-142.	2.0	1
125	Plasma and amniotic fluid concentrations of nitric oxide: Effects on uterine artery and placental vasculature in women who underwent voluntary pregnancy termination and in women with missed and threatened abortion. A pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 270, 105-110.	1.1	1
126	Obstetric anal sphincter injuries: strategies for prevention, diagnosis, and management. Minerva Obstetrics and Gynecology, 2021, 73, 74-81.	1.0	1



#	ARTICLE	IF	CITATIONS
127	Hypertensive disorders and maternal hemodynamic changes in pregnancy: monitoring by USCOMÂ® device. Journal of Medical Ultrasonics (2001), 2022, 49, 405-413.	1.3	1
128	Invasive diagnosis after first-trimester aneuploidy screening. American Journal of Obstetrics and Gynecology, 2022, 227, 928.	1.3	1
129	Head Rotation in Labor and Intrapartum Sonography Diagnosis with 2D and 3D. , 2012, , 101-108.		0
130	Re: Preoperative assessment of submucous fibroids by three-dimensional saline contrast sonohysterography. Ultrasound in Obstetrics and Gynecology, 2012, 39, 116-117.	1.7	0
131	Reply. Ultrasound in Obstetrics and Gynecology, 2015, 45, 354-355.	1.7	0
132	Reply. American Journal of Obstetrics and Gynecology, 2016, 214, 414-415.	1.3	0
133	Sharing knowledge: the White Journal and the power of social networks. Ultrasound in Obstetrics and Gynecology, 2019, 53, 279-280.	1.7	0
134	Effect of chorionic villus sampling on placental volume and vascularization in the first trimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 726-730.	1.5	0
135	Reply. Ultrasound in Obstetrics and Gynecology, 2021, 57, 850-850.	1.7	0
136	Threeâ€Dimensional Ultrasound Evaluation of Pelvic Floor Muscle Contraction in Women Affected by Deep Infiltrating Endometriosis. Journal of Ultrasound in Medicine, 2022, , .	1.7	0
137	A case of prenatal strangulated inguinal hernia. American Journal of Obstetrics and Gynecology, 2022, , .	1.3	0