## Aly Youssef

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3916866/publications.pdf

Version: 2024-02-01

201674 254184 2,527 137 27 43 h-index citations g-index papers 194 194 194 1600 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Maternal hemodynamic assessment by USCOM <code>sup&gt;®</code> device in the first trimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2024, 35, 5580-5586.	1.5	4
2	Usefulness of USCOM® evaluation in women with chronic hypertension who developed severe preeclampsia with low platelets and elevated liver enzymes. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 4942-4945.	1.5	3
3	Pelvic floor dysfunction at transperineal ultrasound and chronic constipation in women with endometriosis. International Journal of Gynecology and Obstetrics, 2022, , .	2.3	5
4	Plasma and amniotic fluid concentrations of nitric oxide: Effects on uterine artery and placental vasculature in women who underwent voluntary pregnancy termination and in women with missed and threatened abortion. A pilot study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 270, 105-110.	1.1	1
5	Sonography of fetal holoprosencephaly: a guide to recognize the lesser varieties. Journal of Maternal-Fetal and Neonatal Medicine, 2022, , 1-7.	1.5	3
6	The correlation between levator ani co-activation and fetal head regression on maternal pushing at term. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 9654-9660.	1.5	2
7	Threeâ€Dimensional Ultrasound Evaluation of Pelvic Floor Muscle Contraction in Women Affected by Deep Infiltrating Endometriosis. Journal of Ultrasound in Medicine, 2022, , .	1.7	O
8	A case of prenatal strangulated inguinal hernia. American Journal of Obstetrics and Gynecology, 2022,	1.3	O
9	Increased nuchal translucency can be ascertained using transverse planes. American Journal of Obstetrics and Gynecology, 2022, 227, 750.e1-750.e6.	1.3	3
10	Hypertensive disorders and maternal hemodynamic changes in pregnancy: monitoring by USCOM® device. Journal of Medical Ultrasonics (2001), 2022, 49, 405-413.	1.3	1
11	Invasive diagnosis after first-trimester aneuploidy screening. American Journal of Obstetrics and Gynecology, 2022, 227, 928.	1.3	1
12	Fundal pressure in the second stage of labor: time to face the invisible enemy. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 3094-3095.	1.5	5
13	Reliability of transperineal ultrasound for the assessment of the angle of progression in labor using parasagittal approach versus midsagittal approach. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 3175-3180.	1.5	10
14	Fetal head progression and regression on maternal pushing at term and labor outcome. Ultrasound in Obstetrics and Gynecology, 2021, 58, 105-110.	1.7	8
15	Fundal pressure in the second stage of labor (Kristeller maneuver) and levator ani avulsion. International Urogynecology Journal, 2021, 32, 471-472.	1.4	3
16	Lung Ultrasound Is Not a Useful Screening Tool for Severe Acute Respiratory Syndrome Coronavirus 2 in Pregnant Women: A Pilot Study. Journal of Ultrasound in Medicine, 2021, 40, 215-215.	1.7	1
17	Dynamic changes of fetal head descent at term before the onset of labor correlate with labor outcome and can be improved by ultrasound visual feedback. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 1847-1854.	1.5	15
18	Fundal Pressure During the Second Stage of Labor (Kristeller Maneuver): A Critical Appraisal of Its Potential Role in the Modern Obstetrics., 2021,, 695-701.		2

#	Article	IF	CITATIONS
19	Obstetric anal sphincter injuries: strategies for prevention, diagnosis, and management. Minerva Obstetrics and Gynecology, 2021, 73, .	1.0	3
20	A case of lobar holoprosencephaly: brain and facial typical features. American Journal of Obstetrics and Gynecology, 2021, 225, 446-447.	1.3	1
21	Fetal speckle-tracking echocardiography: a comparison between two-dimensional and electronic spatio-temporal image correlation (e-STIC) technique. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-7.	1.5	3
22	Decidualized endometrioma in a nonâ€pregnant woman. Ultrasound in Obstetrics and Gynecology, 2021, 58, 781-782.	1.7	1
23	Breech progression angle: new feasible and reliable transperineal ultrasound parameter for assessment of fetal breech descent in birth canal. Ultrasound in Obstetrics and Gynecology, 2021, 58, 609-615.	1.7	4
24	Reply. Ultrasound in Obstetrics and Gynecology, 2021, 57, 850-850.	1.7	O
25	Assessment of levator hiatal area using <scp>3D</scp> / <scp>4D</scp> transperineal ultrasound in women with deep infiltrating endometriosis and superficial dyspareunia treated with pelvic floor muscle physiotherapy: randomized controlled trial. Ultrasound in Obstetrics and Gynecology, 2021, 57, 726-732.	1.7	17
26	Predicting cesarean delivery for failure to progress as an outcome of labor induction in term singleton pregnancy. American Journal of Obstetrics and Gynecology, 2021, 224, 609.e1-609.e11.	1.3	21
27	The usefulness of ultrasound before induction of labor. American Journal of Obstetrics & Dobstetrics & Samp; Gynecology MFM, 2021, 3, 100423.	2.6	6
28	Isolated Upward Rotation of the Fetal Cerebellar Vermis (Blake's Pouch Cyst) Is a Normal Variant: An Analysis of 111 Cases. Fetal Diagnosis and Therapy, 2021, 48, 485-492.	1.4	2
29	The correlation between transperineal ultrasound assessment of the levator ani muscle and postpartum urinary incontinence. Neurourology and Urodynamics, 2021, 40, 1786-1795.	1.5	3
30	The role of the angle of progression in the prediction of the outcome of occiput posterior position in the second stage of labor. American Journal of Obstetrics and Gynecology, 2021, 225, 81.e1-81.e9.	1.3	9
31	Maternal and perinatal outcomes in high compared to low risk pregnancies complicated by severe acute respiratory syndrome coronavirus 2 infection (phase 2): the World Association of Perinatal Medicine working group on coronavirus disease 2019. American Journal of Obstetrics & Dobstetrics & Dobst	2.6	32
32	Sylvian fossa sonographic measurements in 18 to 23 weeks fetuses with and without cerebral malformations. American Journal of Obstetrics & Synecology MFM, 2021, 3, 100357.	2.6	2
33	The maternal pelvic floor and labor outcome. American Journal of Obstetrics & Cynecology MFM, 2021, 3, 100452.	2.6	12
34	Brain views that benefit from three-dimensional ultrasound. Current Opinion in Obstetrics and Gynecology, 2021, 33, 135-142.	2.0	1
35	Obstetric anal sphincter injuries: strategies for prevention, diagnosis, and management. Minerva Obstetrics and Gynecology, 2021, 73, 74-81.	1.0	1
36	Ultrasound in labor: impact of a theoretical and practical course on caregiver's perspective and accuracy. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 3163-3169.	1.5	10

#	Article	IF	CITATIONS
37	Effect of chorionic villus sampling on placental volume and vascularization in the first trimester of pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 726-730.	1.5	O
38	Threeâ€dimensional ultrasound assessment of pelvic floor: impact of theoretical and practical course on caregiver accuracy. Ultrasound in Obstetrics and Gynecology, 2020, 55, 554-556.	1.7	6
39	Longitudinal Changes of Subpubic Arch Angle throughout Pregnancy. Gynecologic and Obstetric Investigation, 2020, 85, 100-106.	1.6	5
40	The role of a new threeâ€dimensional ultrasound technique in the diagnosis of levator ani muscle avulsion. Neurourology and Urodynamics, 2020, 39, 455-463.	1.5	8
41	The dynamic change of the anteroposterior diameter of the levator hiatus under Valsalva maneuver at term and labor outcome. Neurourology and Urodynamics, 2020, 39, 2353-2360.	1.5	9
42	Three-dimensional color Doppler before and after embolization of postpartum-acquired enhanced myometrial vascularity/arteriovenous malformation. American Journal of Obstetrics and Gynecology, 2020, 223, 925-928.	1.3	2
43	Lung ultrasound in the coronavirus disease 2019 pandemic: a practical guide for obstetricians and gynecologists. American Journal of Obstetrics and Gynecology, 2020, 223, 128-131.	1.3	13
44	Increased rate of ruptured ectopic pregnancy in COVIDâ€19 pandemic: analysis from the North of Italy. Ultrasound in Obstetrics and Gynecology, 2020, 56, 289-289.	1.7	21
45	Transperineal Ultrasound Visual Feedback Assisted Pelvic Floor Muscle Physiotherapy in Women With Deep Infiltrating Endometriosis and Dyspareunia: A Pilot Study. Journal of Sex and Marital Therapy, 2020, 46, 603-611.	1.5	17
46	Pregnancy in a woman with sacral agenesis from prenatal counseling to delivery: A case report. Journal of Obstetrics and Gynaecology Research, 2020, 46, 784-786.	1.3	4
47	Transperineal ultrasound assessment of maternal pelvic floor at term and fetal head engagement. Ultrasound in Obstetrics and Gynecology, 2020, 56, 921-927.	1.7	15
48	Risk factors associated with adverse fetal outcomes in pregnancies affected by Coronavirus disease 2019 (COVID-19): a secondary analysis of the WAPM study on COVID-19. Journal of Perinatal Medicine, 2020, 48, 950-958.	1.4	107
49	The use of lung ultrasound during the COVID-19 pandemic. Canadian Journal of Clinical Pharmacology, 2020, 27, e64-e75.	1.1	5
50	Prenatal diagnosis of congenital heart defects and voluntary termination of pregnancy. American Journal of Obstetrics & Cynecology MFM, 2020, 2, 100207.	2.6	10
51	How reliable is fetal occiput and spine position assessment prior to induction of labor?. Ultrasound in Obstetrics and Gynecology, 2019, 53, 535-540.	1.7	12
52	The Effect of Chorionicity on Maternal Cardiac Adaptation to Uncomplicated Twin Pregnancy: A Prospective Longitudinal Study. Fetal Diagnosis and Therapy, 2019, 45, 394-402.	1.4	19
53	Fundal pressure in second stage of labor (Kristeller maneuver) is associated with increased risk of levator ani muscle avulsion. Ultrasound in Obstetrics and Gynecology, 2019, 53, 95-100.	1.7	50
54	Dynamic 2-dimensional transperineal ultrasound evaluation in labor room as a screening tool for analÂsphincter injuries and anal incontinence in primiparousÂwomen. American Journal of Obstetrics & Synecology MFM, 2019, 1, 100037.	2.6	5

#	Article	IF	CITATIONS
55	Contraction of the levator ani muscle during Valsalva maneuver (coactivation) is associated with a longer active second stage of labor in nulliparous women undergoing induction of labor. American Journal of Obstetrics and Gynecology, 2019, 220, 189.e1-189.e8.	1.3	30
56	Descent of fetal head during active pushing: secondary analysis of prospective cohort study investigating ultrasound examination before operative vaginal delivery. Ultrasound in Obstetrics and Gynecology, 2019, 54, 524-529.	1.7	29
57	The use of ultrasound in the evaluation of postpartum paravaginal hematomas. American Journal of Obstetrics & Synecology MFM, 2019, 1, 82-88.	2.6	6
58	Risk of adverse pregnancy outcomes by pre-pregnancy Body Mass Index among Italian population: a retrospective population-based cohort study on 27,807 deliveries. Archives of Gynecology and Obstetrics, 2019, 299, 983-991.	1.7	17
59	A simple sonographic finding is associated with a successful vacuum application: the fetal occiput or forehead sign. American Journal of Obstetrics & Synecology MFM, 2019, 1, 148-155.	2.6	8
60	Sharing knowledge: the White Journal and the power of social networks. Ultrasound in Obstetrics and Gynecology, 2019, 53, 279-280.	1.7	0
61	Levator ani muscle coactivation at term is associated with longer second stage of labor in nulliparous women. Ultrasound in Obstetrics and Gynecology, 2019, 53, 686-692.	1.7	36
62	Two―and threeâ€dimensional transperineal ultrasound as complementary tool in management of vaginal hematoma. Ultrasound in Obstetrics and Gynecology, 2019, 53, 272-273.	1.7	2
63	Automated 3D ultrasound measurement of the angle of progression in labor. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 141-149.	1.5	12
64	Pelvic floor muscle assessment on three―and fourâ€dimensional transperineal ultrasound in women with ovarian endometriosis with or without retroperitoneal infiltration: aÂstep towards complete functional assessment. Ultrasound in Obstetrics and Gynecology, 2018, 52, 265-268.	1.7	37
65	ISUOG Practice Guidelines: intrapartum ultrasound. Ultrasound in Obstetrics and Gynecology, 2018, 52, 128-139.	1.7	194
66	Catheter-related Complications of Subcutaneous Implantable Venous Access Devices in Breast Cancer Patients. In Vivo, 2018, 32, 1275-1281.	1.3	8
67	Fetal rotation during vacuum extractions for prolonged labor: a prospective cohort study. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 998-1005.	2.8	26
68	Agreement between two 3D ultrasound techniques for the assessment of the subpubic arch angle. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 466-470.	1.5	10
69	Intrapartum Ultrasound to Differentiate Flexion and Deflexion in Occipitoposterior Rotation. Fetal Diagnosis and Therapy, 2017, 42, 249-256.	1.4	27
70	Diagnosis of Severe Fetomaternal Hemorrhage with Fetal Cerebral Doppler: Case Series and Systematic Review. Fetal Diagnosis and Therapy, 2017, 41, 1-7.	1.4	19
71	Cost analysis of minimally invasive radical hysterectomy for cervical cancer performed by a single surgeon in an Italian center: an update in gynecologic oncological field. Updates in Surgery, 2017, 69, 517-522.	2.0	5
72	Sonographic prediction of outcome of vacuum deliveries: aÂmulticenter, prospective cohort study. American Journal of Obstetrics and Gynecology, 2017, 217, 69.e1-69.e10.	1.3	82

#	Article	lF	Citations
73	Is curved threeâ€dimensional ultrasound reconstruction needed to assess the warped pelvic floor plane?. Ultrasound in Obstetrics and Gynecology, 2017, 50, 388-394.	1.7	13
74	The use of intrapartum ultrasound to diagnose malpositions and cephalic malpresentations. American Journal of Obstetrics and Gynecology, 2017, 217, 633-641.	1.3	68
75	Pelvic floor muscle dysfunction on 3D/4D transperineal ultrasound in patients with deep infiltrating endometriosis: a pilot study. Ultrasound in Obstetrics and Gynecology, 2017, 50, 527-532.	1.7	41
76	Automated Measurement of the Angle of Progression in Labor: A Feasibility and Reliability Study. Fetal Diagnosis and Therapy, 2017, 41, 293-299.	1.4	24
77	Cost analysis of minimally invasive hysterectomy vs open approach performed by a single surgeon in an Italian center. Journal of Robotic Surgery, 2017, 11, 115-121.	1.8	13
78	Three-dimensional/four-dimensional transperineal ultrasound: clinical utility and future prospects. International Journal of Women's Health, 2017, Volume 9, 643-656.	2.6	24
79	Prenatal ultrasonographic features of mature cystic teratoma in undescended testicle. Ultrasound in Obstetrics and Gynecology, 2016, 47, 527-529.	1.7	6
80	Reliability of new three-dimensional ultrasound technique for pelvic hiatal area measurement. Ultrasound in Obstetrics and Gynecology, 2016, 47, 629-635.	1.7	42
81	Knowledge, understanding and fetal occiput position. Ultrasound in Obstetrics and Gynecology, 2016, 47, 523-524.	1.7	11
82	Outcome of Fetuses with Supratentorial Extra-Axial Intracranial Cysts: A Systematic Review. Fetal Diagnosis and Therapy, 2016, 40, 1-12.	1.4	24
83	Reply. American Journal of Obstetrics and Gynecology, 2016, 214, 414-415.	1.3	0
84	Narrow subpubic arch angle is associated with higher risk of persistent occiput posterior position at delivery. Ultrasound in Obstetrics and Gynecology, 2016, 48, 511-515.	1.7	38
85	The "occiput–spine angle― a new sonographic index of fetal head deflexion during the first stage of labor. American Journal of Obstetrics and Gynecology, 2016, 215, 84.e1-84.e7.	1.3	43
86	The impact of assisted reproductive technology and chorionicity in twin pregnancies complicated by obstetric cholestasis. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1481-1484.	1.5	4
87	Subpubic Arch Angle and Mode of Delivery in Low-Risk Nulliparous Women. Fetal Diagnosis and Therapy, 2016, 40, 150-155.	1.4	23
88	Diagnosis and management of a rare case of fetal mediastinal teratoma without non-immunological hydrops. Journal of Obstetrics and Gynaecology, 2016, 36, 390-392.	0.9	4
89	Sequential analysis of the normal fetal fissures with threeâ€dimensional ultrasound: a longitudinal study. Prenatal Diagnosis, 2015, 35, 493-499.	2.3	7
90	Reply. Ultrasound in Obstetrics and Gynecology, 2015, 45, 354-355.	1.7	0

#	Article	IF	CITATIONS
91	The First Case Report in Italy of Di George Syndrome Detected by Noninvasive Prenatal Testing. Case Reports in Obstetrics and Gynecology, 2015, 2015, 1-3.	0.3	2
92	Demonstration of the Pericallosal Artery at 11-13 Weeks of Gestation Using 3D Ultrasound. Fetal Diagnosis and Therapy, 2015, 37, 305-309.	1.4	13
93	A New Method to Measure the Subpubic Arch Angle Using 3-D Ultrasound. Fetal Diagnosis and Therapy, 2015, 38, 195-199.	1.4	17
94	Maternal cardiac evaluation during uncomplicated twin pregnancy with emphasis on the diastolic function. American Journal of Obstetrics and Gynecology, 2015, 213, 376.e1-376.e8.	1.3	22
95	A New Simple Technique for 3â€Dimensional Sonographic Assessment of the Pelvic Floor Muscles. Journal of Ultrasound in Medicine, 2015, 34, 65-72.	1.7	39
96	Sonographic assessment of fetal occiput position during the second stage of labor: how reliable is the transperineal approach?. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1985-1988.	1.5	11
97	Caregiver's satisfaction with a video tutorial for shoulder dystocia management algorithm. Journal of Obstetrics and Gynaecology, 2015, 35, 461-464.	0.9	4
98	Prenatal Diagnosis of Open Spina Bifida in Emilia-Romagna. Fetal Diagnosis and Therapy, 2015, 37, 301-304.	1.4	6
99	Post-partum evaluation of maternal cardiac function after severe preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 696-701.	1.5	23
100	Fetal head–symphysis distance and mode of delivery in the second stage of labor. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 1011-1017.	2.8	29
101	The descent of the fetal head is not modified by mobile epidural analgesia: a controlled sonographic study. Acta Obstetricia Et Gynecologica Scandinavica, 2014, 93, 512-516.	2.8	8
102	Sonographic pattern of fetal head descent: relationship with duration of active second stage of labor and occiput position at delivery. Ultrasound in Obstetrics and Gynecology, 2014, 44, 82-89.	1.7	62
103	Agreement between two―and threeâ€dimensional transperineal ultrasound methods for assessment of fetal head–symphysis distance in active labor. Ultrasound in Obstetrics and Gynecology, 2014, 43, 183-188.	1.7	29
104	Prenatal diagnosis of isolated butterfly vertebra. Ultrasound in Obstetrics and Gynecology, 2014, 44, 725-726.	1.7	4
105	Does ultrasound determination of fetal occiput position improve labour outcome?. BJOG: an International Journal of Obstetrics and Gynaecology, 2014, 121, 1312-1312.	2.3	9
106	Cyst of the filum terminale: two cases detected on prenatal ultrasound. Ultrasound in Obstetrics and Gynecology, 2013, 42, 363-364.	1.7	6
107	How to perform ultrasound in labor: assessment of fetal occiput position. Ultrasound in Obstetrics and Gynecology, 2013, 41, 476-478.	1.7	49
108	Ultrasound in labor: is it time for a more simplified approach?. Ultrasound in Obstetrics and Gynecology, 2013, 41, 710-711.	1.7	18

#	Article	IF	Citations
109	Ultrasound in labor: a caregiver's perspective. Ultrasound in Obstetrics and Gynecology, 2013, 41, 469-470.	1.7	26
110	Occurrence of Septic Shock in a Patient Submitted to Emergency Cerclage following a Negative Amniocentesis: Report of a Case. Fetal Diagnosis and Therapy, 2013, 33, 265-267.	1.4	6
111	How to image the fetal corpus callosum. Ultrasound in Obstetrics and Gynecology, 2013, 42, 718-720.	1.7	22
112	Horizontal stomach: a new sonographic clue to the antenatal diagnosis of rightâ€sided congenital diaphragmatic hernia. Ultrasound in Obstetrics and Gynecology, 2013, 41, 340-341.	1.7	5
113	Fetal head–symphysis distance: a simple and reliable ultrasound index of fetal head station in labor. Ultrasound in Obstetrics and Gynecology, 2013, 41, 419-424.	1.7	98
114	Intrapartum transperineal ultrasound assessment of fetal head progression in active second stage of labor and mode of delivery. Ultrasound in Obstetrics and Gynecology, 2013, 41, 430-435.	1.7	70
115	The pregnancy outcome in women with incidental diagnosis of septate uterus at first trimester scan. Human Reproduction, 2012, 27, 2671-2675.	0.9	35
116	Head Rotation in Labor and Intrapartum Sonography Diagnosis with 2D and 3D., 2012, , 101-108.		0
117	Re: Preoperative assessment of submucous fibroids by three-dimensional saline contrast sonohysterography. Ultrasound in Obstetrics and Gynecology, 2012, 39, 116-117.	1.7	0
118	Intrapartum threeâ€dimensional ultrasonographic imaging of face presentations: report of two cases. Ultrasound in Obstetrics and Gynecology, 2012, 40, 117-118.	1.7	24
119	Intrapartum sonographic imaging of fetal head asynclitism. Ultrasound in Obstetrics and Gynecology, 2012, 39, 238-240.	1.7	42
120	Threeâ€dimensional ultrasound is an accurate and reproducible technique for fetal crownâ€rump length measurement. Prenatal Diagnosis, 2012, 32, 220-227.	2.3	6
121	Normal morphometry of fetal posterior fossa at midtrimester: brainstem–tentorium angle and brainstem–vermis angle. Prenatal Diagnosis, 2012, 32, 440-443.	2.3	22
122	Threeâ€dimensional sonograph of a monochorionic diamniotic triplet pregnancy. Journal of Clinical Ultrasound, 2012, 40, 227-230.	0.8	4
123	P33. Uterine artery Doppler and biochemical markers (PAPP-A, PIGF, sFlt-1, P-Selectin, NGAL) at 11+0 to 13+6weeks in the prediction of late (>34weeks) preeclampsia. Pregnancy Hypertension, 2011, 1, 287-288.	1.4	1
124	Accuracy of fetal gender determination in the first trimester using threeâ€dimensional ultrasound. Ultrasound in Obstetrics and Gynecology, 2011, 37, 557-561.	1.7	17
125	Maternal cardiac function in complicated twin pregnancy: a longitudinal study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 581-585.	1.7	17
126	Maternal cardiac function in normal twin pregnancy: a longitudinal study. Ultrasound in Obstetrics and Gynecology, 2011, 38, 575-580.	1.7	58

#	Article	IF	CITATIONS
127	Increased uterine artery pulsatility index at 34 weeks and outcome of pregnancy. Ultrasound in Obstetrics and Gynecology, 2011, 38, 395-399.	1.7	16
128	Uterine artery Doppler and biochemical markers (PAPPâ€A, PIGF, sFltâ€1, Pâ€selectin, NGAL) at 11 + 0 t 13 + 6 weeks in the prediction of late (>34 weeks) preâ€eclampsia. Prenatal Diagnosis, 201	1, <sup>2</sup> 3 <sup>3</sup> 1, 114	41- <mark>92</mark> 146.
129	Prenatal and Postnatal Imaging of Multiple Intracranial Lipomas: Report of a Case. Fetal Diagnosis and Therapy, 2011, 30, 160-162.	1.4	6
130	Ultrasonographic Cervical Length and Risk of Hemorrhage in Pregnancies With Placenta Previa. Obstetrics and Gynecology, 2010, 116, 1458.	2.4	1
131	Prenatal diagnosis and outcome of partial agenesis and hypoplasia of the corpus callosum. Ultrasound in Obstetrics and Gynecology, 2010, 35, 35-41.	1.7	84
132	Persistence of increased uterine artery resistance in the third trimester and pregnancy outcome. Ultrasound in Obstetrics and Gynecology, 2010, 36, 577-581.	1.7	39
133	Neonatal hypoxic-ischemic encephalopathy in apparently low risk pregnancies: Retrospective analysis of the last five years at the University of Bologna. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 516-521.	1.5	8
134	Unilaterally increased uterine artery resistance, placental location and pregnancy outcome. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2010, 153, 143-147.	1.1	14
135	Mode of delivery in the preterm gestation and maternal and neonatal outcome. Journal of Maternal-Fetal and Neonatal Medicine, 2010, 23, 1424-1428.	1.5	24
136	The prognostic role of uterine artery Doppler studies in patients with late-onset preeclampsia. American Journal of Obstetrics and Gynecology, 2009, 201, 36.e1-36.e5.	1.3	28
137	Apparently isolated fetal mesocardia at midtrimester: report of a series. Prenatal Diagnosis, 2009, 29, 889-891.	2.3	1