

Marc Kenis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3917888/publications.pdf>

Version: 2024-02-01

138
papers

10,856
citations

71102

41
h-index

39675

94
g-index

140
all docs

140
docs citations

140
times ranked

10115
citing authors

#	ARTICLE	IF	CITATIONS
1	Sustainable Use of <i>Macrotermes</i> spp. to Improve Traditional Poultry Farming through an Efficient Trapping System in Burkina Faso. <i>Insects</i> , 2022, 13, 62.	2.2	3
2	Estimation of Yield Loss of <i>Jatropha curcas</i> Due to <i>Apthona whitfieldi</i> in Burkina Faso. <i>Bioenergy Research</i> , 2022, 15, 1927-1932.	3.9	0
3	Large-arena field cage releases of a candidate classical biological control agent for spotted wing drosophila suggest low risk to non-target species. <i>Journal of Pest Science</i> , 2022, 95, 1057-1065.	3.7	7
4	Prioritization of invasive alien species with the potential to threaten agriculture and biodiversity in Kenya through horizon scanning. <i>Biological Invasions</i> , 2022, 24, 2933-2949.	2.4	4
5	Exploring the potential for novel associations of generalist parasitoids for biological control of invasive woodboring beetles. <i>BioControl</i> , 2021, 66, 97-112.	2.0	15
6	Climate Change Effects on Trophic Interactions of Bark Beetles in Inner Alpine Scots Pine Forests. <i>Forests</i> , 2021, 12, 136.	2.1	17
7	Antennal and Behavioral Responses of <i>Drosophila suzukii</i> to Volatiles from a Non-Crop Host, <i>Osyris wightiana</i> . <i>Insects</i> , 2021, 12, 166.	2.2	5
8	<i>Eiphosoma laphygmae</i> , a classical solution for the biocontrol of the fall armyworm, <i>Spodoptera frugiperda</i> ?. <i>Journal of Plant Diseases and Protection</i> , 2021, 128, 1141-1156.	2.9	9
9	Assessing the Potential of Inoculative Field Releases of <i>Telenomus remus</i> to Control <i>Spodoptera frugiperda</i> in Ghana. <i>Insects</i> , 2021, 12, 665.	2.2	15
10	Factors influencing the occurrence of fall armyworm parasitoids in Zambia. <i>Journal of Pest Science</i> , 2021, 94, 1133-1146.	3.7	26
11	Physical and Chemical Properties of the Agro-processing By-products Decomposed by Larvae of <i>Musca domestica</i> and <i>Hermetia illucens</i> . <i>Waste and Biomass Valorization</i> , 2020, 11, 2735-2743.	3.4	13
12	Utilization of research knowledge in sustainable development pathways: Insights from a transdisciplinary research-for-development programme. <i>Environmental Science and Policy</i> , 2020, 103, 21-29.	4.9	28
13	Traditional methods of harvesting termites used as poultry feed in Burkina Faso. <i>International Journal of Tropical Insect Science</i> , 2020, 40, 109-118.	1.0	10
14	Ex-ante life cycle impact assessment of insect based feed production in West Africa. <i>Agricultural Systems</i> , 2020, 178, 102710.	6.1	17
15	Evidence for a cryptic parasitoid species reveals its suitability as a biological control agent. <i>Scientific Reports</i> , 2020, 10, 19096.	3.3	24
16	Long Term Monitoring in Switzerland Reveals That <i>Adalia bipunctata</i> Strongly Declines in Response to <i>Harmonia axyridis</i> Invasion. <i>Insects</i> , 2020, 11, 883.	2.2	10
17	Understanding smallholders' responses to fall armyworm (<i>Spodoptera frugiperda</i>) invasion: Evidence from five African countries. <i>Science of the Total Environment</i> , 2020, 740, 140015.	8.0	75
18	Parasitoid Complex of Fall Armyworm, <i>Spodoptera frugiperda</i> , in Ghana and Benin. <i>Insects</i> , 2020, 11, 68.	2.2	76

#	ARTICLE	IF	CITATIONS
19	Prospects for classical biological control of <i>Marchalina hellenica</i> in Australia. <i>BioControl</i> , 2020, 65, 413-423.	2.0	9
20	The Efficacy of Alternative, Environmentally Friendly Plant Protection Measures for Control of Fall Armyworm, <i>Spodoptera frugiperda</i> , in Maize. <i>Insects</i> , 2020, 11, 240.	2.2	44
21	A Whole-Genome Scan for Association with Invasion Success in the Fruit Fly <i>Drosophila suzukii</i> Using Contrasts of Allele Frequencies Corrected for Population Structure. <i>Molecular Biology and Evolution</i> , 2020, 37, 2369-2385.	8.9	57
22	Evaluation des méthodes de piégeage des termites au nord du Burkina Faso. <i>International Journal of Biological and Chemical Sciences</i> , 2020, 14, 2556-2566.	0.2	1
23	Étude du comportement alimentaire de la pintade locale (<i>Numida meleagris</i>, L.) à l'ouest du Burkina-Faso. <i>International Journal of Biological and Chemical Sciences</i> , 2020, 14, 154-169.	0.2	2
24	Invasive leafminers on woody plants: a global review of pathways, impact, and management. <i>Journal of Pest Science</i> , 2019, 92, 93-106.	3.7	50
25	Are traded forest tree seeds a potential source of nonnative pests?. <i>Ecological Applications</i> , 2019, 29, e01971.	3.8	32
26	Use of Termites by Farmers as Poultry Feed in Ghana. <i>Insects</i> , 2019, 10, 69.	2.2	13
27	<i>Telenomus remus</i> , a Candidate Parasitoid for the Biological Control of <i>Spodoptera frugiperda</i> in Africa, is already Present on the Continent. <i>Insects</i> , 2019, 10, 92.	2.2	95
28	A complex invasion story underlies the fast spread of the invasive box tree moth (<i>Cydalima tj ETQq0 0 0 rgBT /Overlock 10 Tf, 50 382 T</i>	3.7	52
29	Potentials of animal, crop and agri-food wastes for the production of fly larvae. <i>Journal of Insects As Food and Feed</i> , 2019, 5, 59-67.	3.9	16
30	Production de masse de larves de <i>Musca domestica</i> L. (Diptera : Muscidae) pour l'aviiculture au Burkina Faso : Analyse des facteurs déterminants en oviposition naturelle. <i>Journal of Applied Bioscience</i> , 2019, 134, 13689.	0.7	6
31	Evidence of Leaf Consumption Rate Decrease in Fall Armyworm, <i>Spodoptera frugiperda</i> , Larvae Parasitized by <i>Coccygidium luteum</i> . <i>Insects</i> , 2019, 10, 410.	2.2	16
32	Safeguarding global plant health: the rise of sentinels. <i>Journal of Pest Science</i> , 2019, 92, 29-36.	3.7	45
33	A review of impact assessment protocols of non-native plants. <i>Biological Invasions</i> , 2019, 21, 709-723.	2.4	33
34	Developing a list of invasive alien species likely to threaten biodiversity and ecosystems in the European Union. <i>Global Change Biology</i> , 2019, 25, 1032-1048.	9.5	117
35	Farmers' Perception of the Use of Fly Larvae in Poultry Feed in Burkina Faso. <i>African Entomology</i> , 2019, 27, 373.	0.6	0
36	Identification of active components from volatiles of Chinese bayberry, <i>Myrica rubra</i> attractive to <i>Drosophila suzukii</i> . <i>Arthropod-Plant Interactions</i> , 2018, 12, 435-442.	1.1	18

#	ARTICLE	IF	CITATIONS
37	Development of Asian parasitoids in larvae Of <i>Drosophila Suzukii</i> feeding on blueberry and artificial diet. Journal of Applied Entomology, 2018, 142, 483-494.	1.8	25
38	Global rise in emerging alien species results from increased accessibility of new source pools. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, E2264-E2273.	7.1	416
39	Developing a framework of minimum standards for the risk assessment of alien species. Journal of Applied Ecology, 2018, 55, 526-538.	4.0	141
40	Why do farmers abandon jatropha cultivation? The case of Chiapas, Mexico. Energy for Sustainable Development, 2018, 42, 77-86.	4.5	27
41	Occurrence, biology, natural enemies and management of Tuta absoluta in Africa. Entomologia Generalis, 2018, 38, 83-112.	3.1	152
42	Indigenous practices in poultry farming using maggots in western Burkina Faso. Journal of Insects As Food and Feed, 2018, 4, 219-228.	3.9	8
43	Identifying the ecological and societal consequences of a decline in Buxus forests in Europe and the Caucasus. Biological Invasions, 2018, 20, 3605-3620.	2.4	39
44	Sentinel nurseries to assess the phytosanitary risks from insect pests on importations of live plants. Scientific Reports, 2018, 8, 11217.	3.3	25
45	Life cycle cost assessment of insect based feed production in West Africa. Journal of Cleaner Production, 2018, 199, 792-806.	9.3	25
46	Pest categorisation of non-EU <i>Pissodes</i> spp.. EFSA Journal, 2018, 16, e05300.	1.8	1
47	The parasitoid complex of <i>D. suzukii</i> and other fruit feeding <i>Drosophila</i> species in Asia. Scientific Reports, 2018, 8, 11839.	3.3	54
48	Host specificity of Asian parasitoids for potential classical biological control of <i>Drosophila suzukii</i> . Journal of Pest Science, 2018, 91, 1241-1250.	3.7	56
49	Indigenous knowledge and potential of termites as poultry feed in Burkina Faso. Journal of Insects As Food and Feed, 2018, 4, 211-218.	3.9	7
50	Deciphering the routes of invasion of <i>Drosophila suzukii</i> by means of ABC random forest. Molecular Biology and Evolution, 2017, 34, msx050.	8.9	132
51	Impact of Non-native Invertebrates and Pathogens on Market Forest Tree Resources. , 2017, , 103-117.		20
52	No saturation in the accumulation of alien species worldwide. Nature Communications, 2017, 8, 14435.	12.8	1,543
53	Chemical defences of native European coccinellid eggs against intraguild predation by the invasive Asian coccinellid, <i>Harmonia axyridis</i> (Pallas). BioControl, 2017, 62, 385-396.	2.0	8
54	Classical biological control of insect pests of trees: facts and figures. Biological Invasions, 2017, 19, 3401-3417.	2.4	136

#	ARTICLE	IF	CITATIONS
55	Traditional use of fly larvae by small poultry farmers in Benin. <i>Journal of Insects As Food and Feed</i> , 2017, 3, 187-192.	3.9	20
56	Occurrence of <i>Tomicobia seitneri</i> (Hymenoptera: Pteromalidae) and <i>Ropalophorus clavicornis</i> (Hymenoptera: Braconidae) in <i>Ips typographus</i> adults (Coleoptera: Curculionidae: Scolytinae) from Austria, Poland and France. <i>Biologia (Poland)</i> , 2017, 72, 807-813.	1.5	3
57	Blurring Alien Introduction Pathways Risks Losing the Focus on Invasive Species Policy. <i>Conservation Letters</i> , 2017, 10, 265-266.	5.7	16
58	Assessing the ecological risk posed by a recently established invasive alien predator: <i>Harmonia axyridis</i> as a case study. <i>BioControl</i> , 2017, 62, 341-354.	2.0	32
59	Production of house fly larvae for animal feed through natural oviposition. <i>Journal of Insects As Food and Feed</i> , 2017, 3, 177-186.	3.9	27
60	Life Cycle Inventory Analysis of Prospective Insect Based Feed Production in West Africa. <i>Sustainability</i> , 2017, 9, 1697.	3.2	18
61	The harlequin ladybird, <i>Harmonia axyridis</i> : global perspectives on invasion history and ecology. <i>Biological Invasions</i> , 2016, 18, 997-1044.	2.4	275
62	Using a botanical garden to assess factors influencing the colonization of exotic woody plants by phyllophagous insects. <i>Oecologia</i> , 2016, 182, 243-252.	2.0	23
63	Reducing the risk of invasive forest pests and pathogens: Combining legislation, targeted management and public awareness. <i>Ambio</i> , 2016, 45, 223-234.	5.5	55
64	Non-crop plants used as hosts by <i>Drosophila suzukii</i> in Europe. <i>Journal of Pest Science</i> , 2016, 89, 735-748.	3.7	219
65	Exotic biological control agents: A solution or contribution to arthropod invasions?. <i>Biological Invasions</i> , 2016, 18, 953-969.	2.4	131
66	Intentionally introduced terrestrial invertebrates: patterns, risks, and options for management. <i>Biological Invasions</i> , 2016, 18, 1077-1088.	2.4	30
67	Planting Sentinel European Trees in Eastern Asia as a Novel Method to Identify Potential Insect Pest Invaders. <i>PLoS ONE</i> , 2015, 10, e0120864.	2.5	58
68	Invasive Insects Differ from Non-Invasive in Their Thermal Requirements. <i>PLoS ONE</i> , 2015, 10, e0131072.	2.5	39
69	Population Dynamics of <i>Aphthona whitfieldi</i> (Coleoptera: Chrysomelidae) Pest of <i>Jatropha curcas</i> , and Environmental Factors Favoring Its Abundance in Burkina Faso. <i>Journal of Insect Science</i> , 2015, 15, 108.	1.5	11
70	Insufficient Evidence of <i>Jatropha curcas</i> L. Invasiveness: Experimental Observations in Burkina Faso, West Africa. <i>Bioenergy Research</i> , 2015, 8, 570-580.	3.9	17
71	International variation in phytosanitary legislation and regulations governing importation of plants for planting. <i>Environmental Science and Policy</i> , 2015, 51, 228-237.	4.9	106
72	Crossing Frontiers in Tackling Pathways of Biological Invasions. <i>BioScience</i> , 2015, 65, 769-782.	4.9	202

#	ARTICLE	IF	CITATIONS
73	Exploring the chemical safety of fly larvae as a source of protein for animal feed. <i>Journal of Insects As Food and Feed</i> , 2015, 1, 7-16.	3.9	158
74	Integrating mitigation and adaptation into development: the case of <i>Jatropha curcas</i> in sub-Saharan Africa. <i>GCB Bioenergy</i> , 2014, 6, 169-171.	5.6	28
75	Likelihood of establishment of tree pests and diseases based on their worldwide occurrence as determined by hierarchical cluster analysis. <i>Forest Ecology and Management</i> , 2014, 315, 103-111.	3.2	39
76	Biology and natural enemies of <i>Cydalima perspectalis</i> in Asia: Is there biological control potential in Europe?. <i>Journal of Applied Entomology</i> , 2014, 138, 715-722.	1.8	46
77	Development characteristics of the box-tree moth <i>Cydalima perspectalis</i> and its potential distribution in Europe. <i>Journal of Applied Entomology</i> , 2014, 138, 14-26.	1.8	62
78	Do alien plants escape from natural enemies of congeneric residents? Yes but not from all. <i>Biological Invasions</i> , 2013, 15, 2105-2113.	2.4	22
79	<i>Dreyfusia nordmanniana</i> in Northern and Central Europe: potential for biological control and comments on its taxonomy. <i>Journal of Applied Entomology</i> , 2013, 137, 401-417.	1.8	16
80	Intraguild predation between the invasive ladybird <i>Harmonia axyridis</i> and non-target European coccinellid species. <i>BioControl</i> , 2013, 58, 73-83.	2.0	59
81	Response of insect parasitism to elevation depends on host and parasitoid life-history strategies. <i>Biology Letters</i> , 2013, 9, 20130028.	2.3	34
82	Foliar fungal pathogens of European woody plants in Siberia: an early warning of potential threats?. <i>Forest Pathology</i> , 2013, 43, 345-359.	1.1	58
83	Invasive alien predator causes rapid declines of native European ladybirds. <i>Diversity and Distributions</i> , 2012, 18, 717-725.	4.1	226
84	A Suite of Models to Support the Quantitative Assessment of Spread in Pest Risk Analysis. <i>PLoS ONE</i> , 2012, 7, e43366.	2.5	56
85	New protocols to assess the environmental impact of pests in the EPPO decision support scheme for pest risk analysis*. <i>EPPO Bulletin</i> , 2012, 42, 21-27.	0.8	36
86	Emergence patterns of univoltine and bivoltine <i>L. typographus</i> (L.) populations and associated natural enemies. <i>Journal of Applied Entomology</i> , 2012, 136, 212-224.	1.8	36
87	Does the invasive horse-chestnut leaf mining moth, <i>Cameraria ohridella</i> , affect the native beech leaf mining weevil, <i>Orchestes fagi</i> , through apparent competition?. <i>Biodiversity and Conservation</i> , 2011, 20, 3003-3016.	2.6	17
88	Ecological effects and management of invasive alien Vespidae. <i>BioControl</i> , 2011, 56, 505-526.	2.0	261
89	Host plant suitability, population dynamics and parasitoids of the horse chestnut leafminer <i>Cameraria ohridella</i> (Lepidoptera: Gracillariidae) in southern Sweden. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2011, 61, 480-486.	0.6	9
90	Species richness and abundance of native leaf miners are affected by the presence of the invasive horse-chestnut leaf miner. <i>Biological Invasions</i> , 2010, 12, 1011-1021.	2.4	18

#	ARTICLE	IF	CITATIONS
91	Temporal and spatial variations in the parasitoid complex of the horse chestnut leafminer during its invasion of Europe. <i>Biological Invasions</i> , 2010, 12, 2797-2813.	2.4	48
92	Classical biological control for the protection of natural ecosystems. <i>Biological Control</i> , 2010, 54, S2-S33.	3.0	247
93	The invasive alien leaf miner <i>Cameraria ohridella</i> and the native tree <i>Acer pseudoplatanus</i> : a fatal attraction?. <i>Agricultural and Forest Entomology</i> , 2010, 12, 151-159.	1.3	30
94	Contrasting patterns in the invasions of European terrestrial and freshwater habitats by alien plants, insects and vertebrates. <i>Global Ecology and Biogeography</i> , 2010, 19, 317-331.	5.8	154
95	Food Security: Farming Insects. <i>Science</i> , 2010, 328, 568-568.	12.6	13
96	Ecological effects of invasive alien insects. <i>Biological Invasions</i> , 2009, 11, 21-45.	2.4	564
97	PRATIQUE: a research project to enhance pest risk analysis techniques in the European Union. <i>EPPO Bulletin</i> , 2009, 39, 87-93.	0.8	52
98	Mitochondrial and microsatellite DNA markers reveal a Balkan origin for the highly invasive horse chestnut leaf miner <i>Cameraria ohridella</i> (Lepidoptera, Gracillariidae). <i>Molecular Ecology</i> , 2009, 18, 3458-3470.	3.9	103
99	Alien species in a warmer world: risks and opportunities. <i>Trends in Ecology and Evolution</i> , 2009, 24, 686-693.	8.7	1,031
100	Larval parasitoids of <i>Lilioceris lili</i> (Coleoptera:Chrysomelidae) in Sweden and potential for biological control. <i>Biocontrol Science and Technology</i> , 2009, 19, 335-339.	1.3	9
101	Alien Terrestrial Invertebrates of Europe. , 2009, , 63-79.		160
102	<i>Harmonia axyridis</i> in Europe: spread and distribution of a non-native coccinellid. <i>BioControl</i> , 2008, 53, 5-21.	2.0	233
103	Current and potential management strategies against <i>Harmonia axyridis</i> . <i>BioControl</i> , 2008, 53, 235-252.	2.0	65
104	Occurrence of the emerald ash borer, <i>Agrilus planipennis</i> in Russia and its potential impact on European forestry. <i>EPPO Bulletin</i> , 2008, 38, 233-238.	0.8	93
105	Grasping at the routes of biological invasions: a framework for integrating pathways into policy. <i>Journal of Applied Ecology</i> , 2008, 45, 403-414.	4.0	784
106	Ecological effects of invasive alien insects. , 2008, , 21-45.		33
107	Research on Parasitoids and Predators of Scolytidae – A Review. , 2007, , 237-290.		72
108	Two methods of assessing the mortality factors affecting the larvae and pupae of <i>Cameraria ohridella</i> in the leaves of <i>Aesculus hippocastanum</i> in Switzerland and Bulgaria. <i>Bulletin of Entomological Research</i> , 2007, 97, 445-453.	1.0	23

#	ARTICLE	IF	CITATIONS
109	How can alien species inventories and interception data help us prevent insect invasions?. Bulletin of Entomological Research, 2007, 97, 489-502.	1.0	142
110	Variations in parasitism in sympatric populations of three invasive leaf miners. Journal of Applied Entomology, 2007, 131, 603-612.	1.8	23
111	Factors favouring the development and maintenance of outbreaks in an invasive leaf miner <i>Cameraria ohridella</i> (Lepidoptera: Gracillariidae): a life table study. Agricultural and Forest Entomology, 2007, 9, 141-158.	1.3	35
112	Discrimination of <i>Eubazus</i> (Hymenoptera, Braconidae) sibling species using geometric morphometrics analysis of wing venation. Systematic Entomology, 2007, 32, 625-634.	3.9	71
113	Recruitment of native parasitoids by an exotic leaf miner, <i>Cameraria ohridella</i> : host-parasitoid synchronization and influence of the environment. Agricultural and Forest Entomology, 2006, 8, 49-56.	1.3	44
114	Parasitoid complex and parasitism rates of the horse chestnut leafminer, <i>Cameraria ohridella</i> (Lepidoptera: Gracillariidae) in the Czech Republic, Slovakia and Slovenia. European Journal of Entomology, 2006, 103, 365-370.	1.2	26
115	Parasitism of <i>Cameraria ohridella</i> (Lepidoptera, Gracillariidae) in natural and artificial horse-chestnut stands in the Balkans. Agricultural and Forest Entomology, 2005, 7, 291-296.	1.3	32
116	Parasitoid assemblages reared from geometrid defoliators (Lepidoptera: Geometridae) of larch and fir in the alps. Agricultural and Forest Entomology, 2005, 7, 307-318.	1.3	11
117	Host Volatile Attractants and Traps for Detection of <i>Tetropium fuscum</i> (F.), <i>Tetropium castaneum</i> L., and Other Longhorned Beetles (Coleoptera: Cerambycidae). Environmental Entomology, 2004, 33, 844-854.	1.4	75
118	Biology of <i>Lilioceris</i> spp. (Coleoptera: Chrysomelidae) and their parasitoids in Europe. Biological Control, 2004, 29, 399-408.	3.0	26
119	Survival, longevity and fecundity of overwintering <i>Mesoplatys ochroptera</i> Stål (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 southern Africa. Agricultural and Forest Entomology, 2001, 3, 175-181.	1.3	6
120	Predators of <i>Mesoplatys ochroptera</i> in sesbania planted-fallows in eastern Zambia. BioControl, 2001, 46, 289-310.	2.0	24
121	European parasitoids of <i>Lilioceris lili</i> (Coleoptera: Chrysomelidae). Canadian Entomologist, 2001, 133, 671-674.	0.8	12
122	Host Range of <i>Aphantorhaphopsis samarensis</i> (Diptera: Tachinidae), a Larval Parasite of the Gypsy Moth (Lepidoptera: Lymantriidae). Environmental Entomology, 2001, 30, 605-611.	1.4	17
123	Parasitism of the Leaf-beetle <i>Mesoplatys ochroptera</i> Stål (Coleoptera: Chrysomelidae) in Eastern Zambia. Biocontrol Science and Technology, 2001, 11, 611-622.	1.3	3
124	PARASITOID COMPLEX OF <i>ZEIRAPHERA CANADENSIS</i> (LEPIDOPTERA: TORTRICIDAE) AND EVALUATION OF <i>TYCHERUS OSCULATOR</i> (HYMENOPTERA: ICHNEUMONIDAE) AS A BIOLOGICAL CONTROL AGENT. Canadian Entomologist, 1999, 131, 465-474.	0.8	2
125	Evidence for the occurrence of sibling species in <i>Eubazus</i> spp. (Hymenoptera: Braconidae), parasitoids of <i>Pissodes</i> spp. weevils (Coleoptera: Curculionidae). Bulletin of Entomological Research, 1998, 88, 149-163.	1.0	19
126	SCREENING FOUR EXOTIC PARASITIDS AS POTENTIAL CONTROLS FOR THE EASTERN HEMLOCK LOOPER, <i>LAMBDA FISCELLARIA FISCELLARIA</i> (GUENÉE) (LEPIDOPTERA: GEOMETRIDAE). Canadian Entomologist, 1997, 129, 831-841.	0.8	6

#	ARTICLE	IF	CITATIONS
127	Oviposition, life cycle, and parasitoids of the spruce cone maggot, <i>Strobilomyia anthracina</i> (Diptera: Anthomyiidae), in the Alps. <i>Bulletin of Entomological Research</i> , 1997, 87, 555-562.	1.0	23
128	Biology of <i>Coeloides sordidator</i> (Hymenoptera: Braconidae), a Possible Candidate for Introduction Against <i>Pissodes strobi</i> (Coleoptera: Curculionidae) in North America. <i>Biocontrol Science and Technology</i> , 1997, 7, 153-164.	1.3	16
129	Parasitoids Associated with <i>Cydia strobilella</i> (L.) (Lepidoptera: Tortricidae) in Europe, and Considerations for Their Use for Biological Control in North America. <i>Biological Control</i> , 1996, 6, 202-214.	3.0	13
130	Comparative developmental biology of populations of three European and one North American <i>Eubazus</i> spp. (Hymenoptera: Braconidae), parasitoids of <i>Pissodes</i> spp. weevils (Coleoptera: Tj ETQq0 0 0 rgBT /Over tock 10 1650 617 T		
131	Factors affecting sex ratio in rearing of <i>Coeloides sordidator</i> (Hym.: Braconidae). <i>Entomophaga</i> , 1996, 41, 217-224.	0.2	10
132	Parasitoids of European Species of the Genus <i>Pissodes</i> (Col: Curculionidae) and Their Potential for the Biological Control of <i>Pissodes strobi</i> (Peck) in Canada. <i>Biological Control</i> , 1994, 4, 14-21.	3.0	22
133	A study of the parasitoid complex of the European fir budworm, <i>Choristoneura murinana</i> (Lepidoptera: Tortricidae), and its relevance for biological control of related hosts. <i>Bulletin of Entomological Research</i> , 1991, 81, 429-436.	1.0	17
134	Impact of alien terrestrial arthropods in Europe. Chapter 5. <i>BioRisk</i> , 0, 4, 51-71.	0.2	64
135	Insects used for animal feed in West Africa. <i>Entomologia</i> , 0, , .	1.0	48
136	Classical biological control against insect pests in Europe, North Africa, and the Middle East: What influences its success?. <i>NeoBiota</i> , 0, 65, 169-191.	1.0	11
137	Troubling travellers: are ecologically harmful alien species associated with particular introduction pathways?. <i>NeoBiota</i> , 0, 32, 1-20.	1.0	58
138	Forewarned is forearmed: harmonized approaches for early detection of potentially invasive pests and pathogens in sentinel plantings. <i>NeoBiota</i> , 0, 47, 95-123.	1.0	25