
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3921776/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Rapid Drink Challenge During High-resolution Manometry for Evaluation of Esophageal Emptying in<br>Treated Achalasia. Clinical Gastroenterology and Hepatology, 2023, 21, 55-63.  | 2.4 | 9         |
| 2  | Association between postâ€reflux swallowâ€induced peristaltic wave index and esophageal mucosal integrity in patients with GERD symptoms. Neurogastroenterology and Motility, 2023, 35, e14344.   | 1.6 | 4         |
| 3  | Relevance of Excessive Air Swallowing in GERD Patients With Concomitant Functional Dyspepsia and Poor Response to PPI Therapy. Journal of Clinical Gastroenterology, 2023, 57, 466-471.   | 1.1 | 2         |
| 4  | Autoimmune gastritis: long-term natural history in naÃ⁻ve <i>Helicobacter pylori</i> -negative patients.<br>Gut, 2023, 72, 30-38.   | 6.1 | 39        |
| 5  | Current molecular biomarkers evaluation in gastric/gastroesophageal junction adenocarcinoma: pathologist does matter. Updates in Surgery, 2023, 75, 291-303.  | 0.9 | 5         |
| 6  | High-Resolution Manometry Thresholds and Motor Patterns Among Asymptomatic Individuals. Clinical<br>Gastroenterology and Hepatology, 2022, 20, e398-e406.   | 2.4 | 23        |
| 7  | Episodeâ€level reflux characteristics: How experienced reviewers differentiate true reflux from artifact on pHâ€impedance studies. Neurogastroenterology and Motility, 2022, 34, e14153.  | 1.6 | 10        |
| 8  | Overlap of Rome IV Irritable Bowel Syndrome and Functional Dyspepsia and Effect on Natural History:<br>A Longitudinal Follow-Up Study. Clinical Gastroenterology and Hepatology, 2022, 20, e89-e101.                                    | 2.4 | 17        |
| 9  | Reflux characteristics triggering postâ€reflux swallowâ€induced peristaltic wave (PSPW) in patients<br>with GERD symptoms. Neurogastroenterology and Motility, 2022, 34, e14183.  | 1.6 | 10        |
| 10 | Development of a core outcome set for therapeutic studies in eosinophilic esophagitis (COREOS).<br>Journal of Allergy and Clinical Immunology, 2022, 149, 659-670.  | 1.5 | 40        |
| 11 | Primary Hypogammaglobulinaemia with Inflammatory Bowel Disease-Like Features: An ECCO CONFER<br>Multicentre Case Series. Journal of Crohn's and Colitis, 2022, 16, 91-97.   | 0.6 | 6         |
| 12 | Application of Lyon Consensus criteria for GORD diagnosis: evaluation of conventional and new impedance-pH parameters. Gut, 2022, 71, 1062-1067.  | 6.1 | 32        |
| 13 | Placebo Response Rates in Trials of Licensed Drugs for Irritable Bowel Syndrome With Constipation or Diarrhea: Meta-analysis. Clinical Gastroenterology and Hepatology, 2022, 20, e923-e944.  | 2.4 | 22        |
| 14 | Incidence comparison of adverse events in patients with inflammatory bowel disease receiving<br>different biologic agents: retrospective long-term evaluation. Intestinal Research, 2022, 20, 114-123.                                  | 1.0 | 12        |
| 15 | Epstein-Barr virus associated gastric dysplasia: a new rare entity?. Virchows Archiv Fur Pathologische<br>Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480, 939-944.   | 1.4 | 3         |
| 16 | ECCO Guidelines on Therapeutics in Ulcerative Colitis: Surgical Treatment. Journal of Crohn's and Colitis, 2022, 16, 179-189.   | 0.6 | 120       |
| 17 | ECCO Guidelines on Therapeutics in Ulcerative Colitis: Medical Treatment. Journal of Crohn's and Colitis, 2022, 16, 2-17.   | 0.6 | 288       |
| 18 | Risk Prediction and Comparative Efficacy of Anti-TNF vs Thiopurines, for Preventing Postoperative<br>Recurrence in Crohn's Disease: A Pooled Analysis of 6 Trials. Clinical Gastroenterology and<br>Hepatology, 2022, 20, 2741-2752.e6. | 2.4 | 18        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Question Prompt List as a Communication Tool for Adults With Gastroesophageal Reflux Disease.<br>Journal of Clinical Gastroenterology, 2022, 56, 565-570.   | 1.1 | 3         |
| 20 | Adverse events in trials of licensed drugs for irritable bowel syndrome with constipation or<br>diarrhea: Systematic review and metaâ€analysis. Neurogastroenterology and Motility, 2022, 34, e14279.   | 1.6 | 6         |
| 21 | Artificial Intelligence in the Diagnosis of Upper Gastrointestinal Diseases. Journal of Clinical Gastroenterology, 2022, 56, 23-35.   | 1.1 | 22        |
| 22 | Biliary Tree Diagnostics: Advances in Endoscopic Imaging and Tissue Sampling. Medicina (Lithuania),<br>2022, 58, 135.   | 0.8 | 4         |
| 23 | Systematic review with metaâ€analysis: artificial intelligence in the diagnosis of oesophageal diseases.<br>Alimentary Pharmacology and Therapeutics, 2022, 55, 528-540.  | 1.9 | 27        |
| 24 | P044 Enteric dopaminergic pathways in mouse and human intestinal inflammation. Journal of Crohn's and Colitis, 2022, 16, i160-i161.   | 0.6 | 0         |
| 25 | P119 Hereditary Colorectal Cancer Syndromes and Inflammatory Bowel Diseases: an ECCO CONFER<br>Multicenter Case Series. Journal of Crohn's and Colitis, 2022, 16, i210-i210.  | 0.6 | 0         |
| 26 | Gastroesophageal reflux disease: key messages for clinicians. Minerva Gastroenterology, 2022, 67, .   | 0.3 | 4         |
| 27 | EoE CONNECT, the European Registry of Clinical, Environmental, and Genetic Determinants in<br>Eosinophilic Esophagitis: rationale, design, and study protocol of a large-scale epidemiological study<br>in Europe. Therapeutic Advances in Gastroenterology, 2022, 15, 175628482210742. | 1.4 | 13        |
| 28 | P014 Impact of experimental ileitis and Toll-Like Receptor 4 signaling on enteric inhibitory neurotransmission. Journal of Crohn's and Colitis, 2022, 16, i142-i142.  | 0.6 | 0         |
| 29 | Systematic Review: esophageal motility patterns in patients with eosinophilic esophagitis. Digestive and Liver Disease, 2022, 54, 1143-1152.  | 0.4 | 20        |
| 30 | A specific microbiota signature is associated to various degrees of ulcerative colitis as assessed by a machine learning approach. Gut Microbes, 2022, 14, 2028366.   | 4.3 | 26        |
| 31 | Toward a potential association between eosinophilic esophagitis and Klinefelter syndrome: a case series and review of the literature. Therapeutic Advances in Gastroenterology, 2022, 15, 175628482210768.  | 1.4 | 1         |
| 32 | Applying Lyon Consensus criteria in the workâ€up of patients with proton pump inhibitoryâ€refractory<br>heartburn. Alimentary Pharmacology and Therapeutics, 2022, 55, 1423-1430.   | 1.9 | 24        |
| 33 | Eosinophilic esophagitis: novel concepts regarding pathogenesis and clinical manifestations. Minerva<br>Gastroenterology, 2022, 68, .   | 0.3 | 6         |
| 34 | Pharmacotherapies in eosinophilic esophagitis: state of the art. Minerva Gastroenterology, 2022, 68,<br>69-76.  | 0.3 | 0         |
| 35 | Nonachalasic esophageal motor disorders, from diagnosis to therapy. Expert Review of<br>Gastroenterology and Hepatology, 2022, 16, 205-216.   | 1.4 | 2         |
| 36 | Eosinophilic esophagitis: a rising disease. Minerva Gastroenterology, 2022, 68, .   | 0.3 | 0         |

| #  | Article  | IF         | CITATIONS     |
|----|--|------------|---------------|
| 37 | Letter: the potential link between oesophageal hypervigilance, visceral anxiety, increased swallow<br>rate and oesophageal mucosal integrity. Alimentary Pharmacology and Therapeutics, 2022, 55, 756-757.   | 1.9        | 2             |
| 38 | Mismatch repair status and gastroâ€oesophageal dysplasia: need for a dedicated gastrointestinal pathologist?. Histopathology, 2022, , .  | 1.6        | 2             |
| 39 | Serum oncostatin M predicts mucosal healing in patients with inflammatory bowel diseases treated with anti-TNF, but not vedolizumab. Digestive and Liver Disease, 2022, 54, 1367-1373.   | 0.4        | 10            |
| 40 | The present and future of gastroenterology and hepatology: an international SWOT analysis (the) Tj ETQq0 0 0 r   | rgBT /Over | lock 10 Tf 50 |
| 41 | Gastric metastases of breast cancer: Histopathological and molecular characterization of a single Institution case series. Pathology Research and Practice, 2022, 233, 153872.   | 1.0        | 1             |
| 42 | Integrated Relaxation Pressure Classification and Probe Positioning Failure Detection in<br>High-Resolution Esophageal Manometry Using Machine Learning. Sensors, 2022, 22, 253.   | 2.1        | 4             |
| 43 | Gastroenteropancreatic Neuroendocrine Neoplasms in Patients with Inflammatory Bowel Disease: An<br>ECCO CONFER Multicentre Case Series. Journal of Crohn's and Colitis, 2022, 16, 940-945.   | 0.6        | 5             |
| 44 | Editorial: Lyon consensus metrics—towards personalised diagnosis of nonâ€erosive reflux disease:<br>Authors' reply. Alimentary Pharmacology and Therapeutics, 2022, 55, 1216-1217.   | 1.9        | 0             |
| 45 | OC.05.4 SYSTEMATIC REVIEW WITH META-ANALYSIS: ARTIFICIAL INTELLIGENCE IN THE DIAGNOSIS OF ESOPHACEAL DISEASES. Digestive and Liver Disease, 2022, 54, S80-S81.   | 0.4        | 0             |
| 46 | Achalasia. Nature Reviews Disease Primers, 2022, 8, 28.  | 18.1       | 36            |
| 47 | T.01.1 APPLICATION OF LYON CONSENSUS CRITERIA FOR GERD DIAGNOSIS: EVALUATION OF PATIENTS WITH<br>INCONCLUSIVE DIAGNOSIS AND NEW IMPEDANCE-PH PARAMETERS. Digestive and Liver Disease, 2022, 54,<br>S115.   | 0.4        | 0             |
| 48 | Effectiveness and safety of vedolizumab in a matched cohort of elderly and nonelderly patients with<br>inflammatory bowel disease: the <scp>IGâ€IBD LIVE</scp> study. Alimentary Pharmacology and<br>Therapeutics, 2022, 56, 95-109.                                 | 1.9        | 25            |
| 49 | Small intestine neuromuscular dysfunction in a mouse model of dextran sulfate sodium-induced ileitis: Involvement of dopaminergic neurotransmission. Life Sciences, 2022, 301, 120562.   | 2.0        | 1             |
| 50 | Accurate and timely diagnosis of Eosinophilic Esophagitis improves over time in Europe. An analysis of<br>the EoE CONNECT Registry. United European Gastroenterology Journal, 2022, 10, 507-517.   | 1.6        | 19            |
| 51 | Towards a more precise classification of esophageal motility disorders in patients with systemic sclerosis. Neurogastroenterology and Motility, 2022, 34, e14416.  | 1.6        | 1             |
| 52 | Advances on Neurogastroenterology and Motility Disorders: Pathophysiology, Diagnostics and<br>Management. Journal of Clinical Medicine, 2022, 11, 2911.  | 1.0        | 1             |
| 53 | Ustekinumab versus adalimumab for induction and maintenance therapy in biologic-naive patients with<br>moderately to severely active Crohn's disease: a multicentre, randomised, double-blind,<br>parallel-group, phase 3b trial. Lancet, The, 2022, 399, 2200-2211. | 6.3        | 94            |
| 54 | Salivary microbiota composition may discriminate between patients with eosinophilic oesophagitis<br>( <scp>EoE</scp> ) and <scp>nonâ€EoE</scp> subjects. Alimentary Pharmacology and Therapeutics, 2022,<br>56, 450-462.   | 1.9        | 8             |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Functional bowel disorders with diarrhoea: Clinical guidelines of the United European<br>Gastroenterology and European Society for Neurogastroenterology and Motility. United European<br>Gastroenterology Journal, 2022, 10, 556-584. | 1.6 | 40        |
| 56 | Chicago classification v4.0 protocol improves specificity and accuracy of diagnosis of oesophagogastric junction outflow obstruction. Alimentary Pharmacology and Therapeutics, 2022, 56, 606-613.                                     | 1.9 | 16        |
| 57 | Hereditary Colorectal Cancer Syndromes and Inflammatory Bowel Diseases: an ECCO CONFER<br>Multicentre Case Series. Journal of Crohn's and Colitis, 2022, 16, 1845-1852.  | 0.6 | 5         |
| 58 | Management of Helicobacter pylori infection: Guidelines of the Italian Society of Gastroenterology<br>(SIGE) and the Italian Society of Digestive Endoscopy (SIED). Digestive and Liver Disease, 2022, 54,<br>1153-1161.               | 0.4 | 24        |
| 59 | Real-time determination of gastric juice pH with EndoFaster® for atrophic gastritis assessment.<br>Digestive and Liver Disease, 2022, 54, 1646-1648.   | 0.4 | 5         |
| 60 | Automated Chicago Classification for Esophageal Motility Disorder Diagnosis Using Machine<br>Learning. Sensors, 2022, 22, 5227.  | 2.1 | 2         |
| 61 | Advancements in the use of 24-hour impedance-pH monitoring for GERD diagnosis. Current Opinion in Pharmacology, 2022, 65, 102264.  | 1.7 | 4         |
| 62 | Inter-reviewer Variability in Interpretation of pH-Impedance Studies: The Wingate Consensus. Clinical<br>Gastroenterology and Hepatology, 2021, 19, 1976-1978.e1.  | 2.4 | 45        |
| 63 | Duodenal Histological Findings and Risk of Coeliac Disease in Subjects with Autoimmune Atrophic Gastritis: A Retrospective Evaluation. Digestion, 2021, 102, 615-621.  | 1.2 | 6         |
| 64 | Normal values and regional differences in oesophageal impedance-pH metrics: a consensus analysis of impedance-pH studies from around the world. Gut, 2021, 70, 1441-1449.  | 6.1 | 49        |
| 65 | Achalasia and Obstructive Motor Disorders Are Not Uncommon in Patients With Eosinophilic Esophagitis. Clinical Gastroenterology and Hepatology, 2021, 19, 1554-1563.   | 2.4 | 34        |
| 66 | Inflammatory Bowel Disease and Sleep Disturbance: As Usual, Quality Matters. Digestive Diseases and Sciences, 2021, 66, 3-4.   | 1.1 | 13        |
| 67 | A Peculiar Cutaneous Manifestation in a Patient With Crohn's Disease. Gastroenterology, 2021, 160, e1-e3.  | 0.6 | 1         |
| 68 | Elimination of Dietary Triggers Is Successful in Treating Symptoms of Gastroesophageal Reflux<br>Disease. Digestive Diseases and Sciences, 2021, 66, 1565-1571.  | 1.1 | 21        |
| 69 | Artificial intelligence automates and augments baseline impedance measurements from pH-impedance studies in gastroesophageal reflux disease. Journal of Gastroenterology, 2021, 56, 34-41.   | 2.3 | 24        |
| 70 | Immunolocalization of leptin and leptin receptor in colorectal mucosa of ulcerative colitis, Crohn's<br>disease and control subjects with no inflammatory bowel disease. Cell and Tissue Research, 2021, 383,<br>1103-1122.            | 1.5 | 6         |
| 71 | The Adherence to Infusible Biologic Therapies in Inflammatory Bowel Disease Patients during the COVID-19 Pandemic: Is It Really a Problem?. Gastroenterology, 2021, 160, 1903-1904.  | 0.6 | 3         |
| 72 | Dual Targeted Therapy: A Possible Option for the Management of Refractory Inflammatory Bowel<br>Disease. Journal of Crohn's and Colitis, 2021, 15, 335-339.  | 0.6 | 37        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Upper gastrointestinal bleeding in COVID-19 inpatients: Incidence and management in a multicenter experience from Northern Italy. Clinics and Research in Hepatology and Gastroenterology, 2021, 45, 101521.  | 0.7 | 55        |
| 74 | Esophagogastric junction morphology and contractile integral on highâ€resolution manometry in<br>asymptomatic healthy volunteers: An international multicenter study. Neurogastroenterology and<br>Motility, 2021, 33, e14009.                        | 1.6 | 10        |
| 75 | Ciclosporin or Infliximab as Rescue Therapy in Acute Glucorticosteroid-Refractory Ulcerative Colitis:<br>Systematic Review and Network Meta-Analysis. Journal of Crohn's and Colitis, 2021, 15, 733-741.  | 0.6 | 10        |
| 76 | European Society for Neurogastroenterology and Motility (ESNM) recommendations for the use of highâ€resolution manometry of the esophagus. Neurogastroenterology and Motility, 2021, 33, e14043.  | 1.6 | 15        |
| 77 | Reply Letter to "Oral butyrate modulates the gut microbiota in patients with inflammatory bowel<br>disease, most likely by reversing proinflammatory metabolic reprogramming of colonocytes―<br>Neurogastroenterology and Motility, 2021, 33, e14054. | 1.6 | 0         |
| 78 | Effects of SARS-CoV-2 emergency measures on high-risk lesions detection: a multicentre cross-sectional study. Gut, 2021, 70, 1241-1243.   | 6.1 | 8         |
| 79 | Should Patients With Inflammatory Bowel Disease Be Tested for Active COVID-19 Before Starting a Biological Treatment?. Gastroenterology, 2021, 160, 2626-2627.  | 0.6 | 1         |
| 80 | Postreflux swallowâ€induced peristaltic wave index from pHâ€impedance monitoring associates with<br>esophageal body motility and esophageal acid burden. Neurogastroenterology and Motility, 2021, 33,<br>e13973.                                     | 1.6 | 14        |
| 81 | Rapid point-of-care anti-infliximab antibodies detection in clinical practice: comparison with ELISA and potential for improving therapeutic drug monitoring in IBD patients. Therapeutic Advances in Gastroenterology, 2021, 14, 175628482199990.    | 1.4 | 16        |
| 82 | Esophageal pH increments associated with postâ€reflux swallowâ€induced peristaltic waves show the occurrence and relevance of esophagoâ€salivary reflex in clinical setting. Neurogastroenterology and Motility, 2021, 33, e14085.                    | 1.6 | 20        |
| 83 | Efficacy of Oral, Topical, or Combined Oral and Topical 5-Aminosalicylates, in Ulcerative Colitis:<br>Systematic Review and Network Meta-analysis. Journal of Crohn's and Colitis, 2021, 15, 1184-1196.   | 0.6 | 26        |
| 84 | A propensity score-weighted comparison between adalimumab originator and its biosimilars, ABP501<br>and SB5, in inflammatory bowel disease: a multicenter Italian study. Therapeutic Advances in<br>Gastroenterology, 2021, 14, 175628482110314.      | 1.4 | 10        |
| 85 | Response to Khalaf et al American Journal of Gastroenterology, 2021, 116, 1565-1566.  | 0.2 | 0         |
| 86 | Low Levels of Gastrin 17 are Related with Endoscopic Findings of Esophagitis and Typical Symptoms of GERD. Journal of Gastrointestinal and Liver Diseases, 2021, 30, 25-29.   | 0.5 | 3         |
| 87 | Gastrointestinal mucosal damage in patients with COVID-19 undergoing endoscopy: an international multicentre study. BMJ Open Gastroenterology, 2021, 8, e000578.  | 1.1 | 49        |
| 88 | Impact of the Sars-Cov-2 Pandemic on Gastroenterology Units in Italy: a National Survey. , 2021, 53, .  |     | 0         |
| 89 | Development of quality indicators for the diagnosis and management of achalasia.<br>Neurogastroenterology and Motility, 2021, 33, e14118.   | 1.6 | 9         |
| 90 | Chicago Classification Update (v4.0): Technical review on diagnostic criteria for hypercontractile esophagus. Neurogastroenterology and Motility, 2021, 33, e14115.   | 1.6 | 19        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Diagnostic yield and reliability of postâ€prandial highâ€resolution manometry and impedanceâ€ph for<br>detecting rumination and supragastric belching in PPI nonâ€responders. Neurogastroenterology and<br>Motility, 2021, 33, e14106.                         | 1.6 | 3         |
| 92  | Objective Evidence of Gastro-Esophageal Reflux Disease is Rare in Patients with Autoimmune Gastritis.<br>Journal of Gastrointestinal and Liver Diseases, 2021, 30, 30-36.  | 0.5 | 2         |
| 93  | MicroRNAs as Predictive Biomarkers of Resistance to Targeted Therapies in Gastrointestinal Tumors.<br>Biomedicines, 2021, 9, 318.  | 1.4 | 7         |
| 94  | United European Gastroenterology (UEG) and European Society for Neurogastroenterology and<br>Motility (ESNM) consensus on functional dyspepsia. United European Gastroenterology Journal, 2021,<br>9, 307-331.   | 1.6 | 62        |
| 95  | Bariatric Surgery and Esophageal Function: An Eternal Impasse?. American Journal of<br>Gastroenterology, 2021, 116, 1754-1755.   | 0.2 | 1         |
| 96  | Management of Osteoarthritis: Expert Opinion on NSAIDs. Pain and Therapy, 2021, 10, 783-808.   | 1.5 | 40        |
| 97  | Eosinophilic Esophagitis and Achalasia: Are We Putting All the Pieces Together?. American Journal of<br>Gastroenterology, 2021, 116, 1759-1759.  | 0.2 | 2         |
| 98  | United European Gastroenterology (UEG) and European Society for Neurogastroenterology and<br>Motility (ESNM) consensus on gastroparesis. United European Gastroenterology Journal, 2021, 9,<br>287-306.  | 1.6 | 60        |
| 99  | Pharmacological Management of Gastro-Esophageal Reflux Disease: An Update of the State-of-the-Art.<br>Drug Design, Development and Therapy, 2021, Volume 15, 1609-1621.  | 2.0 | 21        |
| 100 | Manometric pattern progression in esophageal achalasia in the era of high-resolution manometry.<br>Annals of Translational Medicine, 2021, 9, 906-906.   | 0.7 | 2         |
| 101 | Patients With Definite and Inconclusive Evidence of Reflux According to Lyon Consensus Display<br>Similar Motility and Esophagogastric Junction Characteristics. Journal of Neurogastroenterology<br>and Motility, 2021, 27, 565-573.                          | 0.8 | 7         |
| 102 | N11 Complementary and alternative methods to improve quality of life in patients with inflammatory bowel diseases: a systematic literature review. Journal of Crohn's and Colitis, 2021, 15, S613-S614.  | 0.6 | 0         |
| 103 | DOP79 Primary hypogammaglobulinemia with IBD-like features: An ECCO CONFER Multicenter Case<br>Series. Journal of Crohn's and Colitis, 2021, 15, S111-S111.  | 0.6 | 1         |
| 104 | Adalimumab biosimilars, ABP501 and SB5, are equally effective and safe as adalimumab originator.<br>Scientific Reports, 2021, 11, 10368.   | 1.6 | 21        |
| 105 | Prevention Strategies for Esophageal Cancer—An Expert Review. Cancers, 2021, 13, 2183.   | 1.7 | 19        |
| 106 | Faecal Microbiome Transplantation as a Solution to Chronic Enteropathies in Dogs: A Case Study of<br>Beneficial Microbial Evolution. Animals, 2021, 11, 1433.  | 1.0 | 12        |
| 107 | P329 Comparative Assessment of Adalimumab Trough Levels between Point-of-Care Testing and current<br>Standard of Care (enzyme linked immunosorbent assay) in patients with Inflammatory Bowel Disease.<br>Journal of Crohn's and Colitis, 2021, 15, S353-S353. | 0.6 | 0         |
| 108 | P506 The Impact of Anxiety in Patients With Inflammatory Bowel Diseases Treated With Biologics<br>during COVID Lockdown. A Comparative Study between Hospitalized and non-hospitalized patients.<br>Journal of Crohn's and Colitis, 2021, 15, S487-S488.       | 0.6 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | P295 Comparative Assessment of Infliximab Trough Levels between Point-of-Care Testing and current<br>Standard of Care (enzyme linked immunosorbent assay) in patients with Inflammatory Bowel Disease.<br>Journal of Crohn's and Colitis, 2021, 15, S325-S325.  | 0.6 | 0         |
| 110 | P216 Comparative Assessment C-reactive Protein Between a Point-of-Care Testing and Current Standard of Care (Immunonephelometric testing). Journal of Crohn's and Colitis, 2021, 15, S272-S273.   | 0.6 | 0         |
| 111 | Refractoriness to Treatment Suggests That Clinical Evaluation Should Go Beyond the Diagnosis of Reflux Disease. Clinical Gastroenterology and Hepatology, 2021, 19, 1077-1078.  | 2.4 | 0         |
| 112 | P124 Gastroenteropancreatic Neuroendocrine Neoplasms in patients with Inflammatory Bowel Disease:<br>An ECCO CONFER Multicentre Case Series. Journal of Crohn's and Colitis, 2021, 15, S215-S216.   | 0.6 | 0         |
| 113 | Dietary Management of Eosinophilic Esophagitis: Tailoring the Approach. Nutrients, 2021, 13, 1630.  | 1.7 | 21        |
| 114 | Prevalence of symptoms of anxiety and depression in patients with inflammatory bowel disease: a systematic review and meta-analysis. The Lancet Gastroenterology and Hepatology, 2021, 6, 359-370.  | 3.7 | 256       |
| 115 | Effectiveness of Third-Class Biologic Treatment in Crohn's Disease: A Multi-Center Retrospective<br>Cohort Study. Journal of Clinical Medicine, 2021, 10, 2914.   | 1.0 | 8         |
| 116 | Editorial: postâ€reflux swallowâ€induced peristaltic wave in eosinophilic oesophagitis—more questions<br>than answers? Authors' reply. Alimentary Pharmacology and Therapeutics, 2021, 54, 190-191.   | 1.9 | 0         |
| 117 | ID: 3522469 RISK OF COVID-19 TRANSMISSION AND OUTCOMES IN HEALTHCARE WORKERS PRESENT DURING GASTROINTESTINAL ENDOSCOPIC PROCEDURES: AN INTERNATIONAL MULTICENTER STUDY. Gastrointestinal Endoscopy, 2021, 93, AB45-AB46.  | 0.5 | 0         |
| 118 | Novel impedanceâ€pH parameters are associated with proton pump inhibitor response in patients with<br>inconclusive diagnosis of gastroâ€oesophageal reflux disease according to Lyon Consensus. Alimentary<br>Pharmacology and Therapeutics, 2021, 54, 412-418. | 1.9 | 42        |
| 119 | Increased visceral sensitivity, elevated anxiety, and depression levels in patients with functional esophageal disorders and nonâ€erosive reflux disease. Neurogastroenterology and Motility, 2021, 33, e14177.   | 1.6 | 17        |
| 120 | Modern Diagnosis of Early Esophageal Cancer: From Blood Biomarkers to Advanced Endoscopy and<br>Artificial Intelligence. Cancers, 2021, 13, 3162.   | 1.7 | 35        |
| 121 | Diagnostic delay and misdiagnosis in eosinophilic oesophagitis. Digestive and Liver Disease, 2021, 53, 1632-1639.   | 0.4 | 28        |
| 122 | Proton pump inhibitor therapy reverses endoscopic features of fibrosis in eosinophilic esophagitis.<br>Digestive and Liver Disease, 2021, 53, 1479-1485.  | 0.4 | 30        |
| 123 | Sarcopenia, severe anxiety and increased C-reactive protein are associated with severe fatigue in patients with inflammatory bowel diseases. Scientific Reports, 2021, 11, 15251.   | 1.6 | 5         |
| 124 | Editorial: inconclusive diagnosis of GERD: are new parameters in impedanceâ€pHmetry ready for clinical use? Authors' reply. Alimentary Pharmacology and Therapeutics, 2021, 54, 498-499.  | 1.9 | 2         |
| 125 | Hospitalisation for Drug Infusion Did Not Increase Levels of Anxiety and the Risk of Disease Relapse in Patients with Inflammatory Bowel Disease during COVID-19 Outbreak. Journal of Clinical Medicine, 2021, 10, 3270.  | 1.0 | 1         |
| 126 | Value of pH Impedance Monitoring While on Twice-Daily Proton Pump Inhibitor Therapy to Identify<br>Need for Escalation of Reflux Management. Gastroenterology, 2021, 161, 1412-1422.  | 0.6 | 27        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Therapeutic drug monitoring in Crohn's disease patients treated with anti-TNF. European Journal of<br>Gastroenterology and Hepatology, 2021, Publish Ahead of Print, .  | 0.8 | 3         |
| 128 | Exploring the association between esophageal mucosal inflammation, impaired motility, and GERD severity. Neurogastroenterology and Motility, 2021, 33, e14211.  | 1.6 | 2         |
| 129 | Global prevalence of functional constipation according to the Rome criteria: a systematic review and meta-analysis. The Lancet Gastroenterology and Hepatology, 2021, 6, 638-648.   | 3.7 | 105       |
| 130 | Prevalence of Primary Sclerosing Cholangitis in Patients With Inflammatory Bowel Disease: A<br>Systematic Review and Meta-analysis. Gastroenterology, 2021, 161, 1865-1877.   | 0.6 | 46        |
| 131 | How a modified Nissen procedure works: a mechanistic study using intraoperative esophageal high-resolution manometry. Langenbeck's Archives of Surgery, 2021, , 1.  | 0.8 | 1         |
| 132 | Letter: is wireless oesophageal pH monitoring the best technique to evaluate nightâ€ŧime reflux?.<br>Alimentary Pharmacology and Therapeutics, 2021, 54, 974-975.   | 1.9 | 1         |
| 133 | OC.01.10 EGJ OUTFLOW OBSTRUCTION ACCORDING TO THE NEW CHICAGO CLASSIFICATION: HOW MANY DIAGNOSES MIGHT BE CONFIRMED?. Digestive and Liver Disease, 2021, 53, S97.   | 0.4 | 0         |
| 134 | Molecular Landscapes of Gastric Pre-Neoplastic and Pre-Invasive Lesions. International Journal of<br>Molecular Sciences, 2021, 22, 9950.  | 1.8 | 11        |
| 135 | An update of pharmacology, efficacy, and safety of vonoprazan in acid-related disorders. Expert<br>Review of Gastroenterology and Hepatology, 2021, , 1-10.   | 1.4 | 4         |
| 136 | AF.15 EOSINOPHILIC ESOPHAGITIS IS FREQUENTLY ASSOCIATED WITH DISORDERS OF PERISTALSIS AT HIGH-RESOLUTION MANOMETRY: A PROSPECTIVE SINGLE-CENTRE CASE-CONTROL STUDY. Digestive and Liver Disease, 2021, 53, S143-S144.                             | 0.4 | 0         |
| 137 | AF.48 COMPARATIVE ASSESSMENT OF ADALIMUMAB TROUGH LEVELS BETWEEN POINT-OF-CARE TESTING AND CURRENT STANDARD OF CARE (ENZYME LINKED IMMUNOSORBENT ASSAY) IN PATIENTS WITH INFLAMMATORY BOWEL DISEASE. Digestive and Liver Disease, 2021, 53, S158. | 0.4 | 0         |
| 138 | Endoscopic tissue sampling – Part 1: Upper gastrointestinal and hepatopancreatobiliary tracts.<br>European Society of Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy, 2021, 53, 1174-1188.  | 1.0 | 71        |
| 139 | United European Gastroenterology (UEG) and European Society for Neurogastroenterology and<br>Motility (ESNM) consensus on functional dyspepsia. Neurogastroenterology and Motility, 2021, 33,<br>e14238.  | 1.6 | 21        |
| 140 | OC.01.5 RAPID DRINK CHALLENGE DURING HIGH RESOLUTION MANOMETRY IS USEFUL TO PREDICT<br>ESOPHAGEAL EMPTYING IN ACHALASIA PATIENTS AFTER TREATMENT. Digestive and Liver Disease, 2021, 53,<br>S94-S95.  | 0.4 | 0         |
| 141 | Gastritis: The clinico-pathological spectrum. Digestive and Liver Disease, 2021, 53, 1237-1246.   | 0.4 | 30        |
| 142 | Switching from Infliximab Originator to SB2 Biosimilar in Inflammatory Bowel Diseases: A<br>Multicentric Prospective Real-Life Study. Therapeutic Advances in Gastroenterology, 2021, 14,<br>175628482110233.                                     | 1.4 | 7         |
| 143 | Eosinophilic esophagitis: clinical, endoscopic, histologic and therapeutic differences and similarities between children and adults. Therapeutic Advances in Gastroenterology, 2021, 14, 175628482098086.   | 1.4 | 40        |
| 144 | Response of eosinophilic oesophagitis to proton pump inhibitors is associated with impedanceâ€pH<br>parameters implying antiâ€reflux mechanism of action. Alimentary Pharmacology and Therapeutics, 2021,<br>53, 1183-1189.                       | 1.9 | 15        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Esophageal motility disorders on highâ€resolution manometry: Chicago classification version<br>4.0 <sup>©</sup> . Neurogastroenterology and Motility, 2021, 33, e14058.                                       | 1.6 | 468       |
| 146 | ESNM/ANMS consensus paper: Diagnosis and management of refractory gastroâ€esophageal reflux disease. Neurogastroenterology and Motility, 2021, 33, e14075.  | 1.6 | 68        |
| 147 | Real-Life Comparison of Different Anti-TNF Biologic Therapies for Ulcerative Colitis Treatment: A<br>Retrospective Cohort Study. Digestive Diseases, 2021, 39, 16-24.   | 0.8 | 12        |
| 148 | Symptom Stability in Rome IV vs Rome III Irritable Bowel Syndrome. American Journal of<br>Gastroenterology, 2021, 116, 362-371.   | 0.2 | 34        |
| 149 | Hypercontractile Esophagus From Pathophysiology to Management: Proceedings of the Pisa<br>Symposium. American Journal of Gastroenterology, 2021, 116, 263-273.  | 0.2 | 24        |
| 150 | The tapestry of reflux syndromes: translating new insight into clinical practice. British Journal of<br>General Practice, 2021, 71, 470-473.  | 0.7 | 6         |
| 151 | Influence of Tilia tomentosa Moench Extract on Mouse Small Intestine Neuromuscular Contractility.<br>Nutrients, 2021, 13, 3505.   | 1.7 | 4         |
| 152 | The Risk of Malignancies in Celiac Disease—A Literature Review. Cancers, 2021, 13, 5288.  | 1.7 | 15        |
| 153 | Endoscopic tissue sampling – Part 2: Lower gastrointestinal tract. European Society of<br>Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy, 2021, 53, 1261-1273.  | 1.0 | 30        |
| 154 | Refractory Gastroesophageal Reflux Disease: A Management Update. Frontiers in Medicine, 2021, 8,<br>765061.   | 1.2 | 34        |
| 155 | Not All Autoimmune Gastritis Are Created the Same. Gastroenterology Research, 2021, 14, 348-349.  | 0.4 | 4         |
| 156 | Derivation and validation of a novel method to subgroup patients with functional dyspepsia: beyond upper gastrointestinal symptoms. Alimentary Pharmacology and Therapeutics, 2021, 53, 253-264.              | 1.9 | 8         |
| 157 | Esophageal High-Resolution Manometry Can Unravel the Mechanisms by Which Different Bariatric<br>Techniques Produce Different Reflux Exposures. Journal of Gastrointestinal Surgery, 2020, 24, 1-7.            | 0.9 | 37        |
| 158 | Mean Nocturnal Baseline Impedance Correlates With Symptom Outcome When Acid Exposure Time Is<br>Inconclusive on Esophageal Reflux Monitoring. Clinical Gastroenterology and Hepatology, 2020, 18,<br>589-595. | 2.4 | 66        |
| 159 | Gastrointestinal: An unusual rectal finding in a patient with ulcerative colitis. Journal of<br>Gastroenterology and Hepatology (Australia), 2020, 35, 179-179.   | 1.4 | 5         |
| 160 | Matrix Metalloproteinase 3 Predicts Therapeutic Response in Inflammatory Bowel Disease Patients<br>Treated With Infliximab. Inflammatory Bowel Diseases, 2020, 26, 756-763.                                   | 0.9 | 21        |
| 161 | Interstitial and Granulomatous Lung Disease in Inflammatory Bowel Disease Patients. Journal of<br>Crohn's and Colitis, 2020, 14, 480-489.   | 0.6 | 26        |
| 162 | Development and Validation of a Test to Monitor Endoscopic Activity in Patients With Crohn's Disease<br>Based on Serum Levels of Proteins. Gastroenterology, 2020, 158, 515-526.e10.                          | 0.6 | 65        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Correlation between reflux burden, peristaltic function, and mucosal integrity in GERD patients.<br>Neurogastroenterology and Motility, 2020, 32, e13752.   | 1.6 | 27        |
| 164 | ECCO Guidelines on Therapeutics in Crohn's Disease: Medical Treatment. Journal of Crohn's and Colitis, 2020, 14, 4-22.  | 0.6 | 741       |
| 165 | Fragmented and failed swallows on esophageal highâ€resolution manometry associate with abnormal reflux burden better than weak swallows. Neurogastroenterology and Motility, 2020, 32, e13736.  | 1.6 | 32        |
| 166 | ECCO Guidelines on Therapeutics in Crohn's Disease: Surgical Treatment. Journal of Crohn's and Colitis, 2020, 14, 155-168.  | 0.6 | 478       |
| 167 | Diagnosis and Outcome of Oesophageal Crohn's Disease. Journal of Crohn's and Colitis, 2020, 14,<br>624-629.   | 0.6 | 2         |
| 168 | Corticosteroid Treatment at Diagnosis: An Analysis of Relapses, Disease Extension, and Colectomy Rate in Ulcerative Colitis. Digestive Diseases and Sciences, 2020, 65, 2397-2402.  | 1.1 | 6         |
| 169 | Factors associated with disability in patients with ulcerative colitis: A crossâ€sectional study. Journal of Digestive Diseases, 2020, 21, 81-87.   | 0.7 | 10        |
| 170 | Quality-of-Life Evaluation in Coeliac Patients on a Gluten-Free Diet. Nutrients, 2020, 12, 2981.  | 1.7 | 16        |
| 171 | PCSK9 Levels Are Raised in Chronic HCV Patients with Hepatocellular Carcinoma. Journal of Clinical Medicine, 2020, 9, 3134.   | 1.0 | 19        |
| 172 | Development of a Preliminary Question Prompt List as a Communication Tool for Adults With<br>Gastroesophageal Reflux Disease. Journal of Clinical Gastroenterology, 2020, 54, 857-863.  | 1.1 | 5         |
| 173 | A further step forward in our knowledge of the pathogenetic role of gastroesophageal reflux in pulmonary fibrosis. Digestive and Liver Disease, 2020, 52, 986-987.  | 0.4 | 1         |
| 174 | Telemedicine and Remote Screening for COVID-19 in Inflammatory Bowel Disease Patients: Results From the SoCOVID-19 Survey. Inflammatory Bowel Diseases, 2020, 26, e134-e136.  | 0.9 | 6         |
| 175 | Reply to comment: Screening for active COVID-19 infection prior to biologic therapy in IBD patients:<br>primum non nÅcÄ"re. Digestive and Liver Disease, 2020, 52, 1248-1249.   | 0.4 | 1         |
| 176 | The hypercontractile esophagus: Still a tough nut to crack. Neurogastroenterology and Motility, 2020, 32, e14010.   | 1.6 | 9         |
| 177 | Lack of complications in patients with eosinophilic gastrointestinal diseases during SARS-CoV-2 outbreak. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 2790-2792.e1.   | 2.0 | 9         |
| 178 | P415 The anti-IL-23/IL-12 agent Ustekinumab is an effective and safe induction therapy in patients with<br>Crohn's disease refractory or intolerant to anti-TNF: a multicentre Italian study. Journal of Crohn's<br>and Colitis, 2020, 14, S379-S379. | 0.6 | 2         |
| 179 | P465 Therapeutic drug monitoring in Crohn's disease patients, a comparison between homogeneous<br>mobility shift assay and point of care method. Journal of Crohn's and Colitis, 2020, 14, S412-S412.   | 0.6 | 0         |
| 180 | Reorganization of the functional gastrointestinal disorders unit during the SARS-CoV-2 outbreak -<br>Practical Recommendations. Digestive and Liver Disease, 2020, 52, 1097-1098.   | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Activities related to inflammatory bowel disease management during and after the coronavirus<br>disease 2019 lockdown in Italy: How to maintain standards of care. United European Gastroenterology<br>Journal, 2020, 8, 1228-1235.  | 1.6 | 16        |
| 182 | Faecal microbiota transplantation in Clostridioides difficile infection: real-life experience from an academic Italian hospital. Therapeutic Advances in Gastroenterology, 2020, 13, 175628482093431.  | 1.4 | 6         |
| 183 | Global prevalence of irritable bowel syndrome according to Rome III or IV criteria: a systematic review and meta-analysis. The Lancet Gastroenterology and Hepatology, 2020, 5, 908-917.   | 3.7 | 359       |
| 184 | Good efficacy and safety of vedolizumab in Crohn's disease and ulcerative colitis in a real-world scenario. Therapeutic Advances in Gastroenterology, 2020, 13, 175628482093653.   | 1.4 | 13        |
| 185 | Efficacy of proton pump inhibitor therapy for eosinophilic oesophagitis in 630 patients: results from the EoE connect registry. Alimentary Pharmacology and Therapeutics, 2020, 52, 798-807.   | 1.9 | 72        |
| 186 | Tu1336 REFLUX MONITORING WITH IMPEDANCE-PHMETRY: NEW SET OF NORMAL VALUES OBTAINED FROM CONSENSUS ANALYSIS OF TRACINGS FROM HEALTHY ASYMPTOMATIC SUBJECTS. A MULTICENTRE INTERNATIONAL COLLABORATIVE STUDY. PRELIMINARY RESULTS. Gastroenterology, 2020, 158, S-1064-S-1065. | 0.6 | 1         |
| 187 | Systematic review with metaâ€analysis: global prevalence of uninvestigated dyspepsia according to the<br>Rome criteria. Alimentary Pharmacology and Therapeutics, 2020, 52, 762-773.   | 1.9 | 29        |
| 188 | P668 Real-life comparison of different anti-TNF biologic therapies for ulcerative colitis treatment: A retrospective cohort study. Journal of Crohn's and Colitis, 2020, 14, S548-S549.  | 0.6 | 0         |
| 189 | Esophageal reflux hypersensitivity: Non-GERD or still GERD?. Digestive and Liver Disease, 2020, 52, 1413-1420.   | 0.4 | 16        |
| 190 | Fecal microbiota transplantation for norovirus infection: a clinical and microbiological success.<br>Therapeutic Advances in Gastroenterology, 2020, 13, 175628482093458.  | 1.4 | 7         |
| 191 | T01.02.4 FECAL EOSINOPHIL CATIONIC PROTEIN AS POTENTIAL MARKER OF DISEASE ACTIVITY IN PATIENTS WITH EOSINOPHILIC ESOPHAGITIS. Digestive and Liver Disease, 2020, 52, S63-S64.  | 0.4 | 0         |
| 192 | T01.02.8 EOSINOPHILIC ESOPHAGITIS - VISUAL SCORE: A NOVEL PICTORIAL SELF-ADMINISTERED TOOL TO ASSESS QUALITY OF LIFE IN PATIENTS WITH EOSINOPHILIC ESOPHAGITIS. Digestive and Liver Disease, 2020, 52, S65-S66.  | 0.4 | 0         |
| 193 | T01.02.17 CLINICAL USEFULNESS OF SECOND-GENERATION BARRIER DRUGS IN GERD PATIENTS WITH ATYPICAL SYMPTOMS: A-6-MONTHS PROSPECTIVE STUDY. Digestive and Liver Disease, 2020, 52, S69-S70.  | 0.4 | 0         |
| 194 | T01.02.19 IS IT POSSIBILE TO WITHDRAW PPIS THERAPY IN GERD PATIENTS? A PROSPECTIVE STUDY ON 216 PATIENTS USING A SECOND GENARTION BARRIER DRUG. Digestive and Liver Disease, 2020, 52, S70-S71.  | 0.4 | 0         |
| 195 | T01.02.21 ESOPHAGEAL MOTILITY DISORDERS IN EOSINOPHILIC ESOPHAGITIS. Digestive and Liver Disease, 2020, 52, S71-S72.   | 0.4 | 1         |
| 196 | T01.02.23 ROLE OF ENVIRONMENTAL FACTORS ON THE OUTCOME OF GASTROESOPHAGEAL REFLUX DISEASE: 6 MONTHS PROSPECTIVE STUDY. Digestive and Liver Disease, 2020, 52, S72-S73.   | 0.4 | 0         |
| 197 | T04.02.8 INFLIXIMAB ORIGINATOR, INFLIXIMAB BIOSIMILAR AND ADALIMUMAB ARE EQUALLY EFFECTIVE AND SAFE IN ULCERATIVE COLITIS AND CROHN'S DISEASE – A REAL-LIFE COHORT STUDY. Digestive and Liver Disease, 2020, 52, S130-S131.  | 0.4 | 0         |
| 198 | An "Old―Esophagus. American Journal of Gastroenterology, 2020, 115, 1389-1389.   | 0.2 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Use of the Functional Lumen Imaging Probe in Clinical Esophagology. American Journal of<br>Gastroenterology, 2020, 115, 1786-1796.   | 0.2 | 84        |
| 200 | Reply to comment: Asymptomatic screening for SARS COV-2 prior to commencement of biologic<br>therapies in patients with inflammatory bowel disease - a potentially harmful practice. Digestive and<br>Liver Disease, 2020, 52, 1252-1253.    | 0.4 | 0         |
| 201 | Risk of COVID-19 in celiac disease patients. Autoimmunity Reviews, 2020, 19, 102639.   | 2.5 | 23        |
| 202 | No need of transforming gastroenterology units to covid units at the time of SARS-COV2 infection - a single-center analysis from northern italy. Digestive and Liver Disease, 2020, 52, 1094-1096.   | 0.4 | 1         |
| 203 | COVID-19 pandemic perception in adults with celiac disease: an impulse to implement the use of telemedicine. Digestive and Liver Disease, 2020, 52, 1071-1075.   | 0.4 | 60        |
| 204 | Impact of the COVID-19 pandemic on Gastroenterology Divisions in Italy: A national survey. Digestive and Liver Disease, 2020, 52, 808-815.   | 0.4 | 54        |
| 205 | Starting a Biologic Therapy in IBD Patients Amid COVID-19: Hold, Careful Monitoring, or Testing?.<br>Journal of Crohn's and Colitis, 2020, 14, 1785-1785.  | 0.6 | 5         |
| 206 | Endoscopic management of gastrointestinal motility disorders – part 1: European Society of<br>Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy, 2020, 52, 498-515.   | 1.0 | 75        |
| 207 | Endoscopic management of gastrointestinal motility disorders – part 2: European Society of<br>Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy, 2020, 52, 600-614.   | 1.0 | 70        |
| 208 | Microbiota changes induced by microencapsulated sodium butyrate in patients with inflammatory bowel disease. Neurogastroenterology and Motility, 2020, 32, e13914.   | 1.6 | 68        |
| 209 | There is much more to rely on histology than the sole endoscopy tells us. Gut, 2020, 69, 1709-1710.  | 6.1 | 2         |
| 210 | European Society for Neurogastroenterology and Motility recommendations for conducting gastrointestinal motility and function testing in the recovery phase of the COVIDâ€19 pandemic. Neurogastroenterology and Motility, 2020, 32, e13930. | 1.6 | 15        |
| 211 | Medical and gastroenterological education during the COVID-19 outbreak. Nature Reviews<br>Gastroenterology and Hepatology, 2020, 17, 447-449.  | 8.2 | 18        |
| 212 | Latest insights into the hot question of proton pump inhibitor safety – a narrative review. Digestive and Liver Disease, 2020, 52, 842-852.  | 0.4 | 25        |
| 213 | Appropriateness of proton pump inhibitors treatment in clinical practice: Prospective evaluation in outpatients and perspective assessment of drug optimisation. Digestive and Liver Disease, 2020, 52, 862-868.                             | 0.4 | 11        |
| 214 | A SIGE-SINGEM-AIGO technical review on the clinical use of esophageal reflux monitoring. Digestive and Liver Disease, 2020, 52, 966-980.   | 0.4 | 27        |
| 215 | Reply to Letter to the Editor: NLR and PLR as Novel Prognostic Biomarkers of Mucosal Healing in<br>Ulcerative Colitis Patients Treated With Anti-TNF. Inflammatory Bowel Diseases, 2020, 26, e104-e104.                                      | 0.9 | 1         |
| 216 | P843 Intestinal microbiota changes according to disease activity in patients with ulcerative colitis.<br>Journal of Crohn's and Colitis, 2020, 14, S651-S652.  | 0.6 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Viral screening before initiation of biologics in patients with inflammatory bowel disease during the COVID-19 outbreak. The Lancet Gastroenterology and Hepatology, 2020, 5, 525.  | 3.7 | 37        |
| 218 | P468 Switching from adalimumab originator to ABP 501 biosimilar: a multicentre North Italian study.<br>Journal of Crohn's and Colitis, 2020, 14, S414-S414.   | 0.6 | 1         |
| 219 | High-resolution Manometry Determinants of Refractoriness of Reflux Symptoms to Proton Pump<br>Inhibitor Therapy. Journal of Neurogastroenterology and Motility, 2020, 26, 447-454.  | 0.8 | 19        |
| 220 | Clinical and Psychological Impact of COVID-19 Infection in Adult Patients with Eosinophilic<br>Gastrointestinal Disorders during the SARS-CoV-2 Outbreak. Journal of Clinical Medicine, 2020, 9, 2011.  | 1.0 | 16        |
| 221 | The Lyon Consensus: Does It Differ From the Previous Ones?. Journal of Neurogastroenterology and Motility, 2020, 26, 311-321.   | 0.8 | 26        |
| 222 | Infliximab Originator, Infliximab Biosimilar, and Adalimumab Are More Effective in Crohn's Disease<br>Than Ulcerative Colitis: A Real-Life Cohort Study. Clinical and Translational Gastroenterology, 2020,<br>11, e00177.                      | 1.3 | 14        |
| 223 | 99P Association of gut microbiome diversity and composition with pathological complete response<br>(pCR) after neoadjuvant chemotherapy in triple negative breast cancer. Annals of Oncology, 2020, 31,<br>S50.                                 | 0.6 | 0         |
| 224 | Bile reflux in patients with nerd is associated with more severe heartburn and lower values of mean<br>nocturnal baseline impedance and chemical clearance. Neurogastroenterology and Motility, 2020, 32,<br>e13919.                            | 1.6 | 23        |
| 225 | Patient dissatisfaction with medical therapy for chronic constipation or irritable bowel syndrome<br>with constipation: analysis of Nâ€ofâ€1 prospective trials in 81 patients. Alimentary Pharmacology and<br>Therapeutics, 2020, 51, 629-636. | 1.9 | 23        |
| 226 | Sleep disturbance in Inflammatory Bowel Disease: prevalence and risk factors – A cross-sectional study. Scientific Reports, 2020, 10, 507.  | 1.6 | 42        |
| 227 | Efficacy of Therapy for Eosinophilic Esophagitis in Real-World Practice. Clinical Gastroenterology and Hepatology, 2020, 18, 2903-2911.e4.  | 2.4 | 51        |
| 228 | P438 Real-life effectiveness and safety of ABP501, an adalimumab biosimilar, in inflammatory bowel disease: a multicentre Italian study. Journal of Crohn's and Colitis, 2020, 14, S397-S397.   | 0.6 | 0         |
| 229 | <p>Vonoprazan Fumarate for the Treatment of Gastric Ulcers: A Short Review on Emerging<br/>Data</p> . Clinical and Experimental Gastroenterology, 2020, Volume 13, 99-104.  | 1.0 | 14        |
| 230 | Novel Prognostic Biomarkers of Mucosal Healing in Ulcerative Colitis Patients Treated With Anti-TNF:<br>Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio. Inflammatory Bowel Diseases, 2020,<br>26, 1579-1587.                   | 0.9 | 39        |
| 231 | Screening for active COVID-19 infection and immunization status prior to biologic therapy in IBD patients at the time of the pandemic outbreak. Digestive and Liver Disease, 2020, 52, 604-605.   | 0.4 | 15        |
| 232 | Pathophysiology, diagnosis, and pharmacological treatment of gastro-esophageal reflux disease.<br>Expert Review of Clinical Pharmacology, 2020, 13, 437-449.  | 1.3 | 21        |
| 233 | A Survey on Nutritional Knowledge in Coeliac Disease Compared to Inflammatory Bowel Diseases<br>Patients and Healthy Subjects. Nutrients, 2020, 12, 1110.   | 1.7 | 4         |
| 234 | The coeliac stomach: A review of the literature. Digestive and Liver Disease, 2020, 52, 615-624.  | 0.4 | 4         |

| #   | Article  | IF                | CITATIONS         |
|-----|--|-------------------|-------------------|
| 235 | Editorial: symptom improvement does not equal satisfaction with treatment for constipation—authors' reply. Alimentary Pharmacology and Therapeutics, 2020, 51, 910-911.  | 1.9               | 2                 |
| 236 | Post-reflux swallow-induced peristaltic wave (PSPW): physiology, triggering factors and role in reflux clearance in healthy subjects. Journal of Gastroenterology, 2020, 55, 1109-1118.                                | 2.3               | 23                |
| 237 | Comparison of Two Different Techniques to Assess Adalimumab Trough Levels in Patients with<br>Crohn's Disease. Journal of Gastrointestinal and Liver Diseases, 2020, 24, 451-456.                                      | 0.5               | 21                |
| 238 | Perception of the COVID-19 Pandemic Among Patients With Inflammatory Bowel Disease in the Time of<br>Telemedicine: Cross-Sectional Questionnaire Study. Journal of Medical Internet Research, 2020, 22,<br>e19574.     | 2.1               | 15                |
| 239 | Usefulness of Pep-Test for Laryngo-Pharyngeal Reflux: A Pilot Study in Primary Care. Korean Journal of<br>Family Medicine, 2020, 41, 250-255.  | 0.4               | 7                 |
| 240 | The Role of Wireless Capsule Endoscopy (WCE) in the Detection of Occult Primary Neuroendocrine<br>Tumors. Journal of Gastrointestinal and Liver Diseases, 2020, 26, 151-156.   | 0.5               | 14                |
| 241 | OC.11.6 POOR CORRELATION BETWEEN ENDOSCOPIC FINDINGS, EOSINOPHILIC INFILTRATION AND REFLUX BURDEN IN PATIENTS WITH EOSINOPHILIC ESOPHAGITIS. Digestive and Liver Disease, 2019, 51, e108.                              | 0.4               | 0                 |
| 242 | P.01.2 ESOPHAGO-GASTRIC JUNCTION CONTRACTILE INTEGRAL (EGJ-CI) MAY PREDICT RESPONSE TO TREATMENT IN PATIENTS WITH ESOPHAGEAL ACHALASIA. Digestive and Liver Disease, 2019, 51, e132-e133.                              | 0.4               | 0                 |
| 243 | How to select patients for antireflux surgery? The ICARUS guidelines (international consensus) Tj ETQq1 1 0.7843   | 14 rgBT /(<br>6.1 | Overlock 10<br>80 |
| 244 | Jackhammer esophagus with and without esophagogastric junction outflow obstruction<br>demonstrates altered neural control resembling type 3 achalasia. Neurogastroenterology and<br>Motility, 2019, 31, e13678.        | 1.6               | 27                |
| 245 | The prevention of NSAID-induced gastric ulcers is a firmly established PPI indication. Expert Review of Clinical Pharmacology, 2019, 12, 1011-1012.  | 1.3               | 1                 |
| 246 | "Let's Make Your Clinic Visit a Little Simplerâ€â€"Development of a Question Prompt List for Adult<br>Patients With Gastroesophageal Reflux Disease: a Modified Delphi Study. Gastroenterology, 2019, 157,<br>e25-e26. | 0.6               | 0                 |
| 247 | Updates in the field of non-esophageal gastroesophageal reflux disorder. Expert Review of<br>Gastroenterology and Hepatology, 2019, 13, 827-838.   | 1.4               | 31                |
| 248 | P697 <i>Pneumocystis jirovecii</i> pneumonia in IBD patients treated with immunomodulator(s).<br>Journal of Crohn's and Colitis, 2019, 13, S468-S469.  | 0.6               | 1                 |
| 249 | P.01.31 A COMPARISON OF DIFFERENT TREATMENTS FOR SYMPTOMATIC REFLUX ESOPHAGITIS: A REAL-LIFE STUDY. Digestive and Liver Disease, 2019, 51, e145-e146.  | 0.4               | 0                 |
| 250 | A randomized, 6-wk trial of a low FODMAP diet in patients with inflammatory bowel disease. Nutrition, 2019, 67-68, 110542.   | 1.1               | 42                |
| 251 | P650 Mechanisms of Infliximab failure: the predictive role of MMP3. Journal of Crohn's and Colitis, 2019, 13, S444-S444.   | 0.6               | 1                 |
| 252 | OC.12.4 RAPID POINT-OF-CARE MONITORING OF ANTI-INFLIXIMAB ANTIBODIES AND CLINICAL SCORES IN INFLAMMATORY BOWEL DISEASE PATIENTS. Digestive and Liver Disease, 2019, 51, e110-e111.                                     | 0.4               | 0                 |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | P.01.12 ON-THERAPY PARAMETERS RATHER THAN OFF-THERAPY IMPEDANCE-PH FEATURES BETTER IDENTIFY PATIENTS WITH NON-EROSIVE REFLUX DISEASE RESPONDING TO PROTON PUMP INHIBITOR THERAPY. Digestive and Liver Disease, 2019, 51, e138.  | 0.4 | 0         |
| 254 | P.02.35 INTESTINAL INVOLVEMENT IN WEGENER'S GRANULOMATOSIS MIMICKING AN INFLAMMATORY BOWEL DISEASE: A CASE REPORT. Digestive and Liver Disease, 2019, 51, e162-e163.  | 0.4 | 0         |
| 255 | P.07.2 DISEASE ACTIVITY INFLUENCES DISABILITY AND QUALITY OF LIFE IN PATIENTS WITH INFLAMMATORY BOWEL DISEASE – A CROSS-SECTIONAL STUDY. Digestive and Liver Disease, 2019, 51, e221-e222.  | 0.4 | 0         |
| 256 | P.07.17 EFFICACY AND SAFETY OF VEDOLIZUMAB IN REAL LIFE: EXPERIENCE IN A TERTIARY REFERRAL CENTRE.<br>Digestive and Liver Disease, 2019, 51, e229.  | 0.4 | 0         |
| 257 | P.07.28 PREVIOUS EXPOSURE TO INFLIXIMAB INDUCES CROSS-REACTIVITY AND AFFECTS ADALIMUMAB TROUGH LEVELS: DATA FROM A PROSPECTIVE, MULTICENTRE STUDY. Digestive and Liver Disease, 2019, 51, e234.   | 0.4 | 0         |
| 258 | Efficacy of teduglutide in a patient with Crohn's disease and short bowel syndrome on enteral<br>nutrition: let's start to think out of the box. Gastroenterology Report, 2019, 7, 459-460.   | 0.6 | 4         |
| 259 | N18 Mood disorders in a IBD population: a single-centre cohort. Journal of Crohn's and Colitis, 2019, 13, S565-S565.  | 0.6 | 0         |
| 260 | OC.09.3 INFLIXIMAB DOSE-REDUCTION IN INFLAMMATORY BOWEL DISEASE (IBD) PATIENTS IN PROLONGED DEEP REMISSION: POTENTIAL IMPLICATIONS ON DE-ESCALATION STRATEGIES IN A REAL LIFE CLINICAL SETTING WITHOUT A THERAPEUTIC DRUG MONITORING (TDM) APPROACH. Digestive and Liver Disease, 2019, 51, e101. | 0.4 | 0         |
| 261 | High anti-TNF alfa drugs trough levels are not associated with the occurrence of adverse events in patients with inflammatory bowel disease. Scandinavian Journal of Gastroenterology, 2019, 54, 1220-1225.   | 0.6 | 6         |
| 262 | P.07.22 HIGH RESOLUTION ANORECTAL MANOMETRY FOR DETERMINATION OF ANORECTAL FUNCTION IN ULCERATIVE COLITIS DURING DISEASE ACTIVITY AND AFTER REMISSION. Digestive and Liver Disease, 2019, 51, e231.   | 0.4 | 0         |
| 263 | OC.10.1 NOVEL MII-PH PARAMETERS ARE ABLE TO DISTINGUISH PATIENTS WITH GERD AMONG SUBJECT WITH EXTRA-ESOPHAGEAL SYMPTOMS. Digestive and Liver Disease, 2019, 51, e103.   | 0.4 | 0         |
| 264 | <p>Idiopathic pulmonary fibrosis and GERD: links and risks</p> . Therapeutics and Clinical<br>Risk Management, 2019, Volume 15, 1081-1093.  | 0.9 | 42        |
| 265 | P.01.25 CAN A NON-INVASIVE TEST PREDICT THE RESULTS OF PH-IMPEDANCE? PROSPECTIVE STUDY OF A COHORT OF PATIENTS WITH EXTRA-ESOPHAGEAL MANIFESTATIONS OF GERD. Digestive and Liver Disease, 2019, 51, e143-e144.  | 0.4 | 0         |
| 266 | Factors Influencing Disability and Quality of Life during Treatment: A Cross-Sectional Study on IBD<br>Patients. Gastroenterology Research and Practice, 2019, 2019, 1-10.  | 0.7 | 37        |
| 267 | Esophageal mucosal innervation in functional heartburn: Closer to healthy asymptomatic subjects than to nonâ€erosive reflux disease patients. Neurogastroenterology and Motility, 2019, 31, e13667.   | 1.6 | 20        |
| 268 | OC.12.1 REAL-LIFE EFFECTIVENESS OF USTEKINUMAB IN INFLAMMATORY BOWEL DISEASE PATIENTS WITH CONCOMITANT PSORIASIS OR PSORIATIC ARTHRITIS: AN IG-IBD STUDY. Digestive and Liver Disease, 2019, 51, e109.  | 0.4 | 0         |
| 269 | OC.03.3 THE "DICA―ENDOSCOPIC CLASSIFICATION FOR DIVERTICULAR DISEASE OF THE COLON SHOWS A SIGNIFICANT INTEROBSERVER AGREEMENT AMONG COMMUNITY ENDOSCOPISTS. Digestive and Liver Disease, 2019, 51, e84.   | 0.4 | Ο         |
| 270 | P.01.9 EFFECTIVENESS OF PEPSINO®, A NOVEL MEDICAL DEVICE CONTAINING HYALURONIC ACID AND ALGINATE, FOR THE TREATMENT OF LARYNGOPHARYNGEAL REFLUX SYMPTOMS. Digestive and Liver Disease, 2019, 51, e136-e137.   | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 271 | P.07.32 THE QUALITY OF SLEEP IN PATIENTS WITH INFLAMMATORY BOWEL DISEASE IS IMPAIRED INDEPENDENTLY FROM THE DISEASE ACTIVITY STATUS – A CROSS-SECTIONAL STUDY. Digestive and Liver Disease, 2019, 51, e236.  | 0.4 | 0         |
| 272 | P.01.8 PROVOCATIVE TESTS DURING HIGH-RESOLUTION MANOMETRY MAY BE HELPFUL TO DISTINGUISH PATIENTS WITH EOSINOPHILIC ESOPHAGITIS RESPONDING TO PPI THERAPY. Digestive and Liver Disease, 2019, 51, e136.   | 0.4 | 0         |
| 273 | P.01.22 A NATIONAL SURVEY ON GASTROENTEROLOGY TRAINING IN ITALY: CURRENT LANDSCAPE AND FUTURE NEEDS. Digestive and Liver Disease, 2019, 51, e142.  | 0.4 | 0         |
| 274 | Sleeve Gastrectomy, GERD, and Barrett's Esophagus: It Is Time for Objective Testing. Obesity Surgery, 2019, 29, 2312-2313.   | 1.1 | 9         |
| 275 | The treatment of achalasia patients with esophageal varices: an international study. United European<br>Gastroenterology Journal, 2019, 7, 565-572.  | 1.6 | 10        |
| 276 | P.07.33 MICROENCAPSULATED SODIUM BUTYRATE SIGNIFICANTLY MODIFIES THE MICROBIOTA IN PATIENTS WITH INFLAMMATORY BOWEL DISEASE MIMICKING PREBIOTIC ACTIVITY AND PROVING EFFECTS ON THE TREATMENT OF THE DISEASE. Digestive and Liver Disease, 2019, 51, e236-e238.        | 0.4 | 0         |
| 277 | Real-life effectiveness of ustekinumab in inflammatory bowel disease patients with concomitant psoriasis or psoriatic arthritis: An IG-IBD study. Digestive and Liver Disease, 2019, 51, 972-977.  | 0.4 | 25        |
| 278 | Opioid Treatment and Excessive Alcohol Consumption Are Associated With Esophagogastric Junction Disorders. Journal of Neurogastroenterology and Motility, 2019, 25, 205-211.   | 0.8 | 9         |
| 279 | P232 Oesophageal Crohn's disease: diagnosis and outcome of an ECCO-CONFER case series. Journal of<br>Crohn's and Colitis, 2019, 13, S212-S213.   | 0.6 | 0         |
| 280 | Advancements in the use of manometry and impedance testing for esophageal functional disorders.<br>Expert Review of Gastroenterology and Hepatology, 2019, 13, 425-435.  | 1.4 | 10        |
| 281 | Quantification of visceral adipose tissue by computed tomography and magnetic resonance imaging:<br>reproducibility and accuracy. Radiologia Brasileira, 2019, 52, 1-6.  | 0.3 | 28        |
| 282 | P.07.4 HIGH ANTI-TNF ALFA DRUGS TROUGH LEVELS ARE NOT ASSOCIATED WITH THE OCCURRENCE OF ADVERSE EVENTS IN PATIENTS WITH INFLAMMATORY BOWEL DISEASE. Digestive and Liver Disease, 2019, 51, e223.   | 0.4 | 0         |
| 283 | Use of biosimilars in inflammatory bowel disease: a position update of the Italian Group for the Study of Inflammatory Bowel Disease (IG-IBD). Digestive and Liver Disease, 2019, 51, 632-639.   | 0.4 | 36        |
| 284 | P541 Real-life effectiveness of ustekinumab in inflammatory bowel disease patients with concomitant psoriasis or psoriatic arthritis: an IG-IBD study. Journal of Crohn's and Colitis, 2019, 13, S384-S385.  | 0.6 | 0         |
| 285 | Ineffective esophageal motility: Concepts, future directions, and conclusions from the Stanford 2018 symposium. Neurogastroenterology and Motility, 2019, 31, e13584.  | 1.6 | 76        |
| 286 | Gastric fundal splenosis presenting as a stromal tumor and diagnosed by endoscopic<br>ultrasound-guided SharkCore biopsy. Endoscopy, 2019, 51, E160-E161.  | 1.0 | 2         |
| 287 | P475 Rapid point-of-care anti-drug antibodies measurement correlates with standardised T tests and facilitate a proactive therapeutic drug monitoring approach in IBD patients on anti-TNF-α maintenance therapy. Journal of Crohn's and Colitis, 2019, 13, S349-S350. | 0.6 | 2         |
| 288 | Esophagogastric junction function and gastric pressure profile after minigastric bypass compared with Billroth II. Surgery for Obesity and Related Diseases, 2019, 15, 567-574.  | 1.0 | 10        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | P655 Microencapsulated Sodium Butyrate significantly modifies the microbiota in patients with inflammatory bowel disease mimicking prebiotic activity and proving effects on the treatment of the disease. Journal of Crohn's and Colitis, 2019, 13, S446-S447.           | 0.6 | 2         |
| 290 | Weak Cytotoxic T Cells Activation Predicts Low-Grade Dysplasia Persistence in Ulcerative Colitis.<br>Clinical and Translational Gastroenterology, 2019, 10, e00061.   | 1.3 | 2         |
| 291 | Role of Reflux in the Pathogenesis of Eosinophilic Esophagitis: Comprehensive Appraisal With Off- and<br>On PPI Impedance-pH Monitoring. American Journal of Gastroenterology, 2019, 114, 1606-1613.  | 0.2 | 42        |
| 292 | Antimicrobial treatment with the fixed-dose antibiotic combination RHB-104 for <i>Mycobacterium<br/>avium</i> subspecies <i>paratuberculosis</i> in Crohn's disease: pharmacological and clinical<br>implications. Expert Opinion on Biological Therapy, 2019, 19, 79-88. | 1.4 | 14        |
| 293 | Provocative testing in patients with jackhammer esophagus: evidence for altered neural control.<br>American Journal of Physiology - Renal Physiology, 2019, 316, G397-G403.   | 1.6 | 27        |
| 294 | Superior Mesenteric Artery Syndrome: a Prospective Study in a Single Institution. Journal of Gastrointestinal Surgery, 2019, 23, 997-1005.  | 0.9 | 38        |
| 295 | Authors' reply. Annals of Gastroenterology, 2019, 32, 319.  | 0.4 | 0         |
| 296 | The "DICA―Endoscopic Classification for Diverticular Disease of the Colon Shows a Significant<br>Interobserver Agreement among Community Endoscopists. Journal of Gastrointestinal and Liver<br>Diseases, 2019, 28, 23-27.  | 0.5 | 6         |
| 297 | Vonoprazan May Provide Better Results than PPIs in Helicobacter Pylori Eradication and Beyond – Is it<br>Time for a Change?. Journal of Gastrointestinal and Liver Diseases, 2019, 28, 375-377.   | 0.5 | 1         |
| 298 | Long-Term Safety of In Utero Exposure to Anti-TNFα Drugs for the Treatment of Inflammatory Bowel<br>Disease: Results from the Multicenter European TEDDY Study. American Journal of Gastroenterology,<br>2018, 113, 396-403.  | 0.2 | 134       |
| 299 | Effectiveness and Safety of Pylera® in Patients Infected by <b><i>Helicobacter<br/>Pylori</i></b> : A Multicenter, Retrospective, Real Life Study. Digestive Diseases, 2018, 36,<br>264-268.  | 0.8 | 22        |
| 300 | Lack of improvement of impaired chemical clearance characterizes PPI-refractory reflux-related heartburn. American Journal of Gastroenterology, 2018, 113, 670-676.   | 0.2 | 60        |
| 301 | Curriculum for neurogastroenterology and motility training: A report from the joint<br><scp>ANMS</scp> â€ <scp>ESNM</scp> task force. Neurogastroenterology and Motility, 2018, 30, e13341.   | 1.6 | 15        |
| 302 | Modern diagnosis of GERD: the Lyon Consensus. Gut, 2018, 67, 1351-1362.   | 6.1 | 991       |
| 303 | Infliximab trough levels and persistent vs transient antibodies measured early after induction predict<br>long-term clinical remission in patients with inflammatory bowel disease. Digestive and Liver Disease,<br>2018, 50, 452-456.                                    | 0.4 | 22        |
| 304 | P.07.11 LOW FODMAP DIET IMPROVE DISEASE ACTIVITY AND QUALITY OF LIFE IN PATIENTS WITH INFLAMMATORY BOWEL DISEASE. Digestive and Liver Disease, 2018, 50, e197-e198.   | 0.4 | 1         |
| 305 | A modified Nissen fundoplication: subjective and objective midterm results. Langenbeck's Archives of Surgery, 2018, 403, 279-287.   | 0.8 | 2         |
| 306 | P.02.12 MICROBIOTA PROFILE AND DYSBIOSIS ASSESSMENT IN CLINICAL PRACTICE: A PILOT STUDY ON IBD PATIENTS. Digestive and Liver Disease, 2018, 50, e137.   | 0.4 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Helicobacter Pylori Infection Does Not Protect Against Eosinophilic Esophagitis: Results From a Large<br>Multicenter Case-Control Study. American Journal of Gastroenterology, 2018, 113, 972-979.  | 0.2 | 52        |
| 308 | Quality of life after laparoscopic sigmoid resection for uncomplicated diverticular disease.<br>International Journal of Colorectal Disease, 2018, 33, 513-523.                                     | 1.0 | 16        |
| 309 | Psoriasis and small intestine bacterial overgrowth. International Journal of Dermatology, 2018, 57, 112-113.  | 0.5 | 21        |
| 310 | Step-up empiric elimination diet for pediatric and adult eosinophilic esophagitis: The 2-4-6 study.<br>Journal of Allergy and Clinical Immunology, 2018, 141, 1365-1372.                            | 1.5 | 208       |
| 311 | Letter: oesophageal histological abnormalities and <scp>GERD</scp> ―an underestimated relationship requiring more attention. Alimentary Pharmacology and Therapeutics, 2018, 47, 152-153.           | 1.9 | 0         |
| 312 | Bowel Sonoelastography in Patients with Crohn's Disease: A Systematic Review. Ultrasound in<br>Medicine and Biology, 2018, 44, 297-302.   | 0.7 | 21        |
| 313 | The natural history of achalasia: Evidence of a continuum—"The evolutive pattern theory― Digestive<br>and Liver Disease, 2018, 50, 342-347.   | 0.4 | 22        |
| 314 | Optimal number of multiple rapid swallows needed during highâ€resolution esophageal manometry for accurate prediction of contraction reserve. Neurogastroenterology and Motility, 2018, 30, e13253. | 1.6 | 44        |
| 315 | Esophageal baseline impedance levels allow the identification of esophageal involvement in patients with systemic sclerosis. Seminars in Arthritis and Rheumatism, 2018, 47, 569-574.               | 1.6 | 5         |
| 316 | P.07.26 QUALITY OF LIFE ASSESSMENT IN ULCERATIVE COLITIS OUTPATIENTS: A CROSS SECTIONAL STUDY.<br>Digestive and Liver Disease, 2018, 50, e204.  | 0.4 | 0         |
| 317 | Gastroesophageal reflux disease, functional dyspepsia and irritable bowel syndrome: common overlapping gastrointestinal disorders. Annals of Gastroenterology, 2018, 31, 639-648.                   | 0.4 | 68        |
| 318 | P.06.26 RISK FACTORS IN GERD: A COMPARATIVE STUDY WITH DYSPEPTIC SUBJECTS ON 2300 PEOPLE IN A PRIMARY CARE SETTING. Digestive and Liver Disease, 2018, 50, e190.                                    | 0.4 | 0         |
| 319 | P.10.24 VISCERAL ADIPOSE TISSUE QUANTIFICATION ON COMPUTED TOMOGRAPHY AND MAGNETIC RESONANCE IMAGES: REPRODUCIBILITY AND ACCURACY. Digestive and Liver Disease, 2018, 50, e238.                     | 0.4 | 0         |
| 320 | OC.09.3 DYSPHAGIA IS A DRIVEN SYMPTOM ABLE TO PREDICT PERSISTENT EGJ-OUTFLOW OBSTRUCTION DURING A SIX-MONTH FOLLOW-UP: HRM STUDY WITH PROVOCATIVE TEST. Digestive and Liver Disease, 2018, 50, e90. | 0.4 | 0         |
| 321 | P.07.19 MR-ENTEROGRAPHY WITH AND WITHOUT CONTRAST MEDIA INJECTION: RETROSPECTIVE EVALUATION IN PATIENTS AFFECTED BY CROHN'S DISEASE. Digestive and Liver Disease, 2018, 50, e201.                   | 0.4 | 0         |
| 322 | Proton pump inhibitors: use and misuse in the clinical setting. Expert Review of Clinical Pharmacology, 2018, 11, 1123-1134.  | 1.3 | 112       |
| 323 | Prevalence and clinical characteristics of refractoriness to optimal proton pump inhibitor therapy in nonâ€erosive reflux disease. Alimentary Pharmacology and Therapeutics, 2018, 48, 1074-1081.   | 1.9 | 32        |
| 324 | Glucose transporter expression in the human colon. World Journal of Gastroenterology, 2018, 24,<br>775-793.   | 1.4 | 23        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | P.06.14 EFFECTIVENESS AND SAFETY OF PYLERA ® IN PATIENTS INFECTED BY HELICOBACTER PYLORI: A LARGE, PROSPECTIVE, REAL LIFE STUDY. Digestive and Liver Disease, 2018, 50, e184-e185.   | 0.4 | 0         |
| 326 | OC.16.5 IMPACT OF ADALIMUMAB'S PATIENT SUPPORT PROGRAM ON ADHERENCE TO ANTI-TNF-ALFA THERAPY IN INFLAMMATORY BOWEL DISEASE: A SINGLE CENTER ANALYSIS. Digestive and Liver Disease, 2018, 50, e110.                                 | 0.4 | 0         |
| 327 | P.06.2 PROTON PUMP INHIBITOR THERAPY IMPROVES ESOPHAGEAL SYMPTOMS BY RESTORING A NORMAL ESOPHAGEAL PERISTALSIS IN PPI-REE. Digestive and Liver Disease, 2018, 50, e179.  | 0.4 | 1         |
| 328 | OLGA Gastritis Staging for the Prediction of Gastric Cancer Risk: A Long-term Follow-up Study of 7436<br>Patients. American Journal of Gastroenterology, 2018, 113, 1621-1628.   | 0.2 | 96        |
| 329 | P.07.3 EFFECTIVENESS OF GOLIMUMAB IN REAL LIFE – A SINGLE CENTER PROSPECTIVE STUDY. Digestive and Liver Disease, 2018, 50, e193-e194.  | 0.4 | 1         |
| 330 | The 2018 ISDE achalasia guidelines. Ecological Management and Restoration, 2018, 31, .   | 0.2 | 221       |
| 331 | Eosinophilic esophagitis: latest insights from diagnosis to therapy. Annals of the New York Academy of Sciences, 2018, 1434, 84-93.  | 1.8 | 20        |
| 332 | Nonerosive reflux disease: clinical concepts. Annals of the New York Academy of Sciences, 2018, 1434, 290-303.   | 1.8 | 11        |
| 333 | Current and future perspectives in the management of gastroesophageal reflux disease. Annals of the New York Academy of Sciences, 2018, 1434, 70-83.   | 1.8 | 12        |
| 334 | Indications and interpretation of esophageal function testing. Annals of the New York Academy of Sciences, 2018, 1434, 239-253.  | 1.8 | 43        |
| 335 | OC.06.5 LOW-FODMAP DIET RESULTED EFFECTIVE IN REDUCING SYMPTOM PERCEPTION IN PATIENTS WITH FUNCTIONAL HEARTBURN: RANDOMIZED, CROSS-OVER CONTROLLED STUDY. Digestive and Liver Disease, 2018, 50, e82-e83.                          | 0.4 | 0         |
| 336 | OC.09.5 THE NATURAL HISTORY OF ACHALASIA: EVIDENCE OF A CONTINUUM – "THE EVOLUTIVE PATTERN<br>THEORY― Digestive and Liver Disease, 2018, 50, e91.  | 0.4 | 0         |
| 337 | Vegetal and Animal Food Proteins Have a Different Impact in the First Postprandial Hour of<br>Impedance-pH Analysis in Patients with Heartburn. Gastroenterology Research and Practice, 2018, 2018,<br>1-7.                        | 0.7 | 17        |
| 338 | Appropriateness in prescribing PPIs: A position paper of the Italian Society of Gastroenterology (SIGE)<br>— Study section "Digestive Diseases in Primary Care― Digestive and Liver Disease, 2018, 50, 894-902.                    | 0.4 | 30        |
| 339 | Highâ€resolution manometry is superior to endoscopy and radiology in assessing and grading sliding<br>hiatal hernia: A comparison with surgical inÂvivo evaluation. United European Gastroenterology<br>Journal, 2018, 6, 981-989. | 1.6 | 55        |
| 340 | Letter: it is time to adopt new objective parameters to accurately identify patients with functional heartburn. Alimentary Pharmacology and Therapeutics, 2018, 48, 107-108.   | 1.9 | 2         |
| 341 | A safety review of proton pump inhibitors to treat acid-related digestive diseases. Expert Opinion on<br>Drug Safety, 2018, 17, 785-794.   | 1.0 | 24        |
| 342 | P.06.9 MULTIPLE RAPID SWALLOW MIGHT BE HELPFUL TO IMPROVE THE DIAGNOSIS OF INEFFECTIVE ESOPHAGEAL MOTILITY. Digestive and Liver Disease, 2018, 50, e182.   | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | P.06.5 ESOMEPRAZOLE, RABEPRAZOLE AND PANTOPRAZOLE ARE EQUALLY EFFECTIVE IN INDUCING<br>ENDOSCOPIC AND HISTOLOGIC REMISSION IN PATIENTS WITH PROTON PUMP INHIBITOR-RESPONSE<br>ESOPHAGEAL EOSINOPHILIA. Digestive and Liver Disease, 2018, 50, e180-e181. | 0.4 | 1         |
| 344 | Effects of bariatric surgery on the esophagus. Current Opinion in Gastroenterology, 2018, 34, 243-248.   | 1.0 | 12        |
| 345 | The "threeâ€inâ€oneâ€oformulation of bismuth quadruple therapy for <i>Helicobacter pylori</i> eradication with or without probiotics supplementation: Efficacy and safety in daily clinical practice.<br>Helicobacter, 2018, 23, e12502.                 | 1.6 | 39        |
| 346 | The appropriate use of proton-pump inhibitors. Minerva Medica, 2018, 109, 386-399.   | 0.3 | 46        |
| 347 | Impairment of chemical clearance and mucosal integrity distinguishes hypersensitive esophagus from functional heartburn. Journal of Gastroenterology, 2017, 52, 444-451.   | 2.3 | 96        |
| 348 | P.01.13: Gastrin-17 as a Non-Invasive Marker for Gerd: A Prospective Study on Sample of 777 Consecutive Patients. Digestive and Liver Disease, 2017, 49, e137.   | 0.4 | 0         |
| 349 | Proximal Esophageal Baseline Impedance Levels are Able to Discriminate between Scleroderma Patients with and without Esophageal Involvement. Gastroenterology, 2017, 152, S654.  | 0.6 | 0         |
| 350 | The Natural History of Achalasia: Evidence of a Continuum and the Pattern-Evolutive Staging Theory.<br>Gastroenterology, 2017, 152, S702-S703.   | 0.6 | 1         |
| 351 | Esophageal chemical clearance and baseline impedance values in patients with chronic autoimmune atrophic gastritis and gastro-esophageal reflux disease. Digestive and Liver Disease, 2017, 49, 978-983.   | 0.4 | 12        |
| 352 | Adalimumab Therapy Rather than Azathioprine and Mesalamine is Able to Halt Crohn's Disease<br>Progression after Resective Surgery and a Post-Hoc Analysis of a Prospective Randomized Study.<br>Gastroenterology, 2017, 152, S774.                       | 0.6 | 3         |
| 353 | Gadolinium accumulation after contrast-enhanced magnetic resonance imaging: Which implications<br>in patients with Crohn's disease?. Digestive and Liver Disease, 2017, 49, 728-730.   | 0.4 | 18        |
| 354 | The Effect of Sleeve Gastrectomy on Esophageal Chemical Clearance and Basal Impedance Values.<br>Gastroenterology, 2017, 152, S236.  | 0.6 | 0         |
| 355 | High Resolution Manometry is Superior to Endoscopy and Radiology in Assessing and Grading Sliding<br>Hiatal Hernia. A Prospective Comparison with Surgical in vivo. Gastroenterology, 2017, 152, S3.   | 0.6 | 1         |
| 356 | Step-Up Empiric Elimination Diet for Pediatric and Adult Eosinophilic Esophagitis: The 2-4-6 Study.<br>Gastroenterology, 2017, 152, S207.  | 0.6 | 8         |
| 357 | Classification of esophageal motor findings in gastroâ€esophageal reflux disease: Conclusions from an international consensus group. Neurogastroenterology and Motility, 2017, 29, e13104.   | 1.6 | 158       |
| 358 | Postreflux swallowâ€induced peristaltic wave index and nocturnal baseline impedance can link<br><scp>PPI</scp> â€responsive heartburn to reflux better than acid exposure time. Neurogastroenterology<br>and Motility, 2017, 29, e13116.                 | 1.6 | 107       |
| 359 | OC.15.4: High Resolution Manometry Should be Considered the best Test to Diagnose Sliding Hiatal<br>Hernia. Digestive and Liver Disease, 2017, 49, e121-e122.  | 0.4 | 0         |
| 360 | Influence of Diet on the Course of Inflammatory Bowel Disease. Digestive Diseases and Sciences, 2017, 62, 2087-2094.   | 1.1 | 44        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 361 | Impedance-pH Monitoring for Diagnosis of Reflux Disease: New Perspectives. Digestive Diseases and Sciences, 2017, 62, 1881-1889.  | 1.1 | 66        |
| 362 | Different Proton Pump Inhibitors are Equally Effective in Inducing Endoscopic and Histologic<br>Remission in Patients with Proton Pump Inhibitor-Response Esophageal Eosinophilia.<br>Gastroenterology, 2017, 152, S860-S861.                                     | 0.6 | 0         |
| 363 | Ambulatory reflux monitoring for diagnosis of gastroâ€esophageal reflux disease: Update of the Porto consensus and recommendations from an international consensus group. Neurogastroenterology and Motility, 2017, 29, 1-15.                                     | 1.6 | 275       |
| 364 | Effects of laparoscopic myotomy on the esophageal motility pattern of esophageal achalasia as<br>measured by high-resolution manometry. Surgical Endoscopy and Other Interventional Techniques,<br>2017, 31, 3510-3518.   | 1.3 | 13        |
| 365 | A modification of Nissen fundoplication improves patients' outcome and may reduce procedure-related failure rate. International Journal of Surgery, 2017, 38, 83-89.  | 1.1 | 7         |
| 366 | Eosinophilic esophagitis: Update in diagnosis and management. Position paper by the Italian Society of<br>Gastroenterology and Gastrointestinal Endoscopy (SIGE). Digestive and Liver Disease, 2017, 49, 254-260.   | 0.4 | 43        |
| 367 | PWE-129â€Treatment of achalasia in patients with oesophageal varices: an international case series. , 2017, , .   |     | 0         |
| 368 | Symptom perception in patients with NERD: do nerves matter?. Nature Reviews Gastroenterology and Hepatology, 2017, 14, 634-636.   | 8.2 | 2         |
| 369 | P.O2.1: Individual Assessment of Gastric Acid Production by Means of a Non-Invasive Test: Relationship<br>Between Maximal Acid Output and Serum Pepsinogen I Levels in Patients with Different Upper GI<br>Diseases. Digestive and Liver Disease, 2017, 49, e138. | 0.4 | 0         |
| 370 | OC.15.1: High-Volume Rapid Drinking test Better Distinguishes Esophageal Body Inhibition Compared to Low-Volume Multiple Rapid Swallows. Digestive and Liver Disease, 2017, 49, e120-e121.  | 0.4 | 0         |
| 371 | OC.15.2: Low-Volume Multiple Rapid Swallow Better Distinguishes Peristaltic Esophageal Reserve<br>Compared to High-Volume Rapid Drinking Test. Digestive and Liver Disease, 2017, 49, e121.   | 0.4 | 0         |
| 372 | P.01.11: Gastrin 17 in Singling out Patients with Different Pattern of Gastroesophageal Reflux: A Pilot<br>Study using PH-Impedance as Reference Standard. Digestive and Liver Disease, 2017, 49, e136.   | 0.4 | 0         |
| 373 | P.01.14: Overweight and Obesity as Risk Factors for Gerd Outcome: A 10 Years Study on a Gerd Population of 365 Patients. Digestive and Liver Disease, 2017, 49, e137.   | 0.4 | 0         |
| 374 | P.11.10: Does Lémann Index Reflect the Quality of Life in Crohn's Disease Patients on Treatment with<br>Biological Therapy?. Digestive and Liver Disease, 2017, 49, e206.   | 0.4 | 0         |
| 375 | High-Volume Rapid Drinking Test Better Distinguish Esophageal Body Inhibition Compared to<br>Low-Volume Multiple Rapid Swallows. Gastroenterology, 2017, 152, S695.   | 0.6 | 0         |
| 376 | P.01.12: The Abdominal Length of Lower Esophageal Sphincter is Inversely Correlated with Abnormal Esophageal Acid Exposure. Digestive and Liver Disease, 2017, 49, e136.  | 0.4 | 0         |
| 377 | The Effect of Bile Reflux on Baseline Impedance Value and Chemical Clearance in Patients with NERD.<br>Gastroenterology, 2017, 152, S654.   | 0.6 | 1         |
| 378 | Vigor of Contraction is Directly Related to Esophageal Chemical Clearance (PSPW Index).<br>Gastroenterology, 2017, 152, S654-S655.  | 0.6 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 379 | Low-Volume Multiple Rapid Swallow Better Distinguish Peristaltic Esophageal Reserve Compared to<br>High-Volume Rapid Drinking Test. Gastroenterology, 2017, 152, S694.  | 0.6 | ο         |
| 380 | Low-FODMAP Diet Resulted Effective in Relieving Esophageal and Intestinal Symptoms in Patients with<br>Pathophysiological Characteristics of Functional Heartburn and a Prospective, Interventional Study.<br>Gastroenterology, 2017, 152, S751.              | 0.6 | 0         |
| 381 | OC.15.5: Post-Reflux Swallow-Induced Peristaltic wave Index and Mean Nocturnal Baseline Impedance<br>Predict Heartburn Response to Proton PUMP Inhibitors Better than Acid Exposure Time. Digestive and<br>Liver Disease, 2017, 49, e122.                     | 0.4 | 0         |
| 382 | P.01.2: Changes in Esophageal Chemical Clearance and Basal Impedance Values after Sleeve Gastrectomy. Digestive and Liver Disease, 2017, 49, e131-e132.   | 0.4 | 0         |
| 383 | P.01.4: The Effect of Bile Reflux on Baseline Impedance and Chemical Clearance in Patients with Nerd.<br>Digestive and Liver Disease, 2017, 49, e132-e133.  | 0.4 | 0         |
| 384 | P.01.6: Vigor of Contraction is Directly Related to Esophageal Chemical Clearance (PSPW Index).<br>Digestive and Liver Disease, 2017, 49, e133-e134.  | 0.4 | 0         |
| 385 | Post-Reflux Swallow-Induced Peristaltic Wave Index and Mean Nocturnal Baseline Impedance Predict<br>Heartburn Response to Proton Pump Inhibitors Better than Acid Exposure Time in GERD.<br>Gastroenterology, 2017, 152, S652-S653.                           | 0.6 | Ο         |
| 386 | Gastrin 17 in Singling Out Patients with Different Patterns of Refluxate: A Pilot Study Using<br>Impedance-pH as Reference Standard. Gastroenterology, 2017, 152, S653.   | 0.6 | 1         |
| 387 | Proton Pump Inhibitor Therapy Improves Esophageal Symptoms by Restoring a Normal Esophageal<br>Peristalsis in Patients with Proton Pump Inhibitor-Response Esophageal Eosinophilia.<br>Gastroenterology, 2017, 152, S860.                                     | 0.6 | Ο         |
| 388 | Evaluation of Esophagogastric Junction Contractility after Different Treatments for Achalasia.<br>Gastroenterology, 2017, 152, S1242.   | 0.6 | 0         |
| 389 | A review of pharmacotherapy for treating gastroesophageal reflux disease (GERD). Expert Opinion on Pharmacotherapy, 2017, 18, 1333-1343.  | 0.9 | 39        |
| 390 | What to eat and drink in the festive season. European Journal of Gastroenterology and Hepatology, 2017, 29, 608-614.  | 0.8 | 10        |
| 391 | OC.15.3: Prevalence and Pathophysiology of Gastro-Esophageal Reflux Disease in Patients with Autoimmune Gastritis. Digestive and Liver Disease, 2017, 49, e121.   | 0.4 | Ο         |
| 392 | Vonoprazan fumarate for the management of acid-related diseases. Expert Opinion on Pharmacotherapy, 2017, 18, 1145-1152.  | 0.9 | 43        |
| 393 | Individual Assessment of Gastric Acid Production by Means of a Non-Invasive Test: Relationship between Maximal Acid Output and Pepsinogen I Levels. Gastroenterology, 2017, 152, S471.  | 0.6 | 0         |
| 394 | The added diagnostic value of postreflux swallowâ€induced peristaltic wave index and nocturnal<br>baseline impedance in refractory reflux disease studied with onâ€therapy impedanceâ€pH monitoring.<br>Neurogastroenterology and Motility, 2017, 29, e12947. | 1.6 | 107       |
| 395 | The appropriate use of proton pump inhibitors (PPIs): Need for a reappraisal. European Journal of<br>Internal Medicine, 2017, 37, 19-24.  | 1.0 | 184       |
| 396 | Validation of criteria for the definition of transient lower esophageal sphincter relaxations using highâ€resolution manometry. Neurogastroenterology and Motility, 2017, 29, e12920.   | 1.6 | 78        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Anti-TNF therapy is able to stabilize bowel damage progression in patients with Crohn's disease. A study performed using the Lémann Index. Digestive and Liver Disease, 2017, 49, 175-180.                              | 0.4 | 25        |
| 398 | Drugs for improving esophageal mucosa defense: where are we now and where are we going?. Annals of Gastroenterology, 2017, 30, 585-591.   | 0.4 | 26        |
| 399 | Critical appraisal of Rome IV criteria: hypersensitive esophagus does belong to gastroesophageal reflux disease spectrum. Annals of Gastroenterology, 2017, 31, 1-7.  | 0.4 | 28        |
| 400 | Update in gastroesophageal reflux disease. Minerva Gastroenterology, 2017, 63, 172-174.   | 0.3 | 0         |
| 401 | Relevance of Measuring Substances in Bronchoalveolar Lavage Fluid for Detecting<br>Aspiration-associated Extraesophageal Reflux Disease. Journal of Neurogastroenterology and<br>Motility, 2017, 23, 318-319.           | 0.8 | 1         |
| 402 | Advances in the physiological assessment and diagnosis of GERD. Nature Reviews Gastroenterology and Hepatology, 2017, 14, 665-676.  | 8.2 | 157       |
| 403 | Epidemiology and natural history of gastroesophageal reflux disease. Minerva Gastroenterology, 2017, 63, 175-183.   | 0.3 | 30        |
| 404 | Noncoding RNAs as drivers of the phenotypic plasticity of oesophageal mucosa. World Journal of<br>Gastroenterology, 2017, 23, 7653-7656.  | 1.4 | 9         |
| 405 | Esophageal Motility Testing: The Present and the Future. , 2017, , 201-215.   |     | Ο         |
| 406 | The Diagnostic Yield of Novel Parameters in Reflux Monitoring. , 2017, , 217-227.   |     | 0         |
| 407 | Complexity and diversity of gastroesophageal reflux disease phenotypes. Minerva Gastroenterology, 2017, 63, 198-204.  | 0.3 | 1         |
| 408 | Is there a role for high resolution manometry in GERD diagnosis?. Minerva Gastroenterology, 2017, 63, 235-248.  | 0.3 | 9         |
| 409 | A Non-Invasive Serological Test to Assess the Efficacy of Biologic and Non-Biologic Therapies on the<br>Mucosal Health of Patients With Crohn's Disease. American Journal of Gastroenterology, 2017, 112,<br>S401-S402. | 0.2 | Ο         |
| 410 | Development and Validation of a Multi-marker Serum Test for the Assessment of Mucosal Healing in<br>Crohn's Disease Patients. American Journal of Gastroenterology, 2017, 112, S324.                                    | 0.2 | 1         |
| 411 | Barrett's esophagus in 2016: From pathophysiology to treatment. World Journal of Gastrointestinal<br>Pharmacology and Therapeutics, 2016, 7, 190.   | 0.6 | 18        |
| 412 | Pathophysiological Studies Are Mandatory to Understand the Benefit of Proton Pump Inhibitors in<br>Patients with Idiopathic Pulmonary Fibrosis. Journal of Neurogastroenterology and Motility, 2016, 22,<br>710-711.    | 0.8 | 0         |
| 413 | The impact of bariatric surgery on esophageal function. Annals of the New York Academy of Sciences, 2016, 1381, 98-103.   | 1.8 | 24        |
| 414 | Tryciclic Antidepressants in Refractory GERD: Poorly Effective Drugs or Wrong Patients?. American<br>Journal of Gastroenterology, 2016, 111, 1037-1038.   | 0.2 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 415 | Vigor of peristalsis during multiple rapid swallows is inversely correlated with acid exposure time in patients with <scp>NERD</scp> . Neurogastroenterology and Motility, 2016, 28, 243-250.  | 1.6 | 63        |
| 416 | Adalimumab trough serum levels and anti-adalimumab antibodies in the long-term clinical outcome of patients with Crohn's disease. Scandinavian Journal of Gastroenterology, 2016, 51, 1081-1086.   | 0.6 | 36        |
| 417 | P.07.14 BIOLOGICAL THERAPY IS ABLE TO MODIFY THE DISEASE PROGRESSION OF CROHN'S DISEASE PREVENTING ITS LONG-TERM ASSOCIATED DISABILITY – A STUDY PERFORMED USING THE LÉMANN SCORE. Digestive and Liver Disease, 2016, 48, e162-e163.               | 0.4 | 1         |
| 418 | Mo1173 Association Between Eosinophilic Esophagitis and Helicobacter pylori Infection: Preliminary<br>Results of a Multicenter Study. Gastroenterology, 2016, 150, S657-S658.  | 0.6 | 1         |
| 419 | Sa1933 Biological Therapy Is Able to Halt Crohn's Disease Progression: A Prospective, Long Term Study<br>Using the LéMann Index. Gastroenterology, 2016, 150, S408.  | 0.6 | 0         |
| 420 | P.07.7 CROHN'S DISEASE IS A REAL TIME SENSITIVE EVOLUTIVE PATHOLOGY BASED ON LÉMANN INDEX?<br>PRELIMINARY DATA FROM A TERTIARY PEDIATRIC IBD CENTER. Digestive and Liver Disease, 2016, 48, e160.  | 0.4 | 0         |
| 421 | P.08.5 FEASIBILITY OF HIGH RESOLUTION IMPEDANCE MANOMETRY IN ASSESSING BARRETT'S ESOPHAGUS EXTENSION. Digestive and Liver Disease, 2016, 48, e166-e167.  | 0.4 | 0         |
| 422 | Mo1191 The GerdQ Questionnaire Distinguishes Proton Pump Inhibitor-Responsive Esophageal<br>Eosinophilia From Eosinophilic Esophagitis Patients. Gastroenterology, 2016, 150, S665.  | 0.6 | 0         |
| 423 | In-vivo Axial-strain Sonoelastography Helps Distinguish Acutely-inflamed from Fibrotic Terminal lleum<br>Strictures inÂPatients with Crohn's Disease: Preliminary Results. Ultrasound in Medicine and Biology,<br>2016, 42, 855-863.               | 0.7 | 32        |
| 424 | 956 Impairment of Chemical Clearance and Mucosal Integrity Distinguish Hypersensitive Esophagus<br>From Functional Heartburn. Gastroenterology, 2016, 150, S189-S190.  | 0.6 | 3         |
| 425 | Tu1975 Factors Predicting Clinical Relapse in Patients With Inflammatory Bowel Diseases During a<br>Long-Term Follow-Up of 5 Years. Gastroenterology, 2016, 150, S995.   | 0.6 | 0         |
| 426 | Tu2009 Does Lémann Index Reflect the Quality of Life in Crohn Disease Patients on Treatment With<br>Biological Therapy?. Gastroenterology, 2016, 150, S1004-S1005.   | 0.6 | 1         |
| 427 | OC.05.8 ESOPHAGO-GASTRIC JUNCTION MORPHOLOGY VARIABILITY DURING STANDARD MANOMETRIC PROTOCOL AND AFTER ESOPHAGEAL STIMULATION AND BODY CHANGE POSITION $\hat{a} \in$ "PRELIMINARY RESULTS. Digestive and Liver Disease, 2016, 48, e90.             | 0.4 | 0         |
| 428 | OC.12.1 ARE BASELINE IMPEDANCE LEVELS ASSESSED DURING ESOPHAGEAL IMPEDANCE MANOMETRY<br>HELPFUL IN DISCRIMINATING PATIENTS WITH GASTROESOPHAGEAL REFLUX DISEASE FROM THOSE WITHOUT?<br>A PILOT STUDY. Digestive and Liver Disease, 2016, 48, e115. | 0.4 | 0         |
| 429 | P.08.12 GERDQ QUESTIONNAIRE DISTINGUISHES PROTON PUMP INHIBITOR-RESPONSIVE ESOPHAGEAL EOSINOPHILIA FROM EOSINOPHILIC ESOPHAGITIS PATIENTS. Digestive and Liver Disease, 2016, 48, e169.  | 0.4 | 0         |
| 430 | llaprazole for the treatment of gastro-esophageal reflux. Expert Opinion on Pharmacotherapy, 2016,<br>17, 2107-2113.   | 0.9 | 13        |
| 431 | The sensory system of the esophagus––what do we know?. Annals of the New York Academy of<br>Sciences, 2016, 1380, 91-103.  | 1.8 | 7         |
| 432 | Barrett's esophagus detection: Multiple biopsies are useful, even better if you have an "X―on your<br>map. Digestive and Liver Disease, 2016, 48, 1041-1042.   | 0.4 | 1         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 433 | Interstitial lung disease in systemic sclerosis patients may benefit more from anti-reflux therapies than from immunosuppressants. Autoimmunity Reviews, 2016, 15, 1208-1209.  | 2.5 | 10        |
| 434 | Fecal calprotectin in systemic sclerosis: Light and shade of a promising tool. Autoimmunity Reviews, 2016, 15, 1206-1207.  | 2.5 | 2         |
| 435 | Novel insights into esophageal diagnostic procedures. Annals of the New York Academy of Sciences, 2016, 1380, 162-177.   | 1.8 | 5         |
| 436 | Letter: proton pump inhibitorâ€responsive oesophageal eosinophilia – more than just<br>gastroâ€oesophageal reflux disease. Authors' reply. Alimentary Pharmacology and Therapeutics, 2016,<br>44, 912-913.   | 1.9 | 0         |
| 437 | Between GERD and NERD: the relevance of weakly acidic reflux. Annals of the New York Academy of Sciences, 2016, 1380, 218-229.   | 1.8 | 25        |
| 438 | Letter: biologics are effective in neutralising the detrimental effect of smoking on the natural course of Crohn's disease. Alimentary Pharmacology and Therapeutics, 2016, 43, 1245-1245.   | 1.9 | 2         |
| 439 | The GerdQ questionnaire and high resolution manometry support the hypothesis that proton pump<br>inhibitorâ€responsive oesophageal eosinophilia is a <scp>GERD</scp> â€related phenomenon. Alimentary<br>Pharmacology and Therapeutics, 2016, 44, 522-530. | 1.9 | 38        |
| 440 | It is Time to Re-Think the Role of Small Intestinal Bacterial Overgrowth in IBS Patients. American<br>Journal of Gastroenterology, 2016, 111, 1364.  | 0.2 | 2         |
| 441 | Functional Heartburn Overlaps With Irritable Bowel Syndrome More Often than GERD. American<br>Journal of Gastroenterology, 2016, 111, 1711-1717.   | 0.2 | 55        |
| 442 | Practice guidelines on the use of esophageal manometry – A GISMAD-SIGE-AIGO medical position statement. Digestive and Liver Disease, 2016, 48, 1124-1135.  | 0.4 | 82        |
| 443 | Current treatment options for esophageal diseases. Annals of the New York Academy of Sciences, 2016, 1381, 139-151.  | 1.8 | 11        |
| 444 | Sequential versus standard triple first-line therapy forHelicobacter pylorieradication. The Cochrane<br>Library, 2016, , CD009034.   | 1.5 | 35        |
| 445 | Vonoprazan for treatment of gastroesophageal reflux: pharmacodynamic and pharmacokinetic considerations. Expert Opinion on Drug Metabolism and Toxicology, 2016, 12, 1333-1341.  | 1.5 | 17        |
| 446 | The natural history of gastro-esophageal reflux disease: a comprehensive review. Ecological<br>Management and Restoration, 2016, 30, 1-9.  | 0.2 | 49        |
| 447 | 173 Esophagogastric Junction Morphology Assessment by High Resolution Manometry and Its<br>Relationship With Gastroesophageal Reflux Disease in Obese Patients Candidate to Bariatric Surgery.<br>Gastroenterology, 2016, 150, S44.                        | 0.6 | Ο         |
| 448 | Su1081 Which Is the Best Cut-off to Define Ineffective Esophageal Motility?. Gastroenterology, 2016, 150, S463.  | 0.6 | 0         |
| 449 | Tu2007 Inflammatory Bowel Disease And Psychological Status: Determinants And Social<br>Consequences. Gastroenterology, 2016, 150, S1004.   | 0.6 | 3         |
| 450 | PC.01.5 A NEW SUB-CLASSIFICATION OF ESOPHAGO-GASTRIC JUNCTION MORPHOLOGY TYPE I HELPS TO BETTER RECOGNIZE PATIENTS WITH A POSITIVE IMPEDANCE-PH MONITORING. Digestive and Liver Disease, 2016, 48, e69.  | 0.4 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 451 | OC.02.7 ADALIMUMAB TROUGH LEVELS AT WEEK EIGHT AS PREDICTIVE FACTOR OF LONG TERM CLINICAL REMISSION. Digestive and Liver Disease, 2016, 48, e77-e78.  | 0.4 | 0         |
| 452 | P.08.3 BASELINE IMPEDANCE VALUES CAN REPRESENT A MARKER OF GASTROESOPHAGEAL REFLUX DISEASE<br>AND ARE STRONGLY RELATED WITH THE DURATION OF THE DISEASE. Digestive and Liver Disease, 2016, 48,<br>e165-e166.   | 0.4 | 0         |
| 453 | OC.05.7 LARYNGOPHARYNGEAL SYMPTOMS IN PRIMARY CARE: USEFULNESS OF SALIVARY PEPSIN MEASUREMENT IN PREDICTING GERD. Digestive and Liver Disease, 2016, 48, e89.   | 0.4 | 0         |
| 454 | Are proton pump inhibitors really so dangerous?. Digestive and Liver Disease, 2016, 48, 851-859.  | 0.4 | 66        |
| 455 | Sa1312 Acid is the Key Factor Influencing Esophageal Mean Nocturnal Baseline Impedance but Not<br>Post-reflux Swallow-Induced Peristaltic Wave Index in Gastro-Esophageal Reflux Disease.<br>Gastroenterology, 2016, 150, S278-S279.                                      | 0.6 | 0         |
| 456 | OC.07.1 REFRACTORY PATIENTS WITH NON-ACID REFLUX DISEASE AND THOSE WITH EROSIVE AND NON-EROSIVE REFLUX DISEASE HAVE SIMILAR RESPONSE TO ANTI-REFLUX SURGICAL THERAPY. Digestive and Liver Disease, 2016, 48, e95.   | 0.4 | 0         |
| 457 | The contribution of intraepithelial inflammatory cells to the histological diagnosis of microscopic esophagitis. Esophagus, 2016, 13, 80-87.  | 1.0 | 7         |
| 458 | Sa1268 Feasibility of High Resolution Impedance Manometry in Assessing Barrett's Esophagus<br>Extension. Gastroenterology, 2016, 150, S263-S264.  | 0.6 | 0         |
| 459 | Sa1296 A Sub-classification of Esophago-Gastric Junction Morphology Type I May Be Useful To Better<br>Recognize GERD Patients With a Positive Impedance-pH Monitoring. Gastroenterology, 2016, 150, S273.   | 0.6 | 0         |
| 460 | P.07.15 INFLIXIMAB TROUGH LEVELS AND ANTI-DRUG ANTIBODIES AFTER INDUCTION AS PREDICTIVE FACTORS OF LONG TERM CLINICAL REMISSION. Digestive and Liver Disease, 2016, 48, e163.   | 0.4 | 0         |
| 461 | OC.02.6 IDENTIFICATION OF A CUT-OFF FOR PERSISTENT ANTI-INFLIXIMAB ANTIBODIES AS A PREDICTOR OF RESPONSE TO INFLIXIMAB MONOTHERAPY. Digestive and Liver Disease, 2016, 48, e77.   | 0.4 | 0         |
| 462 | P.08.10 ESOPHAGOGASTRIC JUNCTION MORPHOLOGY ASSESSMENT BY HIGH RESOLUTION MANOMETRY IN OBESE PATIENTS CANDIDATE TO BARIATRIC SURGERY. Digestive and Liver Disease, 2016, 48, e168.  | 0.4 | 0         |
| 463 | Lower pH values of weakly acidic refluxes as determinants of heartburn perception in gastroesophageal reflux disease patients with normal esophageal acid exposure. Ecological Management and Restoration, 2016, 29, 3-9.   | 0.2 | 15        |
| 464 | Voluntary and controlled weight loss can reduce symptoms and proton pump inhibitor use and<br>dosage in patients with gastroesophageal reflux disease: a comparative study. Ecological Management<br>and Restoration, 2016, 29, 197-204.                                  | 0.2 | 49        |
| 465 | Caution About Overinterpretation of Number of Reflux Episodes in Reflux Monitoring for Refractory<br>Gastroesophageal Reflux Disease. Clinical Gastroenterology and Hepatology, 2016, 14, 1060.   | 2.4 | 3         |
| 466 | Analyses of the Post-reflux Swallow-induced Peristaltic Wave Index and Nocturnal Baseline<br>Impedance Parameters Increase the Diagnostic Yield of Impedance-pH Monitoring of Patients With<br>Reflux Disease. Clinical Gastroenterology and Hepatology, 2016, 14, 40-46. | 2.4 | 222       |
| 467 | The Impact of Heller Myotomy on Integrated Relaxation Pressure in Esophageal Achalasia. Journal of<br>Gastrointestinal Surgery, 2016, 20, 125-131.  | 0.9 | 20        |
| 468 | P.08.16 NEW IMPEDANCE-PH PARAMETERS OF GASTRO-ESOPHAGEAL REFLUX DISEASE: A LESSON FROM PATIENTS WITH CHRONIC AUTOIMMUNE ATROPHIC GASTRITIS, NON-EROSIVE REFLUX DISEASE AND FUNCTIONAL HEARTBURN. Digestive and Liver Disease, 2016, 48, e171.                             | 0.4 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 469 | High-resolution Impedance Manometry after Sleeve Gastrectomy: Increased Intragastric Pressure and<br>Reflux are Frequent Events. Obesity Surgery, 2016, 26, 2449-2456.  | 1.1 | 124       |
| 470 | Esophagogastric junction morphology assessment by high resolution manometry in obese patients candidate to bariatric surgery. International Journal of Surgery, 2016, 28, S109-S113.  | 1.1 | 21        |
| 471 | Comparison of computed tomography and magnetic resonance imaging in the discrimination of intraperitoneal and extraperitoneal rectal cancer: initial experience. Clinical Imaging, 2016, 40, 57-62.   | 0.8 | 3         |
| 472 | Effects of omega-loop bypass on esophagogastric junction function. Surgery for Obesity and Related Diseases, 2016, 12, 62-69.   | 1.0 | 117       |
| 473 | Pre-operative clinical and instrumental factors as antireflux surgery outcome predictors. World<br>Journal of Gastrointestinal Surgery, 2016, 8, 719.   | 0.8 | 9         |
| 474 | Esophageal testing: What we have so far. World Journal of Gastrointestinal Pathophysiology, 2016, 7,<br>72.   | 0.5 | 26        |
| 475 | Clinical, endoscopic, histological and radiological characteristics of Italian patients with eosinophilic oesophagitis. Digestive and Liver Disease, 2015, 47, 1033-1038.   | 0.4 | 10        |
| 476 | Normal values of esophageal motility after antireflux surgery; a study using highâ€resolution manometry. Neurogastroenterology and Motility, 2015, 27, 929-935.   | 1.6 | 37        |
| 477 | Esophagogastric junction morphology is associated with a positive impedanceâ€ <scp>pH</scp><br>monitoring in patients with <scp>GERD</scp> . Neurogastroenterology and Motility, 2015, 27, 1175-1182.                                       | 1.6 | 91        |
| 478 | Esophagogastric junction contractility for clinical assessment in patients with <scp>GERD</scp> : a real added value?. Neurogastroenterology and Motility, 2015, 27, 1423-1431.   | 1.6 | 85        |
| 479 | Impedance-detected Symptom Association and Number of Reflux Episodes as Pre-treatment Parameters<br>That Predict Outcomes of Gastroesophageal Reflux Disease Patients. Journal of<br>Neurogastroenterology and Motility, 2015, 21, 292-293. | 0.8 | 2         |
| 480 | A More In-depth Evaluation of Impedance-pH Could Assist in Distinguishing Reflux-related From Reflux-unrelated Heartburn. Journal of Neurogastroenterology and Motility, 2015, 21, 621-622.   | 0.8 | 1         |
| 481 | Optimal management of constipation associated with irritable bowel syndrome. Therapeutics and Clinical Risk Management, 2015, 11, 691.  | 0.9 | 11        |
| 482 | Radiofrequency Catheter Ablation for Atrial Fibrillation Elicited "Jackhammer Esophagus― A New<br>Complication Due to Vagal Nerve Stimulation?. Journal of Neurogastroenterology and Motility, 2015,<br>21, 612-615.                        | 0.8 | 16        |
| 483 | Weight Loss Is Truly Effective in Reducing Symptoms and Proton Pump Inhibitor Use in Patients With<br>Gastroesophageal Reflux Disease. Clinical Gastroenterology and Hepatology, 2015, 13, 2023.  | 2.4 | 5         |
| 484 | Anti–Tumor Necrosis Factor Antibodies for Prevention of Crohn's Disease Recurrence After Surgery:<br>More Than a Hope. Clinical Gastroenterology and Hepatology, 2015, 13, 1856.  | 2.4 | 1         |
| 485 | Association Between Baseline Impedance Values and Response Proton Pump Inhibitors in Patients With<br>Heartburn. Clinical Gastroenterology and Hepatology, 2015, 13, 1082-1088.e1.  | 2.4 | 121       |
| 486 | Measurement of oro-caecal transit time by magnetic resonance imaging. European Radiology, 2015, 25, 1579-1587.  | 2.3 | 13        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 487 | Incidental physiological sliding hiatal hernia: a single center comparison study between CT with water enema and CT colonography. Radiologia Medica, 2015, 120, 683-689.   | 4.7 | 3         |
| 488 | Adalimumab Trough Levels and Response to Biological Treatment in Patients With Inflammatory Bowel<br>Disease: A Useful Cutoff in Clinical Practice. American Journal of Gastroenterology, 2015, 110, 472-473.                                  | 0.2 | 6         |
| 489 | Mo1128 Are Baseline Impedance Levels Assessed During Esophageal Impedance Manometry Helpful in<br>Discriminating Patients With Gastroesophageal Reflux Disease From Those Without? A Pilot Study.<br>Gastroenterology, 2015, 148, S-614-S-615. | 0.6 | 0         |
| 490 | Manually calculated oesophageal bolus clearance time increases in parallel with reflux severity at impedance-pH monitoring. Digestive and Liver Disease, 2015, 47, 1027-1032.  | 0.4 | 12        |
| 491 | Data on Symptom Association Analysis in Patients Undergoing Endoscopic Therapy Is Useful to Better<br>Define a Successful Therapeutic Approach. American Journal of Gastroenterology, 2015, 110, 1621.   | 0.2 | 2         |
| 492 | The Chicago Classification of esophageal motility disorders, v3.0. Neurogastroenterology and Motility, 2015, 27, 160-174.  | 1.6 | 1,628     |
| 493 | Not All Patients With Non-erosive Reflux Disease Share Psychological Distress as Main Mechanism of<br>Disease. Journal of Neurogastroenterology and Motility, 2014, 20, 129-130.   | 0.8 | 2         |
| 494 | Esophageal motility abnormalities in gastroesophageal reflux disease. World Journal of<br>Gastrointestinal Pharmacology and Therapeutics, 2014, 5, 86.   | 0.6 | 68        |
| 495 | Light microscopy is useful to better define NERD and functional heartburn. Gut, 2014, 63, 368-368.   | 6.1 | 6         |
| 496 | Arterial congestive gastropathy: a new entity?. Endoscopy, 2014, 46, E397-E398.  | 1.0 | 0         |
| 497 | Esophageal biopsies in the management of GERD: complementary tool for many but not for all. Human<br>Pathology, 2014, 45, 2512-2513.   | 1.1 | 3         |
| 498 | Proton pump inhibitor responders who are not confirmed as <scp>GERD</scp> patients with impedance and pH monitoring: who are they?. Neurogastroenterology and Motility, 2014, 26, 28-35.   | 1.6 | 73        |
| 499 | Esophageal baseline impedance levels in patients with pathophysiological characteristics of functional heartburn. Neurogastroenterology and Motility, 2014, 26, 546-555.   | 1.6 | 185       |
| 500 | Letter: treatment for small intestinal bacterial overgrowth – where are we now?. Alimentary<br>Pharmacology and Therapeutics, 2014, 39, 442-442.   | 1.9 | 2         |
| 501 | Letter: biological therapies are effective for prevention of postâ€operative Crohn's disease recurrence.<br>Alimentary Pharmacology and Therapeutics, 2014, 40, 322-322.   | 1.9 | 3         |
| 502 | P.10.21 PATIENTS WITH NEGATIVE IMPEDANCE AND PH WHO RESPOND TO ACID SUPPRESSION: ARE THEY HYPERSENSITIVE PATIENTS? A STUDY WITH BASELINE IMPEDANCE VALUES AND PSPW INDEX. Digestive and Liver Disease, 2014, 46, S91-S92.                      | 0.4 | 0         |
| 503 | P.13.17 INTRA- AND INTEROBSERVER AGREEMENT BETWEEN ENDOSCOPISTS AND PATHOLOGISTS FOR<br>DETECTION OF GASTRIC INTESTINAL METAPLASIA BY MEANS OF NARROW BAND IMAGING WITH MAGNIFYING<br>ENDOSCOPY. Digestive and Liver Disease, 2014, 46, S106.  | 0.4 | 0         |
| 504 | P.10.22 EVALUATION OF SLEEP DISRUPTIONS BY MEANS OF IMPEDANCE-PH MONITORING IN PATIENTS WITH NERD. Digestive and Liver Disease, 2014, 46, S92.   | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 505 | OC.02.2 REFLUX PATTERN AND ROLE OF IMPEDANCE-PH VARIABLES IN PREDICTING PPI RESPONSE IN PATIENTS WITH SUSPECTED GERD-RELATED CHRONIC COUGH. Digestive and Liver Disease, 2014, 46, S7.   | 0.4 | 1         |
| 506 | OC.02.5 DIFFERENT ACCURACY OF VARIOUS IMPEDANCE-PH NORMAL VALUES IN DIAGNOSING GERD IN PATIENTS WITH PROVEN OR HIGHLY SUSPECTED REFLUX DISEASE. Digestive and Liver Disease, 2014, 46, S8.   | 0.4 | 3         |
| 507 | PC.01.1 COMPARISON BETWEEN SOLID-STATE AND WATER-PERFUSED SYSTEM FOR THE DIAGNOSIS OF PRIMARY ESOPHAGEAL MOTILITY DISORDERS. Digestive and Liver Disease, 2014, 46, S1.  | 0.4 | 0         |
| 508 | P505 ELISA vs. HMSA: a comparison between two different methods for the evaluation of adalimumab serum concentration and anti-adalimumab antibodies – Preliminary data. Journal of Crohn's and Colitis, 2014, 8, S278.                     | 0.6 | 2         |
| 509 | P656 Fcgamma Receptor Type IIIa polymorphisms and their correlation with clinical outcome in patients with inflammatory bowel disease during a long term follow up. Journal of Crohn's and Colitis, 2014, 8, S344.                         | 0.6 | 0         |
| 510 | Symptom analysis improves GERD diagnosis and may be helpful to define a successful surgical approach. Surgical Endoscopy and Other Interventional Techniques, 2014, 28, 698-699.   | 1.3 | 1         |
| 511 | Not all anti-reflux treatment failures are due to persistence of abnormal esophageal acid exposure.<br>Surgical Endoscopy and Other Interventional Techniques, 2014, 28, 1382-1383.  | 1.3 | 1         |
| 512 | EAES recommendations for the management of gastroesophageal reflux disease. Surgical Endoscopy and Other Interventional Techniques, 2014, 28, 1753-1773.   | 1.3 | 194       |
| 513 | Reflux pattern and role of impedanceâ€pH variables in predicting PPI response in patients with suspected GERDâ€related chronic cough. Alimentary Pharmacology and Therapeutics, 2014, 40, 966-973.   | 1.9 | 63        |
| 514 | Comment on "Impairment of chemical clearance is relevant to the pathogenesis of refractory reflux<br>oesophagitis―by Marzio Frazzoni et al. [Digestive and Liver Disease 2014;46:596–602]. Digestive and<br>Liver Disease, 2014, 46, 1052. | 0.4 | 0         |
| 515 | Low serum trough levels are associated with post-surgical recurrence in Crohn's disease patients undergoing prophylaxis with adalimumab. Digestive and Liver Disease, 2014, 46, 1043-1046.   | 0.4 | 17        |
| 516 | Gastrointestinal involvement in systemic sclerosis. Presse Medicale, 2014, 43, e279-e291.  | 0.8 | 59        |
| 517 | The placebo effect is a relevant factor in evaluating effectiveness of therapies in functional gastrointestinal disorders. Journal of Gastroenterology, 2014, 49, 1362-1363.   | 2.3 | 1         |
| 518 | An Unusual Cutaneous Manifestation in a Patient With Cystic Fibrosis. Gastroenterology, 2014, 147, e10-e11.  | 0.6 | 2         |
| 519 | P.10.26 DISTAL AND PROXIMAL ESOPHAGEAL IMPEDANCE BASAL VALUES IN PATIENTS WITH NON-EROSIVE REFLUX DISEASE AND FUNCTIONAL HEARTBURN. Digestive and Liver Disease, 2014, 46, S93.  | 0.4 | 1         |
| 520 | OC.14.2 ASSESSMENT OF TOLERABILITY, DURATION AND COSTS OF SOLID-STATE AND WATER-PERFUSED SYSTEM DURING ESOPHAGEAL MOTILITY TESTING. Digestive and Liver Disease, 2014, 46, S32.  | 0.4 | 0         |
| 521 | P.10.19 DIFFERENT IMPEDANCE-PH REFLUX PATTERNS IN SYMPTOMATIC CHOLECISTECTOMIZED AND NON-CHOLECISTECTOMIZED PATIENTS. Digestive and Liver Disease, 2014, 46, S91.  | 0.4 | 0         |
| 522 | OC.18.4 CLINICAL AND ENDOSCOPIC CHARACTERISTICS OF PATIENTS WITH EOSINOPHILIC ESOPHAGITIS –<br>DATA FROM A SINGLE TERTIARY ITALIAN CENTER. Digestive and Liver Disease, 2014, 46, S39-S40.   | 0.4 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 523 | Ultrasound-guided procedures around the wrist and hand: How to do. European Journal of Radiology, 2014, 83, 1231-1238.  | 1.2 | 38        |
| 524 | DOP057 The influence of anti-adalimumab antibodies on adalimumab trough levels, TNF-α levels and clinical outcome. Journal of Crohn's and Colitis, 2014, 8, S42.  | 0.6 | 3         |
| 525 | Prevention of Crohn's Disease Recurrence After Surgery: On the Road to Recovery. Clinical<br>Gastroenterology and Hepatology, 2014, 12, 1406.   | 2.4 | 0         |
| 526 | Granulo-monocyto apheresis is more effective in mild ulcerative colitis than in moderate to severe disease. World Journal of Gastroenterology, 2014, 20, 17155.   | 1.4 | 6         |
| 527 | Eosinophilic oesophagitis: From physiopathology to treatment. Digestive and Liver Disease, 2013, 45, 871-878.   | 0.4 | 25        |
| 528 | The pharmacokinetics of ilaprazole for gastro-esophageal reflux treatment. Expert Opinion on Drug<br>Metabolism and Toxicology, 2013, 9, 1361-1369.   | 1.5 | 30        |
| 529 | The importance of subgrouping refractory NERD patients according to esophageal pH-impedance testing. Surgical Endoscopy and Other Interventional Techniques, 2013, 27, 3503-3504.   | 1.3 | 0         |
| 530 | Microscopic esophagitis distinguishes patients with non-erosive reflux disease from those with functional heartburn. Journal of Gastroenterology, 2013, 48, 473-482.  | 2.3 | 157       |
| 531 | Esophageal acid exposure still plays a major role in patients with NERD. Journal of Gastroenterology, 2013, 48, 552-553.  | 2.3 | 1         |
| 532 | Ultrasound-guided core-needle biopsy of extra-ocular orbital lesions. European Radiology, 2013, 23,<br>1919-1924.   | 2.3 | 46        |
| 533 | Non-erosive reflux disease patients are more complex than the sole endoscopy tells us. Clinical Oral<br>Investigations, 2013, 17, 1965-1966.  | 1.4 | 0         |
| 534 | Symptom association analysis is important in GERD patients undergoing endoscopic therapy.<br>Gastrointestinal Endoscopy, 2013, 77, 832.   | 0.5 | 0         |
| 535 | Comment to "Predictors of clinical response of acid suppression in Chinese patients with gastroesophageal reflux disease― Digestive and Liver Disease, 2013, 45, 868-869.   | 0.4 | 1         |
| 536 | RE: A Simple Technique to Restore Needle Patency During Percutaneous Lavage and Aspiration of Calcific Rotator Cuff Tendinopathy. PM and R, 2013, 5, 633-633.   | 0.9 | 11        |
| 537 | Functional testing: pharyngeal pH monitoring and highâ€resolution manometry. Annals of the New York<br>Academy of Sciences, 2013, 1300, 226-235.  | 1.8 | 12        |
| 538 | Defining esophageal landmarks, gastroesophageal reflux disease, and Barrett's esophagus. Annals of<br>the New York Academy of Sciences, 2013, 1300, 278-295.  | 1.8 | 17        |
| 539 | Tu1805 Different Accuracy of Various Impedance-pH Normal Values in Diagnosing GERD in Patients<br>With Proven Reflux Disease. Gastroenterology, 2013, 144, S-850-S-851.   | 0.6 | 0         |
| 540 | Tu1771 Impedance-pH Explores With More Accuracy Than pH-Metry Alone the Relationship Between<br>Aspiration of Gastric Contents and Gastroesophageal Reflux in Patients With Idiopathic Pulmonary<br>Fibrosis. Gastroenterology, 2013, 144, S-840-S-841. | 0.6 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 541 | OC.06.1 USE OF A NON-INVASIVE PEPSIN DIAGNOSTIC TEST TO DETECT GERD: CORRELATION WITH MII-pH<br>EVALUATION IN A SERIES OF SUSPECTED NERD PATIENTS. A PILOT STUDY. Digestive and Liver Disease, 2013,<br>45, S68-S69.              | 0.4 | 3         |
| 542 | Narrow-band imaging with magnifying endoscopy is accurate for detecting gastric intestinal metaplasia. World Journal of Gastroenterology, 2013, 19, 2668.   | 1.4 | 35        |
| 543 | NERD: an umbrella term including heterogeneous subpopulations. Nature Reviews Gastroenterology and Hepatology, 2013, 10, 371-380.   | 8.2 | 184       |
| 544 | Lactulose Breath Test to Assess Oro-cecal Transit Delay and Estimate Esophageal Dysmotility in Scleroderma Patients. Seminars in Arthritis and Rheumatism, 2013, 42, 522-529.   | 1.6 | 29        |
| 545 | Endotherapy for and tailored approaches to treating GERD, and refractory GERD. Annals of the New<br>York Academy of Sciences, 2013, 1300, 166-186.  | 1.8 | 9         |
| 546 | Dysmotility and reflux disease. Current Opinion in Otolaryngology and Head and Neck Surgery, 2013, 21, 1.   | 0.8 | 21        |
| 547 | Optimal treatment of laryngopharyngeal reflux disease. Therapeutic Advances in Chronic Disease, 2013,<br>4, 287-301.  | 1.1 | 70        |
| 548 | Letter: symptom indexes in reflux monitoring ―two are better than one. Alimentary Pharmacology and<br>Therapeutics, 2013, 37, 918-918.  | 1.9 | 1         |
| 549 | Adalimumab Is More Effective Than Azathioprine and Mesalamine at Preventing Postoperative<br>Recurrence of Crohn's Disease: A Randomized Controlled Trial. American Journal of<br>Gastroenterology, 2013, 108, 1731-1742.         | 0.2 | 187       |
| 550 | Innovative techniques in evaluating the esophagus; imaging of esophageal morphology and function;<br>and drugs for esophageal disease. Annals of the New York Academy of Sciences, 2013, 1300, 11-28.                             | 1.8 | 6         |
| 551 | Gastrointestinal motility disorder assessment in systemic sclerosis. Rheumatology, 2013, 52, 1095-1100.   | 0.9 | 87        |
| 552 | Non-Erosive Reflux Disease is More Complex Than Negative Endoscopy Only. American Journal of<br>Gastroenterology, 2013, 108, 1657-1658.   | 0.2 | 0         |
| 553 | Gastro-oesophageal reflux and gastric aspiration in idiopathic pulmonary fibrosis patients. European<br>Respiratory Journal, 2013, 42, 1322-1331.   | 3.1 | 194       |
| 554 | Nonerosive reflux disease and functional heartburn are clearly separate entities. European Journal of<br>Gastroenterology and Hepatology, 2013, 25, 749-750.  | 0.8 | 2         |
| 555 | A Comparison Between Lactose Breath Test and Quick Test on Duodenal Biopsies for Diagnosing<br>Lactase Deficiency in Patients With Self-reported Lactose Intolerance. Journal of Clinical<br>Gastroenterology, 2013, 47, 148-152. | 1.1 | 29        |
| 556 | Therapeutic potential of curcumin in digestive diseases. World Journal of Gastroenterology, 2013, 19,<br>9256.  | 1.4 | 103       |
| 557 | Noninfectious interstitial lung disease during infliximab therapy: Case report and literature review.<br>World Journal of Gastroenterology, 2013, 19, 5377.   | 1.4 | 16        |
| 558 | Overlap of functional heartburn and gastroesophageal reflux disease with irritable bowel syndrome.<br>World Journal of Gastroenterology, 2013, 19, 5787.  | 1.4 | 46        |

| #   | Article   | IF       | CITATIONS |
|-----|---|----------|-----------|
| 559 | Studies on factors predicting GORD response to proton-pump inhibitors: NERD subpopulations need to be analysed separately. Gut, 2012, 61, 1368.2-1369.  | 6.1      | 0         |
| 560 | The relevance of symptom association analysis in GORD patients undergoing anti-reflux surgery. Gut, 2012, 61, 326.1-326.  | 6.1      | 1         |
| 561 | Adalimumab for the prevention of recurrence after surgery for Crohn's disease. European Journal of<br>Gastroenterology and Hepatology, 2012, 24, 863-864.   | 0.8      | 23        |
| 562 | Alginate controls heartburn in patients with erosive and nonerosive reflux disease. World Journal of Gastroenterology, 2012, 18, 4371.  | 1.4      | 59        |
| 563 | It is time to plan clinical trials on true NERD patients. Neurogastroenterology and Motility, 2012, 24, 885-886.  | 1.6      | 1         |
| 564 | Ultrasound Assessment of the Rotator Cuff Cable: Comparison Between Young and Elderly<br>Asymptomatic Volunteers and Interobserver Reproducibility. Ultrasound in Medicine and Biology,<br>2012, 38, 35-41.                     | 0.7      | 14        |
| 565 | The Relevance of Weakly Acidic Reflux in Patients With Barrett's Esophagus. Gastroenterology, 2012, 143, e21-e22.   | 0.6      | 2         |
| 566 | Functional aspects of distal oesophageal spasm: The role of onset velocity and contraction amplitude on bolus transit. Digestive and Liver Disease, 2012, 44, 569-575.  | 0.4      | 4         |
| 567 | Impedance-pH reflux patterns can differentiate non-erosive reflux disease from functional heartburn patients. Journal of Gastroenterology, 2012, 47, 159-168.   | 2.3      | 102       |
| 568 | How many cases of laryngopharyngeal reflux suspected by laryngoscopy are gastroesophageal reflux<br>disease-related?. World Journal of Gastroenterology, 2012, 18, 4363.  | 1.4      | 132       |
| 569 | Achalasia With Dense Eosinophilic Infiltrate Responds to Steroid Therapy. Clinical Gastroenterology and Hepatology, 2011, 9, 1104-1106.   | 2.4      | 62        |
| 570 | Gastroesophageal Reflux is More Relevant Than Motor Dysfunction in Provoking Non-Cardiac Chest<br>Pain. Gastroenterology, 2011, 140, S-251-S-252.   | 0.6      | 0         |
| 571 | OC.03.5: REFLUX PATTERNS DIFFER AMONG PATIENTS WITH NON-EROSIVE REFLUX DISEASE (NERD),<br>HYPERSENSITIVE ESOPHAGUS (HE) AND FUNCTIONAL HEARTBURN (FH). Digestive and Liver Disease, 2011, 43,<br>S124-S125.                     | 0.4      | 0         |
| 572 | OC.03.6: PREVALENCE OF ESOPHAGEAL MOTILITY ABNORMALITIES IN PATIENTS WITH "TRUE―NON-EROSIVI<br>REFLUX DISEASE, EROSIVE ESOPHAGITIS, BARRETT ESOPHAGUS AND FUNCTIONAL HEARTBURN. Digestive and<br>Liver Disease, 2011, 43, S125. | E<br>0.4 | 0         |
| 573 | P.1.37: GASTROESOPHAGEAL REFLUX IS MORE RELEVANT THAN ESOPHAGEAL MOTOR DYSFUNCTION IN PROVOKING NON-CARDIAC CHEST PAIN IN ENDOSCOPY-NEGATIVE PATIENTS. Digestive and Liver Disease, 2011, 43, S160.                             | 0.4      | 0         |
| 574 | P.1.44: PREVALENCE OF NON-POLYPOID LATERALLY SPREADING TUMORS (LST) AND ROLE OF MUCOSECTOMY IN THEIR REMOVAL: OUR EXPERIENCE. Digestive and Liver Disease, 2011, 43, S163.  | 0.4      | 0         |
| 575 | P.1.69: PREVALENCE OF SERRATED ADENOMAS IN PATIENTS WHO UNDERWENT PAN-COLONOSCOPY: A RETROSPECTIVE STUDY. Digestive and Liver Disease, 2011, 43, S171.  | 0.4      | 0         |
| 576 | P.1.106: DIFFERENCES IN REFLUX CHARACTERISTICS CAN BE DIAGNOSTIC IN NERD PATIENTS WHEN SYMPTOMS DO NOT OCCUR DURING MII-PH TESTING. Digestive and Liver Disease, 2011, 43, S183.  | 0.4      | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 577 | P.1.201: CAN WE ESTIMATE ORO-CECAL TRANSIT TIME USING MRI? A COMPARISON WITH HYDROGEN BREATH TEST (H2-BT) IN HEALTHY VOLUNTEERS. Digestive and Liver Disease, 2011, 43, S214-S215.                      | 0.4 | 0         |
| 578 | The added value of impedance-pH monitoring to Rome III criteria in distinguishing functional heartburn from non-erosive reflux disease. Digestive and Liver Disease, 2011, 43, 542-547.                 | 0.4 | 140       |
| 579 | Comment to "Current applications of evolving methodologies in gastroesophageal reflux disease testing― Digestive and Liver Disease, 2011, 43, 835.  | 0.4 | 0         |
| 580 | Nocturnal reflux and sleep disturbances: An overlooked link in the past. Digestive and Liver Disease, 2011, 43, 755-756.  | 0.4 | 1         |
| 581 | Overweight is a risk factor for both erosive and non-erosive reflux disease. Digestive and Liver<br>Disease, 2011, 43, 940-945.   | 0.4 | 52        |
| 582 | Impedance-pH Monitoring Increases the Diagnostic Yield in Endoscopic Negative Patients With<br>Non-Cardiac Chest Pain. Gastroenterology, 2011, 140, S-247-S-248.  | 0.6 | 0         |
| 583 | The Differing Role of Overweight Among the Various Subgroups of Non-Erosive Reflux Disease.<br>Gastroenterology, 2011, 140, S-627.  | 0.6 | 0         |
| 584 | Can We Estimate Oro-Cecal Transit Time Using Magnetic Resonance Imaging (MRI)? A Comparison With<br>Hydrogen Breath Test (H2-BT) in Healthy Volunteers. Gastroenterology, 2011, 140, S-446.             | 0.6 | 0         |
| 585 | P.1.253: METHANE PRODUCTION ASSESSED BY GLUCOSE BREATH TEST IS ASSOCIATED WITH FUNCTIONAL CONSTIPATION HABIT. Digestive and Liver Disease, 2011, 43, S232.  | 0.4 | 0         |
| 586 | Microscopic esophagitis and Barrett's esophagus: The histology report. Digestive and Liver Disease, 2011, 43, S319-S330.  | 0.4 | 33        |
| 587 | Prevention of postoperative recurrence of Crohn's disease by Adalimumab. European Journal of<br>Gastroenterology and Hepatology, 2011, 24, 1.   | 0.8 | 21        |
| 588 | Oesophageal motility and bolus transit abnormalities increase in parallel with the severity of gastro-oesophageal reflux disease. Alimentary Pharmacology and Therapeutics, 2011, 34, 476-486.          | 1.9 | 172       |
| 589 | The reason for failure of on-demand PPI therapy in NERD patients. Neurogastroenterology and Motility, 2011, 23, 811-811.  | 1.6 | 1         |
| 590 | Barrett's esophagus: proton pump inhibitors and chemoprevention II. Annals of the New York Academy of Sciences, 2011, 1232, 114-139.  | 1.8 | 12        |
| 591 | Barrett's esophagus: surgical treatments. Annals of the New York Academy of Sciences, 2011, 1232, 175-195.  | 1.8 | 4         |
| 592 | Ultrasound-guided percutaneous injection of triamcinolone acetonide for treating capsular<br>contracture in patients with augmented and reconstructed breast. European Radiology, 2011, 21,<br>575-581. | 2.3 | 16        |
| 593 | The Role of Acid in Functional Dyspepsia. American Journal of Gastroenterology, 2011, 106, 1168.  | 0.2 | 9         |
| 594 | The Relevance of Reflux Monitoring Off Therapy. American Journal of Gastroenterology, 2011, 106,<br>1558-1559.  | 0.2 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 595 | Small Intestinal Bacterial Overgrowth and Helicobacter pylori : Can They Be Cause of<br>Thrombocytopenia in Patients With Chronic Liver Disease?. American Journal of Gastroenterology,<br>2011, 106, 1171-1172.  | 0.2 | 3         |
| 596 | Emerging Factors of Survival in Usual Interstitial Pneumonia and Nonspecific Interstitial Pneumonia.<br>Chest, 2010, 138, 534A.   | 0.4 | 0         |
| 597 | Clinical trial: the combination of rifaximin with partially hydrolysed guar gum is more effective than<br>rifaximin alone in eradicating small intestinal bacterial overgrowth. Alimentary Pharmacology and<br>Therapeutics, 2010, 32, 1000-1006.                                   | 1.9 | 62        |
| 598 | Characteristics of gastro-esophageal reflux episodes in Barrett's esophagus, erosive esophagitis and healthy volunteers. Neurogastroenterology and Motility, 2010, 22, 1061-e280.   | 1.6 | 72        |
| 599 | Characteristics of Reflux Episodes and Symptom Association in Patients With Erosive Esophagitis and<br>Nonerosive Reflux Disease: Study Using Combined Impedance–pH Off Therapy. American Journal of<br>Gastroenterology, 2010, 105, 1053-1061.                                     | 0.2 | 190       |
| 600 | Excellent agreement between genetic and hydrogen breath tests for lactase deficiency and the role of extended symptom assessment. British Journal of Nutrition, 2010, 104, 900-907.   | 1.2 | 55        |
| 601 | OC.08.2 MICROSCOPIC ESOPHAGITIS IS MORE FREQUENT IN PATIENTS WITH PH-POSITIVE NON-EROSIVE<br>REFLUX DISEASE AND HYPERSENSITIVE ESOPHAGUS THAN IN THOSE WITH FUNCTIONAL HEARTBURN: A<br>STUDY USING IMPEDANCE-PH AND OPTICAL MICROSCOPY. Digestive and Liver Disease, 2010, 42, S89. | 0.4 | 0         |
| 602 | P.11 IS NONACID ACIDIC REFLUX INCREASED IN CHOLECYSTECTOMIZED PATIENTS WITH TYPICAL REFLUX SYMPTOMS? A STUDY USING IMPEDANCE-pH MONITORING. Digestive and Liver Disease, 2010, 42, S106.  | 0.4 | 0         |
| 603 | P.14 PREVALENCE OF ESOPHAGEAL MOTILITY ABNORMALITIES IN PATIENTS WITH "TRUE―NON-EROSIVE<br>REFLUX DISEASE, EROSIVE ESOPHAGITIS, BARRETT ESOPHAGUS AND FUNCTIONAL HEARTBURN. Digestive and<br>Liver Disease, 2010, 42, S107.   | 0.4 | 0         |
| 604 | P.18 SYMPTOM ASSOCIATION PROBABILITY FOR ACID AND NONACID REFLUX IN PATIENTS WITH EROSIVE ESOPHAGITIS (EE) AND NON-EROSIVE REFLUX DISEASE (NERD). Digestive and Liver Disease, 2010, 42, S109.  | 0.4 | 0         |
| 605 | P.49 ULTRASOUND EVALUATION OF THE POSTERIOR COMPARTMENT OF THE FEMALE PELVIC FLOOR:<br>TRANS-LABIAL ASSESSMENT OF NORMAL ANATOMY AND PATHOLOGIC CONDITIONS. Digestive and Liver<br>Disease, 2010, 42, S120-S121.  | 0.4 | 0         |
| 606 | Functional heartburn has more in common with functional dyspepsia than with non-erosive reflux disease. Gut, 2009, 58, 1185-1191.   | 6.1 | 206       |
| 607 | Gastroesophageal Reflux and Pulmonary Fibrosis in Scleroderma. American Journal of Respiratory and Critical Care Medicine, 2009, 179, 408-413.  | 2.5 | 251       |
| 608 | Microscopic esophagitis in gastro-esophageal reflux disease: individual lesions, biopsy sampling, and<br>clinical correlations. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur<br>Klinische Medizin, 2009, 454, 31-39.  | 1.4 | 42        |
| 609 | Reflux patterns in patients with shortâ€segment Barrett's oesophagus: a study using impedanceâ€pH<br>monitoring off and on proton pump inhibitor therapy. Alimentary Pharmacology and Therapeutics,<br>2009, 30, 508-515.   | 1.9 | 53        |
| 610 | LACTULOSE BREATH TEST IS A NON-INVASIVE TOOL TO ASSESS ESOPHAGEAL INVOLVEMENT IN SCLERODERMA PATIENTS. Digestive and Liver Disease, 2009, 41, S44.  | 0.4 | 0         |
| 611 | NONACID REFLUX IS ABLE TO DETERMINE MICROSCOPIC ESOPHAGITIS IN NON-EROSIVE REFLUX DISEASE (NERD) PATIENTS. Digestive and Liver Disease, 2009, 41, S64.  | 0.4 | 0         |
| 612 | REFLUX AND DYSPEPTIC SYMPTOM PATTERNS IN PATIENTS WITH NON EROSIVE REFLUX DISEASE (NERD)<br>SUBCLASSIFIED USING 24-HOUR AMBULATORY INTRALUMINAL pH-IMPEDANCE. Digestive and Liver Disease,<br>2009, 41, S65.  | 0.4 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 613 | DEMOGRAPHIC AND CLINICAL FEATURES HELP TO IDENTIFY NON EROSIVE REFLUX DISEASE (NERD) PATIENTS WITH ABNORMAL pH-IMPEDANCE TESTING. Digestive and Liver Disease, 2009, 41, S77.   | 0.4 | 0         |
| 614 | GASTROINTESTINAL ASSESSMENT IN A LARGE COHORT OF PATIENTS SUFFERING FROM SYSTEMIC SCLEROSIS.<br>Digestive and Liver Disease, 2009, 41, S140-S141.   | 0.4 | 0         |
| 615 | Proton pump inhibitors in GORDAn overview of their pharmacology, efficacy and safety.<br>Pharmacological Research, 2009, 59, 135-153.   | 3.1 | 156       |
| 616 | Positive Glucose Breath Testing is More Prevalent in Patients With IBS-like Symptoms Compared With<br>Controls of Similar Age and Gender Distribution. Journal of Clinical Gastroenterology, 2009, 43,<br>962-966.                  | 1,1 | 59        |
| 617 | Gastroesophageal Reflux and Lung Disease in Systemic Sclerosis. American Journal of Respiratory and<br>Critical Care Medicine, 2009, 179, 1167-1168.  | 2.5 | 1         |
| 618 | The Italian validation of the Montreal Global definition and classification of gastroesophageal reflux disease. European Journal of Gastroenterology and Hepatology, 2009, 21, 394-408.   | 0.8 | 14        |
| 619 | PA.3 PREVALENCE OF DYSPEPSIA SYMPTOMS IN PATIENTS WITH NON EROSIVE REFLUX DISEASE (NERD)<br>SUBCLASSIFIED USING 24-HOUR AMBULATORY INTRALUMINAL PH-IMPEDANCE. Digestive and Liver Disease,<br>2008, 40, S76-S77.                    | 0.4 | 0         |
| 620 | PA.132 FINDINGS AFTER ULTRASOUND-GUIDED FINE NEEDLE AGO-BIOPSY (FNAB) IN SUSPECTED PANCREATIC LESIONS. Digestive and Liver Disease, 2008, 40, S123.   | 0.4 | 0         |
| 621 | PA.181 PREDICTABLE BOLUS RETENTION SITE ALONG THE ESOPHAGUS IN PATIENTS WITH ESOPHAGEAL SYMPTOMS: STUDIES USING COMBINED IMPEDANCE-MANOMETRY TESTING. Digestive and Liver Disease, 2008, 40, S142.                                  | 0.4 | 0         |
| 622 | PA.243 CONVENTIONAL CONTRAST-ENHANCED ULTRASONOGRAPHY (CEUS) VERSUS SIDE-BY-SIDE CEUS IN<br>THE ASSESSMENT OF "DIFFICULT―LIVER LESIONS. Digestive and Liver Disease, 2008, 40, S164.  | 0.4 | 0         |
| 623 | Combined multichannel intraluminal impedance and manometry testing. Digestive and Liver Disease, 2008, 40, 167-173.   | 0.4 | 30        |
| 624 | Small Intestinal Bacterial Overgrowth in Rosacea: Clinical Effectiveness of Its Eradication. Clinical Gastroenterology and Hepatology, 2008, 6, 759-764.  | 2.4 | 177       |
| 625 | Management Strategy for Patients With Gastroesophageal Reflux Disease: A Comparison Between<br>Empirical Treatment With Esomeprazole and Endoscopy-Oriented Treatment. American Journal of<br>Gastroenterology, 2008, 103, 267-275. | 0.2 | 60        |
| 626 | The Role of Nonacid Reflux in NERD: Lessons Learned From Impedance-pH Monitoring in 150 Patients off<br>Therapy. American Journal of Gastroenterology, 2008, 103, 2685-2693.  | 0.2 | 224       |
| 627 | Small Intestinal Bacterial Overgrowth in Patients Suffering From Scleroderma: Clinical Effectiveness of Its Eradication. American Journal of Gastroenterology, 2008, 103, 1257-1262.  | 0.2 | 114       |
| 628 | Characteristics of the Esophageal Low-Pressure Zone in Healthy Volunteers and Patients With<br>Esophageal Symptoms: Assessment by High-Resolution Manometry. American Journal of<br>Gastroenterology, 2008, 103, 2544-2549.         | 0.2 | 41        |
| 629 | Is acid relevant in the genesis of dyspeptic symptoms associated with nonerosive reflux disease?.<br>European Journal of Gastroenterology and Hepatology, 2008, 20, 252-254.  | 0.8 | 3         |
| 630 | Functional Heartburn and Non-Erosive Reflux Disease. Digestive Diseases, 2007, 25, 172-174.   | 0.8 | 49        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 631 | Evidence of Prolonged Orocecal Transit Time and Small Intestinal Bacterial Overgrowth in<br>Acromegalic Patients. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 2119-2124.  | 1.8 | 40        |
| 632 | Normal values of 24-h ambulatory intraluminal impedance combined with pH-metry in subjects eating a<br>Mediterranean diet. Digestive and Liver Disease, 2006, 38, 226-232.  | 0.4 | 139       |
| 633 | Pharmacodynamic studies on PPIs: Look carefully at the country of origin. Digestive and Liver Disease, 2006, 38, 808-810.   | 0.4 | 1         |
| 634 | Can Helicobacter pylori Eradication Regimens be Shortened in Clinical Practice? An Open-label,<br>Randomized, Pilot Study of 4 and 7-day Triple Therapy With Rabeprazole, High-dose Levofloxacin, and<br>Tinidazole. Journal of Clinical Gastroenterology, 2006, 40, 515-520. | 1.1 | 16        |
| 635 | A Comparison Between Sodium Alginate and Magaldrate Anhydrous in the Treatment of Patients with<br>Gastroesophageal Reflux Symptoms. Digestive Diseases and Sciences, 2006, 51, 1904-1909.  | 1.1 | 31        |
| 636 | Role of partially hydrolyzed guar gum in the treatment of irritable bowel syndrome. Nutrition, 2006, 22, 334-342.   | 1.1 | 96        |
| 637 | Proton Pump Inhibitor Failure: Why Does It Occur and How Can It Be Managed?. Digestion, 2006, 73, 215-217.  | 1.2 | 11        |
| 638 | An evaluation of the antireflux properties of sodium alginate by means of combined multichannel intraluminal impedance and pH-metry. Alimentary Pharmacology and Therapeutics, 2005, 21, 29-34.   | 1.9 | 74        |
| 639 | Helicobacter pylori and tolerance to H2-blockers. Alimentary Pharmacology and Therapeutics, 2005, 21, 289-290.  | 1.9 | 2         |
| 640 | Air swallowing can be responsible for non-response of heartburn to high-dose proton pump<br>inhibitor. Digestive and Liver Disease, 2005, 37, 454-457.  | 0.4 | 4         |
| 641 | Reassessment of the Diagnostic Value of Histology in Patients with GERD, Using Multiple Biopsy Sites and an Appropriate Control Group. American Journal of Gastroenterology, 2005, 100, 2299-2306.  | 0.2 | 192       |
| 642 | Optimizing Symptom Relief and Preventing Complications in Adults with Gastro-Oesophageal Reflux<br>Disease. Digestion, 2004, 69, 9-16.  | 1.2 | 21        |
| 643 | A 10-day levofloxacin-based therapy in patients with resistant infection: A controlled trial. Clinical Gastroenterology and Hepatology, 2004, 2, 997-1002.  | 2.4 | 80        |
| 644 | Combined multichannel intraluminal impedance and pH-metry: a novel technique to improve detection of gastro-oesophageal reflux. Digestive and Liver Disease, 2004, 36, 565-569.   | 0.4 | 75        |
| 645 | PPI-based triple therapy in the eradication of H. pylori infection. Gastroenterology, 1999, 117, 746-747.   | 0.6 | 12        |
| 646 | Effect of one-month treatment with nonsteroidal antiinflammatory drugs (NSAIDs) on gastric pH of rheumatoid arthritis patients. Digestive Diseases and Sciences, 1998, 43, 459-463.   | 1.1 | 18        |
| 647 | Evaluation of 24-hour gastric acidity in patients with hepatic cirrhosis. Journal of Hepatology, 1996, 25, 152-157.   | 1.8 | 21        |
| 648 | Partial regression of Barrett's esophagus by long-term therapy with high-dose omeprazole.<br>Gastrointestinal Endoscopy, 1996, 44, 700-705.   | 0.5 | 135       |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 649 | A Comparison of Five Maintenance Therapies for Reflux Esophagitis. New England Journal of Medicine, 1995, 333, 1106-1110.  | 13.9 | 542       |
| 650 | Improvement in Esophageal Motor Abnormalities in Systemic Sclerosis Patients Treated with<br>Cyclosporine: Comment on the Article by Clements et al. Arthritis and Rheumatism, 1994, 37, 301-302.  | 6.7  | 21        |
| 651 | Antisecretory effects of three omeprazole regimens for maintenance treatment in duodenal ulcer.<br>Digestive Diseases and Sciences, 1994, 39, 1473-1482.   | 1.1  | 5         |
| 652 | Variability in individual response to various doses of omeprazole. Digestive Diseases and Sciences, 1994, 39, 161-168.   | 1.1  | 38        |
| 653 | Twentyâ€fourâ€Hour Control of Gastric Acidity by Twiceâ€Daily Doses of Placebo, Nizatidine 150 mg,<br>Nizatidine 300 mg, and Ranitidine 300 mg. Journal of Clinical Pharmacology, 1993, 33, 70-74. | 1.0  | 8         |
| 654 | Duration of Acid Suppression in H <sub>2</sub> -Antagonist Nonresponders. Digestion, 1992, 51, 185-192.  | 1.2  | 6         |
| 655 | Comparison of the Effects of Placebo, Ranitidine, Famotidine and Nizatidine on Intragastric Acidity by<br>Means of Continuous pH Recording. Digestion, 1989, 42, 1-6.                              | 1.2  | 25        |
| 656 | Global Prevalence of Chronic Idiopathic Constipation According to the Rome Criteria: Systematic<br>Review and Meta-Analysis. SSRN Electronic Journal, 0, , .                                       | 0.4  | 2         |
| 657 | Prevalence of Anxiety and Depression in Inflammatory Bowel Disease: Systematic Review and<br>Meta-Analysis. SSRN Electronic Journal, 0, , .  | 0.4  | Ο         |