

# Irene Murgia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3924770/publications.pdf>

Version: 2024-02-01

43  
papers

2,528  
citations

236925

25  
h-index

265206

42  
g-index

44  
all docs

44  
docs citations

44  
times ranked

2980  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plant iron nutrition: the long road from soil to seeds. <i>Journal of Experimental Botany</i> , 2022, 73, 1809-1824.	4.8	18
2	Network Topological Analysis for the Identification of Novel Hubs in Plant Nutrition. <i>Frontiers in Plant Science</i> , 2021, 12, 629013.	3.6	14
3	Formate dehydrogenase contributes to the early <i>Arabidopsis thaliana</i> responses against <i>Xanthomonas campestris</i> pv <i>campestris</i> infection. <i>Physiological and Molecular Plant Pathology</i> , 2021, 114, 101633.	2.5	5
4	cROStalk for Life: Uncovering ROS Signaling in Plants and Animal Systems, from Gametogenesis to Early Embryonic Development. <i>Genes</i> , 2021, 12, 525.	2.4	10
5	Plasticity, exudation and microbiome-association of the root system of Pellitory-of-the-wall plants grown in environments impaired in iron availability. <i>Plant Physiology and Biochemistry</i> , 2021, 168, 27-42.	5.8	3
6	Formate dehydrogenase takes part in molybdenum and iron homeostasis and affects dark-induced senescence in plants. <i>Journal of Plant Interactions</i> , 2020, 15, 386-397.	2.1	9
7	Biosynthesis of redox-active metabolites in response to iron deficiency in plants. <i>Nature Chemical Biology</i> , 2018, 14, 442-450.	8.0	220
8	Iron-Requiring Enzymes in the Spotlight of Oxygen. <i>Trends in Plant Science</i> , 2018, 23, 874-882.	8.8	30
9	Molybdenum and iron mutually impact their homeostasis in cucumber ( <i>Cucumis sativus</i> ) plants. <i>New Phytologist</i> , 2017, 213, 1222-1241.	7.3	65
10	Iron Deficiency Prolongs Seed Dormancy in <i>Arabidopsis</i> Plants. <i>Frontiers in Plant Science</i> , 2017, 8, 2077.	3.6	15
11	Three-Dimensional Reconstruction, by TEM Tomography, of the Ultrastructural Modifications Occurring in <i>Cucumis sativus</i> L. Mitochondria under Fe Deficiency. <i>PLoS ONE</i> , 2015, 10, e0129141.	2.5	26
12	Analysis of the transgenerational iron deficiency stress memory in <i>Arabidopsis thaliana</i> plants. <i>Frontiers in Plant Science</i> , 2015, 6, 745.	3.6	22
13	Analysis of <i>Arabidopsis thaliana</i> <i>atfer4-1</i> , <i>atfh</i> and <i>atfer4-1/atfh</i> mutants uncovers frataxin and ferritin contributions to leaf ionome homeostasis. <i>Plant Physiology and Biochemistry</i> , 2015, 94, 65-72.	5.8	20
14	Mitochondrial ferritin is a functional iron-storage protein in cucumber ( <i>Cucumis sativus</i> ) roots. <i>Frontiers in Plant Science</i> , 2013, 4, 316.	3.6	30
15	Searching iron sensors in plants by exploring the link among 2-OG-dependent dioxygenases, the iron deficiency response and metabolic adjustments occurring under iron deficiency. <i>Frontiers in Plant Science</i> , 2013, 4, 169.	3.6	38
16	Biofortification: how can we exploit plant science and biotechnology to reduce micronutrient deficiencies?. <i>Frontiers in Plant Science</i> , 2013, 4, 429.	3.6	27
17	Biofortification for combating "hidden hunger" for iron. <i>Trends in Plant Science</i> , 2012, 17, 47-55.	8.8	131
18	<i>Arabidopsis</i> CYP82C4 expression is dependent on Fe availability and circadian rhythm, and correlates with genes involved in the early Fe deficiency response. <i>Journal of Plant Physiology</i> , 2011, 168, 894-902.	3.5	54

#	ARTICLE	IF	CITATIONS
19	Nitric oxide, nitrosyl iron complexes, ferritin and frataxin: A well equipped team to preserve plant iron homeostasis. <i>Plant Science</i> , 2011, 181, 582-592.	3.6	76
20	Identification of an Arabidopsis mitoferrinlike carrier protein involved in Fe metabolism. <i>Plant Physiology and Biochemistry</i> , 2011, 49, 520-529.	5.8	31
21	Knocking out of the mitochondrial AtFer4 ferritin does not alter response of Arabidopsis plants to abiotic stresses. <i>Journal of Plant Physiology</i> , 2010, 167, 453-460.	3.5	24
22	AtFer4 ferritin is a determinant of iron homeostasis in Arabidopsis thaliana heterotrophic cells. <i>Journal of Plant Physiology</i> , 2010, 167, 1598-1605.	3.5	31
23	Mitochondrial iron metabolism in plants: frataxin comes into play. <i>Plant and Soil</i> , 2009, 325, 5-14.	3.7	12
24	The proton pump interactor (<i>Ppi</i>) gene family of <i>Arabidopsis thaliana</i>: expression pattern of <i>Ppi1</i> and characterisation of knockout mutants for <i>Ppi1</i> and <i>2</i>. <i>Plant Biology</i> , 2008, 10, 237-249.	3.8	14
25	Cross-talk between singlet oxygen- and hydrogen peroxide-dependent signaling of stress responses in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 672-677.	7.1	298
26	Knockout of frataxin gene causes embryo lethality in Arabidopsis. <i>FEBS Letters</i> , 2007, 581, 667-672.	2.8	54
27	Knock-out of ferritin AtFer1 causes earlier onset of age-dependent leaf senescence in Arabidopsis. <i>Plant Physiology and Biochemistry</i> , 2007, 45, 898-907.	5.8	44
28	An Iron-induced Nitric Oxide Burst Precedes Ubiquitin-dependent Protein Degradation for Arabidopsis AtFer1 Ferritin Gene Expression. <i>Journal of Biological Chemistry</i> , 2006, 281, 23579-23588.	3.4	167
29	Antisense reduction of thylakoidal ascorbate peroxidase in Arabidopsis enhances Paraquat-induced photooxidative stress and Nitric Oxide-induced cell death. <i>Planta</i> , 2005, 221, 757-765.	3.2	62
30	Evidence for the presence of ferritin in plant mitochondria. <i>FEBS Journal</i> , 2004, 271, 3657-3664.	0.2	93
31	Arabidopsis thaliana plants overexpressing thylakoidal ascorbate peroxidase show increased resistance to Paraquat-induced photooxidative stress and to nitric oxide-induced cell death. <i>Plant Journal</i> , 2004, 38, 940-953.	5.7	284
32	Comparative effects of various nitric oxide donors on ferritin regulation, programmed cell death, and cell redox state in plant cells. <i>Journal of Plant Physiology</i> , 2004, 161, 777-783.	3.5	107
33	Differential involvement of the IDRS cis -element in the developmental and environmental regulation of the AtFer1 ferritin gene from Arabidopsis. <i>Planta</i> , 2003, 217, 709-716.	3.2	56
34	The Functions of Nitric Oxide-Mediated Signaling and Changes in Gene Expression During the Hypersensitive Response. <i>Antioxidants and Redox Signaling</i> , 2003, 5, 33-41.	5.4	64
35	Reactive oxygen intermediates modulate nitric oxide signaling in the plant hypersensitive disease-resistance response. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 605-610.	5.8	91
36	Nitric oxide mediates iron-induced ferritin accumulation in Arabidopsis. <i>Plant Journal</i> , 2002, 30, 521-528.	5.7	159

#	ARTICLE	IF	CITATIONS
37	A novel interaction partner for the C-terminus of Arabidopsis thaliana plasma membrane H <sup>+</sup> -ATPase (AHA1 isoform): site and mechanism of action on H <sup>+</sup> -ATPase activity differ from those of 14-3-3 proteins#. Plant Journal, 2002, 31, 487-497.	5.7	31
38	Plant ferritin accumulates in response to photoinhibition but its ectopic overexpression does not protect against photoinhibition. Plant Physiology and Biochemistry, 2001, 39, 797-805.	5.8	40
39	A non-destructive selection method for resistance to fusaric acid in Arabidopsis thaliana. Plant Cell Reports, 1998, 18, 255-259.	5.6	2
40	Wild-Type Strains of Dictyostelium discoideum Can Be Transformed Using a Novel Selection Cassette Driven by the Promoter of the Ribosomal V18 Gene. Plasmid, 1996, 36, 169-181.	1.4	26
41	A mutational analysis of Dictyostelium discoideum multicellular development. Microbiology (United Kingdom) 1995, 135, 107-114.	1.8	3
42	An actin-related protein from Dictyostelium discoideum is developmentally regulated and associated with mitochondria. FEBS Letters, 1995, 360, 235-241.	2.8	19
43	Good or Bad? The Double Face of Iron in Plants. Frontiers for Young Minds, 0, 10, .	0.8	2