## **Claudio Picariello**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3926029/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Multipoint pacing by a left ventricular quadripolar lead improves the acute hemodynamic response to CRT compared with conventional biventricular pacing at any site. Heart Rhythm, 2015, 12, 975-981.	0.7	97
2	Optimization of left ventricular pacing site plus multipoint pacing improves remodeling and clinical response to cardiac resynchronization therapy at 1 year. Heart Rhythm, 2016, 13, 1644-1651.	0.7	72
3	Uric acid in the early risk stratification of ST-elevation myocardial infarction. Internal and Emergency Medicine, 2012, 7, 33-39.	2.0	58
4	Lactate clearance in cardiogenic shock following ST elevation myocardial infarction: A pilot study. Acute Cardiac Care, 2012, 14, 20-26.	0.2	57
5	The Impact of Hypertension on Patients with Acute Coronary Syndromes. International Journal of Hypertension, 2011, 2011, 1-7.	1.3	54
6	Lactate and lactate clearance in acute cardiac care patients. European Heart Journal: Acute Cardiovascular Care, 2012, 1, 115-121.	1.0	49
7	Hisian area and right ventricular apical pacing differently affect left atrial function: an intra-patients evaluation. Europace, 2014, 16, 1033-1039.	1.7	41
8	A prospective validation of the Bova score in normotensive patients with acute pulmonary embolism. Thrombosis Research, 2018, 165, 107-111.	1.7	35
9	Nonthyroidal illness syndrome in ST-elevation myocardial infarction treated with mechanical revascularization. International Journal of Cardiology, 2012, 158, 103-104.	1.7	33
10	In-hospital peak glycemia and prognosis in STEMI patients without earlier known diabetes. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 419-423.	2.8	31
11	Procalcitonin in patients with acute coronary syndromes and cardiogenic shock submitted to percutaneous coronary intervention. Internal and Emergency Medicine, 2009, 4, 403-408.	2.0	30
12	Correlates of acute insulin resistance in the early phase of non-diabetic ST-elevation myocardial infarction. Diabetes and Vascular Disease Research, 2011, 8, 35-42.	2.0	29
13	Acute glucose dysmetabolism in the early phase of ST-elevation myocardial infarction: the age response. Diabetes and Vascular Disease Research, 2010, 7, 131-137.	2.0	28
14	In-hospital refractory cardiac arrest treated with extracorporeal membrane oxygenation: A tertiary single center experience. Acute Cardiac Care, 2013, 15, 47-51.	0.2	28
15	Procalcitonin in acute cardiac patients. Internal and Emergency Medicine, 2011, 6, 245-252.	2.0	25
16	Impact of age on the prognostic value of body mass index in ST-Elevation myocardial infarction. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 205-211.	2.6	25
17	Patients with right bundle branch block and concomitant delayed left ventricular activation respond to cardiac resynchronization therapy. Europace, 2018, 20, e171-e178.	1.7	24
18	The prognostic role of gamma-glutamyltransferase activity in non-diabetic ST-elevation myocardial infarction. Internal and Emergency Medicine, 2011, 6, 213-219.	2.0	22

CLAUDIO PICARIELLO

#	Article	IF	CITATIONS
19	Lactate in the acute phase of ST-elevation myocardial infarction treated with mechanical revascularization. American Journal of Emergency Medicine, 2012, 30, 92-96.	1.6	22
20	Correlation and prognostic role of neutrophil to lymphocyte ratio and SYNTAX score in patients with acute myocardial infarction treated with percutaneous coronary intervention: A six-year experience. Cardiovascular Revascularization Medicine, 2017, 18, 565-571.	0.8	22
21	Usefulness of Hyponatremia in the Acute Phase of ST-Elevation Myocardial Infarction as a Marker of Severity. American Journal of Cardiology, 2012, 110, 1419-1424.	1.6	20
22	Impact of hypertension on short- and long-term prognoses in patients with ST elevation myocardial infarction and without previously known diabetes. Heart and Vessels, 2012, 27, 370-376.	1.2	20
23	Strong-ion gap approach in patients with cardiogenic shock following ST-elevation myocardial infarction. Acute Cardiac Care, 2013, 15, 58-62.	0.2	19
24	ECG parameters predict left ventricular conduction delay in patients with left ventricular dysfunction. Heart Rhythm, 2016, 13, 2289-2296.	0.7	18
25	Predictors of the early outcome in elderly patients with ST elevation myocardial infarction treated with primary angioplasty: a single center experience. Internal and Emergency Medicine, 2011, 6, 41-46.	2.0	17
26	The prognostic role of chronic obstructive pulmonary disease in ST-elevation myocardial infarction after primary angioplasty. European Journal of Preventive Cardiology, 2013, 20, 392-398.	1.8	17
27	Evaluation of acid–base balance in ST-elevation myocardial infarction in the early phase: a prognostic tool?. Coronary Artery Disease, 2010, 21, 266-272.	0.7	15
28	Prognostic values of admission transaminases in ST-elevation myocardial infarction submitted to primary angioplasty. Medical Science Monitor, 2010, 16, CR567-74.	1.1	15
29	The prognostic role of in-hospital peak glycemia in stemi patients with and without diabetes. Acta Diabetologica, 2012, 49, 379-386.	2.5	14
30	Acid–base imbalance in uncomplicated ST-elevation myocardial infarction: the clinical role of tissue acidosis. Internal and Emergency Medicine, 2010, 5, 61-66.	2.0	13
31	Glycated hemoglobin in ST-elevation myocardial infarction without previously known diabetes: Its short and long term prognostic role. Diabetes Research and Clinical Practice, 2012, 95, e14-e16.	2.8	12
32	The prognostic impact of glycated hemoglobin in diabetic ST-elevation myocardial infarction. International Journal of Cardiology, 2011, 151, 250-252.	1.7	11
33	Coronary artery disease and Helicobacter pylori infection: Should we consider eradication therapy as cardiovascular prevention strategy?. International Journal of Cardiology, 2016, 223, 711-712.	1.7	11
34	Kinetics of procalcitonin in cardiogenic shock and in septic shock. Preliminary data. Acute Cardiac Care, 2010, 12, 96-101.	0.2	10
35	The impact of admission procalcitonin on prognosis in acute coronary syndromes: a pilot study. Biomarkers, 2012, 17, 56-61.	1.9	10
36	Acute glucose dysmetabolism in the elderly with ST elevation myocardial infarction submitted to mechanical revascularization. International Journal of Cardiology, 2012, 155, 66-69.	1.7	9

#	Article	IF	CITATIONS
37	Acute hyperglycemia and insulin resistance in acute heart failure syndromes without previously known diabetes. Internal and Emergency Medicine, 2012, 7, 497-503.	2.0	9
38	Takotsubo Cardiomyopathy in an Elderly Woman with Alzheimer's Disease: A Rare Association. Case Report and Miniâ€Review of the Literature. Journal of the American Geriatrics Society, 2016, 64, 916-917.	2.6	9
39	Hemodynamic comparison of different multisites and multipoint pacing strategies in cardiac resynchronization therapies. Journal of Interventional Cardiac Electrophysiology, 2018, 53, 31-39.	1.3	9
40	Microalbuminuria in hypertensive nondiabetic patients with ST elevation myocardial infarction. Journal of Cardiovascular Medicine, 2010, 11, 748-753.	1.5	8
41	Air pollution and ST-elevation myocardial infarction treated with primary percutaneous coronary angioplasty: A direct correlation. International Journal of Cardiology, 2017, 236, 49-53.	1.7	8
42	Prognostic role of a new risk index for the prediction of 30-day cardiovascular mortality in patients with acute pulmonary embolism: the Age-Mean Arterial Pressure Index (AMAPI). Heart and Vessels, 2017, 32, 1478-1487.	1.2	8
43	ST-elevation myocardial infarction with preserved ejection fraction: The impact of worsening renal failure. International Journal of Cardiology, 2012, 155, 170-172.	1.7	7
44	The glucose dysmetabolism in the acute phase of non-diabetic ST-elevation myocardial infarction: from insulin resistance to hyperglycemia. Acta Diabetologica, 2013, 50, 293-300.	2.5	7
45	Cardiovascular disease in patients with inflammatory bowel disease: An issue in no guidelines land. International Journal of Cardiology, 2016, 222, 984-985.	1.7	7
46	Characterization of single vs. recurrent spontaneous coronary artery dissection. Asian Cardiovascular and Thoracic Annals, 2018, 26, 89-93.	0.5	7
47	Risk of Dislodgement of Ultrathin Drug Eluting Stents Versus Thick Drug Eluting Stents. American Journal of Cardiology, 2020, 125, 1619-1623.	1.6	7
48	Predictors for in-hospital peak glycemia in STEMI patients without previously known diabetes. International Journal of Cardiology, 2012, 155, 459-461.	1.7	6
49	Acidemia in severe acute cardiogenic pulmonary edema treated with noninvasive pressure support ventilation. Journal of Cardiovascular Medicine, 2015, 16, 610-615.	1.5	6
50	Breast arterial calcifications on mammography and coronary artery disease: A new screening tool for cardiovascular disease?. International Journal of Cardiology, 2016, 220, 310-311.	1.7	6
51	Microalbuminuria in non-diabetic stemi: An independent predictor for acute kidney injury. Scandinavian Cardiovascular Journal, 2012, 46, 324-329.	1.2	5
52	The impact of blood transfusion on short and long term prognosis in STEMI patients treated with primary percutaneous coronary intervention. International Journal of Cardiology, 2012, 157, 281-283.	1.7	4
53	The QR-max index, a novel electrocardiographic index for the determination of left ventricular conduction delay and selection of cardiac resynchronization in patients with non-left bundle branch block. Journal of Interventional Cardiac Electrophysiology, 2020, 58, 147-156.	1.3	4
54	Ultrathin Biodegradable-Polymer Orsiro Drug-Eluting Stent Performance in Real Practice Challenging Settings. Cardiovascular Revascularization Medicine, 2021, 30, 12-17.	0.8	4

CLAUDIO PICARIELLO

#	Article	IF	CITATIONS
55	Endotoxin role in cardiogenic shock: A brief report. International Journal of Cardiology, 2013, 167, 3031-3032.	1.7	3
56	Procalcitonin as a Reliable Biomarker in Acute Coronary Syndromes: What Is Its Role?. Journal of Emergency Medicine, 2013, 45, 921-922.	0.7	3
57	Gender-related differences in clinical outcomes after either single or double left main bifurcation stenting. Heart and Vessels, 2022, 37, 1326-1336.	1.2	3
58	The influence of renal function on the prognostic value of Nt-pro brain natriuretic peptide in St-elevation myocardial infarction. International Journal of Cardiology, 2012, 156, 333-335.	1.7	2
59	Trends in mortality rates in elderly <scp>ST</scp> elevation myocardial infarction patients submitted to primary percutaneous coronary intervention: A 7â€year singleâ€center experience. Geriatrics and Gerontology International, 2013, 13, 711-717.	1.5	2
60	Role of myocardial perfusion scintigraphy in predicting global cardiovascular risk and differentiating between patients with moderate and high cardiovascular risk. Nuclear Medicine Communications, 2016, 37, 805-811.	1.1	2
61	Left ventricular diastolic dysfunction in young patients with subclinical hypothyroidism: To screen or not to screen? To treat or not to treat?. International Journal of Cardiology, 2016, 214, 299-300.	1.7	2
62	Aortitis-related isolated bilateral coronary artery ostial stenosis in a young woman with acute coronary syndrome. International Journal of Cardiology, 2016, 223, 111-112.	1.7	2
63	Game theory and microarray analysis in coronary artery disease and atherosclerosis: Math helps the cardiology research. International Journal of Cardiology, 2016, 215, 143-144.	1.7	1
64	Economic burden of venous thromboembolism: Are novel oral anticaoagulants the possible solution?. International Journal of Cardiology, 2016, 220, 551-552.	1.7	1
65	Follow-up of coronary artery patency after implantation of bioresorbable coronary scaffolds: The emerging role of magnetic coronary artery imaging. Cardiovascular Revascularization Medicine, 2017, 18, 369-373.	0.8	1
66	TIMI Risk Index as a Predictor of 30-Day Outcomes in Patients With Acute Pulmonary Embolism. Heart Lung and Circulation, 2018, 27, 190-198.	0.4	1
67	Burden of costs associated with heparin-induced thrombocytopenia: is time to remove unfractionated heparin from the drug formularies in medical institutions?. Annals of Translational Medicine, 2016, 4, 244-244.	1.7	1
68	Basic Properties And Clinical Applications Of The Intracardiac. Journal of Atrial Fibrillation, 2016, 9, 1444.	0.5	1
69	Microalbuminuria in the early phase of ST-elevation myocardial infarction: beyond the methodologic issue. Journal of Cardiovascular Medicine, 2011, 12, 378-379.	1.5	Ο
70	Response to: Strong ion approach in cardiogenic shock: formula and patients. Acute Cardiac Care, 2014, 16, 35-35.	0.2	0
71	136-59: Relation between ECG parameters and LV electrical delay in patients with left ventricular dysfunction. Europace, 2016, 18, i105-i105.	1.7	0
72	176-67: Dual left ventricular pacing improves acute hemodynamic response and long term remodeling compared to conventional biventricular pacing. Europace, 2016, 18, i134-i134.	1.7	0

#	Article	IF	CITATIONS
73	19-06: Clinical Outcomes at One Year Follow UP in cardiac resynchronization therapy with Acute Optimization of Left Ventricular Pacing Site and Multipoint Pacing. Europace, 2016, 18, i165-i165.	1.7	0
74	179-03: Hisian pacing with apical back-up: preliminary clinical experience. Europace, 2016, 18, i184-i184.	1.7	0
75	96-35: Long term follow-up of the hisian pacing: a single centre experience. Europace, 2016, 18, i69-i69.	1.7	Ο
76	Is time to consider diet as modifiable risk factor for venous thromboembolism?. International Journal of Cardiology, 2016, 222, 797-798.	1.7	0
77	Silent large vegetative mitral–aortic enterococcal endocarditis. Journal of Cardiovascular Medicine, 2016, 17, e199-e204.	1.5	Ο
78	Computational Fluid Dynamics as a Tool in the Development Process of Left Ventricular Assist Devices. Journal of Advanced Therapies and Medical Innovation Sciences, 0, 1, .	0.0	0