

# Claudio Picariello

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3926029/publications.pdf>

Version: 2024-02-01

78  
papers

1,168  
citations

361413

20  
h-index

434195

31  
g-index

85  
all docs

85  
docs citations

85  
times ranked

1532  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Gender-related differences in clinical outcomes after either single or double left main bifurcation stenting. <i>Heart and Vessels</i> , 2022, 37, 1326-1336.   | 1.2 | 3         |
| 2  | Ultrathin Biodegradable-Polymer Orsiro Drug-Eluting Stent Performance in Real Practice Challenging Settings. <i>Cardiovascular Revascularization Medicine</i> , 2021, 30, 12-17.  | 0.8 | 4         |
| 3  | The QR-max index, a novel electrocardiographic index for the determination of left ventricular conduction delay and selection of cardiac resynchronization in patients with non-left bundle branch block. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020, 58, 147-156. | 1.3 | 4         |
| 4  | Risk of Dislodgement of Ultrathin Drug Eluting Stents Versus Thick Drug Eluting Stents. <i>American Journal of Cardiology</i> , 2020, 125, 1619-1623.   | 1.6 | 7         |
| 5  | A prospective validation of the Bova score in normotensive patients with acute pulmonary embolism. <i>Thrombosis Research</i> , 2018, 165, 107-111.   | 1.7 | 35        |
| 6  | Hemodynamic comparison of different multisites and multipoint pacing strategies in cardiac resynchronization therapies. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 53, 31-39.   | 1.3 | 9         |
| 7  | Characterization of single vs. recurrent spontaneous coronary artery dissection. <i>Asian Cardiovascular and Thoracic Annals</i> , 2018, 26, 89-93.   | 0.5 | 7         |
| 8  | Patients with right bundle branch block and concomitant delayed left ventricular activation respond to cardiac resynchronization therapy. <i>Europace</i> , 2018, 20, e171-e178.  | 1.7 | 24        |
| 9  | TIMI Risk Index as a Predictor of 30-Day Outcomes in Patients With Acute Pulmonary Embolism. <i>Heart Lung and Circulation</i> , 2018, 27, 190-198.   | 0.4 | 1         |
| 10 | Air pollution and ST-elevation myocardial infarction treated with primary percutaneous coronary angioplasty: A direct correlation. <i>International Journal of Cardiology</i> , 2017, 236, 49-53.   | 1.7 | 8         |
| 11 | Correlation and prognostic role of neutrophil to lymphocyte ratio and SYNTAX score in patients with acute myocardial infarction treated with percutaneous coronary intervention: A six-year experience. <i>Cardiovascular Revascularization Medicine</i> , 2017, 18, 565-571.             | 0.8 | 22        |
| 12 | Follow-up of coronary artery patency after implantation of bioresorbable coronary scaffolds: The emerging role of magnetic coronary artery imaging. <i>Cardiovascular Revascularization Medicine</i> , 2017, 18, 369-373.   | 0.8 | 1         |
| 13 | Prognostic role of a new risk index for the prediction of 30-day cardiovascular mortality in patients with acute pulmonary embolism: the Age-Mean Arterial Pressure Index (AMAPI). <i>Heart and Vessels</i> , 2017, 32, 1478-1487.  | 1.2 | 8         |
| 14 | 136-59: Relation between ECG parameters and LV electrical delay in patients with left ventricular dysfunction. <i>Europace</i> , 2016, 18, i105-i105.   | 1.7 | 0         |
| 15 | 176-67: Dual left ventricular pacing improves acute hemodynamic response and long term remodeling compared to conventional biventricular pacing. <i>Europace</i> , 2016, 18, i134-i134.   | 1.7 | 0         |
| 16 | 19-06: Clinical Outcomes at One Year Follow UP in cardiac resynchronization therapy with Acute Optimization of Left Ventricular Pacing Site and Multipoint Pacing. <i>Europace</i> , 2016, 18, i165-i165.   | 1.7 | 0         |
| 17 | 179-03: Hisian pacing with apical back-up: preliminary clinical experience. <i>Europace</i> , 2016, 18, i184-i184.  | 1.7 | 0         |
| 18 | 96-35: Long term follow-up of the hisian pacing: a single centre experience. <i>Europace</i> , 2016, 18, i69-i69.   | 1.7 | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Role of myocardial perfusion scintigraphy in predicting global cardiovascular risk and differentiating between patients with moderate and high cardiovascular risk. <i>Nuclear Medicine Communications</i> , 2016, 37, 805-811. | 1.1 | 2         |
| 20 | Left ventricular diastolic dysfunction in young patients with subclinical hypothyroidism: To screen or not to screen? To treat or not to treat?. <i>International Journal of Cardiology</i> , 2016, 214, 299-300.               | 1.7 | 2         |
| 21 | Game theory and microarray analysis in coronary artery disease and atherosclerosis: Math helps the cardiology research. <i>International Journal of Cardiology</i> , 2016, 215, 143-144.  | 1.7 | 1         |
| 22 | Optimization of left ventricular pacing site plus multipoint pacing improves remodeling and clinical response to cardiac resynchronization therapy at 1 year. <i>Heart Rhythm</i> , 2016, 13, 1644-1651.                        | 0.7 | 72        |
| 23 | Is time to consider diet as modifiable risk factor for venous thromboembolism?. <i>International Journal of Cardiology</i> , 2016, 222, 797-798.  | 1.7 | 0         |
| 24 | Coronary artery disease and <i>Helicobacter pylori</i> infection: Should we consider eradication therapy as cardiovascular prevention strategy?. <i>International Journal of Cardiology</i> , 2016, 223, 711-712.               | 1.7 | 11        |
| 25 | Aortitis-related isolated bilateral coronary artery ostial stenosis in a young woman with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2016, 223, 111-112.   | 1.7 | 2         |
| 26 | Economic burden of venous thromboembolism: Are novel oral anticoagulants the possible solution?. <i>International Journal of Cardiology</i> , 2016, 220, 551-552.   | 1.7 | 1         |
| 27 | Breast arterial calcifications on mammography and coronary artery disease: A new screening tool for cardiovascular disease?. <i>International Journal of Cardiology</i> , 2016, 220, 310-311.                                   | 1.7 | 6         |
| 28 | Cardiovascular disease in patients with inflammatory bowel disease: An issue in no guidelines land. <i>International Journal of Cardiology</i> , 2016, 222, 984-985.  | 1.7 | 7         |
| 29 | ECG parameters predict left ventricular conduction delay in patients with left ventricular dysfunction. <i>Heart Rhythm</i> , 2016, 13, 2289-2296.  | 0.7 | 18        |
| 30 | Silent large vegetative mitral aortic enterococcal endocarditis. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, e199-e204.   | 1.5 | 0         |
| 31 | Takotsubo Cardiomyopathy in an Elderly Woman with Alzheimer's Disease: A Rare Association. Case Report and Mini-Review of the Literature. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 916-917.                | 2.6 | 9         |
| 32 | Burden of costs associated with heparin-induced thrombocytopenia: is time to remove unfractionated heparin from the drug formularies in medical institutions?. <i>Annals of Translational Medicine</i> , 2016, 4, 244-244.      | 1.7 | 1         |
| 33 | Basic Properties And Clinical Applications Of The Intracardiac. <i>Journal of Atrial Fibrillation</i> , 2016, 9, 1444.  | 0.5 | 1         |
| 34 | Acidemia in severe acute cardiogenic pulmonary edema treated with noninvasive pressure support ventilation. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 610-615.  | 1.5 | 6         |
| 35 | Multipoint pacing by a left ventricular quadripolar lead improves the acute hemodynamic response to CRT compared with conventional biventricular pacing at any site. <i>Heart Rhythm</i> , 2015, 12, 975-981.                   | 0.7 | 97        |
| 36 | Hisian area and right ventricular apical pacing differently affect left atrial function: an intra-patients evaluation. <i>Europace</i> , 2014, 16, 1033-1039.   | 1.7 | 41        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Response to: Strong ion approach in cardiogenic shock: formula and patients. <i>Acute Cardiac Care</i> , 2014, 16, 35-35.  | 0.2 | 0         |
| 38 | Strong-ion gap approach in patients with cardiogenic shock following ST-elevation myocardial infarction. <i>Acute Cardiac Care</i> , 2013, 15, 58-62.  | 0.2 | 19        |
| 39 | The glucose dysmetabolism in the acute phase of non-diabetic ST-elevation myocardial infarction: from insulin resistance to hyperglycemia. <i>Acta Diabetologica</i> , 2013, 50, 293-300.  | 2.5 | 7         |
| 40 | Endotoxin role in cardiogenic shock: A brief report. <i>International Journal of Cardiology</i> , 2013, 167, 3031-3032.  | 1.7 | 3         |
| 41 | Procalcitonin as a Reliable Biomarker in Acute Coronary Syndromes: What Is Its Role?. <i>Journal of Emergency Medicine</i> , 2013, 45, 921-922.  | 0.7 | 3         |
| 42 | Impact of age on the prognostic value of body mass index in ST-Elevation myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 205-211.  | 2.6 | 25        |
| 43 | The prognostic role of chronic obstructive pulmonary disease in ST-elevation myocardial infarction after primary angioplasty. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 392-398.  | 1.8 | 17        |
| 44 | In-hospital refractory cardiac arrest treated with extracorporeal membrane oxygenation: A tertiary single center experience. <i>Acute Cardiac Care</i> , 2013, 15, 47-51.  | 0.2 | 28        |
| 45 | Trends in mortality rates in elderly <sc>ST</sc> elevation myocardial infarction patients submitted to primary percutaneous coronary intervention: A 7-year single-center experience. <i>Geriatrics and Gerontology International</i> , 2013, 13, 711-717. | 1.5 | 2         |
| 46 | Lactate and lactate clearance in acute cardiac care patients. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2012, 1, 115-121.   | 1.0 | 49        |
| 47 | The impact of admission procalcitonin on prognosis in acute coronary syndromes: a pilot study. <i>Biomarkers</i> , 2012, 17, 56-61.  | 1.9 | 10        |
| 48 | Microalbuminuria in non-diabetic stemi: An independent predictor for acute kidney injury. <i>Scandinavian Cardiovascular Journal</i> , 2012, 46, 324-329.  | 1.2 | 5         |
| 49 | Lactate clearance in cardiogenic shock following ST elevation myocardial infarction: A pilot study. <i>Acute Cardiac Care</i> , 2012, 14, 20-26.   | 0.2 | 57        |
| 50 | The prognostic role of in-hospital peak glycemia in stemi patients with and without diabetes. <i>Acta Diabetologica</i> , 2012, 49, 379-386.   | 2.5 | 14        |
| 51 | Lactate in the acute phase of ST-elevation myocardial infarction treated with mechanical revascularization. <i>American Journal of Emergency Medicine</i> , 2012, 30, 92-96.   | 1.6 | 22        |
| 52 | Acute glucose dysmetabolism in the elderly with ST elevation myocardial infarction submitted to mechanical revascularization. <i>International Journal of Cardiology</i> , 2012, 155, 66-69.   | 1.7 | 9         |
| 53 | ST-elevation myocardial infarction with preserved ejection fraction: The impact of worsening renal failure. <i>International Journal of Cardiology</i> , 2012, 155, 170-172.   | 1.7 | 7         |
| 54 | Predictors for in-hospital peak glycemia in STEMI patients without previously known diabetes. <i>International Journal of Cardiology</i> , 2012, 155, 459-461.   | 1.7 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The influence of renal function on the prognostic value of Nt-pro brain natriuretic peptide in St-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2012, 156, 333-335.                | 1.7 | 2         |
| 56 | Nonthyroidal illness syndrome in ST-elevation myocardial infarction treated with mechanical revascularization. <i>International Journal of Cardiology</i> , 2012, 158, 103-104.                                    | 1.7 | 33        |
| 57 | The impact of blood transfusion on short and long term prognosis in STEMI patients treated with primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2012, 157, 281-283.       | 1.7 | 4         |
| 58 | Glycated hemoglobin in ST-elevation myocardial infarction without previously known diabetes: Its short and long term prognostic role. <i>Diabetes Research and Clinical Practice</i> , 2012, 95, e14-e16.          | 2.8 | 12        |
| 59 | Usefulness of Hyponatremia in the Acute Phase of ST-Elevation Myocardial Infarction as a Marker of Severity. <i>American Journal of Cardiology</i> , 2012, 110, 1419-1424.   | 1.6 | 20        |
| 60 | Acute hyperglycemia and insulin resistance in acute heart failure syndromes without previously known diabetes. <i>Internal and Emergency Medicine</i> , 2012, 7, 497-503.  | 2.0 | 9         |
| 61 | Impact of hypertension on short- and long-term prognoses in patients with ST elevation myocardial infarction and without previously known diabetes. <i>Heart and Vessels</i> , 2012, 27, 370-376.                  | 1.2 | 20        |
| 62 | Uric acid in the early risk stratification of ST-elevation myocardial infarction. <i>Internal and Emergency Medicine</i> , 2012, 7, 33-39.   | 2.0 | 58        |
| 63 | The prognostic impact of glycated hemoglobin in diabetic ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2011, 151, 250-252.  | 1.7 | 11        |
| 64 | The Impact of Hypertension on Patients with Acute Coronary Syndromes. <i>International Journal of Hypertension</i> , 2011, 2011, 1-7.  | 1.3 | 54        |
| 65 | Microalbuminuria in the early phase of ST-elevation myocardial infarction: beyond the methodologic issue. <i>Journal of Cardiovascular Medicine</i> , 2011, 12, 378-379.   | 1.5 | 0         |
| 66 | Predictors of the early outcome in elderly patients with ST elevation myocardial infarction treated with primary angioplasty: a single center experience. <i>Internal and Emergency Medicine</i> , 2011, 6, 41-46. | 2.0 | 17        |
| 67 | Procalcitonin in acute cardiac patients. <i>Internal and Emergency Medicine</i> , 2011, 6, 245-252.  | 2.0 | 25        |
| 68 | The prognostic role of gamma-glutamyltransferase activity in non-diabetic ST-elevation myocardial infarction. <i>Internal and Emergency Medicine</i> , 2011, 6, 213-219.   | 2.0 | 22        |
| 69 | Correlates of acute insulin resistance in the early phase of non-diabetic ST-elevation myocardial infarction. <i>Diabetes and Vascular Disease Research</i> , 2011, 8, 35-42.                                      | 2.0 | 29        |
| 70 | Microalbuminuria in hypertensive nondiabetic patients with ST elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 748-753.  | 1.5 | 8         |
| 71 | Evaluation of acid-base balance in ST-elevation myocardial infarction in the early phase: a prognostic tool?. <i>Coronary Artery Disease</i> , 2010, 21, 266-272.  | 0.7 | 15        |
| 72 | Acid-base imbalance in uncomplicated ST-elevation myocardial infarction: the clinical role of tissue acidosis. <i>Internal and Emergency Medicine</i> , 2010, 5, 61-66.  | 2.0 | 13        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | In-hospital peak glycemia and prognosis in STEMI patients without earlier known diabetes. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 419-423.    | 2.8 | 31        |
| 74 | Acute glucose dysmetabolism in the early phase of ST-elevation myocardial infarction: the age response. <i>Diabetes and Vascular Disease Research</i> , 2010, 7, 131-137.                 | 2.0 | 28        |
| 75 | Kinetics of procalcitonin in cardiogenic shock and in septic shock. Preliminary data. <i>Acute Cardiac Care</i> , 2010, 12, 96-101.   | 0.2 | 10        |
| 76 | Prognostic values of admission transaminases in ST-elevation myocardial infarction submitted to primary angioplasty. <i>Medical Science Monitor</i> , 2010, 16, CR567-74.                 | 1.1 | 15        |
| 77 | Procalcitonin in patients with acute coronary syndromes and cardiogenic shock submitted to percutaneous coronary intervention. <i>Internal and Emergency Medicine</i> , 2009, 4, 403-408. | 2.0 | 30        |
| 78 | Computational Fluid Dynamics as a Tool in the Development Process of Left Ventricular Assist Devices. <i>Journal of Advanced Therapies and Medical Innovation Sciences</i> , 0, 1, .      | 0.0 | 0         |