Dong-Xin Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3930242/publications.pdf

Version: 2024-02-01

304743 206112 2,535 70 22 48 citations h-index g-index papers 77 77 77 2159 docs citations times ranked citing authors all docs

#	Article	lF	CITATIONS
1	Dexmedetomidine for prevention of delirium in elderly patients after non-cardiac surgery: a randomised, double-blind, placebo-controlled trial. Lancet, The, 2016, 388, 1893-1902.	13.7	563
2	Haloperidol prophylaxis decreases delirium incidence in elderly patients after noncardiac surgery. Critical Care Medicine, 2012, 40, 731-739.	0.9	287
3	Low-dose Dexmedetomidine Improves Sleep Quality Pattern in Elderly Patients after Noncardiac Surgery in the Intensive Care Unit. Anesthesiology, 2016, 125, 979-991.	2.5	159
4	The Effects of Cardiopulmonary Bypass on the Number of Cerebral Microemboli and the Incidence of Cognitive Dysfunction After Coronary Artery Bypass Graft Surgery. Anesthesia and Analgesia, 2009, 109, 1013-1022.	2.2	126
5	High serum cortisol level is associated with increased risk of delirium after coronary artery bypass graft surgery: a prospective cohort study. Critical Care, 2010, 14, R238.	5.8	123
6	Epidural Labor Analgesia Is Associated with a Decreased Risk of Postpartum Depression. Anesthesia and Analgesia, 2014, 119, 383-392.	2.2	118
7	Improve postoperative sleep. Current Opinion in Anaesthesiology, 2018, 31, 83-88.	2.0	112
8	Propofol compared with sevoflurane general anaesthesia is associated with decreased delayed neurocognitive recovery in older adults. British Journal of Anaesthesia, 2018, 121, 595-604.	3.4	109
9	Dexmedetomidine inhibits astrocyte pyroptosis and subsequently protects the brain in in vitro and in vivo models of sepsis. Cell Death and Disease, 2019, 10, 167.	6.3	106
10	Impact of dexmedetomidine on the incidence of delirium in elderly patients after cardiac surgery: A randomized controlled trial. PLoS ONE, 2017, 12, e0170757.	2.5	76
11	Randomized clinical trial of intraoperative dexmedetomidine to prevent delirium in the elderly undergoing major non-cardiac surgery. British Journal of Surgery, 2020, 107, e123-e132.	0.3	63
12	Impact of Dexmedetomidine on Long-term Outcomes After Noncardiac Surgery in Elderly: 3-Year Follow-up of a Randomized Controlled Trial. Annals of Surgery, 2019, 270, 356-363.	4.2	57
13	Delirium in Older Patients after Combined Epidural–General Anesthesia or General Anesthesia for Major Surgery: A Randomized Trial. Anesthesiology, 2021, 135, 218-232.	2.5	54
14	Parecoxib Supplementation to Morphine Analgesia Decreases Incidence of Delirium in Elderly Patients After Hip or Knee Replacement Surgery: A Randomized Controlled Trial. Anesthesia and Analgesia, 2017, 124, 1992-2000.	2.2	53
15	Epidural Anesthesia–Analgesia and Recurrence-free Survival after Lung Cancer Surgery: A Randomized Trial. Anesthesiology, 2021, 135, 419-432.	2.5	49
16	Perioperative neurocognitive disorders: A narrative review focusing on diagnosis, prevention, and treatment. CNS Neuroscience and Therapeutics, 2022, 28, 1147-1167.	3.9	36
17	High Postoperative Serum Cortisol Level Is Associated with Increased Risk of Cognitive Dysfunction Early after Coronary Artery Bypass Graft Surgery: A Prospective Cohort Study. PLoS ONE, 2013, 8, e77637.	2.5	35
18	Long-term Survival after Combined Epidural–General Anesthesia or General Anesthesia Alone: Follow-up of a Randomized Trial. Anesthesiology, 2021, 135, 233-245.	2.5	34

#	Article	IF	CITATIONS
19	Emergence delirium is associated with increased postoperative delirium in elderly: a prospective observational study. Journal of Anesthesia, 2020, 34, 675-687.	1.7	28
20	Perioperative Management May Improve Long-term Survival in Patients After Lung Cancer Surgery: A Retrospective Cohort Study. Anesthesia and Analgesia, 2018, 126, 1666-1674.	2.2	26
21	Preoperative severe hypoalbuminemia is associated with an increased risk of postoperative delirium in elderly patients: Results of a secondary analysis. Journal of Critical Care, 2018, 44, 45-50.	2.2	26
22	High serum interleukin-6 level is associated with increased risk of delirium in elderly patients after noncardiac surgery: a prospective cohort study. Chinese Medical Journal, 2013, 126, 3621-7.	2.3	25
23	Association Between Cerebral Desaturation and Postoperative Delirium in Thoracotomy With One-Lung Ventilation: A Prospective Cohort Study. Anesthesia and Analgesia, 2021, 133, 176-186.	2.2	21
24	Combined epidural-general anesthesia was associated with lower risk of postoperative complications in patients undergoing open abdominal surgery for pheochromocytoma: A retrospective cohort study. PLoS ONE, 2018, 13, e0192924.	2.5	19
25	Preoperative vitamin D deficiency increases the risk of postoperative cognitive dysfunction: a predefined exploratory subâ€analysis. Acta Anaesthesiologica Scandinavica, 2018, 62, 924-935.	1.6	16
26	Impact of dexmedetomidine supplemented analgesia on delirium in patients recovering from orthopedic surgery: A randomized controlled trial. BMC Anesthesiology, 2021, 21, 223.	1.8	16
27	Neuraxial labor analgesia is associated with a reduced risk of postpartum depression: A multicenter prospective cohort study with propensity score matching. Journal of Affective Disorders, 2021, 281, 342-350.	4.1	15
28	Impact of inhalational versus intravenous anaesthesia on early delirium and long-term survival in elderly patients after cancer surgery: study protocol of a multicentre, open-label, and randomised controlled trial. BMJ Open, 2017, 7, e018607.	1.9	14
29	Effects of two different anesthesia-analgesia methods on incidence of postoperative delirium in elderly patients undergoing major thoracic and abdominal surgery: study rationale and protocol for a multicenter randomized controlled trial. BMC Anesthesiology, 2015, 15, 144.	1.8	11
30	Intraoperative hypotension is associated with increased postoperative complications in patients undergoing surgery for pheochromocytoma-paraganglioma: a retrospective cohort study. BMC Anesthesiology, 2020, 20, 147.	1.8	10
31	Epidural morphine improves postoperative analgesia in patients after total knee arthroplasty: A randomized controlled trial. PLoS ONE, 2019, 14, e0219116.	2.5	9
32	Handover of anesthesia care is associated with an increased risk of delirium in elderly after major noncardiac surgery: results of a secondary analysis. Journal of Anesthesia, 2019, 33, 295-303.	1.7	9
33	Nonselective Compared With Selective α-Blockade Is Associated With Less Intraoperative Hypertension in Patients With Pheochromocytomas and Paragangliomas: A Retrospective Cohort Study With Propensity Score Matching. Anesthesia and Analgesia, 2021, 132, 140-149.	2.2	9
34	Effect of combined epidural anaesthesia on tumorâ€infiltrating lymphocytes in lung adenocarcinoma: a prospective exploratory subâ€analysis. Acta Anaesthesiologica Scandinavica, 2018, 62, 687-700.	1.6	8
35	Thoracic Paravertebral Blockade Reduces Chronic Postsurgical Pain in Breast Cancer Patients: A Randomized Controlled Trial. Pain Medicine, 2020, 21, 3539-3547.	1.9	8
36	Preoperative carbohydrate loading with individualized supplemental insulin in diabetic patients undergoing gastrointestinal surgery: A randomized trial. International Journal of Surgery, 2022, 98, 106215.	2.7	8

#	Article	IF	CITATIONS
37	Prophylactic Penehyclidine Inhalation for Prevention of Postoperative Pulmonary Complications in High-risk Patients: A Double-blind Randomized Trial. Anesthesiology, 2022, 136, 551-566.	2.5	8
38	Impact of dexmedetomidine infusion during general anaesthesia on incidence of postoperative delirium in elderly patients after major non-cardiac surgery: study protocol of a randomised, double-blinded and placebo-controlled trial. BMJ Open, 2018, 8, e019549.	1.9	7
39	Comparison of Two Malnutrition Assessment Scales in Predicting Postoperative Complications in Elderly Patients Undergoing Noncardiac Surgery. Frontiers in Public Health, 2021, 9, 694368.	2.7	7
40	Malnutrition is not related with emergence delirium in older patients after noncardiac surgery. BMC Geriatrics, 2021, 21, 319.	2.7	6
41	Prevalence and risk factors of myocardial and acute kidney injury following radical nephrectomy with vena cava thrombectomy: a retrospective cohort study. BMC Anesthesiology, 2021, 21, 243.	1.8	6
42	Penehyclidine for prevention of postoperative nausea and vomiting following bimaxillary orthognathic surgery: a randomized, double-blind, controlled trial. Journal of Anesthesia, 2022, 36, 122-136.	1.7	6
43	The composite risk index based on frailty predicts postoperative complications in older patients recovering from elective digestive tract surgery: a retrospective cohort study. BMC Anesthesiology, 2022, 22, 7.	1.8	6
44	Dexmedetomidine Activates Akt, STAT6 and IRF4 Modulating Cytoprotection and Macrophage Anti-Inflammatory Phenotype Against Acute Lung Injury in vivo and in vitro. Journal of Inflammation Research, 2022, Volume 15, 2707-2720.	3.5	6
45	Intraoperative hypotension is associated with shortened overall survival after lung cancer surgery. BMC Anesthesiology, 2020, 20, 160.	1.8	5
46	Using General Anesthesia plus Muscle Relaxant in a Patient with Spinal Muscular Atrophy Type IV: A Case Report. Case Reports in Anesthesiology, 2011, 2011, 1-3.	0.4	4
47	Effects of dexmedetomidine as a perineural adjuvant for femoral nerve block: A systematic review and meta-analysis. PLoS ONE, 2020, 15, e0240561.	2.5	4
48	Appropriate Source Control and Antifungal Therapy are Associated with Improved Survival in Critically III Surgical Patients with Intraâ€abdominal Candidiasis. World Journal of Surgery, 2020, 44, 1459-1469.	1.6	4
49	Early predictive factors of progression from severe type to critical ill type in patients with Coronavirus Disease 2019: A retrospective cohort study. PLoS ONE, 2020, 15, e0243195.	2.5	4
50	Efficacy and safety of HSK3486 for the induction and maintenance of general anesthesia in elective surgical patients: a multicenter, randomized, open-label, propofol-controlled phase 2 clinical trial European Review for Medical and Pharmacological Sciences, 2022, 26, 1114-1124.	0.7	4
51	The sensitivity and specificity of statistical rules for diagnosing delayed neurocognitive recovery with Montreal cognitive assessment in elderly surgical patients. Medicine (United States), 2020, 99, e21193.	1.0	3
52	Prophylactic penehyclidine inhalation for prevention of postoperative pulmonary complications in high-risk patients: study protocol of a randomized controlled trial. Trials, 2017, 18, 571.	1.6	2
53	Effect of a carbohydrate-rich beverage on rate of cesarean delivery in primigravidae with epidural labor analgesia: a multicenter randomized trial. BMC Pregnancy and Childbirth, 2022, 22, 339.	2.4	2
54	In Response. Anesthesia and Analgesia, 2015, 121, 575-576.	2.2	1

#	Article	IF	Citations
55	Preventing delirium: beyond dexmedetomidine – Authors' reply. Lancet, The, 2017, 389, 1009-1010.	13.7	1
56	Response to a letter to the editor. Journal of Critical Care, 2018, 44, 469-470.	2.2	1
57	Impact of goal-directed hemodynamic management on the incidence of acute kidney injury in patients undergoing partial nephrectomy: a pilot randomized controlled trial. BMC Anesthesiology, 2021, 21, 67.	1.8	1
58	In Response. Anesthesia and Analgesia, 2015, 121, 1683-1684.	2.2	0
59	In Reply. Anesthesiology, 2017, 127, 398-399.	2.5	O
60	In Response. Anesthesia and Analgesia, 2021, 132, e111-e112.	2.2	0
61	Impact of Early Postoperative Delirium on Long-Term Outcome in Patients after Coronary Artery Bypass Graft Surgery: a 2-Year Follow-Up Cohort Study. Journal of Anesthesia and Perioperative Medicine, 2016, 3, 70-77.	0.2	0
62	Epidural Anesthesia and Postoperative Delirium: Reply. Anesthesiology, 2021, , .	2.5	0
63	Title is missing!. , 2020, 15, e0240561.		0
64	Title is missing!. , 2020, 15, e0240561.		0
65	Title is missing!. , 2020, 15, e0240561.		0
66	Title is missing!. , 2020, 15, e0240561.		0
67	Title is missing!. , 2020, 15, e0243195.		0
68	Title is missing!. , 2020, 15, e0243195.		0
69	Title is missing!. , 2020, 15, e0243195.		0
70	Title is missing!. , 2020, 15, e0243195.		0