

Ian Jones

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/393221/publications.pdf>

Version: 2024-02-01

323
papers

39,832
citations

6613

79
h-index

3182

186
g-index

359
all docs

359
docs citations

359
times ranked

39380
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. Nature, 2007, 447, 661-678.	27.8	8,895
2	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994.	21.4	2,067
3	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. Nature Genetics, 2011, 43, 977-983.	21.4	1,283
4	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	21.4	1,191
5	Collaborative genome-wide association analysis supports a role for ANK3 and CACNA1C in bipolar disorder. Nature Genetics, 2008, 40, 1056-1058.	21.4	1,102
6	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
7	Circulating tumor DNA analysis detects minimal residual disease and predicts recurrence in patients with stage II colon cancer. Science Translational Medicine, 2016, 8, 346ra92.	12.4	1,036
8	A mega-analysis of genome-wide association studies for major depressive disorder. Molecular Psychiatry, 2013, 18, 497-511.	7.9	1,002
9	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. Cell, 2019, 179, 1469-1482.e11.	28.9	935
10	Evidence-based guidelines for treating bipolar disorder: Revised third edition recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2016, 30, 495-553.	4.0	755
11	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. Nature, 2010, 464, 713-720.	27.8	737
12	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. Nature Neuroscience, 2015, 18, 199-209.	14.8	701
13	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	21.4	629
14	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. Cell, 2018, 173, 1705-1715.e16.	28.9	623
15	Family-based association study of 76 candidate genes in bipolar disorder: BDNF is a potential risk locus. Molecular Psychiatry, 2002, 7, 579-593.	7.9	541
16	Bipolar disorder, affective psychosis, and schizophrenia in pregnancy and the post-partum period. Lancet, The, 2014, 384, 1789-1799.	13.7	467
17	The bipolar disorder risk allele at CACNA1C also confers risk of recurrent major depression and of schizophrenia. Molecular Psychiatry, 2010, 15, 1016-1022.	7.9	458
18	Genetics of bipolar disorder. Journal of Medical Genetics, 1999, 36, 585-594.	3.2	456

#	ARTICLE	IF	CITATIONS
19	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. Nature Communications, 2019, 10, 4558.	12.8	363
20	Familiality of the Puerperal Trigger in Bipolar Disorder: Results of a Family Study. American Journal of Psychiatry, 2001, 158, 913-917.	7.2	301
21	Analysis of the neuroligin 3 and 4 genes in autism and other neuropsychiatric patients. Molecular Psychiatry, 2005, 10, 329-332.	7.9	284
22	Evidence-based guidelines for the pharmacological treatment of schizophrenia: Updated recommendations from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2020, 34, 3-78.	4.0	259
23	Premenstrual Dysphoric Disorder: Evidence for a New Category for DSM-5. American Journal of Psychiatry, 2012, 169, 465-475.	7.2	247
24	Is sex important? Gender differences in bipolar disorder. International Review of Psychiatry, 2010, 22, 437-452.	2.8	234
25	Operation of the Schizophrenia Susceptibility Gene, Neuregulin 1, Across Traditional Diagnostic Boundaries to Increase Risk for Bipolar Disorder. Archives of General Psychiatry, 2005, 62, 642.	12.3	232
26	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. American Journal of Human Genetics, 2015, 96, 283-294.	6.2	225
27	Genome-Wide Association Study of Major Recurrent Depression in the U.K. Population. American Journal of Psychiatry, 2010, 167, 949-957.	7.2	221
28	Combined Analysis from Eleven Linkage Studies of Bipolar Disorder Provides Strong Evidence of Susceptibility Loci on Chromosomes 6q and 8q. American Journal of Human Genetics, 2005, 77, 582-595.	6.2	218
29	Genome-wide significant associations in schizophrenia to ITIH3/4, CACNA1C and SDCCAG8, and extensive replication of associations reported by the Schizophrenia PGC. Molecular Psychiatry, 2013, 18, 708-712.	7.9	216
30	Perinatal Episodes Across the Mood Disorder Spectrum. JAMA Psychiatry, 2013, 70, 168.	11.0	201
31	Clinical phenotypes of perinatal depression and time of symptom onset: analysis of data from an international consortium. Lancet Psychiatry, the, 2017, 4, 477-485.	7.4	199
32	Heterogeneity of postpartum depression: a latent class analysis. Lancet Psychiatry, the, 2015, 2, 59-67.	7.4	198
33	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. American Journal of Psychiatry, 2019, 176, 651-660.	7.2	186
34	Wake-up call for British psychiatry. British Journal of Psychiatry, 2008, 193, 6-9.	2.8	183
35	Postpartum psychiatric disorders. Nature Reviews Disease Primers, 2018, 4, 18022.	30.5	180
36	Genomewide Linkage Scan in Schizoaffective Disorder. Archives of General Psychiatry, 2005, 62, 1081.	12.3	177

#	ARTICLE	IF	CITATIONS
37	Polygenic interactions with environmental adversity in the aetiology of major depressive disorder. <i>Psychological Medicine</i> , 2016, 46, 759-770.	4.5	176
38	Rare Copy Number Variants_{title}A Point of Rarity in Genetic Risk for Bipolar Disorder and Schizophrenia</sub>_{title}Rare Copy Number Variants</sub>. <i>Archives of General Psychiatry</i> , 2010, 67, 318.	12.3	173
39	British Association for Psychopharmacology consensus guidance on the use of psychotropic medication preconception, in pregnancy and postpartum 2017. <i>Journal of Psychopharmacology</i> , 2017, 31, 519-552.	4.0	166
40	Evidence that duplications of 22q11.2 protect against schizophrenia. <i>Molecular Psychiatry</i> , 2014, 19, 37-40.	7.9	163
41	Low activity allele of catechol-O-methyltransferase gene associated with rapid cycling bipolar disorder. <i>Molecular Psychiatry</i> , 1998, 3, 342-345.	7.9	162
42	Evidence for genetic heterogeneity between clinical subtypes of bipolar disorder. <i>Translational Psychiatry</i> , 2017, 7, e993-e993.	4.8	162
43	Pre-conception to parenting: a systematic review and meta-synthesis of the qualitative literature on motherhood for women with severe mental illness. <i>Archives of Women's Mental Health</i> , 2013, 16, 173-196.	2.6	153
44	Meta-analysis of genome-wide association data of bipolar disorder and major depressive disorder. <i>Molecular Psychiatry</i> , 2011, 16, 2-4.	7.9	150
45	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155.	4.8	150
46	Copy number variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2016, 21, 89-93.	7.9	147
47	Association studies of bipolar disorder at the human serotonin transporter gene (hSERT;â€%5HTT). <i>Molecular Psychiatry</i> , 1997, 2, 398-402.	7.9	145
48	Familiality of Postpartum Depression in Unipolar Disorder: Results of a Family Study. <i>American Journal of Psychiatry</i> , 2006, 163, 1549-1553.	7.2	144
49	The impact of gestational stress and prenatal growth on emotional problems in offspring: a review. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 171-183.	4.5	143
50	Mapping cis-regulatory chromatin contacts in neural cells links neuropsychiatric disorder risk variants to target genes. <i>Nature Genetics</i> , 2019, 51, 1252-1262.	21.4	139
51	Variation at the DAOA/G30 Locus Influences Susceptibility to Major Mood Episodes but Not Psychosis in Schizophrenia and Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2006, 63, 366.	12.3	138
52	Risk of puerperal and non-puerperal recurrence of illness following bipolar affective puerperal (post-partum) psychosis. <i>British Journal of Psychiatry</i> , 2005, 186, 258-259.	2.8	133
53	Psychiatric Disorders With Postpartum Onset. <i>Archives of General Psychiatry</i> , 2012, 69, 428.	12.3	131
54	Genetic variation of brain-derived neurotrophic factor (BDNF) in bipolar disorder. <i>British Journal of Psychiatry</i> , 2006, 188, 21-25.	2.8	126

#	ARTICLE	IF	CITATIONS
55	MECP2 structural and 3'-UTR variants in schizophrenia, autism and other psychiatric diseases: A possible association with autism. American Journal of Medical Genetics Part A, 2004, 128B, 50-53.	2.4	125
56	Premature mortality among people with severe mental illness – New evidence from linked primary care data. Schizophrenia Research, 2018, 199, 154-162.	2.0	125
57	Replication of bipolar disorder susceptibility alleles and identification of two novel genome-wide significant associations in a new bipolar disorder case-control sample. Molecular Psychiatry, 2013, 18, 1302-1307.	7.9	123
58	At what age can schoolchildren provide effective chest compressions? An observational study from the Heartstart UK schools training programme. BMJ: British Medical Journal, 2007, 334, 1201.	2.3	121
59	Bipolar disorder and polymorphisms in the dysbindin gene (DTNBP1). Biological Psychiatry, 2005, 57, 696-701.	1.3	120
60	Clinical differences between bipolar and unipolar depression. British Journal of Psychiatry, 2008, 192, 388-389.	2.8	118
61	Validation of Electronic Health Record Phenotyping of Bipolar Disorder Cases and Controls. American Journal of Psychiatry, 2015, 172, 363-372.	7.2	116
62	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. Molecular Psychiatry, 2020, 25, 1430-1446.	7.9	116
63	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. Biological Psychiatry, 2022, 91, 313-327.	1.3	114
64	Comorbid medical illness in bipolar disorder. British Journal of Psychiatry, 2014, 205, 465-472.	2.8	113
65	Bipolar disorder and childbirth: the importance of recognising risk. British Journal of Psychiatry, 2005, 186, 453-454.	2.8	112
66	Molecular genetics of bipolar disorder. British Journal of Psychiatry, 2001, 178, s128-s133.	2.8	111
67	Strong genetic evidence for a selective influence of GABAA receptors on a component of the bipolar disorder phenotype. Molecular Psychiatry, 2010, 15, 146-153.	7.9	111
68	Cell-type-specific 3D epigenomes in the developing human cortex. Nature, 2020, 587, 644-649.	27.8	110
69	Medical disorders in people with recurrent depression. British Journal of Psychiatry, 2008, 192, 351-355.	2.8	109
70	Associations among postpartum depression, eating disorders, and perfectionism in a population-based sample of adult women. International Journal of Eating Disorders, 2006, 39, 202-211.	4.0	103
71	Early postpartum symptoms in puerperal psychosis. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 348-353.	2.3	102
72	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. Neuron, 2015, 86, 1189-1202.	8.1	102

#	ARTICLE	IF	CITATIONS
73	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: A genome-wide association and polygenic scoring study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2014, 165, 428-437.	1.7	99
74	Genomewide Association Scan of Suicidal Thoughts and Behaviour in Major Depression. PLoS ONE, 2011, 6, e20690.	2.5	98
75	Association of Rare Copy Number Variants With Risk of Depression. JAMA Psychiatry, 2019, 76, 818.	11.0	96
76	Sleep loss as a trigger of mood episodes in bipolar disorder: Individual differences based on diagnostic subtype and gender. British Journal of Psychiatry, 2017, 211, 169-174.	2.8	92
77	Association Between Schizophrenia-Related Polygenic Liability and the Occurrence and Level of Mood-Incongruent Psychotic Symptoms in Bipolar Disorder. JAMA Psychiatry, 2018, 75, 28.	11.0	91
78	Cognitive style in bipolar disorder. British Journal of Psychiatry, 2005, 187, 431-437.	2.8	89
79	Obstetric variables associated with bipolar affective puerperal psychosis. British Journal of Psychiatry, 2006, 188, 32-36.	2.8	88
80	The EPDS-Lifetime: assessment of lifetime prevalence and risk factors for perinatal depression in a large cohort of depressed women. Archives of Women's Mental Health, 2013, 16, 465-473.	2.6	88
81	Optimizing the treatment of mood disorders in the perinatal period. Dialogues in Clinical Neuroscience, 2015, 17, 207-218.	3.7	84
82	Genetic utility of broadly defined bipolar schizoaffective disorder as a diagnostic concept. British Journal of Psychiatry, 2009, 195, 23-29.	2.8	83
83	Habitual starvation and provocative behaviors: Two potential routes to extreme suicidal behavior in anorexia nervosa. Behaviour Research and Therapy, 2010, 48, 634-645.	3.1	82
84	Variation at the serotonin transporter gene influences susceptibility to bipolar affective puerperal psychosis. Lancet, The, 2000, 356, 1490-1491.	13.7	81
85	Association at SYNE1 in both bipolar disorder and recurrent major depression. Molecular Psychiatry, 2013, 18, 614-617.	7.9	80
86	Family-based association studies of bipolar disorder with candidate genes involved in dopamine neurotransmission: DBH, DAT1, COMT, DRD2, DRD3 and DRD5. Molecular Psychiatry, 1999, 4, 558-565.	7.9	77
87	The Bipolar Affective Disorder Dimension Scale (BADDs) – a dimensional scale for rating lifetime psychopathology in Bipolar spectrum disorders. BMC Psychiatry, 2004, 4, 19.	2.6	77
88	Bipolar Affective Puerperal Psychosis: Genome-Wide Significant Evidence for Linkage to Chromosome 16. American Journal of Psychiatry, 2007, 164, 1099-1104.	7.2	77
89	A longitudinal study of hypomania and depression symptoms in pregnancy and the postpartum period. Bipolar Disorders, 2009, 11, 410-417.	1.9	77
90	Reproductive outcomes and risk of subsequent illness in women diagnosed with postpartum psychosis. Bipolar Disorders, 2013, 15, 394-404.	1.9	76

#	ARTICLE	IF	CITATIONS
91	Age-at-onset in bipolar-I disorder: Mixture analysis of 1369 cases identifies three distinct clinical sub-groups. <i>Journal of Affective Disorders</i> , 2009, 116, 23-29.	4.1	75
92	Differences in depressive symptom profile between males and females. <i>Journal of Affective Disorders</i> , 2008, 108, 279-284.	4.1	74
93	Posttraumatic Stress Disorder in Anorexia Nervosa. <i>Psychosomatic Medicine</i> , 2011, 73, 491-497.	2.0	74
94	Interventions for the prevention and treatment of postpartum psychosis: a systematic review. <i>Archives of Women's Mental Health</i> , 2011, 14, 89-98.	2.6	73
95	Genome-wide association study identifies SESTD1 as a novel risk gene for lithium-responsive bipolar disorder. <i>Molecular Psychiatry</i> , 2016, 21, 1290-1297.	7.9	69
96	Psychoeducational interventions in adolescent depression: A systematic review. <i>Patient Education and Counseling</i> , 2018, 101, 804-816.	2.2	69
97	The Wellcome trust UKâ€“Irish bipolar affective disorder sibling-pair genome screen: first stage report. <i>Molecular Psychiatry</i> , 2002, 7, 189-200.	7.9	68
98	Evidence for familial cosegregation of major affective disorder and genetic markers flanking the gene for Darier's disease. <i>Molecular Psychiatry</i> , 2002, 7, 424-427.	7.9	67
99	Polygenic dissection of the bipolar phenotype. <i>British Journal of Psychiatry</i> , 2011, 198, 284-288.	2.8	67
100	The impact of education, country, race and ethnicity on the self-report of postpartum depression using the Edinburgh Postnatal Depression Scale. <i>Psychological Medicine</i> , 2017, 47, 787-799.	4.5	67
101	Exome sequencing in bipolar disorder identifies AKAP11 as a risk gene shared with schizophrenia. <i>Nature Genetics</i> , 2022, 54, 541-547.	21.4	65
102	Mood disorders and parity â€“ A clue to the aetiology of the postpartum trigger. <i>Journal of Affective Disorders</i> , 2014, 152-154, 334-339.	4.1	61
103	<i>P2RX7</i>: A bipolar and unipolar disorder candidate susceptibility gene?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 1063-1069.	1.7	59
104	Adverse childhood events and psychosis in bipolar affective disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 191-197.	2.8	59
105	Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin. <i>Nature Genetics</i> , 2004, 36, 783-784.	21.4	57
106	Postnatal euphoria: are â€“the highsâ€™ an indicator of bipolarity?. <i>Bipolar Disorders</i> , 2005, 7, 103-110.	1.9	57
107	No â€“latent periodâ€™ in the onset of bipolar affective puerperal psychosis. <i>Archives of Women's Mental Health</i> , 2007, 10, 79-81.	2.6	57
108	Known Risk Factors for Violence Predict 12-Month-Old Infantsâ€™ Aggressiveness With Peers. <i>Psychological Science</i> , 2011, 22, 1205-1211.	3.3	57

#	ARTICLE	IF	CITATIONS
109	Localization of Bipolar Susceptibility Locus by Molecular Genetic Analysis of the Chromosome 12q23-q24 Region in Two Pedigrees With Bipolar Disorder and Darier's Disease. <i>American Journal of Psychiatry</i> , 2005, 162, 35-42.	7.2	56
110	Polarity at illness onset in bipolar I disorder and clinical course of illness. <i>Bipolar Disorders</i> , 2009, 11, 82-88.	1.9	56
111	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015, 13, 86.	5.5	56
112	Do puerperal psychotic episodes identify a more familial subtype of bipolar disorder? Results of a family history study. <i>Psychiatric Genetics</i> , 2002, 12, 177-180.	1.1	55
113	Stage 2 of the Wellcome Trust UK's Irish bipolar affective disorder sibling-pair genome screen: evidence for linkage on chromosomes 6q16-q21, 4q12-q21, 9p21, 10p14-p12 and 18q22. <i>Molecular Psychiatry</i> , 2005, 10, 831-841.	7.9	55
114	A preliminary feasibility study of a short DVD-based distance-learning package for basic life support. <i>Resuscitation</i> , 2007, 75, 350-356.	3.0	54
115	Treatment-resistant and multi-therapy-resistant criteria for bipolar depression: consensus definition. <i>British Journal of Psychiatry</i> , 2019, 214, 27-35.	2.8	54
116	Sibling pairs with affective disorders: resemblance of demographic and clinical features. <i>Psychological Medicine</i> , 2002, 32, 55-61.	4.5	53
117	Attitudes towards future testing for bipolar disorder susceptibility genes: a preliminary investigation. <i>Journal of Affective Disorders</i> , 2002, 71, 189-193.	4.1	53
118	Identifying hypomanic features in major depressive disorder using the hypomania checklist (HCL-32). <i>Journal of Affective Disorders</i> , 2009, 114, 68-73.	4.1	52
119	Childhood anxiety associated with low BMI in women with Anorexia Nervosa. <i>Behaviour Research and Therapy</i> , 2010, 48, 60-67.	3.1	51
120	A pragmatic randomized controlled trial to evaluate the effectiveness of a facilitated exercise intervention as a treatment for postnatal depression: the PAM-PeRS trial. <i>Psychological Medicine</i> , 2015, 45, 2413-2425.	4.5	50
121	Exclusion of the Darier's disease gene, ATP2A2, as a common susceptibility gene for bipolar disorder. <i>Molecular Psychiatry</i> , 2001, 6, 92-97.	7.9	49
122	Examining cognition across the bipolar/schizophrenia diagnostic spectrum. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 245-253.	2.4	49
123	The genetics of anorexia nervosa collaborative study: Methods and sample description. <i>International Journal of Eating Disorders</i> , 2008, 41, 289-300.	4.0	48
124	The Genetic Links to Anxiety and Depression (GLAD) Study: Online recruitment into the largest recontactable study of depression and anxiety. <i>Behaviour Research and Therapy</i> , 2019, 123, 103503.	3.1	47
125	Five missense variants in the amino-terminal domain of the glucocorticoid receptor: No association with puerperal psychosis or schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 412-417.	2.4	46
126	Sub-threshold manic symptoms in recurrent major depressive disorder are a marker for poor outcome. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 325-329.	4.5	46

#	ARTICLE	IF	CITATIONS
127	Estimating the heritability of reporting stressful life events captured by common genetic variants. <i>Psychological Medicine</i> , 2013, 43, 1965-1971.	4.5	46
128	Stratification of the risk of bipolar disorder recurrences in pregnancy and postpartum. <i>British Journal of Psychiatry</i> , 2018, 213, 542-547.	2.8	46
129	Genome-wide association analysis of copy number variation in recurrent depressive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 183-189.	7.9	45
130	Affective instability, childhood trauma and major affective disorders. <i>Journal of Affective Disorders</i> , 2016, 190, 764-771.	4.1	45
131	Contribution of Rare Copy Number Variants to Bipolar Disorder Risk Is Limited to Schizoaffective Cases. <i>Biological Psychiatry</i> , 2019, 86, 110-119.	1.3	45
132	Information and support needs during recovery from postpartum psychosis. <i>Archives of Women's Mental Health</i> , 2012, 15, 155-165.	2.6	44
133	The Depression Network (DeNT) Study: methodology and sociodemographic characteristics of the first 470 affected sibling pairs from a large multi-site linkage genetic study. <i>BMC Psychiatry</i> , 2004, 4, 42.	2.6	43
134	Adverse life event reporting and worst illness episodes in unipolar and bipolar affective disorders: measuring environmental risk for genetic research. <i>Psychological Medicine</i> , 2010, 40, 1829-1837.	4.5	42
135	Understanding the Association of Impulsivity, Obsessions, and Compulsions with Binge Eating and Purging Behaviours in Anorexia Nervosa. <i>European Eating Disorders Review</i> , 2012, 20, e129-36.	4.1	42
136	Mania triggered by sleep loss and risk of postpartum psychosis in women with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 624-629.	4.1	42
137	Bipolar disorder and the serotonin transporter gene: a family-based association study. <i>Psychological Medicine</i> , 1999, 29, 1249-1254.	4.5	41
138	Candidate gene studies of bipolar disorder. <i>Annals of Medicine</i> , 2001, 33, 248-256.	3.8	41
139	Physical dependence on zopiclone: case reports. <i>BMJ: British Medical Journal</i> , 1998, 316, 117-117.	2.3	40
140	Molecular genetic studies of bipolar disorder and puerperal psychosis at two polymorphisms in the estrogen receptor α gene (ESR 1). <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 850-853.	2.4	40
141	Vitamin D receptor variants in 192 patients with schizophrenia and other psychiatric diseases. <i>Neuroscience Letters</i> , 2005, 380, 37-41.	2.1	39
142	Affective temperaments across the bipolar–unipolar spectrum: Examination of the TEMPS-A in 927 patients and controls. <i>Journal of Affective Disorders</i> , 2010, 123, 42-51.	4.1	39
143	Reducing the Hypomania Checklist (HCL-32) to a 16-item version. <i>Journal of Affective Disorders</i> , 2010, 124, 351-356.	4.1	39
144	The effect of the COVID-19 pandemic on mental health in individuals with pre-existing mental illness. <i>BJPsych Open</i> , 2022, 8, e59.	0.7	39

#	ARTICLE	IF	CITATIONS
145	Searching for the puerperal trigger: molecular genetic studies of bipolar affective puerperal psychosis. <i>Psychopharmacology Bulletin</i> , 2007, 40, 115-28.	0.0	38
146	A Web-Based Psychoeducational Intervention for Adolescent Depression: Design and Development of MoodHwb. <i>JMIR Mental Health</i> , 2018, 5, e13.	3.3	37
147	Quantifying between-cohort and between-sex genetic heterogeneity in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019, 180, 439-447.	1.7	35
148	Phenomenology, Epidemiology and Aetiology of Postpartum Psychosis: A Review. <i>Brain Sciences</i> , 2021, 11, 47.	2.3	35
149	Tumour necrosis factor Î± and bipolar affective puerperal psychosis. <i>Psychiatric Genetics</i> , 2000, 10, 195-198.	1.1	34
150	The classification of perinatal mood disorders— suggestions for DSMV and ICD11. <i>Archives of Women's Mental Health</i> , 2010, 13, 33-36.	2.6	34
151	The Effects of Trauma History and Prenatal Affective Symptoms on Obstetric Outcomes. <i>Journal of Traumatic Stress</i> , 2016, 29, 245-252.	1.8	34
152	Genetic comorbidity between major depression and cardio-metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020, 183, 309-330.	1.7	33
153	Tryptophan Hydroxylase Gene and Manic-Depressive Illness. <i>Archives of General Psychiatry</i> , 1999, 56, 98.	12.3	32
154	Bipolar disorder and variation at a common polymorphism (A1832G) within exon 8 of the Wolfram gene. , 2000, 96, 154-157.		32
155	Clinical questions and uncertainty — prolactin measurement in patients with schizophrenia and bipolar disorder. <i>Journal of Psychopharmacology</i> , 2008, 22, 82-89.	4.0	32
156	Management of postnatal depression. <i>BMJ: British Medical Journal</i> , 2008, 337, a736-a736.	2.3	32
157	Evidence for rare and common genetic risk variants for schizophrenia at protein kinase C, alpha. <i>Molecular Psychiatry</i> , 2010, 15, 1101-1111.	7.9	32
158	Life-event specificity: bipolar disorder compared with unipolar depression. <i>British Journal of Psychiatry</i> , 2012, 201, 458-465.	2.8	32
159	Postpartum psychosis. <i>The Obstetrician and Gynaecologist</i> , 2013, 15, 145-150.	0.4	32
160	Gambling problems in bipolar disorder in the UK: Prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015, 207, 328-333.	2.8	32
161	Comparison of Genetic Liability for Sleep Traits Among Individuals With Bipolar Disorder I or II and Control Participants. <i>JAMA Psychiatry</i> , 2020, 77, 303.	11.0	32
162	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020, 43, .	1.1	32

#	ARTICLE	IF	CITATIONS
163	Scanning of estrogen receptor ? (ER?) and thyroid hormone receptor ? (TR?) genes in patients with psychiatric diseases: Four missense mutations identified in ER? gene. American Journal of Medical Genetics Part A, 2001, 105, 369-374.	2.4	31
164	Genome-wide linkage analysis of 972 bipolar pedigrees using single-nucleotide polymorphisms. Molecular Psychiatry, 2012, 17, 818-826.	7.9	31
165	Dissecting the Genetic Heterogeneity of Depression Through Age at Onset. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2012, 159B, 859-868.	1.7	31
166	Identifying the Common Genetic Basis of Antidepressant Response. Biological Psychiatry Global Open Science, 2022, 2, 115-126.	2.2	31
167	Cognitive style, personality and vulnerability to postnatal depression. British Journal of Psychiatry, 2010, 196, 200-205.	2.8	30
168	Is depression severity the sole cause of psychotic symptoms during an episode of unipolar major depression? A study both between and within subjects. Journal of Affective Disorders, 2009, 114, 103-109.	4.1	29
169	Birth order and postpartum psychiatric disorders. Bipolar Disorders, 2014, 16, 300-307.	1.9	28
170	Clinical presentation of postnatal and non-postnatal depressive episodes. Psychological Medicine, 2007, 37, 1273-1280.	4.5	27
171	Identification of high risk DISC1 protein structural variants in patients with bipolar spectrum disorder. Neuroscience Letters, 2010, 486, 136-140.	2.1	27
172	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. Biological Psychiatry, 2020, 87, 419-430.	1.3	27
173	Is the perimenopause a time of increased risk of recurrence in women with a history of bipolar affective postpartum psychosis? A case series. Archives of Women's Mental Health, 2008, 11, 75-78.	2.6	26
174	Rapid cycling as a feature of bipolar disorder and comorbid migraine. Journal of Affective Disorders, 2015, 175, 320-324.	4.1	26
175	Women with bipolar disorder and pregnancy: factors influencing their decision-making. BJPsych Open, 2016, 2, 294-300.	0.7	26
176	Sleep disturbance in post-traumatic stress disorder (PTSD): a systematic review and meta-analysis of actigraphy studies. HÅgare Utbildning, 2020, 11, 1767349.	3.0	26
177	Area deprivation, urbanicity, severe mental illness and social drift â€” A population-based linkage study using routinely collected primary and secondary care data. Schizophrenia Research, 2020, 220, 130-140.	2.0	26
178	A functional polymorphism in the promoter of monoamine oxidase A gene and bipolar affective disorder. International Journal of Neuropsychopharmacology, 1999, 2, 293-298.	2.1	25
179	Allelic variation of aBall polymorphism in the DRD3 gene does not influence susceptibility to bipolar disorder: Results of analysis and meta-analysis. American Journal of Medical Genetics Part A, 2001, 105, 307-311.	2.4	25
180	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. Biological Psychiatry, 2019, 85, 1065-1073.	1.3	25

#	ARTICLE	IF	CITATIONS
181	Transcriptional network orchestrating regional patterning of cortical progenitors. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	25
182	The Bipolar Interactive Psychoeducation (BIPED) study: trial design and protocol. BMC Psychiatry, 2009, 9, 50.	2.6	24
183	Psychoeducation for bipolar disorder. Advances in Psychiatric Treatment, 2010, 16, 147-154.	0.5	24
184	Genetic validation of bipolar disorder identified by automated phenotyping using electronic health records. Translational Psychiatry, 2018, 8, 86.	4.8	24
185	Anticipation and repeat expansion in bipolar disorder. American Journal of Medical Genetics Part A, 2003, 123C, 10-17.	2.4	23
186	Moodâ€incongruent psychosis in bipolar disorder: conditional linkage analysis shows genomeâ€wide suggestive linkage at 1q32.3, 7p13 and 20q13.31. Bipolar Disorders, 2009, 11, 610-620.	1.9	23
187	A Digital Intervention for Adolescent Depression (MoodHwb): Mixed Methods Feasibility Evaluation. JMIR Mental Health, 2020, 7, e14536.	3.3	23
188	Chapter 23 Molecular genetic approaches to puerperal psychosis. Progress in Brain Research, 2001, 133, 321-331.	1.4	22
189	Stressful life events and the serotonin transporter gene (5-HTT) in recurrent clinical depression. Journal of Affective Disorders, 2012, 136, 189-193.	4.1	22
190	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 921-932.	3.2	22
191	Phenotypic definitions of psychotic illness for molecular genetic research. American Journal of Medical Genetics Part A, 1994, 54, 365-371.	2.4	21
192	An in-frame deletion in the Î±2C adrenergic receptor is common in Africanâ€Americans. Molecular Psychiatry, 2001, 6, 168-172.	7.9	21
193	Sex differences in symptom patterns of recurrent major depression in siblings. Depression and Anxiety, 2008, 25, 527-534.	4.1	21
194	Incidence of Hospitalization for Postpartum Psychotic and Bipolar Episodes. Archives of General Psychiatry, 2008, 65, 356.	12.3	21
195	Puerperal psychosis: identifying and caring for women at risk. Advances in Psychiatric Treatment, 2009, 15, 411-418.	0.5	21
196	The interaction between child maltreatment, adult stressful life events and the 5-HTTLPR in major depression. Journal of Psychiatric Research, 2013, 47, 1032-1035.	3.1	21
197	Familiality and SNP heritability of age at onset and episodicity in major depressive disorder. Psychological Medicine, 2015, 45, 2215-2225.	4.5	21
198	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. Biological Psychiatry, 2016, 79, 329-336.	1.3	21

#	ARTICLE	IF	CITATIONS
199	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2022, 91, 626-636.	1.3	21
200	Schizophrenia Polygenic Risk and Experiences of Childhood Adversity: A Systematic Review and Meta-analysis. <i>Schizophrenia Bulletin</i> , 2022, 48, 967-980.	4.3	21
201	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	2.8	20
202	Comparison of symptom-based versus self-reported diagnostic measures of anxiety and depression disorders in the GLAD and COPING cohorts. <i>Journal of Anxiety Disorders</i> , 2022, 85, 102491.	3.2	20
203	Refining behavioral dysregulation in borderline personality disorder using a sample of women with anorexia nervosa.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2010, 1, 250-257.	1.3	19
204	DISC1 exon 11 rare variants found more commonly in schizoaffective spectrum cases than controls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 490-492.	1.7	19
205	Affective temperaments and concomitant alcohol use disorders in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 226-231.	4.1	19
206	Adverse childhood life events and postpartum psychosis in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 205, 69-72.	4.1	19
207	Autistic and schizotypal traits and global functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2017, 207, 268-275.	4.1	19
208	Acceptance and Commitment Therapy for perinatal mood and anxiety disorders: A feasibility and proof of concept study. <i>British Journal of Clinical Psychology</i> , 2020, 59, 461-479.	3.5	19
209	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , 2019, 106, 284-292.	2.7	18
210	CTG18.1 and ERDA-1 CAG/CTG Repeat Size in Bipolar Disorder. <i>Neurobiology of Disease</i> , 1999, 6, 302-307.	4.4	17
211	Comparative sequencing and association studies of aromatic L-amino acid decarboxylase in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 2000, 5, 327-331.	7.9	17
212	Self-reported schizotypy and bipolar disorder: demonstration of a lack of specificity of the Kings Schizotypy Questionnaire. <i>Schizophrenia Research</i> , 2003, 65, 153-158.	2.0	17
213	Measuring hypomania in the postpartum: a comparison of the Highs Scale and the Altman Mania Rating Scale. <i>Archives of Women's Mental Health</i> , 2009, 12, 323-327.	2.6	17
214	Variation at the GABA _A receptor gene, Rho 1 (<i>GABRR1</i>) associated with susceptibility to bipolar schizoaffective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1347-1349.	1.7	17
215	Investigation of rare non-synonymous variants at ABCA13 in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 2011, 16, 790-791.	7.9	17
216	Temporal sequence of comorbid alcohol use disorder and anorexia nervosa. <i>Addictive Behaviors</i> , 2013, 38, 1704-1709.	3.0	17

#	ARTICLE	IF	CITATIONS
217	Structural variants in the retinoid receptor genes in patients with schizophrenia and other psychiatric diseases. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 133B, 50-53.	1.7	16
218	Genome-wide association analysis accounting for environmental factors through propensity score matching: Application to stressful life events in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013, 162, 521-529.	1.7	16
219	Bipolar disorder, miscarriage, and termination. <i>Bipolar Disorders</i> , 2015, 17, 102-105.	1.9	16
220	Parallel characterization of cis-regulatory elements for multiple genes using CRISPRpath. <i>Science Advances</i> , 2021, 7, eabi4360.	10.3	16
221	Investigating the genetic variation underlying episodicity in major depressive disorder: Suggestive evidence for a bipolar contribution. <i>Journal of Affective Disorders</i> , 2014, 155, 81-89.	4.1	15
222	Patterns and clinical correlates of lifetime alcohol consumption in women and men with bipolar disorder: Findings from the UK Bipolar Disorder Research Network. <i>Bipolar Disorders</i> , 2020, 22, 731-738.	1.9	15
223	Infants at familial risk for depression show a distinct pattern of cortisol response to experimental challenge. <i>Journal of Affective Disorders</i> , 2013, 150, 955-960.	4.1	14
224	Postnatal depression. <i>BMJ</i> , The, 2014, 349, g4500-g4500.	6.0	14
225	Improving the psychometric utility of the hypomania checklist (HCL-32): A Rasch analysis approach. <i>Journal of Affective Disorders</i> , 2014, 152-154, 448-453.	4.1	14
226	A national population-based e-cohort of people with psychosis (PsyCymru) linking prospectively ascertained phenotypically rich and genetic data to routinely collected records: Overview, recruitment and linkage. <i>Schizophrenia Research</i> , 2015, 166, 131-136.	2.0	14
227	Is sleep disruption a trigger for postpartum psychosis?. <i>British Journal of Psychiatry</i> , 2016, 208, 409-411.	2.8	14
228	Persistence of anxiety symptoms after elective caesarean delivery. <i>BJPsych Open</i> , 2018, 4, 354-360.	0.7	14
229	The impact of postpartum psychosis on partners. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 414.	2.4	14
230	Protocol for a quasi-experimental study of the effectiveness and cost-effectiveness of mother and baby units compared with general psychiatric inpatient wards and crisis resolution team services (The Tj ETQq0 0 Q. BT / Overlock 10 T	0.9	14
231	Agitated depression in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 547-555.	1.9	14
232	Symptom profile of postpartum and non-postpartum manic episodes in bipolar I disorder: a within-subjects study. <i>Psychiatry Research</i> , 2020, 284, 112748.	3.3	14
233	No association between two polymorphisms at the 5HT2A gene and bipolar affective puerperal psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2003, 108, 387-391.	4.5	13
234	Large-scale roll out of electronic longitudinal mood-monitoring for research in affective disorders: Report from the UK bipolar disorder research network. <i>Journal of Affective Disorders</i> , 2019, 246, 789-793.	4.1	13

#	ARTICLE	IF	CITATIONS
235	The effectiveness of exercise as a treatment for postnatal depression: study protocol. BMC Pregnancy and Childbirth, 2012, 12, 45.	2.4	12
236	Postpartum psychosis in bipolar disorder: no evidence of association with personality traits, cognitive style or affective temperaments. BMC Psychiatry, 2019, 19, 395.	2.6	12
237	Post-partum psychosis and its association with bipolar disorder in the UK: a case-control study using polygenic risk scores. Lancet Psychiatry, 2021, 8, 1045-1052.	7.4	12
238	Intrafamilial association of pericentric inversion of chromosome 9, inv (9)(p11-q21), and rapid cycling bipolar disorder. Psychiatric Genetics, 1998, 8, 259-262.	1.1	11
239	Variation in the coding sequence and flanking splice junctions of the estrogen receptor alpha (ER α) gene does not play an important role in genetic susceptibility to bipolar disorder or bipolar affective puerperal psychosis. American Journal of Medical Genetics Part A, 2003, 118B, 72-75.	2.4	11
240	Adverse childhood experiences and postpartum depression in bipolar disorder. Journal of Affective Disorders, 2020, 263, 661-666.	4.1	11
241	Trauma exposure and undetected posttraumatic stress disorder among adults with a mental disorder. Depression and Anxiety, 2018, 35, 178-184.	4.1	10
242	The influence of borderline personality traits on clinical outcomes in bipolar disorder. Bipolar Disorders, 2021, 23, 368-375.	1.9	10
243	Common Genetic Variation and Age of Onset of Anorexia Nervosa. Biological Psychiatry Global Open Science, 2022, 2, 368-378.	2.2	10
244	Age and sex-related variability in the presentation of generalized anxiety and depression symptoms. Depression and Anxiety, 2021, 38, 1054-1065.	4.1	10
245	Invited commentaries on 'Abortion and mental health disorders. British Journal of Psychiatry, 2008, 193, 452-454.	2.8	9
246	Changes to the Diagnostic Criteria for Bipolar Disorder in DSM-5 Make Little Difference to Lifetime Diagnosis: Findings From the U.K. Bipolar Disorder Research Network (BDRN) Study. American Journal of Psychiatry, 2017, 174, 803-803.	7.2	9
247	A data-driven investigation of relationships between bipolar psychotic symptoms and schizophrenia genome-wide significant genetic loci. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2018, 177, 468-475.	1.7	9
248	Seasonal variation in salivary cortisol but not symptoms of depression and trait anxiety in pregnant women undergoing an elective caesarean section. Psychoneuroendocrinology, 2019, 108, 14-19.	2.7	9
249	Explaining why childhood abuse is a risk factor for poorer clinical course in bipolar disorder: a path analysis of 923 people with bipolar I disorder. Psychological Medicine, 2020, 50, 2346-2354.	4.5	9
250	Mood episodes in pregnancy and risk of postpartum recurrence in bipolar disorder: The Bipolar Disorder Research Network Pregnancy Study. Journal of Affective Disorders, 2021, 294, 714-722.	4.1	9
251	Effectiveness and cost-effectiveness of psychiatric mother and baby units: quasi-experimental study. British Journal of Psychiatry, 2022, 221, 628-636.	2.8	9
252	COVID-19-related posttraumatic stress disorder in adults with lived experience of psychiatric disorder. Depression and Anxiety, 2022, 39, 564-572.	4.1	9

#	ARTICLE	IF	CITATIONS
253	Perinatal mental health services in pregnancy and the year after birth: the ESMI research programme including RCT. Programme Grants for Applied Research, 2022, 10, 1-142.	1.0	9
254	Trauma exposure and co-occurring ICD-11 post-traumatic stress disorder and complex post-traumatic stress disorder in adults with lived experience of psychiatric disorder. Acta Psychiatrica Scandinavica, 2022, 146, 258-271.	4.5	9
255	The crisis in psychiatry. Lancet, The, 1997, 349, 1550.	13.7	8
256	Approaches to the ascertainment, recruitment and clinical assessment of women with puerperal psychosis. Archives of Women's Mental Health, 2000, 3, 59-64.	2.6	8
257	Postpartum psychosis: an important clue to the etiology of mental illness. World Psychiatry, 2020, 19, 334-336.	10.4	8
258	Have I argued with my family this week? What questions do those with lived experience choose to monitor their bipolar disorder?. Journal of Affective Disorders, 2021, 281, 918-925.	4.1	8
259	Systematic screening for mutations in the glycine receptor $\alpha 2$ subunit gene (GLRA2) in patients with schizophrenia and other psychiatric diseases. Psychiatric Genetics, 2001, 11, 45-48.	1.1	7
260	A Diagnostic System Using Broad Categories With Clinically Relevant Specifiers: Lessons for ICD-11. International Journal of Social Psychiatry, 2010, 56, 326-335.	3.1	7
261	Pharmacological Management of Bipolar Disorder in Pregnancy. CNS Drugs, 2017, 31, 737-745.	5.9	7
262	Clinical implications of psychiatric genetics in the new millennium – nightmare or nirvana?. Psychiatric Bulletin, 2001, 25, 129-131.	0.3	7
263	The dynamic interplay between sleep and mood: an intensive longitudinal study of individuals with bipolar disorder. Psychological Medicine, 2023, 53, 3345-3354.	4.5	7
264	Web-Based Cognitive Testing in Psychiatric Research: Validation and Usability Study. Journal of Medical Internet Research, 2022, 24, e28233.	4.3	7
265	Mutation scanning of the androgen receptor gene in patients with psychiatric disorders reveals highly conserved variants in alcoholic and phobia patients. Psychiatric Genetics, 2004, 14, 57-60.	1.1	6
266	Depression, Migraine With Aura and Migraine Without Aura: Their Familiality and Interrelatedness. Cephalalgia, 2009, 29, 848-854.	3.9	6
267	Neurogenetic determinism and the new euphenics. BMJ: British Medical Journal, 1999, 318, 1488-1488.	2.3	6
268	Impact of COVID-19 on mental health research: is this the breaking point?. British Journal of Psychiatry, 2022, 220, 254-256.	2.8	6
269	Associations between comorbid anxiety and sleep disturbance in people with bipolar disorder: Findings from actigraphy and subjective sleep measures. Journal of Affective Disorders, 2022, 309, 165-171.	4.1	6
270	Living with uncertainty: antidepressants and pregnancy. British Journal of Psychiatry, 2014, 205, 103-104.	2.8	5

#	ARTICLE	IF	CITATIONS
271	Translation: From Bench to Brain â€œ Using the visual arts and metaphors to engage and educate. Research for All, 0, 1, .	0.4	5
272	Qualitative exploration of the effect of a television soap opera storyline on women with experience of postpartum psychosis. BJPsych Open, 2018, 4, 75-82.	0.7	5
273	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. Neuropsychopharmacology, 2021, 46, 2304-2311.	5.4	5
274	Mental health prior to and during the <scp>COVID</scp>â€19 pandemic in individuals with bipolar disorder: Insights from prospective longitudinal data. Bipolar Disorders, 2022, 24, 658-666.	1.9	5
275	Ethical issues in genetics of mental disorders. Lancet, The, 1998, 352, 1788.	13.7	4
276	Triplet repeats and bipolar disorder. Current Psychiatry Reports, 2002, 4, 134-140.	4.5	4
277	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. Bipolar Disorders, 2009, 11, 307-315.	1.9	4
278	Perinatal psychiatry. Medicine, 2012, 40, 654-657.	0.4	4
279	Smoking and postpartum psychosis. Bipolar Disorders, 2015, 17, 572-573.	1.9	4
280	Migraine associated with early onset postpartum depression in women with major depressive disorder. Archives of Women's Mental Health, 2021, 24, 949-955.	2.6	4
281	HPRep: Quantifying Reproducibility in HiChIP and PLAC-Seq Datasets. Current Issues in Molecular Biology, 2021, 43, 1156-1170.	2.4	4
282	Examining sex differences in neurodevelopmental and psychiatric genetic risk in anxiety and depression. PLoS ONE, 2021, 16, e0248254.	2.5	4
283	Comparison of depression and anxiety symptom networks in reporters and non-reporters of lifetime trauma in two samples of differing severity. Journal of Affective Disorders Reports, 2021, 6, 100201.	1.7	4
284	Type II Diabetes Mellitus Presenting as the Charles Bonnet Syndrome. Journal of the Royal Society of Medicine, 1997, 90, 503-503.	2.0	3
285	No evidence of association from transmission disequilibrium analysis of the hKCa3 gene in bipolar disorder. Bipolar Disorders, 2000, 2, 328-331.	1.9	3
286	Perinatal psychiatry. Medicine, 2008, 36, 459-462.	0.4	3
287	A meta-analysis comparing cognitive function across the mood/psychosis diagnostic spectrum. Psychological Medicine, 2022, 52, 323-331.	4.5	3
288	Genome-wide association study of suicidal behaviour severity in mood disorders. World Journal of Biological Psychiatry, 2021, 22, 1-19.	2.6	3

#	ARTICLE	IF	CITATIONS
289	Association analysis of the proneurotensin gene and bipolar disorder. <i>Psychiatric Genetics</i> , 2000, 10, 51-54.	1.1	2
290	Primary Amenorrhea in Anorexia Nervosa: Impact on Characteristic Masculine and Feminine Traits. <i>European Eating Disorders Review</i> , 2014, 22, 32-38.	4.1	2
291	Perinatal psychiatry. <i>Medicine</i> , 2016, 44, 720-723.	0.4	2
292	Post-partum depression—a glimpse of light in the darkness?. <i>Lancet</i> , The, 2017, 390, 434-435.	13.7	2
293	Impact of schizophrenia genetic liability on the association between schizophrenia and physical illness: data-linkage study. <i>BJPsych Open</i> , 2020, 6, e139.	0.7	2
294	20 years on: the legacy of Daksha Emson for perinatal psychiatry. <i>Archives of Women's Mental Health</i> , 2022, 25, 507-510.	2.6	2
295	Membership course or Masters course?. <i>Psychiatric Bulletin</i> , 1997, 21, 449-450.	0.3	2
296	Potential Genetic Overlap Between Insomnia and Sleep Symptoms in Major Depressive Disorder: A Polygenic Risk Score Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 734077.	2.6	2
297	Screening for Perinatal Depression Edited by Carol Henshaw & Sandra Elliott. London: Jessica Kingsley. 2005. 240pp. £27.95 (pb). ISBN 1843102196. <i>British Journal of Psychiatry</i> , 2006, 189, 195-195.	2.8	1
298	The importance of early and accurate diagnosis. <i>The Psychiatrist</i> , 2010, 34, 260-260.	0.3	1
299	Genome-wide significant locus for Research Diagnostic Criteria Schizoaffective Disorder Bipolar type. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 767-771.	1.7	1
300	Examining cognition across the bipolar/schizophrenia diagnostic spectrum. <i>European Neuropsychopharmacology</i> , 2017, 27, S726-S727.	0.7	1
301	Evidence for familial cosegregation of major affective disorder and genetic markers flanking the gene for Darier's disease. , 0, .		1
302	Eileithyia's Mischief: The Organic Psychoses of Pregnancy, Parturition and the Puerperium By Ian Brockington. Ery. 2006. £100.00 (hb). 329pp. ISBN 9780954063320. <i>British Journal of Psychiatry</i> , 2008, 193, 84-84.	2.8	1
303	Psychosocial markers of age at onset in bipolar disorder: a machine learning approach. <i>BJPsych Open</i> , 2022, 8, .	0.7	1
304	Effect of Weight Reduction on Erythrocyte Sodium Transport in Obesity. <i>Clinical Science</i> , 1982, 63, 44P-44P.	4.3	0
305	Why do women experience mood disorders following childbirth?. <i>British Journal of Midwifery</i> , 2006, 14, 654-657.	0.4	0
306	P.2.a.005 Mild manic symptoms as predictors of poor response to antidepressants in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2007, 17, S314.	0.7	0

#	ARTICLE	IF	CITATIONS
307	Response to the Editor. British Journal of Psychiatry, 2009, 195, 369-369.	2.8	0
308	Academic training in psychiatry. The Psychiatrist, 2013, 37, 398-402.	0.3	0
309	Authors' reply. British Journal of Psychiatry, 2015, 207, 271-272.	2.8	0
310	Authors' reply. British Journal of Psychiatry, 2016, 208, 94-94.	2.8	0
311	Polygenic Risk Scores Derived From Largest Schizophrenia Gwas Are Associated With The Presence Of Psychosis And Level Of Mood Incongruent Psychosis In Bipolar Disorder. European Neuropsychopharmacology, 2017, 27, S445-S446.	0.7	0
312	Protocol for Developing and Validating a Multivariable Prediction Model to Individualize the Risk of Recurrence of Bipolar Disorder in the Perinatal Period. European Psychiatry, 2017, 41, S112-S113.	0.2	0
313	Review of Risk Prediction Approaches for Bipolar Episodes in the Perinatal Period. European Psychiatry, 2017, 41, S113-S113.	0.2	0
314	A visual timeline tool for tracking mood and medication perinatally in affective disorders. Archives of Women's Mental Health, 2017, 20, 709-710.	2.6	0
315	The role of rare copy number variants in depression. European Neuropsychopharmacology, 2017, 27, S787-S788.	0.7	0
316	SPARSE CANONICAL CORRELATION IN APPLICATION TO BIPOLAR PSYCHOTIC PHENOTYPES AND SCHIZOPHRENIA GENOME-WIDE SIGNIFICANT GENETIC LOCI. European Neuropsychopharmacology, 2019, 29, S835-S836.	0.7	0
317	P017â€¦Differences in genetic risk for insomnia, hypersomnia and chronotype in bipolar disorder subtypes. , 2019, , .		0
318	Perinatal psychiatry. Medicine, 2020, 48, 774-778.	0.4	0
319	Psychotropic Prescribing in Pregnancy and Lactation. , 2020, , 577-598.		0
320	Multicentre evaluation of the pharmacological management of women with bipolar disorder in the perinatal period. BJPsych Open, 2021, 7, S164-S165.	0.7	0
321	Psychiatric Disorders and Pregnancy. Edited by V. O'Keane, M. Marsh & G. Senevitratne. Taylor & Francis. 2006. 336pp. Â£75.00 (hb). ISBN 1841844624. British Journal of Psychiatry, 2007, 190, 184-185.	2.8	0
322	Doctors and homosexuality. BMJ: British Medical Journal, 1994, 308, 854-855.	2.3	0
323	Multicentre evaluation of perinatal pharmacological management in women with bipolar disorder. European Psychiatry, 2021, 64, S80-S80.	0.2	0