
Yanhong Dong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3935013/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	"Train Your Brain―Cognitive Intervention Group Program for Singaporean Older Adult Patients With Mild Cognitive Impairment: A Pilot Feasibility Study. Journal of Geriatric Psychiatry and Neurology, 2022, 35, 442-449.	2.3	2
2	Development of a Community-Based e-Health Program for Older Adults With Chronic Diseases: Pilot Pre-Post Study. JMIR Aging, 2022, 5, e33118.	3.0	4
3	Investigating Psychological Differences Between Nurses and Other Health Care Workers From the Asia-Pacific Region During the Early Phase of COVID-19: Machine Learning Approach. JMIR Nursing, 2022, 5, e32647.	1.9	17
4	Traditional Chinese Medicine as a complementary therapy in combat with COVIDâ€19—A review of evidenceâ€based research and clinical practice. Journal of Advanced Nursing, 2021, 77, 1635-1644.	3.3	19
5	The assessment of cognitive and behavioural disturbances in vascular cognitive impairment (VCI) — recommendations of an expert working group. Neurologia I Neurochirurgia Polska, 2021, 55, 333-345.	1.2	3
6	Ethnic differences in quality of life and its association with survival in patients with heart failure. Clinical Cardiology, 2020, 43, 976-985.	1.8	8
7	Cognitive impairment in Asian patients with heart failure: prevalence, biomarkers, clinical correlates, and outcomes. European Journal of Heart Failure, 2019, 21, 688-690.	7.1	16
8	The Clinical Utility of the TYM and RBANS in a One-Stop Memory Clinic in Singapore: A Pilot Study. Journal of Geriatric Psychiatry and Neurology, 2019, 32, 68-73.	2.3	2
9	Personalized Serious Games for Cognitive Intervention with Lifelog Visual Analytics. , 2018, , .		4
10	The Relationship between Cerebral White Matter Integrity and Cognitive Function in Mild Stroke with Basal Ganglia Region Infarcts. Scientific Reports, 2018, 8, 8422.	3.3	14
11	Poststroke Cognitive Decline is Independent of Longitudinal Changes in Cerebral Hemodynamics Parameters. Journal of Neuroimaging, 2017, 27, 326-332.	2.0	6
12	Decline in changing Montreal Cognitive Assessment (MoCA) scores is associated with post-stroke cognitive decline determined by a formal neuropsychological evaluation. PLoS ONE, 2017, 12, e0173291.	2.5	44
13	Pilot Evaluation of the Informant AD8 as a Case-Finding Instrument for Cognitive Impairment in General Practitioner Clinics of Singapore: A Brief Report. Journal of the American Medical Directors Association, 2016, 17, 1147-1150.	2.5	4
14	The Diagnostic Utility of the NINDS-CSN Neuropsychological Battery in Memory Clinics. Dementia and Geriatric Cognitive Disorders Extra, 2016, 6, 276-282.	1.3	23
15	Screening for cognitive impairment with the Montreal Cognitive Assessment in Chinese patients with acute mild stroke and transient ischaemic attack: a validation study. BMJ Open, 2016, 6, e011310.	1.9	42
16	Brain Health: Case Finding of CognitiveÂImpairment in Primary CareÂby Using aÂRisk Score and 2-Pronged Performance-based and Informant-based Assessment Approach. Journal of the American Medical Directors Association, 2016, 17, 460-461.	2.5	3
17	The reliability and validity of the informant AD8 by comparison with a series of cognitive assessment tools in primary healthcare. International Psychogeriatrics, 2016, 28, 443-452.	1.0	25
18	Pilot Evaluation of a Dementia Case Finding Clinical Service Using the Informant AD8 for At-Risk Older Adults in Primary Health Care: A Brief Report. Journal of the American Medical Directors Association, 2016, 17, 673.e5-673.e8.	2.5	4

Yanhong Dong

#	Article	IF	CITATIONS
19	The Utility of Brief Cognitive Tests for Patients With Type 2 Diabetes Mellitus: A Systematic Review. Journal of the American Medical Directors Association, 2016, 17, 889-895.	2.5	19
20	Perceptions and experiences of patients living with implantable cardioverter defibrillators: a systematic review and meta-synthesis. Health and Quality of Life Outcomes, 2016, 14, 160.	2.4	29
21	Risk Factors of Cognitive Impairment and Brief Cognitive Tests toÂPredict Cognitive Performance Determined by a Formal Neuropsychological Evaluation of Primary Health Care Patients. Journal of the American Medical Directors Association, 2016, 17, 343-347.	2.5	28
22	The Combined Utility of a Brief Functional Measure and Performance-Based Screening Test for Case Finding of Cognitive Impairment in Primary Healthcare. Journal of the American Medical Directors Association, 2016, 17, 372.e9-372.e11.	2.5	18
23	Clinical Utility of the Informant AD8 as a Dementia Case Finding Instrument in Primary Healthcare. Journal of Alzheimer's Disease, 2015, 49, 121-127.	2.6	32
24	Rapid Screening for Cognitive Impairment in Parkinson's Disease: A Pilot Study. Parkinson's Disease, 2015, 2015, 1-6.	1.1	6
25	A Pilot Study to Examine the Correlation between Cognition and Blood Biomarkers in a Singapore Chinese Male Cohort with Type 2 Diabetes Mellitus. PLoS ONE, 2014, 9, e96874.	2.5	8
26	Feasibility and Acceptability of the Informant AD8 for Cognitive Screening in Primary Healthcare: A Pilot Study. Scientific World Journal, The, 2014, 2014, 1-7.	2.1	12
27	Improving screening for vascular cognitive impairment at three to six months after mild ischemic stroke and transient ischemic attack. International Psychogeriatrics, 2014, 26, 787-793.	1.0	33
28	Computer Tomography for Prediction of Cognitive Outcomes after Ischemic Cerebrovascular Events. Journal of Stroke and Cerebrovascular Diseases, 2014, 23, 1921-1927.	1.6	9
29	Patterns of neuropsychological impairment in Alzheimer's disease and mixed dementia. Journal of the Neurological Sciences, 2013, 333, 5-8.	0.6	32
30	Comparison of the Montreal Cognitive Assessment and the Mini-Mental State Examination in detecting multi-domain mild cognitive impairment in a Chinese sub-sample drawn from a population-based study. International Psychogeriatrics, 2013, 25, 1831-1838.	1.0	41
31	The Montreal Cognitive Assessment (MoCA) is superior to the Mini-Mental State Examination (MMSE) for the detection of vascular cognitive impairment after acute stroke. Journal of the Neurological Sciences, 2010, 299, 15-18.	0.6	350