

# Michael J Grey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3935648/publications.pdf>

Version: 2024-02-01

49  
papers

2,365  
citations

257450

24  
h-index

206112

48  
g-index

49  
all docs

49  
docs citations

49  
times ranked

2588  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomarkers to aid the return to play decision following sports-related concussion: a systematic review. <i>Journal of Concussion</i> , 2022, 6, 205970022110707.	0.6	2
2	User perspectives on the design and setup of lower limb mirror therapy equipment after stroke: a technical report. <i>Physiotherapy</i> , 2021, 113, 37-43.	0.4	3
3	Investigation into repetitive concussion in sport (RECOS): study protocol of a prospective, exploratory, observational cohort study. <i>BMJ Open</i> , 2019, 9, e029883.	1.9	5
4	False positives associated with responder/non-responder analyses based on motor evoked potentials. <i>Brain Stimulation</i> , 2019, 12, 314-318.	1.6	12
5	Novel tools for rapid online data acquisition of the TMS stimulus-response curve. <i>Brain Stimulation</i> , 2019, 12, 192-194.	1.6	8
6	Interindividual Variability in Use-Dependent Plasticity Following Visuomotor Learning: The Effect of Handedness and Muscle Trained. <i>Journal of Motor Behavior</i> , 2019, 51, 171-184.	0.9	11
7	Modifications in lower leg muscle activation when walking barefoot or in minimalist shoes across different age-groups. <i>Gait and Posture</i> , 2018, 60, 1-5.	1.4	5
8	StimTrack: An open-source software for manual transcranial magnetic stimulation coil positioning. <i>Journal of Neuroscience Methods</i> , 2018, 293, 97-104.	2.5	6
9	Salivary MicroRNAs: Diagnostic Markers of Mild Traumatic Brain Injury in Contact-Sport. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 290.	2.9	74
10	Functional strength training versus movement performance therapy for upper limb motor recovery early after stroke: a RCT. <i>Efficacy and Mechanism Evaluation</i> , 2018, 5, 1-112.	0.7	12
11	Do minimalist shoes improve balance and foot strength in older adults?. <i>Footwear Science</i> , 2017, 9, S39-S40.	2.1	2
12	Exploring the quiet eye in archery using field- and laboratory-based tasks. <i>Experimental Brain Research</i> , 2017, 235, 2843-2855.	1.5	18
13	Anatomy and Physiology of Knee Stability. <i>Journal of Functional Morphology and Kinesiology</i> , 2017, 2, 34.	2.4	45
14	The TMS Motor Map Does Not Change Following a Single Session of Mirror Training Either with Or without Motor Imagery. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 601.	2.0	4
15	Intra and inter-session reliability of rapid Transcranial Magnetic Stimulation stimulus-response curves of tibialis anterior muscle in healthy older adults. <i>PLoS ONE</i> , 2017, 12, e0184828.	2.5	10
16	Functional Strength Training and Movement Performance Therapy for Upper Limb Recovery Early Poststroke—Efficacy, Neural Correlates, Predictive Markers, and Cost-Effectiveness: FAST-INDiCATE Trial. <i>Frontiers in Neurology</i> , 2017, 8, 733.	2.4	15
17	An Extensive Evaluation of Different Knee Stability Assessment Measures: A Systematic Review. <i>Journal of Functional Morphology and Kinesiology</i> , 2016, 1, 209-229.	2.4	7
18	Peripheral Electrical and Magnetic Stimulation to Augment Resistance Training. <i>Journal of Functional Morphology and Kinesiology</i> , 2016, 1, 328-342.	2.4	11

#	ARTICLE	IF	CITATIONS
19	Hamstring stretch reflex: could it be a reproducible objective measure of functional knee stability? Journal of Experimental Orthopaedics, 2016, 3, 4.	1.8	4
20	The TMS Map Scales with Increased Stimulation Intensity and Muscle Activation. Brain Topography, 2016, 29, 56-66.	1.8	48
21	Barefoot vs common footwear: A systematic review of the kinematic, kinetic and muscle activity differences during walking. Gait and Posture, 2015, 42, 230-239.	1.4	133
22	TMS Brain Mapping in Less Than Two Minutes. Brain Stimulation, 2015, 8, 231-239.	1.6	91
23	Rapid Acquisition of the Transcranial Magnetic Stimulation Stimulus Response Curve. Brain Stimulation, 2014, 7, 59-65.	1.6	23
24	Neural tension technique is no different from random passive movements in reducing spasticity in patients with traumatic brain injury. Disability and Rehabilitation, 2012, 34, 1978-1985.	1.8	7
25	Assessment of a portable device for the quantitative measurement of ankle joint stiffness in spastic individuals. Clinical Neurophysiology, 2012, 123, 1371-1382.	1.5	24
26	Ultrasonography as a tool to study afferent feedback from the muscle-tendon complex during human walking. Journal of Electromyography and Kinesiology, 2011, 21, 197-207.	1.7	20
27	Spinal inhibition of descending command to soleus motoneurons is removed prior to dorsiflexion. Journal of Physiology, 2011, 589, 5819-5831.	2.9	16
28	Involvement of the corticospinal tract in the control of human gait. Progress in Brain Research, 2011, 192, 181-197.	1.4	76
29	Contribution of afferent feedback and descending drive to human hopping. Journal of Physiology, 2010, 588, 799-807.	2.9	62
30	Load Rather Than Length Sensitive Feedback Contributes to Soleus Muscle Activity During Human Treadmill Walking. Journal of Neurophysiology, 2010, 103, 2747-2756.	1.8	56
31	Distinguishing active from passive components of ankle plantar flexor stiffness in stroke, spinal cord injury and multiple sclerosis. Clinical Neurophysiology, 2010, 121, 1939-1951.	1.5	200
32	Sudden Drop in Ground Support Produces Force-Related Unload Response in Human Overground Walking. Journal of Neurophysiology, 2009, 101, 1705-1712.	1.8	36
33	Mechanical and neural stretch responses of the human soleus muscle at different walking speeds. Journal of Physiology, 2009, 587, 3375-3382.	2.9	33
34	Tibialis anterior stretch reflex in early stance is suppressed by repetitive transcranial magnetic stimulation. Journal of Physiology, 2009, 587, 1669-1676.	2.9	30
35	Post-activation depression of Soleus stretch reflexes in healthy and spastic humans. Experimental Brain Research, 2008, 185, 189-197.	1.5	118
36	Cortical excitability changes following grasping exercise augmented with electrical stimulation. Experimental Brain Research, 2008, 191, 57-66.	1.5	118

#	ARTICLE	IF	CITATIONS
37	Within-step modulation of leg muscle activity by afferent feedback in human walking. <i>Journal of Physiology</i> , 2008, 586, 4643-4648.	2.9	42
38	Decreased Contribution From Afferent Feedback to the Soleus Muscle During Walking in Patients With Spastic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2007, 16, 135-144.	1.6	39
39	Positive force feedback in human walking. <i>Journal of Physiology</i> , 2007, 581, 99-105.	2.9	102
40	Changes in the Soleus Stretch Reflex at Different Pedaling Frequencies and Crank Loads during Pedaling. <i>Motor Control</i> , 2006, 10, 265-279.	0.6	3
41	Afferent-mediated modulation of the soleus muscle activity during the stance phase of human walking. <i>Experimental Brain Research</i> , 2006, 173, 713-723.	1.5	38
42	Contribution of Afferent Feedback to the Soleus Muscle Activity During Human Locomotion. <i>Journal of Neurophysiology</i> , 2005, 93, 167-177.	1.8	62
43	Muscle-tendon interaction and elastic energy usage in human walking. <i>Journal of Applied Physiology</i> , 2005, 99, 603-608.	2.5	394
44	Lack of On-Going Adaptations in the Soleus Muscle Activity During Walking in Patients Affected by Large-Fiber Neuropathy. <i>Journal of Neurophysiology</i> , 2005, 93, 3075-3085.	1.8	37
45	Ankle extensor proprioceptors contribute to the enhancement of the soleus EMG during the stance phase of human walking. <i>Canadian Journal of Physiology and Pharmacology</i> , 2004, 82, 610-616.	1.4	64
46	A task dependent change in the medium latency component of the soleus stretch reflex. <i>Experimental Brain Research</i> , 2002, 145, 316-322.	1.5	20
47	Plantar flexor stretch reflex responses to whole body loading/unloading during human walking. <i>European Journal of Neuroscience</i> , 2002, 16, 2001-2007.	2.6	20
48	Soleus Stretch Reflex during Cycling. <i>Motor Control</i> , 2001, 5, 36-49.	0.6	9
49	Group II muscle afferents probably contribute to the medium latency soleus stretch reflex during walking in humans. <i>Journal of Physiology</i> , 2001, 534, 925-933.	2.9	190