

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3936341/publications.pdf>

Version: 2024-02-01

458
papers

55,891
citations

492

129
h-index

1755

212
g-index

487
all docs

487
docs citations

487
times ranked

35709
citing authors

#	ARTICLE	IF	CITATIONS
1	Approaches and determinants to sustainably improve crop production. Food and Energy Security, 2023, 12, .	4.3	12
2	SLKX8 and SLKX9 are negative regulators of leaf and fruit growth in tomato. Plant Physiology, 2022, 188, 382-396.	4.8	12
3	Single-cell transcriptomics sheds light on the identity and metabolism of developing leaf cells. Plant Physiology, 2022, 188, 898-918.	4.8	40
4	Prospects to improve the nutritional quality of crops. Food and Energy Security, 2022, 11, e327.	4.3	15
5	Increasing yield on dry fields: molecular pathways with growing potential. Plant Journal, 2022, 109, 323-341.	5.7	13
6	SAMBA controls cell division rate during maize development. Plant Physiology, 2022, 188, 411-424.	4.8	9
7	CIN-like TCP13 is essential for plant growth regulation under dehydration stress. Plant Molecular Biology, 2022, 108, 257-275.	3.9	16
8	Mini-Review: Transgenerational CRISPR/Cas9 Gene Editing in Plants. Frontiers in Genome Editing, 2022, 4, 825042.	5.2	10
9	The heat is on: a simple method to increase genome editing efficiency in plants. BMC Plant Biology, 2022, 22, 142.	3.6	18
10	Root system size and root hair length are key phenes for nitrate acquisition and biomass production across natural variation in Arabidopsis. Journal of Experimental Botany, 2022, 73, 3569-3583.	4.8	18
11	Non-destructive analysis of plant physiological traits using hyperspectral imaging: A case study on drought stress. Computers and Electronics in Agriculture, 2022, 195, 106806.	7.7	10
12	Modulation of the DA1 pathway in maize shows that translatability of information from Arabidopsis to crops is complex. Plant Science, 2022, 321, 111295.	3.6	7
13	Optimized Transformation and Gene Editing of the B104 Public Maize Inbred by Improved Tissue Culture and Use of Morphogenic Regulators. Frontiers in Plant Science, 2022, 13, 883847.	3.6	15
14	Interactive database of genome editing applications in crops and future policy making in the European Union. Trends in Plant Science, 2022, 27, 746-748.	8.8	14
15	Agrobacterium strains and strain improvement: Present and outlook. Biotechnology Advances, 2021, 53, 107677.	11.7	29
16	The PEAPOD Pathway and Its Potential To Improve Crop Yield. Trends in Plant Science, 2021, 26, 220-236.	8.8	14
17	Biotechnology for Tomorrow's World: Scenarios to Guide Directions for Future Innovation. Trends in Biotechnology, 2021, 39, 438-444.	9.3	13
18	Turgor time controls grass leaf elongation rate and duration under drought stress. Plant, Cell and Environment, 2021, 44, 1361-1378.	5.7	11

#	ARTICLE	IF	CITATIONS
19	Proximal Hyperspectral Imaging Detects Diurnal and Drought-Induced Changes in Maize Physiology. <i>Frontiers in Plant Science</i> , 2021, 12, 640914.	3.6	25
20	Post-translational modifications regulate the activity of the growth-restricting protease DA1. <i>Journal of Experimental Botany</i> , 2021, 72, 3352-3366.	4.8	24
21	Drought affects the rate and duration of organ growth but not inter-organ growth coordination. <i>Plant Physiology</i> , 2021, 186, 1336-1353.	4.8	18
22	The role of scientists in policy making for more sustainable agriculture. <i>Current Biology</i> , 2021, 31, R218-R220.	3.9	10
23	Distinct cellular strategies determine sensitivity to mild drought of <i>Arabidopsis</i> natural accessions. <i>Plant Physiology</i> , 2021, 186, 1171-1185.	4.8	15
24	Root engineering in maize by increasing cytokinin degradation causes enhanced root growth and leaf mineral enrichment. <i>Plant Molecular Biology</i> , 2021, 106, 555-567.	3.9	18
25	A forward genetics approach integrating genome-wide association study and expression quantitative trait locus mapping to dissect leaf development in maize (<i>Zea mays</i>). <i>Plant Journal</i> , 2021, 107, 1056-1071.	5.7	19
26	The GW2-WG1-OsbZIP47 pathway controls grain size and weight in rice. <i>Molecular Plant</i> , 2021, 14, 1266-1280.	8.3	70
27	Nocturnal gibberellin biosynthesis is carbon dependent and adjusts leaf expansion rates to variable conditions. <i>Plant Physiology</i> , 2021, 185, 228-239.	4.8	10
28	From laboratory to field: yield stability and shade avoidance genes are massively differentially expressed in the field. <i>Plant Biotechnology Journal</i> , 2020, 18, 1112-1114.	8.3	13
29	Comparative transcriptomics enables the identification of functional orthologous genes involved in early leaf growth. <i>Plant Biotechnology Journal</i> , 2020, 18, 553-567.	8.3	24
30	How grass keeps growing: an integrated analysis of hormonal crosstalk in the maize leaf growth zone. <i>New Phytologist</i> , 2020, 225, 2513-2525.	7.3	13
31	Molecular networks regulating cell division during <i>Arabidopsis</i> leaf growth. <i>Journal of Experimental Botany</i> , 2020, 71, 2365-2378.	4.8	83
32	Development of a novel and rapid phenotype-based screening method to assess rice seedling growth. <i>Plant Methods</i> , 2020, 16, 139.	4.3	4
33	Emerging Connections between Small RNAs and Phytohormones. <i>Trends in Plant Science</i> , 2020, 25, 912-929.	8.8	43
34	Gene Regulatory Network Inference: Connecting Plant Biology and Mathematical Modeling. <i>Frontiers in Genetics</i> , 2020, 11, 457.	2.3	29
35	Modification of the Expression of the Aquaporin ZmPIP2;5 Affects Water Relations and Plant Growth. <i>Plant Physiology</i> , 2020, 182, 2154-2165.	4.8	39
36	Plant growth under suboptimal water conditions: early responses and methods to study them. <i>Journal of Experimental Botany</i> , 2020, 71, 1706-1722.	4.8	45

#	ARTICLE	IF	CITATIONS
37	Tapping into the maize root microbiome to identify bacteria that promote growth under chilling conditions. <i>Microbiome</i> , 2020, 8, 54.	11.1	63
38	UBP12 and UB13 negatively regulate the activity of the ubiquitin-dependent peptidases DA1, DAR1 and DAR2. <i>ELife</i> , 2020, 9, .	6.0	30
39	Using singleâ€plantâ€omics in the field to link maize genes to functions and phenotypes. <i>Molecular Systems Biology</i> , 2020, 16, e9667.	7.2	22
40	cis-Cinnamic acid is a natural plant growth-promoting compound. <i>Journal of Experimental Botany</i> , 2019, 70, 6293-6304.	4.8	31
41	Tissue Culture of Oil Palm: Finding the Balance Between Mass Propagation and Somaclonal Variation. <i>Frontiers in Plant Science</i> , 2019, 10, 722.	3.6	50
42	A genetics screen highlights emerging roles for CPL3, RST1 and URT1 in RNA metabolism and silencing. <i>Nature Plants</i> , 2019, 5, 539-550.	9.3	23
43	Analysis of hyperspectral images for detection of drought stress and recovery in maize plants in a high-throughput phenotyping platform. <i>Computers and Electronics in Agriculture</i> , 2019, 162, 749-758.	7.7	63
44	Sourceâ€Sink Regulation in Crops under Water Deficit. <i>Trends in Plant Science</i> , 2019, 24, 652-663.	8.8	102
45	Functional analysis of Arabidopsis and maize transgenic lines overexpressing the ADP-ribose/NADH pyrophosphohydrolase, AtNUDX7. <i>International Journal of Developmental Biology</i> , 2019, 63, 45-55.	0.6	1
46	Drought resistance is mediated by divergent strategies in closely related Brassicaceae. <i>New Phytologist</i> , 2019, 223, 783-797.	7.3	34
47	Histone 2B monoubiquitination complex integrates transcript elongation with RNA processing at circadian clock and flowering regulators. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8060-8069.	7.1	18
48	Multifaceted activity of cytokinin in leaf development shapes its size and structure in Arabidopsis. <i>Plant Journal</i> , 2019, 97, 805-824.	5.7	74
49	The role of HEXOKINASE1 in Arabidopsis leaf growth. <i>Plant Molecular Biology</i> , 2019, 99, 79-93.	3.9	20
50	GS ^{yellow} , a Multifaceted Tag for Functional Protein Analysis in Monocot and Dicot Plants. <i>Plant Physiology</i> , 2018, 177, 447-464.	4.8	19
51	The Pivotal Role of Ethylene in Plant Growth. <i>Trends in Plant Science</i> , 2018, 23, 311-323.	8.8	576
52	Close-range hyperspectral image analysis for the early detection of stress responses in individual plants in a high-throughput phenotyping platform. <i>ISPRS Journal of Photogrammetry and Remote Sensing</i> , 2018, 138, 121-138.	11.1	111
53	The reduction in maize leaf growth under mild drought affects the transition between cell division and cell expansion and cannot be restored by elevated gibberellic acid levels. <i>Plant Biotechnology Journal</i> , 2018, 16, 615-627.	8.3	73
54	Growth rate rather than growth duration drives growth heterosis in maize B104 hybrids. <i>Plant, Cell and Environment</i> , 2018, 41, 374-382.	5.7	12

#	ARTICLE	IF	CITATIONS
55	Detection of Plant Responses to Drought using Close-Range Hyperspectral Imaging in a High-Throughput Phenotyping Platform. , 2018, , .		2
56	Robust increase of leaf size by Arabidopsis thaliana GRF3-like transcription factors under different growth conditions. Scientific Reports, 2018, 8, 13447.	3.3	48
57	Early mannitol-triggered changes in the Arabidopsis leaf (phospho)proteome reveal growth regulators. Journal of Experimental Botany, 2018, 69, 4591-4607.	4.8	31
58	Arabidopsis Leaf Flatness Is Regulated by PPD2 and NINJA through Repression of <i>CYCLIN D3</i> Genes. Plant Physiology, 2018, 178, 217-232.	4.8	50
59	STERILE APETALA modulates the stability of a repressor protein complex to control organ size in Arabidopsis thaliana. PLoS Genetics, 2018, 14, e1007218.	3.5	45
60	Ubiquitylation activates a peptidase that promotes cleavage and destabilization of its activating E3 ligases and diverse growth regulatory proteins to limit cell proliferation in <i>Arabidopsis</i>. Genes and Development, 2017, 31, 197-208.	5.9	128
61	The Mitochondrial DNA (mtDNA)-Associated Protein SWIB5 Influences mtDNA Architecture and Homologous Recombination. Plant Cell, 2017, 29, tpc.00899.2016.	6.6	11
62	The transcriptional repressor complex FRS7-FRS12 regulates flowering time and growth in Arabidopsis. Nature Communications, 2017, 8, 15235.	12.8	54
63	Strobilurins as growthâ€promoting compounds: how Stroby regulates Arabidopsis leaf growth. Plant, Cell and Environment, 2017, 40, 1748-1760.	5.7	21
64	Altered expression of maize PLASTOCHRON1 enhances biomass and seed yield by extending cell division duration. Nature Communications, 2017, 8, 14752.	12.8	89
65	Forever Young: The Role of Ubiquitin Receptor DA1 and E3 Ligase BIG BROTHER in Controlling Leaf Growth and Development. Plant Physiology, 2017, 173, 1269-1282.	4.8	55
66	Molecular mechanisms of biomass increase in plants. Biotechnology Research and Innovation, 2017, 1, 14-25.	0.9	33
67	Unlocking the potential of plant phenotyping data through integration and data-driven approaches. Current Opinion in Systems Biology, 2017, 4, 58-63.	2.6	92
68	Time of day determines Arabidopsis transcriptome and growth dynamics under mild drought. Plant, Cell and Environment, 2017, 40, 180-189.	5.7	76
69	Natural Variation of Molecular and Morphological Gibberellin Responses. Plant Physiology, 2017, 173, 703-714.	4.8	16
70	Phosphorylation of MAP65-1 by Arabidopsis Aurora Kinases Is Required for Efficient Cell Cycle Progression. Plant Physiology, 2017, 173, 582-599.	4.8	44
71	F-Box Protein FBX92 Affects Leaf Size in Arabidopsis thaliana. Plant and Cell Physiology, 2017, 58, 962-975.	3.1	69
72	From network to phenotype: the dynamic wiring of an Arabidopsis transcriptional network induced by osmotic stress. Molecular Systems Biology, 2017, 13, 961.	7.2	86

#	ARTICLE	IF	CITATIONS
73	Robust plane-based calibration for linear cameras. , 2017, , .		3
74	SCFSAP controls organ size by targeting PPD proteins for degradation in Arabidopsis thaliana. Nature Communications, 2016, 7, 11192.	12.8	77
75	RALFL34 regulates formative cell divisions in Arabidopsis pericycle during lateral root initiation. Journal of Experimental Botany, 2016, 67, 4863-4875.	4.8	66
76	Overexpression of <i><sc>GA</sc>20â€œ<sc>OXIDASE</sc>1</i> impacts plant height, biomass allocation and saccharification efficiency in maize. Plant Biotechnology Journal, 2016, 14, 997-1007.	8.3	59
77	Chloroplasts Are Central Players in Sugar-Induced Leaf Growth. Plant Physiology, 2016, 171, 590-605.	4.8	67
78	Leaf Growth Response to Mild Drought: Natural Variation in Arabidopsis Sheds Light on Trait Architecture. Plant Cell, 2016, 28, 2417-2434.	6.6	83
79	Functional characterization of the Arabidopsis transcription factor bZIP29 reveals its role in leaf and root development. Journal of Experimental Botany, 2016, 67, 5825-5840.	4.8	78
80	Leaf growth in dicots and monocots: so different yet so alike. Current Opinion in Plant Biology, 2016, 33, 72-76.	7.1	87
81	Editorial overview: Cell signalling and gene regulation: The many layers of plant signalling. Current Opinion in Plant Biology, 2016, 33, iv-vi.	7.1	1
82	Up-to-Date Workflow for Plant (Phospho)proteomics Identifies Differential Drought-Responsive Phosphorylation Events in Maize Leaves. Journal of Proteome Research, 2016, 15, 4304-4317.	3.7	50
83	A Model of Differential Growth-Guided Apical Hook Formation in Plants. Plant Cell, 2016, 28, 2464-2477.	6.6	53
84	Plants grow with a little help from their organelle friends. Journal of Experimental Botany, 2016, 67, 6267-6281.	4.8	61
85	Modeling effects of illumination and plant geometry on leaf reflectance spectra in close-range hyperspectral imaging. , 2016, , .		5
86	Sequence-specific protein aggregation generates defined protein knockdowns in plants. Plant Physiology, 2016, 171, pp.00335.2016.	4.8	24
87	Diffany: an ontology-driven framework to infer, visualise and analyse differential molecular networks. BMC Bioinformatics, 2016, 17, 18.	2.6	30
88	Combined Large-Scale Phenotyping and Transcriptomics in Maize Reveals a Robust Growth Regulatory Network. Plant Physiology, 2016, 170, 1848-1867.	4.8	49
89	The Future of Field Trials in Europe: Establishing a Network Beyond Boundaries. Trends in Plant Science, 2016, 21, 92-95.	8.8	14
90	Plant Growth Beyond Limits. Trends in Plant Science, 2016, 21, 102-109.	8.8	27

#	ARTICLE	IF	CITATIONS
91	An integrated network of Arabidopsis growth regulators and its use for gene prioritization. Scientific Reports, 2015, 5, 17617.	3.3	8
92	AIP1 is a novel Agenet/Tudor domain protein from Arabidopsis that interacts with regulators of DNA replication, transcription and chromatin remodeling. BMC Plant Biology, 2015, 15, 270.	3.6	15
93	Measurement of plant growth in view of an integrative analysis of regulatory networks. Current Opinion in Plant Biology, 2015, 25, 90-97.	7.1	21
94	The ETHYLENE RESPONSE FACTORS ERF6 and ERF11 Antagonistically Regulate Mannitol-Induced Growth Inhibition in Arabidopsis. Plant Physiology, 2015, 169, 166-179.	4.8	86
95	The Role of the Anaphase-Promoting Complex/Cyclosome in Plant Growth. Critical Reviews in Plant Sciences, 2015, 34, 487-505.	5.7	29
96	The KnownLeaf literature curation system captures knowledge about Arabidopsis leaf growth and development and facilitates integrated data mining. Current Plant Biology, 2015, 2, 1-11.	4.7	7
97	GROWTH REGULATING FACTOR5 Stimulates Arabidopsis Chloroplast Division, Photosynthesis, and Leaf Longevity. Plant Physiology, 2015, 167, 817-832.	4.8	100
98	Leaf Responses to Mild Drought Stress in Natural Variants of Arabidopsis. Plant Physiology, 2015, 167, 800-816.	4.8	176
99	Molecular systems governing leaf growth: from genes to networks. Journal of Experimental Botany, 2015, 66, 1045-1054.	4.8	49
100	PLAZA 3.0: an access point for plant comparative genomics. Nucleic Acids Research, 2015, 43, D974-D981.	14.5	329
101	A Journey Through a Leaf: Phenomics Analysis of Leaf Growth in Arabidopsis thaliana. The Arabidopsis Book, 2015, 13, e0181.	0.5	130
102	RNA Interference Knockdown of BRASSINOSTEROID INSENSITIVE1 in Maize Reveals Novel Functions for Brassinosteroid Signaling in Controlling Plant Architecture. Plant Physiology, 2015, 169, 826-839.	4.8	93
103	Dynamic Changes in ANGUSTIFOLIA3 Complex Composition Reveal a Growth Regulatory Mechanism in the Maize Leaf. Plant Cell, 2015, 27, 1605-1619.	6.6	154
104	Rotational fusion and extended field of depth for a single cell layer in DIC microscopic images. , 2015, , .		0
105	A Repressor Protein Complex Regulates Leaf Growth in Arabidopsis. Plant Cell, 2015, 27, 2273-2287.	6.6	118
106	Correlation analysis of the transcriptome of growing leaves with mature leaf parameters in a maize RIL population. Genome Biology, 2015, 16, 168.	8.8	52
107	Genetic properties of the MAGIC maize population: a new platform for high definition QTL mapping in Zea mays. Genome Biology, 2015, 16, 167.	8.8	225
108	What Is Stress? Dose-Response Effects in Commonly Used in Vitro Stress Assays. Plant Physiology, 2014, 165, 519-527.	4.8	161

#	ARTICLE	IF	CITATIONS
109	Translational research: from pot to plot. <i>Plant Biotechnology Journal</i> , 2014, 12, 277-285.	8.3	77
110	LEAF-E: a tool to analyze grass leaf growth using function fitting. <i>Plant Methods</i> , 2014, 10, 37.	4.3	39
111	Differential Methylation during Maize Leaf Growth Targets Developmentally Regulated Genes. <i>Plant Physiology</i> , 2014, 164, 1350-1364.	4.8	84
112	Transcriptional coordination between leaf cell differentiation and chloroplast development established by TCP20 and the subgroup Ib bHLH transcription factors. <i>Plant Molecular Biology</i> , 2014, 85, 233-245.	3.9	31
113	Role of Arabidopsis UV RESISTANCE LOCUS 8 in Plant Growth Reduction under Osmotic Stress and Low Levels of UV-B. <i>Molecular Plant</i> , 2014, 7, 773-791.	8.3	57
114	Gibberellins and DELLAs: central nodes in growth regulatory networks. <i>Trends in Plant Science</i> , 2014, 19, 231-239.	8.8	224
115	The cell-cycle interactome: a source of growth regulators?. <i>Journal of Experimental Botany</i> , 2014, 65, 2715-2730.	4.8	43
116	High-resolution time-resolved imaging of <i>in vitro</i> Arabidopsis rosette growth. <i>Plant Journal</i> , 2014, 80, 172-184.	5.7	41
117	A Generic Tool for Transcription Factor Target Gene Discovery in Arabidopsis Cell Suspension Cultures Based on Tandem Chromatin Affinity Purification. <i>Plant Physiology</i> , 2014, 164, 1122-1133.	4.8	43
118	The Cyclin-Dependent Kinase Inhibitor KRP6 Induces Mitosis and Impairs Cytokinesis in Giant Cells Induced by Plant-Parasitic Nematodes in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2014, 26, 2633-2647.	6.6	30
119	<i>Arabidopsis</i> SNAREs SYP61 and SYP121 Coordinate the Trafficking of Plasma Membrane Aquaporin PIP2;7 to Modulate the Cell Membrane Water Permeability. <i>Plant Cell</i> , 2014, 26, 3132-3147.	6.6	192
120	Post-transcriptional control of <i>GRF</i> transcription factors by microRNA miR396 and <i>GIF</i> co-activator affects leaf size and longevity. <i>Plant Journal</i> , 2014, 79, 413-426.	5.7	231
121	ANGUSTIFOLIA3 Binds to SWI/SNF Chromatin Remodeling Complexes to Regulate Transcription during <i>Arabidopsis</i> Leaf Development. <i>Plant Cell</i> , 2014, 26, 210-229.	6.6	219
122	Combining growth-promoting genes leads to positive epistasis in <i>Arabidopsis thaliana</i> . <i>ELife</i> , 2014, 3, e02252.	6.0	38
123	Thirty years of transgenic plants. <i>Nature</i> , 2013, 497, 40-40.	27.8	5
124	Molecular and Physiological Analysis of Growth-Limiting Drought Stress in <i>Brachypodium distachyon</i> Leaves. <i>Molecular Plant</i> , 2013, 6, 311-322.	8.3	94
125	Cell to whole-plant phenotyping: the best is yet to come. <i>Trends in Plant Science</i> , 2013, 18, 428-439.	8.8	288
126	Brassinosteroid production and signaling differentially control cell division and expansion in the leaf. <i>New Phytologist</i> , 2013, 197, 490-502.	7.3	151

#	ARTICLE	IF	CITATIONS
127	Addressing the Role of microRNAs in Reprogramming Leaf Growth during Drought Stress in <i>Brachypodium distachyon</i> . <i>Molecular Plant</i> , 2013, 6, 423-443.	8.3	75
128	Metabolomics Enables the Structure Elucidation of a Diatom Sex Pheromone. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 854-857.	13.8	122
129	A Guide to CORNET for the Construction of Coexpression and Protein-Protein Interaction Networks. <i>Methods in Molecular Biology</i> , 2013, 1011, 327-343.	0.9	4
130	Gateway vectors for transformation of cereals. <i>Trends in Plant Science</i> , 2013, 18, 1-4.	8.8	34
131	The Agony of Choice: How Plants Balance Growth and Survival under Water-Limiting Conditions. <i>Plant Physiology</i> , 2013, 162, 1768-1779.	4.8	385
132	AUREOCHROME1a-Mediated Induction of the Diatom-Specific Cyclin <i>dsCYC2</i> Controls the Onset of Cell Division in Diatoms (<i>Phaeodactylum tricornutum</i>). <i>Plant Cell</i> , 2013, 25, 215-228.	6.6	136
133	The Potential of Text Mining in Data Integration and Network Biology for Plant Research: A Case Study on <i>Arabidopsis</i> . <i>Plant Cell</i> , 2013, 25, 794-807.	6.6	25
134	ETHYLENE RESPONSE FACTOR6 Acts as a Central Regulator of Leaf Growth under Water-Limiting Conditions in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2013, 162, 319-332.	4.8	210
135	A novel tracing method for the segmentation of cell wall networks. , 2013, 2013, 5433-6.		0
136	DELLA Signaling Mediates Stress-Induced Cell Differentiation in <i>Arabidopsis</i> Leaves through Modulation of Anaphase-Promoting Complex/Cyclosome Activity. <i>Plant Physiology</i> , 2012, 159, 739-747.	4.8	100
137	Combined linkage and association mapping reveals <i>CYCD5;1</i> as a quantitative trait gene for endoreduplication in <i>Arabidopsis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 4678-4683.	7.1	55
138	A role for the root cap in root branching revealed by the non-auxin probe naxillin. <i>Nature Chemical Biology</i> , 2012, 8, 798-805.	8.0	118
139	Tackling Drought Stress: RECEPTOR-LIKE KINASES Present New Approaches. <i>Plant Cell</i> , 2012, 24, 2262-2278.	6.6	155
140	Systems-based analysis of <i>Arabidopsis</i> leaf growth reveals adaptation to water deficit. <i>Molecular Systems Biology</i> , 2012, 8, 606.	7.2	191
141	<i>Brachypodium distachyon</i> promoters as efficient building blocks for transgenic research in maize. <i>Journal of Experimental Botany</i> , 2012, 63, 4263-4273.	4.8	55
142	CORNET 2.0: integrating plant coexpression, protein-protein interactions, regulatory interactions, gene associations and functional annotations. <i>New Phytologist</i> , 2012, 195, 707-720.	7.3	113
143	A Local Maximum in Gibberellin Levels Regulates Maize Leaf Growth by Spatial Control of Cell Division. <i>Current Biology</i> , 2012, 22, 1183-1187.	3.9	200
144	A Local Maximum in Gibberellin Levels Regulates Maize Leaf Growth by Spatial Control of Cell Division. <i>Current Biology</i> , 2012, 22, 1266.	3.9	5

#	ARTICLE	IF	CITATIONS
145	Exit from Proliferation during Leaf Development in <i>Arabidopsis thaliana</i> : A Not-So-Gradual Process. <i>Developmental Cell</i> , 2012, 22, 64-78.	7.0	361
146	SAMBA, a plant-specific anaphase-promoting complex/cyclosome regulator is involved in early development and A-type cyclin stabilization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 13853-13858.	7.1	80
147	Analysis of tiling array expression studies with flexible designs in Bioconductor (waveTiling). <i>BMC Bioinformatics</i> , 2012, 13, 234.	2.6	0
148	Leaf size control: complex coordination of cell division and expansion. <i>Trends in Plant Science</i> , 2012, 17, 332-340.	8.8	446
149	Quantitative analysis of venation patterns of <i>Arabidopsis</i> leaves by supervised image analysis. <i>Plant Journal</i> , 2012, 69, 553-563.	5.7	52
150	CHARACTERIZATION OF A RABE (RAS GENE FROM RAT BRAIN E) GTPASE EXPRESSED DURING MORPHOGENESIS IN THE UNICELLULAR GREEN ALGA <i>MICRASTERIAS DENTICULATA</i> (ZYGNETOPHYCEAE, STREPTOPHYTA). <i>Journal of Phycology</i> , 2012, 48, 682-692.	2.3	7
151	Structural assessment of the impact of environmental constraints on <i>Arabidopsis thaliana</i> leaf growth: a 3D approach. <i>Plant, Cell and Environment</i> , 2012, 35, 1631-1646.	5.7	45
152	The SAUR19 subfamily of SMALL AUXIN UP RNA genes promote cell expansion. <i>Plant Journal</i> , 2012, 70, 978-990.	5.7	359
153	A comparative study of seed yield parameters in <i>Arabidopsis thaliana</i> mutants and transgenics. <i>Plant Biotechnology Journal</i> , 2012, 10, 488-500.	8.3	42
154	Pause-and-Stop: The Effects of Osmotic Stress on Cell Proliferation during Early Leaf Development in <i>Arabidopsis</i> and a Role for Ethylene Signaling in Cell Cycle Arrest. <i>Plant Cell</i> , 2011, 23, 1876-1888.	6.6	268
155	Adaptin-like protein TPLATE and clathrin recruitment during plant somatic cytokinesis occurs via two distinct pathways. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 615-620.	7.1	119
156	A Reciprocal ¹⁵ N-Labeling Proteomic Analysis of Expanding <i>Arabidopsis</i> Leaves Subjected to Osmotic Stress Indicates Importance of Mitochondria in Preserving Plastid Functions. <i>Journal of Proteome Research</i> , 2011, 10, 1018-1029.	3.7	38
157	Developmental regulation of CYCA2s contributes to tissue-specific proliferation in <i>Arabidopsis</i> . <i>EMBO Journal</i> , 2011, 30, 3430-3441.	7.8	113
158	The APC/C subunit 10 plays an essential role in cell proliferation during leaf development. <i>Plant Journal</i> , 2011, 68, 351-363.	5.7	99
159	Dissection of the phytohormonal regulation of trichome formation and biosynthesis of the antimalarial compound artemisinin in <i>Artemisia annua</i> plants. <i>New Phytologist</i> , 2011, 189, 176-189.	7.3	192
160	Low magnesium status in plants enhances tolerance to cadmium exposure. <i>New Phytologist</i> , 2011, 192, 428-436.	7.3	73
161	Atypical E2F activity coordinates PHR1 photolyase gene transcription with endoreduplication onset. <i>EMBO Journal</i> , 2011, 30, 355-363.	7.8	66
162	Survival and growth of <i>Arabidopsis</i> plants given limited water are not equal. <i>Nature Biotechnology</i> , 2011, 29, 212-214.	17.5	267

#	ARTICLE	IF	CITATIONS
163	Transcriptional analysis of cell growth and morphogenesis in the unicellular green alga <i>Micrasterias</i> (Streptophyta), with emphasis on the role of expansin. <i>BMC Plant Biology</i> , 2011, 11, 128.	3.6	34
164	PHENOPSIS DB: an Information System for <i>Arabidopsis thaliana</i> phenotypic data in an environmental context. <i>BMC Plant Biology</i> , 2011, 11, 77.	3.6	65
165	Combining Enhanced Root and Shoot Growth Reveals Cross Talk between Pathways That Control Plant Organ Size in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2011, 155, 1339-1352.	4.8	75
166	Model-Based Analysis of <i>Arabidopsis</i> Leaf Epidermal Cells Reveals Distinct Division and Expansion Patterns for Pavement and Guard Cells. <i>Plant Physiology</i> , 2011, 156, 2172-2183.	4.8	81
167	Phosphorylation of a mitotic kinesin-like protein and a MAPKKK by cyclin-dependent kinases (CDKs) is involved in the transition to cytokinesis in plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 17844-17849.	7.1	59
168	VirtualLeaf: An Open-Source Framework for Cell-Based Modeling of Plant Tissue Growth and Development. <i>Plant Physiology</i> , 2011, 155, 656-666.	4.8	132
169	Increased Leaf Size: Different Means to an End. <i>Plant Physiology</i> , 2010, 153, 1261-1279.	4.8	222
170	More from less: plant growth under limited water. <i>Current Opinion in Biotechnology</i> , 2010, 21, 197-203.	6.6	427
171	A Novel Aux/IAA28 Signaling Cascade Activates GATA23-Dependent Specification of Lateral Root Founder Cell Identity. <i>Current Biology</i> , 2010, 20, 1697-1706.	3.9	431
172	INTRACELLULAR LOCALIZATION OF AN ENDOGENOUS CELLULOSE SYNTHASE OF <i>MICRASTERIAS DENTICULATA</i> (DESMIDIALES, CHLOROPHYTA) BY MEANS OF TRANSIENT GENETIC TRANSFORMATION ¹ . <i>Journal of Phycology</i> , 2010, 46, 839-845.	2.3	18
173	Systems analysis of the responses to long-term magnesium deficiency and restoration in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2010, 187, 132-144.	7.3	140
174	Early transcriptomic changes induced by magnesium deficiency in <i>Arabidopsis thaliana</i> reveal the alteration of circadian clock gene expression in roots and the triggering of abscisic acid-responsive genes. <i>New Phytologist</i> , 2010, 187, 119-131.	7.3	133
175	Hide and seek: uncloaking the vegetative shoot apex of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2010, 63, 541-548.	5.7	9
176	Cyclin-dependent kinase activity retains the shoot apical meristem cells in an undifferentiated state. <i>Plant Journal</i> , 2010, 64, no-no.	5.7	26
177	NINJA connects the co-repressor TOPLESS to jasmonate signalling. <i>Nature</i> , 2010, 464, 788-791.	27.8	832
178	Functional Modules in the <i>Arabidopsis</i> Core Cell Cycle Binary Protein-Protein Interaction Network. <i>Plant Cell</i> , 2010, 22, 1264-1280.	6.6	168
179	SHORT-ROOT and SCARECROW Regulate Leaf Growth in <i>Arabidopsis</i> by Stimulating S-Phase Progression of the Cell Cycle. <i>Plant Physiology</i> , 2010, 154, 1183-1195.	4.8	98
180	Mass Spectrometry-Based Sequencing of Lignin Oligomers. <i>Plant Physiology</i> , 2010, 153, 1464-1478.	4.8	166

#	ARTICLE	IF	CITATIONS
181	CORNET: A User-Friendly Tool for Data Mining and Integration Å. Plant Physiology, 2010, 152, 1167-1179.	4.8	62
182	Perturbation of Indole-3-Butyric Acid Homeostasis by the UDP-Glucosyltransferase<i>UGT74E2</i>Modulates<i>Arabidopsis</i>Architecture and Water Stress Tolerance. Plant Cell, 2010, 22, 2660-2679.	6.6	407
183	Systematic Localization of the Arabidopsis Core Cell Cycle Proteins Reveals Novel Cell Division Complexes Å Å. Plant Physiology, 2010, 152, 553-565.	4.8	79
184	Absciscic acid, ethylene and gibberellic acid act at different developmental stages to instruct the adaptation of young leaves to stress. Plant Signaling and Behavior, 2010, 5, 473-475.	2.4	24
185	Bimodal auxin response controls organogenesis in <i>Arabidopsis</i>. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 2705-2710.	7.1	271
186	The MCM-Binding Protein ETC1 Aids Sister Chromatid Cohesion Required for Postreplicative Homologous Recombination Repair. PLoS Genetics, 2010, 6, e1000817.	3.5	58
187	Nuclear-localized subtype of end-binding 1 protein regulates spindle organization in <i>Arabidopsis</i>. Journal of Cell Science, 2010, 123, 451-459.	2.0	74
188	A high-throughput bimolecular fluorescence complementation protein-protein interaction screen identifies functional<i>Arabidopsis</i>CDKA/B-CYCD4/5 complexes. Plant Signaling and Behavior, 2010, 5, 1276-1281.	2.4	18
189	High-contrast three-dimensional imaging of the Arabidopsis leaf enables the analysis of cell dimensions in the epidermis and mesophyll. Plant Methods, 2010, 6, 17.	4.3	130
190	Plant structure visualization by high-resolution X-ray computed tomography. Trends in Plant Science, 2010, 15, 419-422.	8.8	177
191	Targeted interactomics reveals a complex core cell cycle machinery in <i>Arabidopsis thaliana</i>. Molecular Systems Biology, 2010, 6, 397.	7.2	315
192	Mass Spectrometry-Based Fragmentation as an Identification Tool in Lignomics. Analytical Chemistry, 2010, 82, 8095-8105.	6.5	140
193	Genome-wide analysis of the diatom cell cycle unveils a novel type of cyclins involved in environmental signaling. Genome Biology, 2010, 11, R17.	9.6	91
194	Silencing approach using Poly (ADP-ribose) polymerase gene to improve drought stress tolerance in maize. Afrika Focus, 2010, 23, 61-64.	0.2	1
195	Vacuolar transport of nicotine is mediated by a multidrug and toxic compound extrusion (MATE) transporter in <i>Nicotiana tabacum</i>. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 2447-2452.	7.1	255
196	CDKB1;1 Forms a Functional Complex with CYCA2;3 to Suppress Endocycle Onset Å Å. Plant Physiology, 2009, 150, 1482-1493.	4.8	188
197	A Population Genomics Study of the<i>Arabidopsis</i>Core Cell Cycle Genes Shows the Signature of Natural Selection. Plant Cell, 2009, 21, 2987-2998.	6.6	20
198	Developmental Stage Specificity and the Role of Mitochondrial Metabolism in the Response of Arabidopsis Leaves to Prolonged Mild Osmotic Stress Å Å Å. Plant Physiology, 2009, 152, 226-244.	4.8	269

#	ARTICLE	IF	CITATIONS
199	David and Goliath: what can the tiny weed <i>Arabidopsis</i> teach us to improve biomass production in crops?. <i>Current Opinion in Plant Biology</i> , 2009, 12, 157-164.	7.1	93
200	A bioanalytical method for the proteome wide display and analysis of protein complexes from whole plant cell lysates. <i>Proteomics</i> , 2009, 9, 598-609.	2.2	11
201	Quantitative RNA expression analysis with Affymetrix Tiling 1.0R arrays identifies new E2F target genes. <i>Plant Journal</i> , 2009, 57, 184-194.	5.7	65
202	Impact of segmental chromosomal duplications on leaf size in the <i>grandifolia</i> mutants of <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2009, 60, 122-133.	5.7	46
203	Systematic analysis of cell cycle gene expression during <i>Arabidopsis</i> development. <i>Plant Journal</i> , 2009, 59, 645-660.	5.7	58
204	Expression of the <i>Arabidopsis</i> jasmonate signalling repressor <i>JAZ1</i> / <i>TIFY10A</i> is stimulated by auxin. <i>EMBO Reports</i> , 2009, 10, 923-928.	4.5	184
205	PSK promotes root growth in <i>Arabidopsis</i> . <i>New Phytologist</i> , 2009, 181, 820-831.	7.3	136
206	Chemical Inhibition of a Subset of <i>Arabidopsis thaliana</i> GSK3-like Kinases Activates Brassinosteroid Signaling. <i>Chemistry and Biology</i> , 2009, 16, 594-604.	6.0	240
207	Translational control of eukaryotic gene expression. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2009, 44, 143-168.	5.2	112
208	Jasmonate-inducible gene: what does it mean?. <i>Trends in Plant Science</i> , 2009, 14, 87-91.	8.8	320
209	In search of new tractable diatoms for experimental biology. <i>BioEssays</i> , 2008, 30, 692-702.	2.5	79
210	The DNA replication checkpoint aids survival of plants deficient in the novel replisome factor ETG1. <i>EMBO Journal</i> , 2008, 27, 1840-1851.	7.8	85
211	ABAP1 is a novel plant Armadillo BTB protein involved in DNA replication and transcription. <i>EMBO Journal</i> , 2008, 27, 2746-2756.	7.8	71
212	Receptor-Like Kinase ACR4 Restricts Formative Cell Divisions in the <i>Arabidopsis</i> Root. <i>Science</i> , 2008, 322, 594-597.	12.6	342
213	Boosting tandem affinity purification of plant protein complexes. <i>Trends in Plant Science</i> , 2008, 13, 517-520.	8.8	108
214	A Temperature-sensitive Mutation in the <i>Arabidopsis thaliana</i> Phosphomannomutase Gene Disrupts Protein Glycosylation and Triggers Cell Death. <i>Journal of Biological Chemistry</i> , 2008, 283, 5708-5718.	3.4	60
215	Atypical E2F activity restrains APC/C ^{CCS52A2} function obligatory for endocycle onset. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 14721-14726.	7.1	175
216	Functional Specialization of the TRANSPARENT TESTA GLABRA1 Network Allows Differential Hormonal Control of Laminal and Marginal Trichome Initiation in <i>Arabidopsis</i> Rosette Leaves. <i>Plant Physiology</i> , 2008, 148, 1453-1464.	4.8	110

#	ARTICLE	IF	CITATIONS
217	Hydrogen Peroxide-Induced Gene Expression across Kingdoms: A Comparative Analysis. <i>Molecular Biology and Evolution</i> , 2008, 25, 507-516.	8.9	122
218	The PRA1 Gene Family in Arabidopsis. <i>Plant Physiology</i> , 2008, 147, 1735-1749.	4.8	63
219	Vesicle Trafficking during Somatic Cytokinesis. <i>Plant Physiology</i> , 2008, 147, 1544-1552.	4.8	30
220	ARABIDOPSIS TRITHORAX1 Dynamically Regulates FLOWERING LOCUS C Activation via Histone 3 Lysine 4 Trimethylation. <i>Plant Cell</i> , 2008, 20, 580-588.	6.6	236
221	Physiological and Transcriptomic Evidence for a Close Coupling between Chloroplast Ontogeny and Cell Cycle Progression in the Pennate Diatom <i>Seminavis robusta</i> . <i>Plant Physiology</i> , 2008, 148, 1394-1411.	4.8	65
222	Mapping methyl jasmonate-mediated transcriptional reprogramming of metabolism and cell cycle progression in cultured <i>Arabidopsis</i> cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 1380-1385.	7.1	367
223	A Role for AtWRKY23 in Feeding Site Establishment of Plant-Parasitic Nematodes. <i>Plant Physiology</i> , 2008, 148, 358-368.	4.8	145
224	Auxin-dependent regulation of lateral root positioning in the basal meristem of Arabidopsis. <i>Development (Cambridge)</i> , 2007, 134, 681-690.	2.5	540
225	Classical Anticytokinins Do Not Interact with Cytokinin Receptors but Inhibit Cyclin-dependent Kinases. <i>Journal of Biological Chemistry</i> , 2007, 282, 14356-14363.	3.4	20
226	Metacaspase Activity of Arabidopsis thaliana Is Regulated by S-Nitrosylation of a Critical Cysteine Residue. <i>Journal of Biological Chemistry</i> , 2007, 282, 1352-1358.	3.4	209
227	Novel Plant-specific Cyclin-dependent Kinase Inhibitors Induced by Biotic and Abiotic Stresses. <i>Journal of Biological Chemistry</i> , 2007, 282, 25588-25596.	3.4	139
228	Cold Nights Impair Leaf Growth and Cell Cycle Progression in Maize through Transcriptional Changes of Cell Cycle Genes. <i>Plant Physiology</i> , 2007, 143, 1429-1438.	4.8	193
229	T-Loop Phosphorylation of Arabidopsis CDKA;1 Is Required for Its Function and Can Be Partially Substituted by an Aspartate Residue. <i>Plant Cell</i> , 2007, 19, 972-985.	6.6	98
230	The Arabidopsis thaliana Homolog of Yeast BRE1 Has a Function in Cell Cycle Regulation during Early Leaf and Root Growth. <i>Plant Cell</i> , 2007, 19, 417-432.	6.6	168
231	A Tandem Affinity Purification-based Technology Platform to Study the Cell Cycle Interactome in Arabidopsis thaliana. <i>Molecular and Cellular Proteomics</i> , 2007, 6, 1226-1238.	3.8	196
232	Somatic Cytokinesis and Pollen Maturation in Arabidopsis Depend on TPLATE, Which Has Domains Similar to Coat Proteins. <i>Plant Cell</i> , 2007, 18, 3502-3518.	6.6	113
233	Canalization without flux sensors: a traveling-wave hypothesis. <i>Trends in Plant Science</i> , 2007, 12, 384-390.	8.8	98
234	Trehalose-6-P synthase AtTPS1 high molecular weight complexes in yeast and Arabidopsis. <i>Plant Science</i> , 2007, 173, 426-437.	3.6	27

#	ARTICLE	IF	CITATIONS
235	Arabidopsis WEE1 Kinase Controls Cell Cycle Arrest in Response to Activation of the DNA Integrity Checkpoint. <i>Plant Cell</i> , 2007, 19, 211-225.	6.6	258
236	Functional characterisation of genes involved in pyridine alkaloid biosynthesis in tobacco. <i>Phytochemistry</i> , 2007, 68, 2773-2785.	2.9	54
237	The ins and outs of the plant cell cycle. <i>Nature Reviews Molecular Cell Biology</i> , 2007, 8, 655-665.	37.0	314
238	Mitochondrial type- ϵ prohibitins of <i>Arabidopsis thaliana</i> are required for supporting proficient meristem development. <i>Plant Journal</i> , 2007, 52, 850-864.	5.7	114
239	AtGRP2, a cold-induced nucleo-cytoplasmic RNA-binding protein, has a role in flower and seed development. <i>Planta</i> , 2007, 225, 1339-1351.	3.2	99
240	Integrating Transcriptional and Metabolic Profiling to Unravel Secondary Metabolite Biosynthesis in Plants. , 2007, , 135-138.		0
241	Cyclin-Dependent Kinase Inhibitors in Yeast, Animals, and Plants: A Functional Comparison. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2006, 41, 293-313.	5.2	50
242	Cell Cycle Regulation in Plant Development. <i>Annual Review of Genetics</i> , 2006, 40, 77-105.	7.6	704
243	Serpin1 of <i>Arabidopsis thaliana</i> is a Suicide Inhibitor for Metacaspase 9. <i>Journal of Molecular Biology</i> , 2006, 364, 625-636.	4.2	167
244	Mitosis-specific kinesins in <i>Arabidopsis</i> . <i>Trends in Plant Science</i> , 2006, 11, 167-175.	8.8	69
245	A novel role for abscisic acid emerges from underground. <i>Trends in Plant Science</i> , 2006, 11, 434-439.	8.8	241
246	What if higher plants lack a CDC25 phosphatase?. <i>Trends in Plant Science</i> , 2006, 11, 474-479.	8.8	65
247	Quantitation of artemisinin and its biosynthetic precursors in <i>Artemisia annua</i> L. by high performance liquid chromatography-electrospray quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2006, 1118, 180-187.	3.7	69
248	Lateral Root Initiation or the Birth of a New Meristem. <i>Plant Molecular Biology</i> , 2006, 60, 871-887.	3.9	248
249	The <i>Arabidopsis</i> leaf as a model system for investigating the role of cell cycle regulation in organ growth. <i>Journal of Plant Research</i> , 2006, 119, 43-50.	2.4	51
250	Cell Cycle-Dependent Targeting of a Kinesin at the Plasma Membrane Demarcates the Division Site in Plant Cells. <i>Current Biology</i> , 2006, 16, 308-314.	3.9	86
251	SIAMESE, a Plant-Specific Cell Cycle Regulator, Controls Endoreplication Onset in <i>Arabidopsis thaliana</i> . <i>Plant Cell</i> , 2006, 18, 3145-3157.	6.6	234
252	<i>Arabidopsis</i> PASTICCINO2 Is an Antiphosphatase Involved in Regulation of Cyclin-Dependent Kinase A. <i>Plant Cell</i> , 2006, 18, 1426-1437.	6.6	40

#	ARTICLE	IF	CITATIONS
253	Cyclin-dependent Kinase (CDK) Inhibitors Regulate the CDK-Cyclin Complex Activities in Endoreduplicating Cells of Developing Tomato Fruit. <i>Journal of Biological Chemistry</i> , 2006, 281, 7374-7383.	3.4	65
254	The Cyclin-Dependent Kinase Inhibitor Orysa;KRP1 Plays an Important Role in Seed Development of Rice. <i>Plant Physiology</i> , 2006, 142, 1053-1064.	4.8	101
255	A Hormone and Proteome Approach to Picturing the Initial Metabolic Events During Plasmodiophora brassicae Infection on Arabidopsis. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 1431-1443.	2.6	133
256	Transcriptomic Footprints Disclose Specificity of Reactive Oxygen Species Signaling in Arabidopsis. <i>Plant Physiology</i> , 2006, 141, 436-445.	4.8	683
257	Gene-to-metabolite networks for terpenoid indole alkaloid biosynthesis in Catharanthus roseus cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 5614-5619.	7.1	307
258	Nitric Oxide- and Hydrogen Peroxide-Responsive Gene Regulation during Cell Death Induction in Tobacco. <i>Plant Physiology</i> , 2006, 141, 404-411.	4.8	180
259	Tuning the cell-cycle engine for improved plant performance. <i>Current Opinion in Biotechnology</i> , 2005, 16, 142-146.	6.6	19
260	Auxin regulation of cell cycle and its role during lateral root initiation. <i>Physiologia Plantarum</i> , 2005, 123, 139-146.	5.2	40
261	Exploration of jasmonate signalling via automated and standardized transient expression assays in tobacco cells. <i>Plant Journal</i> , 2005, 44, 1065-1076.	5.7	150
262	Green light for the cell cycle. <i>EMBO Journal</i> , 2005, 24, 657-662.	7.8	121
263	The DP-E2F-like Gene DEL1 Controls the Endocycle in Arabidopsis thaliana. <i>Current Biology</i> , 2005, 15, 59-63.	3.9	173
264	The Role of the Arabidopsis E2FB Transcription Factor in Regulating Auxin-Dependent Cell Division. <i>Plant Cell</i> , 2005, 17, 2527-2541.	6.6	210
265	The Cyclin-Dependent Kinase Inhibitor KRP2 Controls the Onset of the Endoreduplication Cycle during Arabidopsis Leaf Development through Inhibition of Mitotic CDKA;1 Kinase Complexes. <i>Plant Cell</i> , 2005, 17, 1723-1736.	6.6	248
266	The Role of the Cell Cycle Machinery in Resumption of Postembryonic Development. <i>Plant Physiology</i> , 2005, 137, 127-140.	4.8	121
267	Genome-Wide Analysis of Core Cell Cycle Genes in the Unicellular Green Alga Ostreococcus tauri. <i>Molecular Biology and Evolution</i> , 2005, 22, 589-597.	8.9	64
268	Methyl jasmonate stimulates the de novo biosynthesis of vitamin C in plant cell suspensions. <i>Journal of Experimental Botany</i> , 2005, 56, 2527-2538.	4.8	230
269	Cell Cycle Progression in the Pericycle Is Not Sufficient for SOLITARY ROOT/IAA14-Mediated Lateral Root Initiation in Arabidopsis thaliana. <i>Plant Cell</i> , 2005, 17, 3035-3050.	6.6	309
270	Identification of Four Adenosine Kinase Isoforms in Tobacco By-2 Cells and Their Putative Role in the Cell Cycle-regulated Cytokinin Metabolism. <i>Journal of Biological Chemistry</i> , 2005, 280, 17512-17519.	3.4	40

#	ARTICLE	IF	CITATIONS
271	Protection against Photooxidative Injury of Tobacco Leaves by 2-Alkenal Reductase. Detoxication of Lipid Peroxide-Derived Reactive Carbonyls. <i>Plant Physiology</i> , 2005, 139, 1773-1783.	4.8	139
272	Fatty Acid Hydroperoxides and H ₂ O ₂ in the Execution of Hypersensitive Cell Death in Tobacco Leaves. <i>Plant Physiology</i> , 2005, 138, 1516-1526.	4.8	324
273	The elongata mutants identify a functional Elongator complex in plants with a role in cell proliferation during organ growth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7754-7759.	7.1	154
274	Genome-Wide Analysis of Gene Expression Profiles Associated with Cell Cycle Transitions in Growing Organs of Arabidopsis. <i>Plant Physiology</i> , 2005, 138, 734-743.	4.8	247
275	Switching the Cell Cycle. Kip-Related Proteins in Plant Cell Cycle Control. <i>Plant Physiology</i> , 2005, 139, 1099-1106.	4.8	142
276	Genome-Wide Identification of Potential Plant E2F Target Genes. <i>Plant Physiology</i> , 2005, 139, 316-328.	4.8	229
277	Genome-Wide Analysis of Hydrogen Peroxide-Regulated Gene Expression in Arabidopsis Reveals a High Light-Induced Transcriptional Cluster Involved in Anthocyanin Biosynthesis. <i>Plant Physiology</i> , 2005, 139, 806-821.	4.8	476
278	Arabidopsis RADICAL-INDUCED CELL DEATH1 Belongs to the WWE Protein-Protein Interaction Domain Protein Family and Modulates Absciscic Acid, Ethylene, and Methyl Jasmonate Responses. <i>Plant Cell</i> , 2004, 16, 1925-1937.	6.6	217
279	Analysis of the Spatial Expression Pattern of Seven Kip Related Proteins (KRPs) in the Shoot Apex of Arabidopsis thaliana. <i>Annals of Botany</i> , 2004, 93, 575-580.	2.9	55
280	Cell Cycle Modulation in the Response of the Primary Root of Arabidopsis to Salt Stress. <i>Plant Physiology</i> , 2004, 135, 1050-1058.	4.8	296
281	Transcript profiling of early lateral root initiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 5146-5151.	7.1	190
282	Iron-Regulated Expression of a Cytosolic Ascorbate Peroxidase Encoded by the APX1 Gene in Arabidopsis Seedlings. <i>Plant Physiology</i> , 2004, 134, 605-613.	4.8	53
283	B1-Type Cyclin-Dependent Kinases Are Essential for the Formation of Stomatal Complexes in Arabidopsis thaliana. <i>Plant Cell</i> , 2004, 16, 945-955.	6.6	173
284	Connecting genes to metabolites by a systems biology approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9949-9950.	7.1	73
285	In Vivo Dynamics and Differential Microtubule-Binding Activities of MAP65 Proteins. <i>Plant Physiology</i> , 2004, 136, 3956-3967.	4.8	163
286	A small CDC25 dual-specificity tyrosine-phosphatase isoform in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 13380-13385.	7.1	105
287	Type II Metacaspases Atmc4 and Atmc9 of Arabidopsis thaliana Cleave Substrates after Arginine and Lysine. <i>Journal of Biological Chemistry</i> , 2004, 279, 45329-45336.	3.4	304
288	A Plant-Specific Subclass of C-Terminal Kinesins Contains a Conserved A-Type Cyclin-Dependent Kinase Site Implicated in Folding and Dimerization. <i>Plant Physiology</i> , 2004, 135, 1417-1429.	4.8	52

#	ARTICLE	IF	CITATIONS
289	Conditional, recombinase-mediated expression of genes in plant cell cultures. <i>Plant Journal</i> , 2004, 37, 889-896.	5.7	55
290	Catalase deficiency drastically affects gene expression induced by high light in <i>Arabidopsis thaliana</i> . <i>Plant Journal</i> , 2004, 39, 45-58.	5.7	298
291	Molecular dissection of plant cytokinesis and phragmoplast structure: a survey of GFP-tagged proteins. <i>Plant Journal</i> , 2004, 40, 386-398.	5.7	204
292	A technology platform for the fast production of monoclonal recombinant antibodies against plant proteins and peptides. <i>Journal of Immunological Methods</i> , 2004, 294, 181-187.	1.4	14
293	The Plant-Specific Cyclin-Dependent Kinase CDKB1;1 and Transcription Factor E2Fa-DPa Control the Balance of Mitotically Dividing and Endoreduplicating Cells in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2004, 16, 2683-2692.	6.6	277
294	Jasmonic acid prevents the accumulation of cyclin B1;1 and CDK-B in synchronized tobacco BY-2 cells. <i>FEBS Letters</i> , 2004, 572, 118-122.	2.8	44
295	Characterization of the <i>Arabidopsis thaliana</i> AtCDC25 dual-specificity tyrosine phosphatase. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 734-739.	2.1	38
296	Plant cell factories in the post-genomic era: new ways to produce designer secondary metabolites. <i>Trends in Plant Science</i> , 2004, 9, 433-440.	8.8	431
297	Improvements of the Molecular Toolbox for Cell Cycle Studies in Tobacco BY-2 Cells. <i>Biotechnology in Agriculture and Forestry</i> , 2004, , 7-23.	0.2	4
298	Plant cell cycle transitions. <i>Current Opinion in Plant Biology</i> , 2003, 6, 536-543.	7.1	157
299	An abscisic acid-sensitive checkpoint in lateral root development of <i>Arabidopsis</i> . <i>Plant Journal</i> , 2003, 33, 543-555.	5.7	402
300	Changes in hydrogen peroxide homeostasis trigger an active cell death process in tobacco. <i>Plant Journal</i> , 2003, 33, 621-632.	5.7	272
301	Different responses of tobacco antioxidant enzymes to light and chilling stress. <i>Journal of Plant Physiology</i> , 2003, 160, 509-515.	3.5	107
302	Cell cycle: the key to plant growth control?. <i>Trends in Plant Science</i> , 2003, 8, 154-158.	8.8	256
303	The <i>Arabidopsis</i> Locus RCB Mediates Upstream Regulation of Mitotic Gene Expression. <i>Plant Physiology</i> , 2003, 133, 1862-1872.	4.8	7
304	DRL1, a Homolog of the Yeast TOT4/KTI12 Protein, Has a Function in Meristem Activity and Organ Growth in Plants. <i>Plant Cell</i> , 2003, 15, 639-654.	6.6	84
305	Secretion of Secondary Metabolites by ATP-Binding Cassette Transporters in Plant Cell Suspension Cultures. <i>Plant Physiology</i> , 2003, 131, 1161-1164.	4.8	58
306	Microarray analysis of E2Fa-DPa-overexpressing plants uncovers a cross-talking genetic network between DNA replication and nitrogen assimilation. <i>Journal of Cell Science</i> , 2003, 116, 4249-4259.	2.0	75

#	ARTICLE	IF	CITATIONS
307	Why should we study the plant cell cycle?. Journal of Experimental Botany, 2003, 54, 1125-1126.	4.8	12
308	A functional genomics approach toward the understanding of secondary metabolism in plant cells. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 8595-8600.	7.1	378
309	A comprehensive analysis of hydrogen peroxide-induced gene expression in tobacco. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 16113-16118.	7.1	309
310	Secondary Metabolites in the Post-Genomic Era. , 2003, , 465-468.		0
311	Differential Effect of Jasmonic Acid and Absciscic Acid on Cell Cycle Progression in Tobacco BY-2 Cells. Plant Physiology, 2002, 128, 201-211.	4.8	168
312	Genome-Wide Analysis of Core Cell Cycle Genes in Arabidopsis. Plant Cell, 2002, 14, 903-916.	6.6	523
313	Transcriptome analysis during cell division in plants. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 14825-14830.	7.1	140
314	Molecular Characterization of Plant Ubiquitin-Conjugating Enzymes Belonging to the UbcP4/E2-C/UBCx/UbcH10 Gene Family. Plant Physiology, 2002, 130, 1230-1240.	4.8	59
315	Genetic Complexity of Cellulose Synthase A Gene Function in Arabidopsis Embryogenesis. Plant Physiology, 2002, 130, 1883-1893.	4.8	116
316	Variation in Growth Rate between Arabidopsis Ecotypes Is Correlated with Cell Division and A-Type Cyclin-Dependent Kinase Activity. Plant Physiology, 2002, 129, 854-864.	4.8	169
317	Solution NMR Study of the Monomeric Form of p13 Protein Sheds Light on the Hinge Region Determining the Affinity for a Phosphorylated Substrate. Journal of Biological Chemistry, 2002, 277, 12375-12381.	3.4	12
318	The NADPH:Quinone Oxidoreductase P1-Î¶-crystallin in Arabidopsis Catalyzes the Î±,Î²-Hydrogenation of 2-Alkenals: Detoxication of the Lipid Peroxide-Derived Reactive Aldehydes. Plant and Cell Physiology, 2002, 43, 1445-1455.	3.1	134
319	Î³-Glutamyl Transpeptidase in Transgenic Tobacco Plants. Cellular Localization, Processing, and Biochemical Properties. Plant Physiology, 2002, 128, 1109-1119.	4.8	91
320	Auxin-Mediated Cell Cycle Activation during Early Lateral Root Initiation. Plant Cell, 2002, 14, 2339-2351.	6.6	523
321	Comprehensive analysis of gene expression in Nicotiana tabacum leaves acclimated to oxidative stress. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 10870-10875.	7.1	160
322	Solution Structure of the Single-domain Prolyl Cis/Trans Isomerase PIN1At from Arabidopsis thaliana. Journal of Molecular Biology, 2002, 320, 321-332.	4.2	36
323	GATEWAYâ„¢ vectors for Agrobacterium-mediated plant transformation. Trends in Plant Science, 2002, 7, 193-195.	8.8	3,390
324	Double antisense plants lacking ascorbate peroxidase and catalase are less sensitive to oxidative stress than single antisense plants lacking ascorbate peroxidase or catalase. Plant Journal, 2002, 32, 329-342.	5.7	308

#	ARTICLE	IF	CITATIONS
325	Title is missing!. Plant Cell, Tissue and Organ Culture, 2002, 69, 167-176.	2.3	52
326	Characterization of cis-acting element involved in cell cycle phase-independent activation of Arath;CycB1;1 transcription and identification of putative regulatory proteins. Plant Molecular Biology, 2002, 50, 109-125.	3.9	49
327	Control of proliferation, endoreduplication and differentiation by the Arabidopsis E2Fa-DPa transcription factor. EMBO Journal, 2002, 21, 1360-1368.	7.8	373
328	Cell numbers and leaf development in Arabidopsis: a functional analysis of the STRUWWELPETER gene. EMBO Journal, 2002, 21, 6036-6049.	7.8	222
329	Transgenic Plants Expressing Tolerance Toward Oxidative Stress. , 2002, , .		0
330	Differential effect of jasmonic acid and abscisic acid on cell cycle progression in tobacco BY-2 cells. Plant Physiology, 2002, 128, 201-11.	4.8	61
331	Signal transduction during oxidative stress. Journal of Experimental Botany, 2002, 53, 1227-36.	4.8	158
332	The role of active oxygen species in plant signal transduction. Plant Science, 2001, 161, 405-414.	3.6	493
333	When plant cells decide to divide. Trends in Plant Science, 2001, 6, 359-364.	8.8	189
334	The fas locus of the phytopathogen Rhodococcus fascians affects mitosis of tobacco BY-2 cells. FEBS Letters, 2001, 492, 127-132.	2.8	14
335	Functional Analysis of Cyclin-Dependent Kinase Inhibitors of Arabidopsis. Plant Cell, 2001, 13, 1653-1668.	6.6	595
336	CKS1At overexpression in Arabidopsis thaliana inhibits growth by reducing meristem size and inhibiting cell-cycle progression. Plant Journal, 2001, 25, 617-626.	5.7	61
337	Arabidopsis coactivator ALY-like proteins, DIP1 and DIP2, interact physically with the DNA-binding domain of the Zn-finger poly(ADP-ribose) polymerase 1. Journal of Experimental Botany, 2001, 52, 1375-1380.	4.8	24
338	Auxin Transport Promotes Arabidopsis Lateral Root Initiation. Plant Cell, 2001, 13, 843-852.	6.6	930
339	The AKT3 potassium channel protein interacts with the AtPP2CA protein phosphatase 2C. Journal of Experimental Botany, 2001, 52, 181-182.	4.8	46
340	A Plant-specific Cyclin-dependent Kinase Is Involved in the Control of G2/M Progression in Plants. Journal of Biological Chemistry, 2001, 276, 36354-36360.	3.4	145
341	p13 and the WW Domain of PIN1 Bind to the Same Phosphothreonine-Proline Epitope. Journal of Biological Chemistry, 2001, 276, 1434-1438.	3.4	24
342	Functional Analysis of Cyclin-Dependent Kinase Inhibitors of Arabidopsis. Plant Cell, 2001, 13, 1653.	6.6	47

#	ARTICLE	IF	CITATIONS
343	PlantL-ascorbic acid: chemistry, function, metabolism, bioavailability and effects of processing. Journal of the Science of Food and Agriculture, 2000, 80, 825-860.	3.5	1,076
344	Cell division events are essential for embryo patterning and morphogenesis: studies on dominant-negative cdc2aAt mutants of Arabidopsis. Plant Journal, 2000, 23, 123-130.	5.7	59
345	A novel NADPH:diamide oxidoreductase activity in Arabidopsis thaliana P1 Î¶-crystallin. FEBS Journal, 2000, 267, 3661-3671.	0.2	43
346	Crystallization and preliminary X-ray crystallographic analysis of NADPH: azodicarbonyl/quinone oxidoreductase, a plant Î¶-crystallin. BBA - Proteins and Proteomics, 2000, 1480, 374-376.	2.1	5
347	Cloning of beta-1,3-glucanases expressed during Cichorium somatic embryogenesis. Plant Molecular Biology, 2000, 42, 377-386.	3.9	26
348	Regulation of cyclin-dependent kinases in Arabidopsis thaliana. Plant Molecular Biology, 2000, 43, 583-593.	3.9	45
349	CDK-related protein kinases in plants. Plant Molecular Biology, 2000, 43, 607-620.	3.9	221
350	Letter to the editor: sequence-specific 1H, 13C and 15N chemical shift backbone NMR assignment and secondary structure of the Arabidopsis thaliana PIN1At protein. Journal of Biomolecular NMR, 2000, 17, 271-272.	2.8	3
351	The Rhodococcus fascians-plant interaction: morphological traits and biotechnological applications. Planta, 2000, 210, 241-251.	3.2	97
352	Histological Study of Seed Coat Development in Arabidopsis thaliana. Journal of Plant Research, 2000, 113, 139-148.	2.4	166
353	Developmental expression of the Arabidopsis thaliana CycA2;1 gene. Planta, 2000, 211, 623-631.	3.2	70
354	Expression of cell cycle regulatory genes and morphological alterations in response to salt stress in Arabidopsis thaliana. Planta, 2000, 211, 632-640.	3.2	176
355	The Arabidopsis thaliana PIN1At Gene Encodes a Single-domain Phosphorylation-dependent Peptidyl Prolylcis/trans Isomerase. Journal of Biological Chemistry, 2000, 275, 10577-10581.	3.4	49
356	The ROOT MERISTEMLESS1/CADMIUM SENSITIVE2 Gene Defines a Glutathione-Dependent Pathway Involved in Initiation and Maintenance of Cell Division during Postembryonic Root Development. Plant Cell, 2000, 12, 97-109.	6.6	551
357	Increased leakiness of the tetracyclineâ€inducible Tripleâ€Op promoter in dividing cells renders it unsuitable for high inducible levels of a dominant negative CDC2aAt gene. Journal of Experimental Botany, 2000, 51, 1647-1653.	4.8	17
358	Spatial Distribution of Cell Division Rate Can Be Deduced from that of p34cdc2 Kinase Activity in Maize Leaves Grown at Contrasting Temperatures and Soil Water Conditions. Plant Physiology, 2000, 124, 1393-1402.	4.8	123
359	Oxidative stress, heat shock and drought differentially affect expression of a tobacco protein phosphatase 2C1. Journal of Experimental Botany, 2000, 51, 1763-1764.	4.8	54
360	CEF, a Sec24 homologue of Arabidopsis thaliana, enhances the survival of yeast under oxidative stress conditions1. Journal of Experimental Botany, 2000, 51, 1761-1762.	4.8	12

#	ARTICLE	IF	CITATIONS
361	Cloning and molecular analysis of two new sesquiterpene cyclases from <i>Artemisia annua</i> L.. <i>Plant Science</i> , 2000, 158, 163-171.	3.6	18
362	Chemical inhibitors: a tool for plant cell cycle studies. <i>FEBS Letters</i> , 2000, 476, 78-83.	2.8	138
363	CEO1, a new protein from <i>Arabidopsis thaliana</i> , protects yeast against oxidative damage1. <i>FEBS Letters</i> , 2000, 482, 19-24.	2.8	97
364	Characterization of two distinct DP-related genes from <i>Arabidopsis thaliana</i> 1. <i>FEBS Letters</i> , 2000, 486, 79-87.	2.8	80
365	CDK-related protein kinases in plants. , 2000, , 63-76.		8
366	Three major somatic embryogenesis related proteins in <i>Cichorium</i> identified as PR proteins. <i>Journal of Experimental Botany</i> , 2000, 51, 1189-1200.	4.8	77
367	Molecular Markers and Cell Cycle Inhibitors Show the Importance of Cell Cycle Progression in Nematode-Induced Galls and Syncytia. <i>Plant Cell</i> , 1999, 11, 793-807.	6.6	195
368	Effects of overproduction of tobacco MnSOD in maize chloroplasts on foliar tolerance to cold and oxidative stress. <i>Journal of Experimental Botany</i> , 1999, 50, 71-78.	4.8	96
369	NaCl and CuSO4 treatments trigger distinct oxidative defence mechanisms in <i>Nicotiana plumbaginifolia</i> L.. <i>Plant, Cell and Environment</i> , 1999, 22, 387-396.	5.7	91
370	Specific checkpoints regulate plant cell cycle progression in response to oxidative stress. <i>Plant Journal</i> , 1999, 17, 647-656.	5.7	217
371	Expression of CKS1At in <i>Arabidopsis thaliana</i> indicates a role for the protein in both the mitotic and the endoreduplication cycle. <i>Planta</i> , 1999, 207, 496-504.	3.2	59
372	A new D-type cyclin of <i>Arabidopsis thaliana</i> expressed during lateral root primordia formation. <i>Planta</i> , 1999, 208, 453-462.	3.2	135
373	Mutations in the PILZ group genes disrupt the microtubule cytoskeleton and uncouple cell cycle progression from cell division in <i>Arabidopsis</i> embryo and endosperm. <i>European Journal of Cell Biology</i> , 1999, 78, 100-108.	3.6	116
374	Cell cycle control and plant morphogenesis: is there an essential link?. <i>BioEssays</i> , 1999, 21, 29-37.	2.5	25
375	Tobacco cultures transformed with cyclin-promoter-gus constructs reveal a discrepancy between gus mRNA levels and GUS protein activity upon leaving the stationary state. <i>Plant Science</i> , 1999, 141, 67-71.	3.6	6
376	Meristem, cell division and S phase-dependent activity of wheat histone H4 promoter in transgenic maize plants. <i>Plant Science</i> , 1999, 143, 35-44.	3.6	15
377	Mutational analysis of two <i>Arabidopsis thaliana</i> cyclin-dependent kinases in fission yeast. <i>FEBS Letters</i> , 1999, 446, 182-188.	2.8	25
378	Indomethacin-induced G1/S phase arrest of the plant cell cycle. <i>FEBS Letters</i> , 1999, 458, 349-353.	2.8	21

#	ARTICLE	IF	CITATIONS
379	A low content in zeatin type cytokinins is not restrictive for the occurrence of G1/S transition in tobacco BY-2 cells. FEBS Letters, 1999, 460, 123-128.	2.8	34
380	Cloning and characterization of a novel Mg ²⁺ /H ⁺ exchanger. EMBO Journal, 1999, 18, 3973-3980.	7.8	238
381	Cyclin-Dependent Kinases and Cell Division in Plantsâ€”The Nexus. Plant Cell, 1999, 11, 509-521.	6.6	340
382	Recombinant Production of the p10CKS1AtProtein from Arabidopsis thaliana and ¹³ C and ¹⁵ N Double-Isotopic Enrichment for NMR Studies. Protein Expression and Purification, 1999, 16, 144-151.	1.3	5
383	Effects of overproduction of tobacco MnSOD in maize chloroplasts on foliar tolerance to cold and oxidative stress. Journal of Experimental Botany, 1999, 50, 71-78.	4.8	33
384	Tolerance to low temperature and paraquat-mediated oxidative stress in two maize genotypes. Journal of Experimental Botany, 1999, 50, 523-532.	4.8	22
385	Processing of a chimeric protein in chloroplasts is different in transgenic maize and tobacco plants. Plant Molecular Biology, 1998, 38, 491-496.	3.9	11
386	Effects of sucrose supply on growth and paraquat tolerance of the late-flowering gi-3 mutant. Plant Growth Regulation, 1998, 26, 91-96.	3.4	19
387	Factors influencing Agrobacterium tumefaciens-mediated transformation of Artemisia annua L.. Plant Cell Reports, 1998, 18, 105-110.	5.6	50
388	The cell cycle in Arabidopsis. Plant Physiology and Biochemistry, 1998, 36, 9-19.	5.8	45
389	Oxidative stress tolerance and longevity in Arabidopsis: the late-flowering mutant gigantea is tolerant to paraquat. Plant Journal, 1998, 14, 759-764.	5.7	178
390	Higher plants possess two structurally different poly(ADP-ribose) polymerases. Plant Journal, 1998, 15, 635-645.	5.7	118
391	Ozone-induced oxidative burst in the ozone biomonitor plant, tobacco Bel W3. Plant Journal, 1998, 16, 235-245.	5.7	251
392	Expression of antioxidant enzymes in response to abscisic acid and high osmoticum in tobacco BY-2 cell cultures. Plant Science, 1998, 138, 27-34.	3.6	102
393	H ₂ O ₂ and NO: redox signals in disease resistance. Trends in Plant Science, 1998, 3, 330-334.	8.8	238
394	Effect of indomethacin on cell cycle dependent cyclic AMP fluxes in tobacco BY-2 cells. FEBS Letters, 1998, 422, 165-169.	2.8	73
395	Zeatin is indispensable for the G ₂ -M transition in tobacco BY-2 cells. FEBS Letters, 1998, 426, 29-32.	2.8	116
396	The involvement of poly(ADP-ribose) polymerase in the oxidative stress responses in plants. FEBS Letters, 1998, 440, 1-7.	2.8	128

#	ARTICLE	IF	CITATIONS
397	Cloning of a novel <i>Arabidopsis thaliana</i> RCA-like gene, a putative member of the VHID-domain transcription factor family. <i>Journal of Experimental Botany</i> , 1998, 49, 1609-1610.	4.8	10
398	The Heat-Shock Element Is a Functional Component of the <i>Arabidopsis</i> APX1 Gene Promoter. <i>Plant Physiology</i> , 1998, 118, 1005-1014.	4.8	140
399	Polyamines and Paraquat Toxicity in <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , 1998, 39, 987-992.	3.1	67
400	Engineering Stress Tolerance in Maize. <i>Outlook on Agriculture</i> , 1998, 27, 115-124.	3.4	33
401	Expression of <i>sodCpandsodB</i> genes in <i>Nicotiana tabacum</i> : effects of light and copper excess. <i>Journal of Experimental Botany</i> , 1997, 48, 2007-2014.	4.8	54
402	Iron triggers a rapid induction of ascorbate peroxidase gene expression in <i>Brassica napus</i> . <i>FEBS Letters</i> , 1997, 410, 195-200.	2.8	51
403	The <i>Arabidopsis</i> Cks1At protein binds the cyclin-dependent kinases Cdc2aAt and Cdc2bAt. <i>FEBS Letters</i> , 1997, 412, 446-452.	2.8	90
404	Plant CDC2 is not only targeted to the pre-prophase band, but also co-localizes with the spindle, phragmoplast, and chromosomes. <i>FEBS Letters</i> , 1997, 418, 229-234.	2.8	64
405	Expression of a novel-type small proline-rich protein gene of alfalfa is induced by 2,4-dichlorophenoxyacetic acid in dedifferentiated callus cells. <i>Plant Molecular Biology</i> , 1997, 34, 593-602.	3.9	23
406	Factors regulating the expression of cell cycle genes in individual buds of <i>Populus</i> . <i>Planta</i> , 1997, 201, 43-52.	3.2	40
407	The use of amoxicillin and ticarcillin in combination with a β -lactamase inhibitor as decontaminating agents in the <i>Agrobacterium tumefaciens</i> -mediated transformation of <i>Artemisia annua</i> L.. <i>Journal of Biotechnology</i> , 1996, 52, 89-95.	3.8	17
408	β -Glucuronidase activity in transgenic and non-transgenic tobacco cells: specific elimination of plant inhibitors and minimization of endogenous GUS background. <i>Plant Science</i> , 1996, 113, 209-219.	3.6	12
409	Identification of an <i>Arabidopsis thaliana</i> cDNA encoding a HSP70-related protein belonging to the HSP110/SSE1 subfamily. <i>FEBS Letters</i> , 1996, 390, 113-118.	2.8	31
410	Levels of endogenous cytokinins, indole-3-acetic acid and abscisic acid during the cell cycle of synchronized tobacco BY-2 cells. <i>FEBS Letters</i> , 1996, 391, 175-180.	2.8	142
411	Cell Cycle Control in <i>Arabidopsis</i> . <i>Annals of Botany</i> , 1996, 78, 283-288.	2.9	14
412	<i>Agrobacterium tumefaciens</i> -mediated transformation of <i>Artemisia annua</i> L. and regeneration of transgenic plants. <i>Plant Cell Reports</i> , 1996, 15, 929-933.	5.6	59
413	Two <i>Arabidopsis</i> cyclin promoters mediate distinctive transcriptional oscillation in synchronized tobacco BY-2 cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 4868-4872.	7.1	175
414	Cloning of a cDNA encoding a developmentally regulated 22 kDa polypeptide from tobacco leaf plasma membrane. <i>IUBMB Life</i> , 1996, 40, 469-477.	3.4	7

#	ARTICLE	IF	CITATIONS
415	A molecular study of root-knot nematode-induced feeding sites. Plant Journal, 1996, 9, 45-54.	5.7	85
416	Transgenic tobacco with a reduced catalase activity develops necrotic lesions and induces pathogenesis-related expression under high light. Plant Journal, 1996, 10, 491-503.	5.7	199
417	The Arabidopsis cyclin-dependent kinase gene cdc2bAt is preferentially expressed during S and G2 phases of the cell cycle. Plant Journal, 1996, 10, 601-612.	5.7	138
418	Induction of cdc2a and cyc1At expression in Arabidopsis thaliana during early phases of nematode-induced feeding cell formation. Plant Journal, 1996, 10, 1037-1043.	5.7	125
419	Plant cyclins: a unified nomenclature for plant A-, B- and D-type cyclins based on sequence organization. Plant Molecular Biology, 1996, 32, 1003-1018.	3.9	232
420	G2-and early-M-specific expression of the NTCYC1 cyclin gene in Nicotiana tabacum cells. Plant Molecular Biology, 1996, 32, 1093-1101.	3.9	32
421	Regulation of Cell Division in Arabidopsis. Critical Reviews in Plant Sciences, 1996, 15, 97-112.	5.7	29
422	Regulation of Cell Division in Arabidopsis. Critical Reviews in Plant Sciences, 1996, 15, 97-112.	5.7	15
423	Differential in vitro DNA binding activity to a promoter element of the gn1 beta-1,3-glucanase gene in hypersensitively reacting tobacco plants. Plant Journal, 1995, 7, 309-320.	5.7	26
424	Oxidative stress in plants. Current Opinion in Biotechnology, 1995, 6, 153-158.	6.6	338
425	Dominant negative mutants of the Cdc2 kinase uncouple cell division from iterative plant development.. EMBO Journal, 1995, 14, 3925-3936.	7.8	375
426	High throughput RNase protection assay. Nucleic Acids Research, 1995, 23, 3359-3360.	14.5	20
427	Arabidopsis thaliana NADPH Oxidoreductase Homologs Confer Tolerance of Yeasts toward the Thiol-oxidizing Drug Diamide. Journal of Biological Chemistry, 1995, 270, 26224-26231.	3.4	145
428	Extensin gene expression is induced by mechanical stimuli leading to local cell wall strengthening in Nicotiana plumbaginifolia. Planta, 1994, 195, 175-181.	3.2	67
429	Control of cell proliferation during plant development. Plant Molecular Biology, 1994, 26, 1289-1303.	3.9	28
430	Molecular identification of catalases from Nicotiana plumbaginifolia(L.). FEBS Letters, 1994, 352, 79-83.	2.8	90
431	Superoxide Dismutase in Plants. Critical Reviews in Plant Sciences, 1994, 13, 199-218.	5.7	450
432	A protein phosphatase 1 from Arabidopsis thaliana restores temperature sensitivity of a Schizosaccharomyces pombe cdc25ts/wee1- double mutant. Plant Journal, 1993, 4, 81-87.	5.7	26

#	ARTICLE	IF	CITATIONS
433	A negatively light-regulated gene from <i>Arabidopsis thaliana</i> encodes a protein showing high similarity to blue copper-binding proteins. <i>Gene</i> , 1993, 136, 79-85.	2.2	59
434	Cell cycle control in <i>Arabidopsis thaliana</i> . <i>Acta Botanica Gallica</i> , 1993, 140, 583-590.	0.9	0
435	One-step purification and characterization of a lignin-specific O-methyltransferase from poplar. <i>Gene</i> , 1993, 133, 213-217.	2.2	21
436	A New Bioassay for Auxins and Cytokinins. <i>Plant Physiology</i> , 1992, 99, 1090-1098.	4.8	30
437	Nucleotide Sequence of a Complementary DNA Encoding <i>O</i> -Methyltransferase from Poplar. <i>Plant Physiology</i> , 1992, 98, 796-797.	4.8	57
438	A <i>cdc2</i> gene of <i>Petunia hybrida</i> is differentially expressed in leaves, protoplasts and during various cell cycle phases. <i>Plant Molecular Biology</i> , 1992, 20, 1121-1130.	3.9	32
439	Nucleotide Sequence of a cDNA Encoding Malic Enzyme from Poplar. <i>Plant Physiology</i> , 1991, 96, 1385-1386.	4.8	37
440	Pterocarpin phytoalexin biosynthesis in elicitor-challenged chickpea (<i>Cicer arietinum</i> L.) cell cultures. Purification, characterization and cDNA cloning of NADPH:isoflavone oxidoreductase. <i>FEBS Journal</i> , 1991, 200, 751-757.	0.2	56
441	A novel seed protein gene from <i>Vicia faba</i> is developmentally regulated in transgenic tobacco and <i>Arabidopsis</i> plants. <i>Molecular Genetics and Genomics</i> , 1991, 225, 459-467.	2.4	95
442	Upstream sequences regulating legumin gene expression in heterologous transgenic plants. <i>Molecular Genetics and Genomics</i> , 1991, 225, 121-128.	2.4	76
443	The <i>Arabidopsis</i> Functional Homolog of the p34 <i>cdc2</i> Protein Kinase. <i>Plant Cell</i> , 1991, 3, 531.	6.6	120
444	Sequence of a <i>Nicotiana plumbaginifolia</i> (1,3)-glucanase gene encoding a vacuolar isoform. <i>Nucleic Acids Research</i> , 1990, 18, 6685-6685.	14.5	29
445	An Auxin-Regulated Gene of <i>Arabidopsis thaliana</i> Encodes a DNA-Binding Protein. <i>Plant Physiology</i> , 1989, 89, 743-752.	4.8	89
446	Biotransformation of nicotine alkaloids by tobacco shooty teratomas induced by a Ti plasmid mutant. <i>Plant Cell Reports</i> , 1989, 7, 607-610.	5.6	37
447	Structure and expression analyses of the S-adenosylmethionine synthetase gene family in <i>Arabidopsis thaliana</i> . <i>Gene</i> , 1989, 84, 359-369.	2.2	106
448	Plant expression vectors with the origin of replication of the W-type plasmid Sa. <i>Plasmid</i> , 1988, 19, 251-254.	1.4	17
449	Isolation of genes expressed in specific tissues of <i>Arabidopsis thaliana</i> by differential screening of a genomic library. <i>Gene</i> , 1988, 67, 1-11.	2.2	22
450	T-DNA Controlled and Plant Specific Metabolism in <i>Agrobacterium tumefaciens</i> Transformed Tobacco and Soybean Tissues. <i>Bulletin De La Soci��t�� Botanique De France Actualit��s Botaniques</i> , 1988, 135, 63-71.	0.0	1

#	ARTICLE	IF	CITATIONS
451	High meiotic stability of a foreign gene introduced into tobacco by Agrobacterium-mediated transformation. Molecular Genetics and Genomics, 1987, 207, 171-175.	2.4	55
452	The Growing Family of Plant Cyclin-Dependent Kinases with Multiple Functions in Cellular and Developmental Regulation. , 0, , 1-30.		15
453	Hormonal Regulation of Cell Cycle Progression and its Role in Development. , 0, , 311-334.		7
454	Auxin Fuels the Cell Cycle Engine During Lateral Root Initiation. , 0, , 187-202.		3
455	Cell Cycle and Environmental Stresses. , 0, , 335-355.		5
456	CDK Inhibitors. , 0, , 62-86.		9
457	Functional Genomic Approaches to Study and Engineer Secondary Metabolism in Plant Cell Cultures. , 0, , 291-300.		12
458	The translatability of genetic networks from model to crop species: lessons from the past and perspectives for the future. New Phytologist, 0, , .	7.3	2